

Compact Catalogue



Content

Screwdrivers



Kraftform Stainless Steel	8
Kraftform Plus – Series 900	10
Kraftform Plus – Series 300	13
Kraftform Ball-Grip – Series 1800	30
Flagdriver Series	32
Screwdriving Accessories	33
Kraftform Micro	36
400 T-Handle Series	43
ESD Tools	51

Tools for Electricians



Kraftform Stainless VDE	60
Kraftform 100 VDE	62
Kraftform Kompakt Stainless VDE	72
Kraftform Kompakt VDE with ratchet functionality	76
Kraftform Kompakt VDE	80
Kraftform Kompakt Turbo VDE	88
Kraftform 1000 VDE	95
Series T-Handle Screwdrivers	96
The Zyklus Ratchet VDE	97
Joker VDE	
Self-setting, Adjustable Spanner	104
Torque Tools	
Series 7500 Kraftform	
Safe-Torque Speed Torque Screwdrivers	70
Series Torque-indicators	105
Wera 2go E 1 Tool Set For Electricians	325

Ratchets & Accessories



1/4" Zyklus Speed	108
1/4" Zyklus Comfort	113
1/4" Zyklus Metal Push	115
1/4" Zyklus Metal Switch	116
1/4" Zyklus Accessories	118
3/8" Zyklus Speed	128
3/8" Zyklus Comfort	132
3/8" Zyklus Metal Push	134
3/8" Zyklus Metal Switch	136
3/8" Zyklus Accessories	138
1/2" Zyklus Speed	153
1/2" Zyklus Hybrid	156
1/2" Zyklus Metal Push	157
1/2" Zyklus Metal Switch	159
1/2" Zyklus Accessories	160
Zyklus Pocket	173
1/2" Koloss	177
Zyklus Mini	180

Tool-Check



Tool-Check Modular	188
Tool-Check PLUS	193
Tool-Check	197

Joker Wrenches & Spanners



6000 Joker Ratcheting Combination Wrenches	202
6001 Joker Switch Ratcheting Combination Wrenches, with Switch Lever	205
6002 Joker Double Open-Ended Wrenches	207
6003 Joker Ring Spanner	207
6004 Joker Self-setting, Adjustable Spanner	213
6005 Joker Double Open-Ended Wrenches	215
6006 Joker Self-setting Double Spanners	216
6007 Joker Ring Ratchet Spanners, long design	217

L-Keys



L-Keys for Hexagon Socket Screws	222
L-Keys for TORX® Screws	237

Kraftform Kompakt with Ratchet Functionality



Kraftform Kompakt 20 RA-R, 25 RA-R, 26 RA-R, 27 RA, 28 RA	244
Kraftform Kompakt 60 RA-R	247
Kraftform Kompakt 400 RA	248
Kraftform Kompakt 838	251
Kraftform Kompakt Pistol	253
Kraftform Kompakt Stubby	254
Kraftform Kompakt Vario	257

Kraftform Kompakt without Ratchet Functionality



Kraftform Kompakt Turbo	258
Kraftform Kompakt 10, 12	259
Kraftform Kompakt 20, 25, 26, 27, 28	260
Kraftform Kompakt 40, 41	265
Kraftform Kompakt 60, 62	266
Kraftform Kompakt 70, 71	270
Kraftform Kompakt 100	271
Kraftform Kompakt 400	272
Kraftform Kompakt Stubby	272
Kraftform Kompakt Vario	274
Kraftform Kompakt Accessories	275

Kraftform Kompakt impact screwdriver



Kraftform Kompakt 900	277
-----------------------	------------

Kraftform Kompakt User-Specific Sets



Kraftform Kompakt User-Specific Sets	280
--------------------------------------	------------

Content

Bitholding Screwdrivers and Adaptors



Bitholding Screwdrivers and Adaptors

287

Roller cabinets and foam inserts



Roller cabinets and foam inserts

292

Wera 2go



Wera 2go

322

Bits



	Bits for Phillips-Schrauben	330
	Bits for Pozidriv-Schrauben	341
	Bits for Plusminus Screws – Slotted/Phillips	348
	Bits for Plusminus Screws – Slotted/Pozidriv	349
	Bits for TORX® Screws	349
	Bits for TORX® B0 Screws	357
	Bits for TORX PLUS® Screws	359
	Bits for TORX PLUS® IPR Screw	360
	Bits for Slotted Screws	360
	Bits for Hexagon Socket Screws	363
	Bits for Hexagon Socket B0 Screws	369
	Bits for Square Socket Screws	370
	Bits for TORQ-SET® Screws	373
	Bits for TRI-WING® Screws	374
	Bits for Multi-Point Screws	374
	Bits for Microstix® Screws	374
	Bits for Spanner Screws	375
	Nutsetters	375
	Internal Thread Insertion Tool	377

Holders and Adaptors



Impaktor Bit Holders	380
Rapidaptor Bit Holders	381
Universal Bit Holders With Quick-Release Chuck	383
Universal Bit Holders With Retaining Ring	384
Universal Bit Holders With Stainless Steel Sleeve	384
Bit Holders With Adjustable Depth-Control Stop	386
Adaptors	386

Bit Sets



Bit Sets Impaktor	392
Bit Sets Stainless	394
Bit Sets / Bit-Safes BiTorsion	396
Bit Sets Diamond	398
Bit Sets / Bit-Safes Universal	400
Bit Sets Wood	407
Bit Sets Metal	411
Bit Sets for Special Applications	412
Bit-Check for plumbing, heating and air conditioning 1	417

Torque Tools



Series 7400 Kraftform Torque Screwdrivers	
with variable torque value adjustment	420
with a factory pre-set measurement value	425
adjustable to customer requirements within the specified measurement range	430
Series 7500 Kraftform Safe-Torque Speed Torque Screwdrivers	435
Series Torque-indicators	437
Safe-Torque torque wrenches and accessories	439

Serie Click-Torque

Adjustable Torque Wrenches with Reversible Ratchet	442
Adjustable Torque Wrenches with Reversible Ratchet and Torque Lock Function	450
Adjustable Torque Wrenches for Clockwise and Anti-clockwise Torque-control	453
Adjustable Torque Wrenches for Clockwise and Anti-clockwise Torque-control and Torque Lock Function	454
Adjustable Torque Wrenches for Insert Tools	456
Pre-set, Adjustable Torque Wrenches for Insert Tools	462

Insert Tools Series

Insert tools self-setting Joker spanners	464
Insert tools spanners	467
Insert tools ring spanners	469, 475
Insert tools with ratchet functionality	471
Insert tools with square head	472
Insert tools bit adapters	474
Insert tools for external TORX®	475
Insert tools adapters	476
Push-fit weld-on adapters insert tools	477
Actuation tools for insert tools	478

Accessories	478
-------------	------------

Impact Driver



Impact Driver 90 Nm	479
---------------------	------------

Index


TechLex	480
Code No. Index	484
Article No. Index	499





Screwdrivers

Kraftform Stainless - stainless steel to prevent rust



High quality Kraftform Plus screwdriver out of stainless steel. The stainless tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. They can be used for industrial application without hesitation. The Lasertip tip literally bites into the head of the screw and thereby prevents any slipping out of the screw head. Multi-component Kraftform handle for fast and low-fatigue working.


Take it easy Tool Finder: colour coding according to profile and size. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace.

- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Take it easy tool finder: colour coding according to profile and size
- Hexagonal anti-roll feature against rolling away
- Lasertip tips for more secure fit in the screw head

Lasertip - laser engineered blade




3335 Screwdriver for slotted screws, stainless



	EAN						
Code	4013288	mm	mm	mm	mm	mm	
05032001001 ¹⁾	107329	0,5	3,0	3,0	80	81	1/8"
05032002001 ¹⁾	107336	0,6	3,5	3,5	100	81	9/64"
05032003001	107343	0,8	4,0	4,0	100	98	5/32"
05032004001	107350	1,0	5,5	5,5	125	98	7/32"

¹⁾without Lasertip

3334 Screwdriver for slotted screws, stainless



	EAN						
Code	4013288	mm	mm	mm	mm	mm	
05032005001	107367	1,2	6,5	6,0	150	105	1/4"
05032006001	107374	1,2	8,0	7,0	175	112	5/16"
05032007001	107381	1,6	10,0	9,0	200	112	3/8"

3350 PH Screwdriver for Phillips screws, stainless



	EAN						
Code	4013288		mm	mm	mm		
05032020001 ¹⁾	107398	PH 0	60	81	3,0	2 3/8"	5
05032021001	107404	PH 1	80	98	4,5	3 1/8"	10
05032022001	107411	PH 2	100	105	6,0	4"	10
05032023001	107428	PH 3	150	112	8,0	6"	5

¹⁾without Lasertip

3355 PZ Screwdriver for Pozidriv screws, stainless



	EAN		mm	mm	mm	mm	
Code	4013288						
05032030001 ¹⁾	107435	PZ 0	60	81	3,0	2 3/8"	5
05032031001	107442	PZ 1	80	98	4,5	3 1/8"	10
05032032001	107459	PZ 2	100	105	6,0	4"	10
05032033001	107466	PZ 3	150	112	8,0	6"	5

¹⁾ without Lasertip

3367 Screwdriver for TORX® screws, stainless



	EAN		mm	mm	mm	mm	
Code	4013288						
05032050001	107473	TX 8	60	81	3,5	2 3/8"	10
05032051001	107480	TX 9	60	81	4,0	2 3/8"	10
05032052001	107497	TX 10	80	81	4,0	3 1/8"	10
05032053001	107503	TX 15	80	98	4,0	3 1/8"	10
05032054001	107510	TX 20	100	98	4,5	4"	10
05032055001	107527	TX 25	100	105	5,0	4"	10
05032056001	107534	TX 27	115	105	5,5	4 9/16"	10
05032057001	107541	TX 30	115	105	6,0	4 9/16"	10
05032058001	107558	TX 40	130	112	7,0	5 3/16"	10

3368 Screwdriver for square socket screws, stainless

- Stainless screwdriver for square socket screws
- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Handle markings simplify finding and sorting of tools
- Hexagonal anti-roll feature against rolling away
- Stainless against extraneous rust

3368 Screwdriver for square socket screws, stainless



	EAN		mm	mm	mm	mm	
Code	4013288						
05032070002	114150	# 1	80	98	4,5	3 1/8"	10
05032071002	114167	# 2	100	105	6,0	4"	10

3334/6 Screwdriver set, stainless and rack

- Storage rack for wall-mounting

3334/6 Screwdriver set, stainless and rack




Code	EAN		
05032060001	111388		1
		+	3350 PH 1x PH 1x80; 1x PH 2x100
		-	3335 1x 0,5x3,0x80 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125
		-	3334 1x 1,2x6,5x150

¹⁾ without Lasertip

3334/3355/6 Screwdriver set, stainless and rack

- Storage rack for wall-mounting

3334/3355/6 Screwdriver set, stainless and rack



Code	EAN		
05032061001	111395		1
		+	3355 PZ 1x PZ 1x80; 1x PZ 2x100
		-	3335 1x 0,5x3,0x80 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125
		-	3334 1x 1,2x6,5x150

¹⁾ without Lasertip

3334/3350/3355/6 Screwdriver set, stainless and rack

- Storage rack for wall-mounting


3334/3350/3355/6 Screwdriver set, stainless and rack



Code	EAN			
05032063001	111739			1
		+	3350 PH 1x PH 1x80; 1x PH 2x100	
		+	3355 PZ 1x PZ 1x80; 1x PZ 2x100	
		—	3335 1x 0,5x3,0x80 ¹⁾	
		—	3334 1x 1,2x6,5x150	

¹⁾Without Lasertip

Wera Chiseldriver



Wera Chiseldriver for fastening, chiselling and loosening seized screws. Multi-component Kraftform handle for fast and low-fatigue working. Kraftform Plus: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. A hexagon blade out of high quality bit material that extends right through the blade ensures full transfer of force, even when struck with a hammer.

The ductile tempered material prevents the blade from splintering or breaking. Comes with an impact cap for durability and reduced risk of splintering. More torque can be transferred with the help of an open-end or ring spanner applied to the integrated hexagonal bolster.

The Wera Black Point tip and a complex hardening process ensure a long service life of the tip, enhanced corrosion protection and an exact fit. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace.

932 A Screwdriver for slotted screws



	EAN	mm	mm	mm	mm	mm	mm	
Code	4013288							
05018260001 ¹⁾	018007	0,6	3,5	4		80	81	10
05018262001	018014	0,8	4,5	5	8	90	98	10
05018264001	018021	1,0	5,5	6	10	100	105	10
05018266001	018038	1,2	7,0	6	10	125	105	10
05018268001	018045	1,6	9,0	8	13	150	112	10
05018270001	018052	1,6	10,0	8	13	175	112	5
05018272001 ²⁾	018069	2,0	12,0	10	16	200	117	2
05018274001 ²⁾	018076	2,5	14,0	10	16	250	117	2

¹⁾ No throughout blade, no impact cap and no hexagon bolster

²⁾ Kraftform with non-roll feature, single-component

932 A SB Screwdriver for slotted screws



Code	EAN			
05100085001	181596	—	932 A 1x 1.0x5.5x100	10
05100086001	181602	—	932 A 1x 1.2x7.0x125	10
05100087001	181619	—	932 A 1x 1.6x9.0x150	10

932 AS Screwdriver for slotted screws

- Hexagonal blade extending through the handle, impact cap with integrated square and bolster

932 AS Screwdriver for slotted screws




	EAN	mm	mm	mm	mm	mm	mm	
Code	4013288							
05018300001	134486	0,8	4,5	5	8	100	98	10
05018301001	134462	1,0	5,5	6	10	113	105	10
05018302001	134455	1,2	7,0	6	10	138	105	10

917 SPH Screwdriver for Phillips screws



	EAN	+	mm	mm	mm	mm	mm	mm	
Code	4013288								
05017005001	017734	PH 1	5	8	80	98	3 1/8"	10	
05017010001	017741	PH 2	6	10	100	105	4"	10	
05017015001	017758	PH 3	8	13	150	112	6"	5	
05017020001	017765	PH 4	10	16	200	117	8"	2	

917 SPH SB Screwdriver for Phillips screws



Code	EAN			
05100075001	181565	+	917 SPH 1x PH 1x80	10
05100076001	181572	+	917 SPH 1x PH 2x100	10
05100077001	181589	+	917 SPH 1x PH 3x150	5

917 SPHS Screwdriver for Phillips screws

- Hexagonal blade extending through the handle, impact cap with integrated square and bolster

917 SPHS Screwdriver for Phillips screws



	EAN	+	mm	mm	mm	mm	mm	mm	
Code	4013288								
05017040001	134493	PH 1	5	8	90	98	3 35/64"	10	
05017041001	134448	PH 2	6	10	113	105	4 29/64"	10	

918 SPZ Screwdriver for Pozidriv screws



	EAN	+	mm	mm	mm	mm	mm	mm	
Code	4013288								
05017050001	017772	PZ 1	5	8	80	98	3 1/8"	10	
05017052001	017789	PZ 2	6	10	100	105	4"	10	
05017054001	017796	PZ 3	8	13	150	112	6"	5	
05017056001	017802	PZ 4	10	16	200	117	8"	2	

918 SPZ SB Screwdriver for Pozidriv screws



Code	EAN			
05100080001	181633	+	918 SPZ 1x PZ 1x80	10
05100081001	181640	+	918 SPZ 1x PZ 2x100	10
05100082001	181657	+	918 SPZ 1x PZ 3x150	5

977 Screwdriver for TORX® screws



	EAN	+	mm	mm	mm	mm	mm	mm	
Code	4013288								
05024400001	094742	TX 15	5	8	80	98	3 1/8"	10	
05024401001	094759	TX 20	5	8	90	98	3 1/2"	10	
05024402001	094766	TX 25	6	10	100	105	4"	10	
05024403001	094773	TX 27	6	10	125	105	5"	10	
05024404001	094780	TX 30	8	13	150	112	6"	10	
05024405001	094797	TX 40	8	13	150	112	6"	10	

Big Pack 900 Screwdriver set Kraftform Wera: Chiseldriver and rack

- Storage rack for wall-mounting

Big Pack 900 Screwdriver set Kraftform Wera: Chiseldriver and rack



Code		EAN		
05133285001		176349		1
			+	917 SPH 1x PH 1x80; 1x PH 2x100; 1x PH 3x150
			+	918 SPZ 1x PZ 1x80; 1x PZ 2x100; 1x PZ 3x150
			●	932 A 1x 0,6x3,5x80 ¹⁾ ; 1x 0,8x4,5x90; 1x 1,0x5,5x100; 1x 1,2x7,0x125; 1x 1,6x9,0x150
			✱	977 TORX® 1x TX 20x90; 1x TX 25x100
				Rack 2x 190,0x50,0

¹⁾No throughout blade, no impact cap and no hexagon bolster

932/6 Screwdriver set Kraftform Wera: Chiseldriver and rack

- Storage rack for wall-mounting

932/6 Screwdriver set Kraftform Wera: Chiseldriver and rack



Code		EAN		
05018282001		018090		1
			+	917 SPH 1x PH 1x80; 1x PH 2x100
			●	932 A 1x 0,6x3,5x80 ¹⁾ ; 1x 0,8x4,5x90; 1x 1,0x5,5x100; 1x 1,2x7,0x125

¹⁾No throughout blade, no impact cap and no hexagon bolster

932 S/6 Screwdriver set Kraftform Wera: Chiseldriver and rack

- Impact cap with integrated square and bolster for the transfer of higher torque
- Storage rack for wall-mounting

932 S/6 Screwdriver set Kraftform Wera: Chiseldriver and rack




Code		EAN		
05018283001		134479		1
			+	917 SPHS 1x PH 1x90; 1x PH 2x113
			●	932 A 1x 0,6x3,5x80 ¹⁾
			●	932 AS 1x 0,8x4,5x100; 1x 1,0x5,5x113; 1x 1,2x7,0x138

¹⁾No throughout blade, no impact cap and no hexagon bolster

932/918/6 Screwdriver set Kraftform Wera: Chiseldriver and rack

- Storage rack for wall-mounting

932/918/6 Screwdriver set Kraftform Wera: Chiseldriver and rack



Code		EAN		
05018287001		018137		1
			+	918 SPZ 1x PZ 1x80; 1x PZ 2x100
			●	932 A 1x 0,6x3,5x80 ¹⁾ ; 1x 0,8x4,5x90; 1x 1,0x5,5x100; 1x 1,2x7,0x125

¹⁾No throughout blade, no impact cap and no hexagon bolster

977/6 TORX® Screwdriver set Kraftform Wera: Chiseldriver and rack


- Storage rack for wall-mounting

977/6 TORX® Screwdriver set Kraftform Wera: Chiseldriver and rack



Code	EAN			
05024410001	4013288 094803			1
		977 TORX® 1x TX 15x80; 1x TX 20x90; 1x TX 25x100; 1x TX 27x125; 1x TX 30x150; 1x TX 40x150		

Kraftform - the shape that adapts to the hand




High quality Kraftform Plus screwdriver with electrician's blade. Multi-component Kraftform Plus handle for pleasant, ergonomic working that makes blisters and calluses a thing of the past. Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer.

The tips of Wera Lasertip screwdrivers are microscopically roughened by means of laser beams. This rough surface literally bites into the head of the screw. Any unintentional slipping out is therefore prevented.

Take it easy tool finder with colour coding according to profiles and size stamp – for simple and rapid accessing of the required tool. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace and handle markings make for simplified finding and sorting of the tool.

- Smooth hard zones for high speed turning, soft grip zones for high torque transfer
- Take it easy tool finder: colour coding according to profile and size
- Hexagonal anti-roll feature against rolling away
- Lasertip tips for more secure fit in the screw head

Lasertip - laser engineered blade



335 Screwdriver for slotted screws



	EAN	mm	mm	mm	mm	mm	mm	
Code	4013288	mm	mm	mm	mm	mm	mm	
05008006001 ¹⁾	039996	0,4	2,0	60	70	2,5	5/64"	10
05110000001 ¹⁾	003232	0,4	2,5	60	70	2,5	3/32"	10
05008007001 ¹⁾	003249	0,4	2,5	75	70	2,5	3/32"	10
05110001001 ¹⁾	003256	0,5	3,0	80	81	3,0	1/8"	10
05008008001 ¹⁾	107985	0,5	3,0	150	81	4,0	1/8"	10
05008009001 ¹⁾	107992	0,5	3,0	200	81	4,0	1/8"	5
05008015001 ¹⁾	003263	0,6	3,5	100	81	3,5	9/64"	10
05110002001 ¹⁾	003270	0,6	3,5	125	81	3,5	9/64"	10
05110003001 ¹⁾	003287	0,6	3,5	200	81	3,5	9/64"	5
05110004001	003294	0,8	4,0	100	98	4,0	5/32"	10
05110005001	003300	0,8	4,0	150	98	4,0	5/32"	10
05110006001	003317	0,8	4,0	200	98	4,0	5/32"	5
05008027001 ¹⁾	003324	0,8	4,0	300	98	4,0	5/32"	2
05110007001	003331	1,0	5,5	125	98	5,5	7/32"	10
05008055001	003348	1,0	5,5	150	98	5,5	7/32"	10
05110008001	003355	1,0	5,5	200	98	5,5	7/32"	5
05008060001 ¹⁾	003362	1,0	5,5	300	98	5,5	7/32"	2
05008061001	108005	1.2	6.0	100	105	6.0	15/64"	10

¹⁾ without Lasertip

335 SB Slotted screwdriver



Code	EAN			
	4013288			
05100042001	181275	●	335 1x 0.6x3.5x100 ¹⁾	10
05100043001	181251	●	335 1x 0.8x4.0x100	10
05100044001	181244	●	335 1x 1.0x5.5x125	10

334 SK Screwdriver for slotted screws

- Hexagonal blade and bolster for higher torque transfer

334 SK Screwdriver for slotted screws



Code	EAN							
	4013288	mm	mm	mm	mm	mm	mm	
05007670001 ¹⁾	108036	0,6	3,5	4	-	75	81	10
05007671001	108043	0,8	4,0	4	-	90	81	10
05007672001	108050	0,8	4,5	5	8	90	98	10
05007673001	108067	1,0	5,5	6	10	100	98	10
05007674001	108074	1,2	6,5	6	10	125	105	10
05007675001	108081	1,2	7,0	6	10	125	105	10
05007676001	108098	1,6	9,0	8	13	150	112	10
05007677001	108104	1,6	10,0	8	13	175	112	5

¹⁾without Lasertip

334 Screwdriver for slotted screws



	EAN							
Code	4013288	mm	mm	mm	mm	mm		
05007610001	003058	0,8	5,0	100	98	5,0	3/16"	10
05007620001	003065	1,0	6,0	125	105	6,0	1/4"	10
05340330001	102553	1,0	6,0	150	105	6,0	1/4"	10
05110010001	003089	1,2	6,5	150	105	6,0	1/4"	10
05007635001	003072	1,2	7,0	150	105	7,0	9/32"	10
05007621001	108012	1,2	6,5	200	105	7,0	1/4"	5
05110011001	003096	1,2	8,0	175	112	7,0	5/16"	5
05007640001	108029	1,6	8,0	175	112	7,0	5/16"	5
05110104001	003102	1,6	10,0	200	112	9,0	3/8"	5
05110105001 ¹⁾	003119	2,0	12,0	250	117	10,0	1/2"	2

¹⁾without Lasertip

334 SB Screwdriver for slotted screws



Code	EAN			
	4013288			
05100030001	181411	●	334 1x 1.2x6.5x150	10
05100031001	181220	●	334 1x 1.2x8.0x175	5

350 SK PH Screwdriver for Phillips screws

- Hexagonal blade and bolster for higher torque transfer

350 SK PH Screwdriver for Phillips screws



	EAN	+	mm	mm	mm	mm	mm	mm
Code	4013288							
05008750001 ¹⁾	108128	PH 0	4		60	81	2 3/8"	5
05008751001	108135	PH 1	5	8	80	98	3 1/8"	10
05008752001	108142	PH 2	6	10	100	105	4"	10
05008753001	108159	PH 3	8	13	150	112	6"	5

¹⁾without Lasertip

350 PH Screwdriver for Phillips screws



	EAN	+	mm	mm	mm	mm	mm	mm
Code	4013288							
05008705001 ¹⁾	003591	PH 0	60	81	3,0	2 3/8"		5
05008706001 ¹⁾	108111	PH 0	100	81	3,0	4"		5
05008710001	003607	PH 1	80	98	4,5	3 1/8"		10
05008712001	003614	PH 1	200	98	4,5	8"		2
05008715001 ¹⁾	003621	PH 1	300	98	4,5	12"		2
05008720001	003638	PH 2	100	105	6,0	4"		10
05008723001	097996	PH 2	150	105	6,0	6"		10
05008725001	003645	PH 2	200	105	6,0	8"		2
05008730001 ¹⁾	003652	PH 2	300	105	6,0	12"		2
05008735001	003669	PH 3	150	112	8,0	6"		5
05008740001 ¹⁾	003676	PH 4	200	112	10,0	8"		2

¹⁾without Lasertip

350 PH SB Screwdriver for Phillips screws



	EAN	+	mm	mm	mm	mm	mm	mm
Code	4013288							
05100050001	181329	+	350 PH					10
05100051001	181336	+	350 PH					10
05100052001	181343	+	350 PH					10

¹⁾without Lasertip

355 SK PZ Screwdriver for Pozidriv screws

- Hexagonal blade and bolster for higher torque transfer

355 SK PZ Screwdriver for Pozidriv screws



	EAN	+	mm	mm	mm	mm	mm	mm
Code	4013288							
05009340001 ¹⁾	108180	PZ 0	4		60	81	2 3/8"	5
05009341001	108197	PZ 1	5	8	80	98	3 1/8"	10
05009342001	108203	PZ 2	6	10	100	105	4"	10
05009343001	108210	PZ 3	8	13	150	112	6"	5

¹⁾without Lasertip

355 PZ Screwdriver for Pozidriv screws



	EAN		mm	mm	mm	mm	
Code	4013288		mm	mm	mm	mm	
05009305001 ¹⁾	004024	PZ 0	60	81	3,0	2 3/8"	10
05009310001	004031	PZ 1	80	98	4,5	3 1/8"	10
05009312001	004048	PZ 1	200	98	4,5	8"	2
05009313001 ¹⁾	108166	PZ 1	300	98	4,5	12"	2
05009315001	004055	PZ 2	100	105	6,0	4"	10
05009317001	004062	PZ 2	200	105	6,0	8"	2
05347743001	097040	PZ 2	250	105	6,0	10"	2
05009319001 ¹⁾	108173	PZ 2	300	105	6,0	12"	2
05009320001	004079	PZ 3	150	112	8,0	6"	5
05009325001 ¹⁾	004086	PZ 4	200	112	10,0	8"	2

¹⁾without Lasertip

355 PZ SB Screwdriver for Pozidriv screws




Code	EAN			
05100055001	181282	355 PZ	1x PZ 0x60 ¹⁾	10
05100056001	181299	355 PZ	1x PZ 1x80	10
05100057001	181305	355 PZ	1x PZ 2x100	10

¹⁾without Lasertip

Hex-Plus - lets hexagon socket screws last longer

Deformation of the screws is reduced

Above-average service life



High quality Kraftform Plus screwdriver.

Multi-component Kraftform handle for fast and low-fatigue working. Kraftform Plus: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer.

Hex-Plus offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess.

Take it easy Tool Finder: colour coding according to profile and size. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace.

- Hexagonal screwdriver Hex-Plus
- Hex-Plus allows socket head screws to live longer

354 Screwdriver for hexagon socket screws



	EAN	mm	mm	mm	mm	mm	
Code	4013288	mm	mm	mm	mm	mm	
05023105001	003942	2,0	75	70	3,0	3"	5
05023107001	003959	2,5	75	81	3,0	3"	10
05023110001	003966	3,0	75	81	4,0	3"	10
05023115001	003973	4,0	75	98	5,0	3"	10
05023120001	003980	5,0	80	105	6,0	3 1/8"	10
05023125001	003997	6,0	80	105	7,0	3 1/8"	5
05023130001	004000	8,0	100	112	10,0	4"	5

352 Ball end screwdriver for hexagon socket screws

- Hexagonal blade and ballpoint for secure working even in difficult installation situations

352 Ball end screwdriver for hexagon socket screws



	EAN						
Code	4013288	mm		mm	mm		
05022795001	032577	1,5		60	70	2 3/8"	10
05022800001	003751	2,0		100	70	4"	10
05138070001	003768	2,5		100	81	4"	10
05022805001	003775	3,0		100	81	4"	10
05022810001	003782	4,0		100	98	4"	10
05022815001	003799	5,0		100	105	4"	10
05022820001	003805	6,0		125	105	5"	5
05022825001	003812	8,0		150	112	6"	5
05022830001	003829	10,0		150	112	6"	5
05022835001	003836	12,0		150	117	6"	5
05022905001	003843		5/32"	100	98	4"	5
05022910001	003850		3/16"	100	105	4"	5
05022920001	003874		1/4"	125	105	5"	5

TORX® Tools with holding function



High quality Kraftform Plus screwdriver.

Multi-component Kraftform handle for fast and low-fatigue working. Kraftform Plus: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer.

Holding function: the wedging forces resulting from the contact pressure between the drive tip and the screw profile securely hold the screw on the tool.

The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace. Handle markings for simplified finding and sorting of the tool.

- Screwdriver for recessed TORX® screws
- Holding function for TORX® screws
- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Handle markings simplify finding and sorting of tools
- Hexagonal anti-roll feature against rolling away

367 TORX® HF Screwdriver with holding function for TORX® screws



	EAN						
Code	4013288		mm	mm	mm		
05028048001	106643	TX 8	60	81	3,5	2 3/8"	10
05028049001	106650	TX 9	60	81	4,0	2 3/8"	10
05028050001	100696	TX 10	80	81	4,0	3 1/8"	10
05028051001	100702	TX 15	80	98	4,0	3 1/8"	10
05028052001	100719	TX 20	100	98	4,5	4"	10
05028070001	138415	TX 20	300	98	4,5	12"	4
05028053001	100726	TX 25	100	105	5,0	4"	10
05028071001	138408	TX 25	300	105	6,0	12"	4
05028054001	100733	TX 27	115	105	5,5	4 9/16"	10
05028072001	138392	TX 27	300	105	6,0	12"	4
05028055001	100740	TX 30	115	105	6,0	4 9/16"	10
05028073001	138385	TX 30	300	105	6,0	12"	4
05028056001	100757	TX 40	130	112	7,0	5 3/16"	10

367 Screwdriver for TORX® screws



	EAN							
Code	4013288		mm	mm	mm			
05028000001	025852	TX 5	60	70	3,5	2 3/8"		10
05028001001	004185	TX 6	60	70	3,5	2 3/8"		10
05028002001	004192	TX 7	60	70	3,5	2 3/8"		10
05028003001	004208	TX 8	60	81	3,5	2 3/8"		10
05028004001	004215	TX 9	60	81	4,0	2 3/8"		10
05028005001	004222	TX 10	80	81	4,0	3 1/8"		10
05028008001	004239	TX 15	80	98	4,0	3 1/8"		10
05028010001	004246	TX 20	100	98	4,5	4"		10
05028012001	004253	TX 25	100	105	5,0	4"		10
05028013001	004260	TX 27	115	105	5,5	4 9/16"		10
05028015001	004277	TX 30	115	105	6,0	4 9/16"		10
05028020001	004284	TX 40	130	112	7,0	5 1/8"		10

367 SB Screwdriver for TORX® screws



Code	EAN							
05100060001	181350		367 TORX®	1x TX 10x80				10
05100061001	181367		367 TORX®	1x TX 15x80				10
05100062001	181374		367 TORX®	1x TX 20x100				10
05100063001	181381		367 TORX®	1x TX 25x100				10
05100064001	181398		367 TORX®	1x TX 30x115				10

367 TORX® B0 Screwdriver for tamper-proof TORX® screws

High quality Kraftform Plus screwdriver. Multi-component Kraftform handle for fast and low-fatigue working.

TORX® B0 screws have a protruding pin in their drive profile. This prevents any unauthorised loosening since the "normal" hex tools cannot move these screws. Only special TORX® B0 tools have a bore hole which can slip over the pin.

The Wera Black Point tip and a complex hardening process ensure a long service life of the tip, enhanced corrosion protection and an exact fit.

The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace. Handle markings for simplified finding and sorting of the tool.

- Screwdrivers for recessed TORX® screws with safety pin

367 TORX® B0 Screwdriver for tamper-proof TORX® screws



	EAN							
Code	4013288		mm	mm	mm			
05138257001	039965	TX 7	60	70	3,5	2 3/8"		5
05138258001	039972	TX 8	60	81	3,5	2 3/8"		5
05138259001	039989	TX 9	60	81	4,0	2 3/8"		5
05138260001	025869	TX 10	80	81	4,0	3 1/8"		5
05138268001	108234	TX 10	300	81	4,0	12"		5
05138261001	025876	TX 15	80	98	4,0	3 1/8"		5
05138269001	108241	TX 15	300	98	4,0	12"		2
05138262001	025883	TX 20	100	98	4,5	4"		5
05138270001	108258	TX 20	300	98	4,5	12"		2
05138263001	025890	TX 25	100	105	5,0	4"		5
05138264001	025906	TX 27	115	105	5,5	4 9/16"		5
05138265001	025913	TX 30	115	105	6,0	4 9/16"		5
05138266001	025920	TX 40	130	112	7,0	5 1/8"		5

367 TORX PLUS® Screwdriver for TORX PLUS® screws

High quality Kraftform Plus screwdriver by Wera. TORX PLUS® profile: in comparison to "normal" TORX® profiles, the enlargement of the 6 torque-transferring flanks between the tool and screw is implemented by using an elliptical and not circular profile design.

This means that the power applied when fastening is spread across a larger surface area. Higher torque is transferred and the service life of the screw and tool is also enhanced. Multi-component Kraftform handle for rapid and convenient working.

Kraftform Plus: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. The Wera Black Point tip offers a perfect fit and optimised corrosion protection. The hexagonal non-roll feature prevents any annoying rolling away at the workplace. Handle markings for simplified finding and sorting of the tools.

367 TORX PLUS® Screwdriver for TORX PLUS® screws



	EAN						
Code	4013288		mm	mm	mm		
05028029001	041555	5 IP	60	70	3,5	2 3/8"	5
05028030001	040091	6 IP	60	70	3,5	2 3/8"	5
05028031001	040107	7 IP	60	70	3,5	2 3/8"	5
05028032001	040114	8 IP	60	70	3,5	2 3/8"	5
05028033001	040121	9 IP	60	81	4,0	2 3/8"	5
05028034001	040138	10 IP	80	81	4,0	3 1/8"	5
05028035001	040145	15 IP	80	98	4,0	3 1/8"	5
05028036001	040152	20 IP	100	98	4,5	4"	5
05028037001	040169	25 IP	100	105	5,0	4"	5
05028038001	040176	30 IP	115	105	6,0	4 9/16"	5

368 Screwdriver for square socket head screws

High quality Kraftform Plus screwdriver for square socket screws. The colour coding system allows the user to quickly find and identify the size needed. Multi-component Kraftform handle for fast and low-fatigue working.

The Wera Black Point tip offers optimised corrosion protection and an exact fit. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace. Handle markings for simplified finding and sorting of the tool.

368 Screwdriver for square socket head screws



	EAN						
Code	4013288		mm	mm	mm		
05117680001	028723	# 00	60	81	3,5	2 3/8"	5
05117681001	028730	# 0	60	81	4,0	2 3/8"	5
05117682001	028747	# 1	80	98	4,5	3 1/8"	5
05117683001	028754	# 1	200	98	4,5	8"	5
05117684001	028761	# 2	100	105	6,0	4"	5
05117685001	028778	# 2	200	105	6,0	8"	5
05117691001	040916	# 2	300	105	6,0	12"	2
05117686001	028785	# 3	150	112	8,0	6"	5
05117687001	028792	# 4	200	112	8,0	8"	5

368 SB Screwdriver for square socket head screws



Code	EAN			
	4013288			
05100070001	181404		368 1x # 1x80	5
05100071001	181428		368 1x # 2x100	5
05100072001	181435		368 1x # 3x150	5

338 Actuation tool for terminal blocks (spring cages)

- Special tool for unlocking contact springs in electrotechnical line terminals
- Due to the curved geometry, even terminal blocks that cannot be reached with normal screwdrivers can be operated
- Suitable for spring terminals with a conductor cross-section of up to 1.5 mm² and 2.5 to 4.0 mm²

338 Actuation tool for terminal blocks (spring cages)



	EAN							
Code	4013288	mm	mm	mm	mm	mm	mm	mm
05008101001	225641	0,4	2,5	81	81	2,5	3/32"	10
05008102001	225788	0,6	3,5	81	81	3,5	9/64"	10

391 Hose clamp screwdriver

- Hose clamp screwdriver for hexagon head screws
- Flexible, circular blade

391 Hose clamp screwdriver



	EAN							
Code	4013288	mm	mm	mm	mm	mm	mm	mm
05028148001	004703	6	167	98	6 9/16"			5
05028150001	004710	7	167	98	6 9/16"			5
05028152001	004727	8	167	98	6 9/16"			5

395 Nutdriver

- Nutsetter for hexagon head screws

395 Nutdriver



	EAN							
Code	4013288	mm	mm	mm	mm	mm	mm	mm
05028205001	004734	3,0	125	98	5,0	5"		5
05028210001	004741	3,5	125	98	6,1	5"		5
05028215001	004758	4,0	125	98	6,9	5"		5
05028220001	004765	4,5	125	98	7,1	5"		5
05028225001	004772	5,0	125	98	8,1	5"		5
05028230001	004789	5,5	125	98	8,1	5"		5
05029405001	004796	6,0	125	98	9,1	5"		5
05029410001	004802	7,0	125	105	11,0	5"		5
05029415001	004819	8,0	125	105	12,1	5"		5
05029420001	004826	9,0	125	105	13,1	5"		5
05029425001	004833	10,0	125	112	14,1	5"		5
05029430001	004840	11,0	125	112	16,0	5"		5
05029435001	004857	12,0	125	112	17,1	5"		5
05029440001	004864	13,0	125	112	18,1	5"		5
05029445001	004871	14,0	125	112	19,1	5"		5
05029450001	004888	15,0	125	112	21,0	5"		5

395 HO Nutdriver

High quality nutsetter with hollow shaft by Wera. Hollow shaft for the fastening of threaded rods; only then can the threaded rod with nut slip into the hollow shaft. Multi-component Kraftform handle for high working speeds and particularly ergonomic screwdriving.

Kraftform Plus: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. Hexagonal anti-roll feature prevents any rolling away and handle markings make for simplified finding and sorting of the tool; for hexagon head screws.

- Nutsetter for hexagon head screws
- Hollow shaft for protruding threaded rods, chrome-plated

395 HO Nutdriver



	EAN									
Code	4013288	mm			mm	mm	mm			
05029460001	108296	5,0			90	98	7,2	3 35/64"	5	
05029461001	108302	5,5			90	98	7,2	3 35/64"	5	
05029462001	108319	6,0			90	98	7,2	3 35/64"	5	
05029463001	108326	7,0			90	105	7,2	3 35/64"	5	
05029464001	108333	8,0			90	105	9,3	3 35/64"	5	
05029465001	108340	10,0			90	112	9,3	3 35/64"	5	
05029466001	108357	13,0			90	112	11,0	3 35/64"	5	
05029501001	110503		3/16"		90	98	7,2	3 35/64"	5	
05029502001	110510		1/4"		90	98	7,2	3 35/64"	5	
05029503001	110527		5/16"		90	105	9,3	3 35/64"	5	
05029504001	110534		11/32"		90	105	9,3	3 35/64"	5	
05029505001	110541		3/8"		90	112	9,3	3 35/64"	5	
05029506001	110558		7/16"		90	112	11,0	3 35/64"	5	
05029507001	110565		1/2"		90	112	11,0	3 35/64"	5	

Take it easy tool finder with color markings - for quick tool identification



Especially small screwdrivers with short blades for hard to reach areas. The 2-component Kraftform handle with its practical combination of hard and soft zones allows for a firm grip and precise working.

The blades have all the benefits of the Wera Bit technology. Special surface treatment of the blades for high corrosion protection and optimum fitting accuracy in the screw.

The hexagon anti-roll protection prevents annoying rolling away of bits in the workplace.

- Short compact shape for working in confined spaces
- Ergonomic 2-component Kraftform handle for precise work
- Blades with the benefits of the Wera Bit technology
- Hexagonal anti-roll feature against rolling away
- Take it easy tool finder: colour coding according to profile and size

335 Stubby/carburetor screwdriver



	EAN									
Code	4013288	mm	mm	mm	mm	mm	mm	mm	mm	mm
05008840001	212115	0,6	3,5	24,5	54	3,5	9/64"	5		
05008841001	212122	0,8	4,0	24,5	54	4,0	5/32"	5		
05008842001	212139	1,0	5,5	24,5	54	5,5	7/32"	5		
05008843001	212146	1,2	6,5	24,5	54	6,5	1/4"	5		
05008844001	212153	1,2	7,0	24,5	54	8,0	5/16"	5		

350 PH Phillips-head Stubby/carburetor screwdriver



	EAN									
Code	4013288	PH 1	mm	mm	mm	mm	mm	mm	mm	mm
05008850001	212160	PH 1	25	54	4,2	1"	5			
05008851001	212177	PH 2	25	54	5,2	1"	5			
05008852001	212184	PH 3	25	54	6,2	1"	5			

355 PZ Phillips-head Stubby/carburetor screwdriver




	EAN									
Code	4013288	PZ 1	mm	mm	mm	mm	mm	mm	mm	mm
05008853001	212191	PZ 1	25	54	4,5	1"	5			
05008854001	212207	PZ 2	25	54	6,0	1"	5			
05008855001	212214	PZ 3	25	54	8,0	1"	5			

367 TORX® Stubby screwdriver



	EAN									
Code	4013288	TX 10	mm	mm	mm	mm	mm	mm	mm	mm
05008856001	212245	TX 10	25	54	3,4	1"	5			
05008857001	212252	TX 15	25	54	3,7	1"	5			
05008858001	212269	TX 20	25	54	4,0	1"	5			
05008859001	212276	TX 25	25	54	4,5	1"	5			
05008860001	212283	TX 27	25	54	5,1	1"	5			
05008861001	212290	TX 30	25	54	5,6	1"	5			
05008862001	212306	TX 40	25	54	-	1"	5			

368 Stubby screwdriver for square head socket screws



	EAN							
Code	4013288			mm	mm	mm		
05008863001	212313		# 01	25	54	4,2	1"	5
05008864001	212320		# 02	25	54	4,2	1"	5

9559 Tool bucket organizer screwdriver set 1

- Tool bucket organizer (without bottom) for tools; transforms buckets into a tidy, well-organized transport option
- The textile tool bucket organizer is suitable for buckets and construction site buckets with a top diameter of up to approx. 29 cm
- Robust textile material; strong resistance to cuts and punctures
- 16 pockets (7 outside, 9 inside) for tools, small parts, etc.
- Equipped with a total of 12 screwdrivers for Phillips and Pozidriv, TORX® and slotted
- 2x 160 i VDE slotted screwdrivers; individually tested for safe live working
- Screwdrivers 350 PH, 355 PZ, 334 and 335 with Lasertip tip, which reduces the risk of accidentally slipping out of the screw
- Screwdriver 367 with BlackPoint tip for a high fitting accuracy
- The textile tool bucket organizer comes without a bucket

9559 Tool bucket organizer screwdriver set 1



Code	EAN			
05105100001	238405			1
			9599	
			350 PH 1x PH 1x80; 1x PH 2x100	
			355 PZ 1x PZ 2x100	
			334 1x 1,2x6,5x150	
			335 1x 0,8x4,0x100; 1x 1,0x5,5x125	
			367 TORX® 1x TX 20x100; 1x TX 25x100	
			932 A 1x 1,0x5,5x100; 1x 1,2x7,0x125	
			160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100 ¹⁾	

¹⁾Without Lasertip

²⁾The tool bucket organizer comes without a bucket

9650 Magnetic rail Kraftform screwdriver set

Kraftform screwdriver set, 9-piece set, on a magnetic rail. Screwdriver all-round set. Kraftform Plus handle for comfortable ergonomic screwdriving, avoiding blisters and calluses. Hard handle zones for high working speeds, while soft handle zones guarantee a high torque transfer.


932 A with pound-thru hexagonal blade and impact cap; 350, 355 and 335 with Lasertip: The tips of Wera Lasertip screwdrivers are microscopically roughened with laser beams.

This rough surface "bites" into the screw head and unintentional slipping is a thing of the past. 160 i VDE-insulated and with Lasertip.

"Take it easy" Tool finder with colour coding by profile and size stamping - for quick and easy identification of the required tool. The clips hold the tools perfectly. With its strong magnet, the rail holds securely to metal surfaces. It can also be bolted to the wall.

- For every application the right tool
- The clips hold the tools perfectly
- With its strong magnet, the rail holds securely to metal surfaces. It can also be bolted to the wall

9650 Magnetic rail Kraftform screwdriver set



Code	EAN			
05051012001	228970			1
			932 A 1x 1,0x5,5x100; 1x 1,2x7,0x125	
			350 1x PH 2x100	
			355 1x PZ 1x80; 1x PZ 2x100	
			367 TORX® 1x TX 20x100; 1x TX 25x100	
			335 1x 0,8x4,0x100	
			160 i VDE 1x 0,6x3,5x100	
			9611 1x 30,0x400,0	

Kraftform Big Pack 300

- Screwdrivers for slotted, cross-recess Phillips and Pozidriv screws and TORX®

Kraftform Big Pack 300



Code	EAN		
05105630001	163622		1
		+	350 PH 1x PH 1x80; 1x PH 2x100; 1x PH 3x150
		+	355 PZ 1x PZ 1x80; 1x PZ 2x100; 1x PZ 3x150
		+	367 TORX® 1x TX 10x80; 1x TX 15x80; 1x TX 20x100; 1x TX 25x100; 1x TX 30x115
		●	334 1x 1,2x6,5x150
		●	335 1x 0,6x3,5x100 ¹⁾ ; 1x 0,8x4,0x100
			Rack 2x 190,0x50,0

¹⁾without Lasertip

Kraftform XXL

- For every application the right tool

Kraftform XXL



Code	EAN		
05051010001	139092		1
		+	350 PH 1x PH 1x80; 1x PH 2x100
		+	355 PZ 1x PZ 1x80; 1x PZ 2x100
		●	932 A 1x 1,0x5,5x100; 1x 1,2x7,0x125
		●	334 1x 1,2x6,5x150
		●	335 1x 0,8x4,0x100; 1x 1,0x5,5x125
		●	160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100 ¹⁾
		●	247 1x 0,5x3,0x70
			Rack 2x 190,0x50,0

¹⁾without Lasertip

²⁾Product not available in the USA and Canada.

Kraftform XXL 2



Code	EAN		
05051011001	144225		1
		+	350 PH 1x PH 2x100
		+	355 PZ 1x PZ 1x80; 1x PZ 2x100
		●	932 A 1x 1,0x5,5x100; 1x 1,2x7,0x125
		●	335 1x 0,8x4,0x100
		+	367 TORX® 1x TX 15x80; 1x TX 20x100; 1x TX 25x100
		●	160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100 ¹⁾
		●	247 1x 0,5x3,0x70
			Rack 2x 190,0x50,0

¹⁾without Lasertip

²⁾Product not available in the USA and Canada.

Kraftform XXL 3



Code	EAN		
05347106001	182388		1
		●	932 A 1x 1,0x5,5x100; 1x 1,2x7,0x125
		+	350 PH 1x PH 1x80; 1x PH 2x100
		●	334 1x 1,2x6,5x150
		●	335 1x 0,8x4,0x100; 1x 1,0x5,5x125
		○	368 1x # 1x80; 1x # 2x100
		●	160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100 ¹⁾
			Rack 2x 190,0x50,0

¹⁾without Lasertip

Kraftform 2go 300

11 Kraftform screwdrivers; with Take it easy Toolfinder; in the Wera 2go 4 quiver; comes with an adjustable partition element for individual sectioning.

- Suitable for docking with the Wera 2go system

Kraftform 2go 300



Code	EAN			
05004313001	187833			1
			Wera 2go 4	
			1x 165,0x165,0x105,0	
		+	350 PH	
			1x PH 1x80; 1x PH 2x100	
		+	355 PZ	
			1x PZ 1x80; 1x PZ 2x100	
		*	367 TORX®	
			1x TX 10x80; 1x TX 15x80; 1x TX 20x100; 1x TX 25x100; 1x TX 30x115	
		—	334 SK	
			1x 0,8x4,5x90; 1x 1,2x7,0x125	
			K120	
			1x 50,0x120,0	

334 SK/6 Rack Screwdriver set Kraftform Plus Lasertip and rack

- Hexagonal blade and bolster for higher torque transfer

334 SK/6 Rack Screwdriver set Kraftform Plus Lasertip and rack



Code	EAN			
05007680001	111418			1
		+	350 SK PH	
			1x PH 1x80; 1x PH 2x100	
		—	334 SK	
			1x 0,6x3,5x75 ¹⁾ ; 1x 0,8x4,0x90; 1x 1,0x5,5x100; 1x 1,2x6,5x125	

¹⁾without Lasertip

334/6 Rack Screwdriver set Kraftform Plus Lasertip and rack




Code	EAN			
05105650001	003133			1
		+	350 PH	
			1x PH 1x80; 1x PH 2x100	
		—	334	
			1x 1,2x6,5x150	
		—	335	
			1x 0,5x3,0x80 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125	

¹⁾without Lasertip

334/355 SK/6 Screwdriver set Kraftform Plus Lasertip and rack

- Hexagonal blade and bolster for higher torque transfer

334/355 SK/6 Screwdriver set Kraftform Plus Lasertip and rack



Code	EAN			
05007681001	111425			1
		+	355 SK PZ	
			1x PZ 1x80; 1x PZ 2x100	
		—	334 SK	
			1x 0,6x3,5x75 ¹⁾ ; 1x 0,8x4,0x90; 1x 1,0x5,5x100; 1x 1,2x6,5x125	

¹⁾without Lasertip

334/355/6 Rack Screwdriver set Kraftform Plus Lasertip and rack



Code	EAN			
05105656001	4013288	003140		1
		+	355 PZ 1x PZ 1x80; 1x PZ 2x100	
		+	334 1x 1,2x6,5x150	
		+	335 1x 0,5x3,0x80 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125	

¹⁾without Lasertip

335/350/355/6 Screwdriver set Kraftform Plus Lasertip and rack



Code	EAN			
05105622001	4013288	041616		1
		+	350 PH 1x PH 1x80; 1x PH 2x100	
		+	355 PZ 1x PZ 1x80; 1x PZ 2x100	
		+	335 1x 0,8x4,0x100; 1x 1,0x5,5x125	

335/350/355/3 Screwdriver set Kraftform Plus 300 mm-long blades

- Extra-long blade for low-lying working situations

335/350/355/3 Screwdriver set Kraftform Plus 300 mm-long blades



Code	EAN			
05347735002	4013288	120991		1
		+	335 1x 1,0x5,5x300 ¹⁾	
		+	350 PH 1x PH 2x300 ¹⁾	
		+	355 PZ 1x PZ 2x300 ¹⁾	

¹⁾without Lasertip

335/350/355/4 Screwdriver set Kraftform Plus Lasertip 200 mm-long blades

- Extra-long blade for low-lying working situations

335/350/355/4 Screwdriver set Kraftform Plus Lasertip 200 mm-long blades



Code	EAN			
05347736002	4013288	117397		1
		+	350 PH 1x PH 2x200	
		+	355 PZ 1x PZ 1x200; 1x PZ 2x200	
		+	335 1x 1,0x5,5x200	

335/350/367/7 Rack Screwdriver set Kraftform Plus Lasertip and rack




Code	EAN			
05320540001	4013288 094704			1
		+	350 PH 1x PH 2x100	
		+	355 PZ 1x PZ 1x80; 1x PZ 2x100	
		●	335 1x 0,8x4,0x100	
		✦	367 TORX® 1x TX 15x80; 1x TX 20x100; 1x TX 25x100	

367/7 TORX® HF Kraftform Plus Screwdriver set with holding function and rack

- Holding function for TORX® screws, chrome-plated

367/7 TORX® HF Kraftform Plus Screwdriver set with holding function and rack



Code	EAN			
05223161001	4013288 118226			1
		✦	367 TORX® HF 1x TX 8x60; 1x TX 10x80; 1x TX 15x80; 1x TX 20x100; 1x TX 25x100; 1x TX 27x115; 1x TX 30x115	

367/6 TORX® HF Kraftform Plus Screwdriver set with holding function and rack



Code	EAN			
05028059001	4013288 100764			1
		✦	367 TORX® HF 1x TX 10x80; 1x TX 15x80; 1x TX 20x100; 1x TX 25x100; 1x TX 30x115; 1x TX 40x130	

367/4 TORX® HF Kraftform Plus Screwdriver set with holding function and 300 mm-long blades

- Screwdriver for TORX® screws; holding function and extra-long 300 mm blade

367/4 TORX® HF Kraftform Plus Screwdriver set with holding function and 300 mm-long blades



Code	EAN			
05028074001	4013288 138378			1
		✦	367 TORX® HF 1x TX 20x300; 1x TX 25x300; 1x TX 27x300; 1x TX 30x300	

367/6 TORX® Screwdriver set Kraftform Plus and rack



Code	EAN		
05028062001	4013288 028891		1
		367 TORX® 1x TX 10x80; 1x TX 15x80; 1x TX 20x100; 1x TX 25x100; 1x TX 30x115; 1x TX 40x130	

334/368/6 Screwdriver set and rack



Code	EAN		
05347778001	4013288 122735		1
		350 PH 1x PH 1x80; 1x PH 2x100	
		334 1x 1,2x6,5x150	
		335 1x 0,8x4,0x100	
		368 1x # 1x80; 1x # 2x100	

367/6 TORX® B0 Kraftform Plus Screwdriver set and rack

- Screwdrivers for recessed TORX® screws with safety pin



Code	EAN		
05138250001	4013288 028907		1
		367 TORX® B0 1x TX 10x80; 1x TX 15x80; 1x TX 20x100; 1x TX 25x100; 1x TX 30x115; 1x TX 40x130	

395 H0/7 SM Nutdriver set

- Nutsetter for hexagon head screws
- Hollow shaft for protruding threaded rods, chrome-plated

395 H0/7 SM Nutdriver set



Code	EAN		
05029510001	4013288 111432		1
		395 H0 1x 5,0x90; 1x 5,5x90; 1x 6,0x90; 1x 7,0x90; 1x 8,0x90; 1x 10,0x90; 1x 13,0x90	

338/2 Set of actuation tools for terminal blocks (spring cages)

Set with 2 actuation tools for spring terminals. The curved blades also make it easy to operate spring terminals in distribution boxes which cannot be reached with a straight blade.

The blade stays in the terminal block, leaving both hands free to insert the wire. Multi-component Kraftform handle for fast and smooth work.

- Special tool for unlocking contact springs in electrotechnical line terminals
- Due to the curved geometry, even terminal blocks that cannot be reached with normal screwdrivers can be operated
- Suitable for spring terminals with a conductor cross-section of up to 1.5 mm² and 2.5 to 4.0 mm²

338/2 Set of actuation tools for terminal blocks (spring cages)



Code	EAN		
05008100001	4013288 225658		338 1x 0,4x2,5x81; 1x 0,6x3,5x81

391/3 Hose clamp screwdriver set

- Flexible, circular blade

391/3 Hose clamp Screwdriver set



Code	EAN		
05135311001	4013288 169860		391 1x 6x167; 1x 7x167; 1x 8x167

395 H0/3 Sanitary Nutdriver set

- Nutsetter for hexagon head screws, chrome-plated
- With hollow shaft for protruding threaded rods, particularly suitable for installing/removing mixer taps on washbasins

395 H0/3 Sanitary Nutdriver set



Code	EAN		
05134275001	4013288 207616		395 H0 1x 10,0x90; 1x 13,0x90; 1x 7/16"x90

Stubby Set 1 Screwdriver set


Especially small screwdrivers with short blades for hard to reach areas. The 2-component Kraftform handle with its practical combination of hard and soft zones allows for a firm grip and precise working.

The blades have all the benefits of the Wera Bit technology. Special surface treatment of the blades for high corrosion protection and an optimum fit in the screw head.

The hexagon anti-roll protection prevents annoying rolling away of bits in the workplace.

- Short compact shape for working in confined spaces
- Ergonomic 2-component Kraftform handle for precise work
- Blades with the benefits of the Wera Bit technology
- Hexagonal anti-roll feature against rolling away
- Take it easy tool finder: colour coding according to profile and size

Stubby Set 1 Screwdriver set




Code	EAN		
05008870001	4013288 212337		335 Stubby 1x 0,6x3,5x24,5; 1x 0,8x4,0x24,5; 1x 1,0x5,5x24,5
			350 PH Stubby 1x PH 1x25; 1x PH 2x25

Stubby Set 2 Screwdriver set




Code	EAN		
05008871001	4013288	212344	1
		335 Stubby	
		1x 0,6x3,5x24,5; 1x 0,8x4,0x24,5;	
		1x 1,0x5,5x24,5	
		355 PZ Stubby	
		1x PZ 1x25; 1x PZ 2x25	

Stubby Set 3 Screwdriver set



Code	EAN		
05008872001	4013288	214096	1
		350 PH Stubby	
		1x PH 1x25; 1x PH 2x25	
		335 Stubby	
		1x 1,0x5,5x24,5	
		368 Stubby	
		1x # 01x25; 1x # 02x25	

Stubby Set TX 1 Screwdriver set TORX®



Code	EAN		
05008876001	4013288	212351	1
		367 TORX® Stubby	
		1x TX 10x25; 1x TX 15x25; 1x TX 20x25;	
		1x TX 25x25; 1x TX 30x25	

Bicycle Big Pack 1



Code	EAN		
05004190001	4013288	220745	1
		354 Hex-Plus	
		1x 2,0x75; 1x 2,5x75	
		454 HF	
		1x 3x100; 1x 4x150; 1x 5x150; 1x 6x200;	
		1x 8x200	
		367 TORX®	
		1x TX 10x80	
		467 TORX® HF	
		1x TX 20x100; 1x TX 25x200	
		932 A	
		1x 1,0x5,5x100; 1x 1,2x7,0x125	
		350 PH	
		1x PH 1x80; 1x PH 2x100	

1850 PH Kraftform Ball-Grip Phillips-head screwdriver

Screwdriver with Kraftform handle series 1800 for Phillips-head screws. The handle fits perfectly in the hand. The convex shape allows the transmission of high torques.

The soft handle zones ensure a good grip and low-loss power transmission. The hard handle zones allow a high power transmission, even when pressure is applied with the ball of the hand. The recesses at the upper end of the handle facilitate fine adjustment while screwdriving.

Due to the narrow transition between handle and blade, even sunken screws in narrow areas can be easily reached.

The anti-roll protection at the rear end of the handle hinders the tool from rolling away annoyingly at the workplace. The tips of Wera Lasertip screwdrivers are microscopically roughened with laser beams.

This rough surface "bites" into the screw head which avoids unintentional slipping out of the screw.

- Screwdriver for cross-recess screws, Phillips
- Kraftform series 1800 handle for high torques
- Soft handle zones for high power transmission
- Hard handle zones for palm pressure
- Handle recesses for your fingers allow fine adjustment
- Narrow transition between handle and blade for hard-to-reach and sunken screws in tight areas
- Take it easy tool finder: colour coding according to profile and size
- Lasertip tips for more secure fit in the screw head

1850 PH Kraftform Ball-Grip Phillips-head screwdriver



	EAN							
Code	4013288		mm	mm	mm	mm		
05007905001	222770	PH 1	50	80	135	4,5	2"	10
05007906001	222695	PH 2	70	100	135	6,0	2 3/4"	10
05007907001	222701	PH 2	120	150	135	6,0	4 23/32"	10
05007908001	222718	PH 3	120	150	135	8,0	4 23/32"	10

1855 PZ Kraftform Ball-Grip Pozidriv-head screwdriver

- Screwdriver for Pozidriv screws

1855 PZ Kraftform Ball-Grip Pozidriv-head screwdriver



	EAN							
Code	4013288		mm	mm	mm	mm		
05007910001	222725	PZ 2	70	100	135	6,0	2 25/32"	10

1834 Kraftform Ball-Grip Slotted screwdriver – workshop blade

- Slotted screwdriver - workshop blade

1834 Kraftform Ball-Grip Slotted screwdriver – workshop blade



	EAN							
Code	4013288		mm	mm	mm	mm	mm	
05007900001	222671	1,0	6,0	70	100	135	6,0	10
05007901001	222688	1,0	6,0	120	150	135	6,0	10

9621 Belt holster Set 2

The tool set for the belt. The tool holster has 5 zones for inserting and accessing the required tools at any time. The holster has a robust construction, is made of tear-resistant material and is also suitable for use in adverse conditions. The included tools can be supplemented or exchanged individually. The holster can be worn on the hips. Ideal for mobile use at different locations.

Kraftform Plus handle for comfortable ergonomic screwdriving, avoiding blisters and calluses. Hard handle zones for high working speeds, while soft handle zones guarantee a high torque transfer.

Includes some tools with Lasertip: The tips of Wera Lasertip screwdrivers are microscopically roughened with laser beams. This rough surface "bites" into the screw head and unintentional slipping is a thing of the past. Take it easy tool finder with colour coding by profile and size stamping - for quick and easy identification of the required tool.

Including chiseldriver with pound-thru hexagonal blade made of premium bit material which ensures power transmission without loss even at hammer blows.

Some of the screwdrivers are equipped with ball handles, which allows a lot of pressure to be transferred while screwdriving. The palm encloses the handle from above, which allows high torques and high axial forces.

- Belt holster for perfect tool organization and instant access to the required tools
- Screwdriver for cross recess screws Phillips and Pozidriv, TORX®, slotted (VDE), and chiseldriver for screwdriving, chiselling, mortising
- Some of the tools come with a ball handle to achieve high axial forces and particularly high torques during manual screwdriving

9621 Belt holster Set 2



Code	EAN		
	4013288		
05136033001	227621		1
		+	1850 PH 1x PH 1x80; 1x PH 2x100
		●	1834 1x 1,0x6,0x100
		●	932 A 1x 1,0x5,5x100
		+	162 i VDE PH 1x PH 1x80; 1x PH 2x100
		●	160 i VDE 1x 0,6x3,5x100 ¹⁾
			9522 1x 170,0x240,0

¹⁾without Lasertip

1267 A TORX® Flagdriver for TORX® screws

High quality Wera flagdriver for recessed TORX® screws.
High torque transfer for small screws. Particularly suitable for exchanging indexable inserts.

The BlackLaser surface treatment provides outstanding surface protection, even against corrosion, and a long service life.
Multi-component for outstanding grip.

- TORX® flagdriver for recessed TORX® screws
- Multi-component handle
- Circular blade with BlackLaser treatment for outstanding surface protection and long service life
- High corrosion protection
- High torque transfer for small screws

1267 A TORX® Flagdriver for TORX® screws



	EAN							
Code	4013288		mm	mm	mm			
05026350001	093516	TX 6	33	62,0	3,0	1 19/64"		10
05026351001	093523	TX 7	33	62,0	3,0	1 19/64"		10
05026352001	093530	TX 8	40	69,0	3,0	1 37/64"		10
05026353001	093547	TX 9	40	69,0	3,0	1 37/64"		10
05026354001	093554	TX 10	40	69,0	3,0	1 37/64"		10

1267 A TORX PLUS® Flagdriver for TORX PLUS® screws



	EAN							
Code	4013288		mm	mm	mm			
05026360001	093561	6 IP	33	62,0	3,0	1 19/64"		10
05026361001	093578	7 IP	33	62,0	3,0	1 19/64"		10
05026363001	093608	9 IP	40	69,0	3,0	1 37/64"		10

1267 B TORX® combination flagdriver for TORX® and hexagon socket screws

High quality Wera flagdrivers with combination profiles for recessed TORX and socket head screws. High torque can be applied to small screws. Particularly suitable for the replacement of indexable inserts. The BlackLaser surface treatment provides outstanding surface protection, even against corrosion, and a long service life. Multi-component for an especially good grip.

1267 B TORX® Combination flagdriver for TORX® and hexagon socket screws



	EAN							
Code	4013288		mm	mm	mm			
05026372001	093639	TX 15	3,5	47	86,0	1 27/32"		10
05026373001	093707	TX 15	4	47	86,0	1 27/32"		10
05026374001	093646	TX 20	4	47	86,0	1 27/32"		10

1267 B TORX PLUS® Combination flagdriver for TORX PLUS® and hexagon socket screws



	EAN							
Code	4013288		mm	mm	mm			
05026382001	093677	15 IP	3,5	47	86,0	1 27/32"		10

9500 Magnetiser SB

Wera magnetiser to magnetise and demagnetise tools to ensure the screw remains firmly on the blade.

- To magnetise and demagnetise tool tips
- To magnetise, move the tool tip along the positive side
- To demagnetise, move the tool tip along the negative side

9500 Magnetiser SB



		EAN								
Code	4013288	mm								
05033404001	219589	64,6								1

1427 Awl



	EAN									
Code	4013288	mm	mm							
05027405001	019998	105	92	4 3/16"						5

1428 Reamer



	EAN									
Code		mm	mm							
05027455001	020000	107	92	4 9/32"						5

9611 Magnetic rail for up to 9 Kraftform screwdrivers, empty

- The clips hold the tools perfectly
- With its strong magnet, the rail holds securely to metal surfaces. It can also be bolted to the wall

9611 Magnetic rail for up to 9 Kraftform screwdrivers, empty



		EAN								
Code	4013288	mm	mm							
05136414001	230690	30,0	400,0							1

Rack for Kraftform Micro screwdrivers



										
		mm	mm							
05134002001	100047	190,0	80							1

Rack for Kraftform screwdrivers




	EAN									
Code	4013288	mm	mm							
05134001001	100030	190,0	50,0							1

1440/1442 Screw gripper set

Screw gripper set: attachment tool with holding function for screws. Holds all screw profiles securely on the tool.

During the job, the gripper can be pushed up along the blade so that it is not in the way when working with low-lying screws.

- Screw gripper set
- Attachment tool with holding function for screws
- Holds all screw profiles and sizes securely on the tool
- Made out of stable, elastomer material




1441 SB Screw gripper attachment for screwdriver blades, long bits and L-keys, with holding function for screws



	EAN	Ø	+	-					
Code	4013288	mm	mm						
05073681001	140357	4,5-6,0	41,0						1

1440/1442 Screw gripper set



	EAN								
Code	4013288								
05073680001	140340								1
			1440						
			1x 4,5-6,0x41,0						
			1442						
			1x 6,0-8,5x41,0						

9108/2 PV Set of installation tools for MC4 Solar connectors

Set consisting of 2 installation tools for MC4 solar connectors (Multi-Contact).

- 2x 9108 installation tools for MC4 solar connectors (Multi-Contact)
- For attaching and disconnecting MC4 connectors
- Glass fibre reinforced plastic

9108/2 PV Set of installation tools for MC4 Solar connectors




Code	EAN			
05136700001	230461			1
		9108	2x 115	

9523 Chain riveter spare part kit

- With chain riveter and chain fastener with exchangeable rivet pin for opening and closing bicycle chains. Suitable for single-speed chains, up to 12-speed

9523 Chain riveter spare part kit



Code	EAN			
05136039001	227867			1
		9513 Chain Tool		
		9512 Chain-Hook		

Bicycle Set 13

2-piece tyre lever set for the mobile and stationary use. Both tyre levers are made of glass fibre reinforced plastic: 9502 tyre lever with bit mounting, which is also suitable to secure the French valve, and 9503 tyre lever with valve ejector.

With the glass fibre reinforced plastic tyre levers, the tyres can be safely levered off the rim without damaging the rim.

- 2 tyre levers (9502+9503) made of glass fibre reinforced plastic
- Safely lever the tyres off of the rim without damaging the rim
- The 1/4" hexagon mounting in the 9502 tyre lever allows the fixing of French valves and the use of a 1/4" bit
- 9503 tyre lever with valve ejector and deflater

Bicycle Set 13



Code	EAN		
	4013288		
05004184001	220585	9502 1x 105,0	5
		9503 1x 105,0	

Bicycle Set 15

The ultra compact and lightweight bike tools with two quadruple bits and three tyre levers. Four different screw profiles can be operated with just one bit.

Significant weight savings of over 50 %. The enormous space savings make the Bicycle Set 15 perfect for mobile use. The operability of the large profiles is made possible by the spring compression of the small tips. The bit with a 1/4" hexagon drive (Wera connection series 1) can also be used with e.g. bit ratchets and bitholding screwdrivers with Rapidaptor.


The 9504 tyre lever has a 1/4" mounting for using a 1/4" bit. When both 9504 tyre levers are stacked together, a 4-in-1 bit can be inserted and you get a screwdriving tool. The 9505 tyre lever serves as both valve ejector and bleeder valve. The levers and 4-in-1 bits can be clipped together, so that everything is compact and nothing will be lost.

Bicycle Set 15



Code	EAN		
	4013288		
05004182001	222190		1
		9504 2x 105,0	
		9505 1x 105,0	
		9506 1x 3,0; 4,0; 5,0; 6,0x37	
		9507 1x 2,5; 5,0; 6,0; TX 25x37	

Kraftform Micro - the electronic screwdriver




High quality Wera Micro screwdriver for precision mechanical jobs. Rapid twisting results from fixing the hand on the head and using the fast-turning zone just below.

This makes time-consuming grip adjustments unnecessary. Power zones with integrated soft sections ensure the transfer of high loosening and tightening torque; a precision zone for the right rotation angle during fine adjustment work.

The Black Point tip offers optimised corrosion protection and an exact fit. Take it easy tool finder with colour coding according to profiles and size stamp – for simple and rapid accessing of the required tool.

- Multi-component Kraftform Micro handle for fast and ergonomic screwdriving
- Anti-roll feature and swivel cap for rapid twisting
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- Take it easy tool finder: colour coding according to profile and size
- E.g. for electricians, opticians, precision mechanics, jewellers or IT hardware fitters

2035 Screwdriver for slotted screws for electronic applications



	EAN							
Code	4013288	mm	mm	mm	mm	mm	mm	
05117990001	108418	0,16	0,8	40	97	2,0	1/32"	10
05117991001	108425	0,18	1,0	40	97	2,0	0,04"	10
05117992001	108432	0,20	1,2	40	97	2,0	0,05"	10
05118002001	031877	0,23	1,5	40	97	2,0	1/16"	10
05118003001	108456	0,23	1,5	60	97	2,0	1/16"	10
05118000001	031860	0,25	1,2	40	97	2,0	0,05"	10
05117993001	108463	0,30	1,8	40	97	2,0	0,07"	10
05118004001	031884	0,30	1,8	60	97	2,0	0,07"	10
05118017001	151704	0,30	2,0	50	97	2,0"	5/64"	10
05117997001	194824	0,35	2,5	40	97	2,5	3/32"	10
05118005001	108470	0,40	2,0	40	97	2,5	5/64"	10
05118006001	031891	0,40	2,0	60	97	2,5	5/64"	10
05118007001	108487	0,40	2,0	100	97	2,5	5/64"	10
05117994001	108494	0,40	2,5	50	97	2,5	3/32"	10
05118008001	031907	0,40	2,5	80	97	2,5	3/32"	10
05117995001	108517	0,50	3,0	50	97	3,0	1/8"	10
05118010001	031914	0,50	3,0	80	97	3,0	1/8"	10
05118012001	031921	0,60	3,5	80	97	4,0	9/64"	10
05118014001	031938	0,80	4,0	80	97	4,0	5/32"	10

2055 PZ Screwdriver for Pozidriv screws for electronic applications



	EAN						
Code	4013288		mm	mm	mm		
05118030001	032195	PZ 0	60	97	3,0	2 3/8"	10
05118032001	032201	PZ 1	80	97	4,0	3 1/16"	10

2050 PH Screwdriver for Phillips screws for electronic applications



	EAN							
Code	4013288		mm	mm	mm	mm	mm	mm
05345290001 ^{1) 2)}	164506	PH 000	40	97	1,5/2,5	1 9/16"		10
05118019001 ^{1) 2)}	108562	PH 00	40	97	1,8/2,5	1 9/16"		10
05118020001 ¹⁾	031969	PH 00	60	97	2,5	2 3/8"		10
05118026001 ³⁾	194800	PH 0	40	97	3,0	1 9/16"		10
05118022001 ³⁾	031976	PH 0	60	97	3,0	2 3/8"		10
05118023001	108579	PH 1	60	97	4,0	2 3/8"		10
05118024001	031983	PH 1	80	97	4,0	3 1/8"		10

¹⁾ Optimised for Asian PH screws


²⁾ On the output side, the blade is turned to a nominal length of 10 mm

³⁾ Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

2067 TORX® HF Screwdriver with holding function for electronic applications


- Holding function for TORX® screws

2067 TORX® HF Screwdriver with holding function for electronic applications



	EAN							
Code	4013288		mm	mm	mm	mm	mm	mm
05118180001	108623	TX 4	40	97	2,5	1 9/16"		5
05118181001	108630	TX 5	40	97	3,0	1 9/16"		5
05118182001	108647	TX 6	40	97	3,0	1 9/16"		5
05118183001	108654	TX 7	60	97	3,0	2 3/8"		5
05118184001	108661	TX 8	60	97	3,0	2 3/8"		5
05118185001	108678	TX 9	60	97	4,0	2 3/8"		5
05118186001	108685	TX 10	60	97	4,0	2 3/8"		5

2067 TORX® Screwdriver for TORX® screws for electronic applications



	EAN							
Code	4013288		mm	mm	mm	mm	mm	mm
05118035001	108593	TX 1	40	97	2,0	1 9/16"		5
05118036001	108609	TX 2	40	97	2,0	1 9/16"		5
05118037001	108616	TX 3	40	97	2,0	1 9/16"		5
05118039001	040084	TX 4	40	97	2,5	1 9/16"		5
05118040001	032218	TX 5	40	97	3,0	1 9/16"		5
05118042001	032225	TX 6	40	97	3,0	1 9/16"		5

2067 TORX® B0 Screwdriver for tamper-proof TORX® screws for electronic applications



	EAN							
Code	4013288		mm	mm	mm	mm	mm	mm
05118044001	032232	TX 7	60	97	3,0	2 3/8"		5
05118046001	032249	TX 8	60	97	3,0	2 3/8"		5
05118048001	032256	TX 9	60	97	4,0	2 3/8"		5
05118050001	032263	TX 10	60	97	4,0	2 3/8"		5
05118052001	032270	TX 15	60	97	4,0	2 3/8"		5
05118054001	032287	TX 20	60	97	4,0	2 3/8"		5

2067 IPR TORX PLUS® Screwdriver for electronic applications



	EAN							
Code	4013288		mm	mm	mm	mm	mm	mm
05030160001	178749	1 IPR	40	97	2,0	1 37/64"		5

¹⁾ Without bore hole

Hex-Plus - lets hexagon socket screws last longer

Deformation of the screws is reduced

Above-average service life



- Kraftform Micro screwdriver for hexagon socket screws
- Hex-Plus allows socket head screws to live longer

2054 Screwdriver for hexagon socket screws for electronic applications



	EAN							
Code	4013288	mm		mm	mm	mm		
05118060001	032072	0,7		40	97	3,0	1 9/16"	5
05118062001	032089	0,9		40	97	3,0	1 9/16"	5
05118064001	032096	1,3		40	97	3,0	1 9/16"	5
05118066001	032102	1,5		60	97	3,0	2 3/8"	5
05118068001	032119	2		60	97	3,0	2 3/8"	5
05118070001	032126	2,5		60	97	4,0	2 3/8"	5
05118072001	032133	3,0		60	97	4,0	2 3/8"	5
05345284001	152206	-	0,028"	40	97	3,0	1 9/16"	5
05345285001	152213	-	0,035"	40	97	3,0	1 9/16"	5
05118074001	032140	-	0,05"	40	97	3,0	1 9/16"	5
05118076001	032157	-	1/16"	60	97	3,0	2 3/8"	5
05118078001	032164	-	5/64"	60	97	3,0	2 3/8"	5
05118080001	032171	-	3/32"	60	97	4,0	2 3/8"	5
05118082001	032188	-	7/64"	60	97	4,0	2 3/8"	5
05118075001	108807	-	1/8"	60	97	4,0	2 3/8"	5

2052 Ball end hexagon screwdriver for electronic applications

- Ballpoint for dependable working even in difficult installation situations

2052 Ball end hexagon screwdriver for electronic applications



	EAN							
Code	4013288	mm		mm	mm	mm		
05118089001	108814	1,3		60	97	3,0	2 3/8"	5
05118090001	031990	1,5		60	97	3,0	2 3/8"	5
05118092001	032003	2,0		60	97	3,0	2 3/8"	5
05118094001	032010	2,5		60	97	4,0	2 3/8"	5
05118096001	032027	3,0		60	97	4,0	2 3/8"	5
05118098001	032034	-	1/16"	60	97	3,0	2 3/8"	5
05118100001	032041	-	5/64"	60	97	3,0	2 3/8"	5
05118102001	032058	-	3/32"	60	97	3,0	2 3/8"	5
05118106001	110954	-	7/64"	60	97	4,0	2 3/8"	5
05118103001	108821	-	1/8"	60	97	4,0	2 3/8"	5

2072 Screwdriver for Microstix® screws



	EAN						
Code			mm	mm	mm		
05118145001	194817	m	40	97	2,5	1 9/16"	5

2069 Nutdriver for electronic applications



	EAN							
Code	4013288	mm		mm	mm	mm		
05118108001	108852	1,5		60	97	5,7	2 3/8"	5
05118109001	108869	1,8		60	97	5,7	2 3/8"	5
05118110001	032300	2,0		60	97	5,7	2 3/8"	5
05118112001	032317	2,5		60	97	5,7	2 3/8"	5
05118114001	032324	3,0		60	97	5,7	2 3/8"	5
05118116001	032331	3,2		60	97	5,7	2 3/8"	5
05118118001	032348	3,5		60	97	5,7	2 3/8"	5
05118120001	032355	4,0		60	97	5,7	2 3/8"	5
05118122001	032362	4,5		60	97	6,4	2 3/8"	5
05118124001	032379	5,0		60	97	7,0	2 3/8"	5
05118126001	032386	5,5		60	97	7,8	2 3/8"	5
05345281001	150189	6,0		60	97	8,5	2 3/8"	5
05118128001	032393	-	3/32"	60	97	5,7	2 3/8"	5
05118130001	032409	-	7/64"	60	97	5,7	2 3/8"	5
05118132001	032416	-	1/8"	60	97	5,7	2 3/8"	5
05118134001	032423	-	9/64"	60	97	5,7	2 3/8"	5
05118136001	032430	-	5/32"	60	97	5,7	2 3/8"	5
05118135001	110596	-	3/16"	60	97	6,6	2 3/8"	5
05118137001	112019	-	7/32"	60	97	7,8	2 3/8"	5
05345282001	150196	-	1/4"	60	97	9,0	2 3/8"	5

1429 Chip Removal Tool

- Lifting fork to remove firmly-fitted parts from a circuit board after desoldering

1429 Chip Removal Tool



	EAN						
Code	4013288	mm	mm	mm	mm		
05027456001	112187	1,0	3,5	50	97		10

1013 Kraftform Micro Bitholding screwdriver

Kraftform Micro holder with ergonomic Kraftform handle for fast and low-fatigue working.

The anti-roll feature prevents any bothersome rolling away at the workplace.

Suitable for take-up of bits with 4 mm halfmoon drive and bits with 4 mm HIOS drive. Ideal for applications on smartphones, cell phones, cameras, electronic equipment, in dental laboratories and dental surgeries.

- Kraftform Micro bit holder
- Multi-component Kraftform Micro handle with anti-roll feature and swivel cap
- Suitable for take-up of bits with 4 mm halfmoon drive and bits with 4 mm HIOS drive
- Applications e.g. on smartphones, mobile phones, cameras, electronic equipment

1013 Kraftform Micro Bitholding screwdriver



	EAN						
Code	4013288	mm	mm				
05051276001	183699	23	97	29/32"			1

1014 Kraftform Micro Bitholding screwdriver

- Bitholding screwdriver for bits with 4 mm external hexagon drive

1014 Kraftform Micro Bitholding screwdriver



	EAN						
Code	4013288	mm	mm	mm			
05051278001	234292	4	80,0	74,0			1

Kraftform Micro Big Pack 1 Screwdriver set for electronic applications


Wera Micro screwdriver set for fine mechanical screw connections. By supporting the hand on the rotating cap, and by the fast rotating zone below the rotating cap, lightning fast turning is possible.

Time-consuming hand switching is eliminated. Storage and transport in a robust roll-bag, so the correct tool is always at hand.

With Take it easy tool finder: colour coding by profile and size stamping.

- 25-piece Kraftform Micro screwdriver set in a robust and compact roll bag
- Kraftform Micro handle for fast and ergonomic working
- Tools with anti-roll protection and rotating cap for fast turning
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- Take it easy tool finder: colour coding according to profile and size
- Suitable for electricians, opticians, precision mechanics, jewellers or computer hardware engineers

Kraftform Micro Big Pack 1 Screwdriver set for electronic applications



Code		EAN		
		4013288		
05134000001	209580			1
		2050 PH Micro 1x PH 000x40 ^{1) 2)} ; 1x PH 00x40 ^{1) 2)} ; 1x PH 0x40 ³⁾		
		2067 TORX® 1x TX 5x40; 1x TX 6x40		
		2067 TORX® HF 1x TX 5x40; 1x TX 6x40; 1x TX 7x60; 1x TX 8x60; 1x TX 10x60		
		2067 TORX PLUS® IPR Micro 1x 1 IPRx40		
		2054 Micro 1x 0,9x40; 1x 1,3x40; 1x 1,5x60; 1x 2x60		
		2035 Micro 1x 0,23x1,5x40; 1x 0,30x1,8x60; 1x 0,35x2,5x40; 1x 0,40x2,0x60; 1x 0,50x3,0x80		
		2069 Micro 1x 4,0x60; 1x 5,5x60		
		2072 1x mx40		
		1429 1x 1,0x3,5x50		
		K 240 1x 50,0x240,0		

¹⁾ Optimised for Asian PH screws

²⁾ On the output side, the blade is turned to a nominal length of 10 mm

³⁾ Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

Kraftform Micro 12 Universal 1 Screwdriver set for electronic applications

- Kraftform Micro set in a robust pouch

Kraftform Micro 12 Universal 1 Screwdriver set for electronic applications



Code	EAN			
05073675001	4013288 165695			1
		+	2050 PH Micro 1x PH 00x60 ¹⁾ ; 1x PH 0x60 ²⁾	
		✱	2067 TORX® HF 1x TX 5x40; 1x TX 6x40	
		—	2035 Micro 1x 0,23x1,5x40; 1x 0,30x1,8x60; 1x 0,40x2,0x60; 1x 0,40x2,5x80; 1x 0,50x3,0x80	
		○	2054 Micro 1x 0,9x40; 1x 1,5x60; 1x 2x60	


¹⁾Optimised for Asian PH screws

²⁾Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

Kraftform Micro 12 Electronics 1 Screwdriver set for electronic applications

- Kraftform Micro screwdriver for slotted, Phillips, TORX® B0, Hex, IPR and Microstix® screws plus chip lifter

Kraftform Micro 12 Electronics 1 Screwdriver set for electronic applications



Code	EAN			
05073677001	4013288 194831			1
		+	2050 PH Micro 1x PH 000x40 ¹⁾ ²⁾ ; 1x PH 00x40 ¹⁾ ²⁾ ; 1x PH 0x40 ³⁾	
		✱	2067 TORX® B0 Micro 1x TX 8x60; 1x TX 10x60	
		✱	2067 TORX PLUS® IPR Micro 1x 1 IPRx40	
		—	2035 Micro 1x 0,23x1,5x40; 1x 0,35x2,5x40	
		●	2069 Micro 1x 2,5x60; 1x 3,0x60	
		⦿	2072 1x mx40	
		●	1429 1x 1,0x3,5x50	

¹⁾Optimised for Asian PH screws

²⁾On the output side, the blade is turned to a nominal length of 10 mm

³⁾Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

Kraftform Kompakt Micro 11 Universal 1



Code	EAN		
05135938001	178343		1
		1013 Kraftform Micro 1x 97	
		851/9 C 1x PH 00x44 ¹⁾ ; 1x PH 0x44 ²⁾ ; 1x PH 1x44 ¹⁾	
		840/9 C 1x 1,5x44; 1x 2,0x44	
		800/9 C 1x 0,23x1,5x44; 1x 0,40x2,0x44; 1x 0,50x3,0x44	
		867/9 C TORX® 1x TX 5x44; 1x TX 6x44	

¹⁾Optimised for Asian PH screws

²⁾Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

2035/6 A Screwdriver set and rack for electronic applications

- With useful plastic rack

2035/6 A Screwdriver set and rack for electronic applications



Code	EAN		
05118150001	031945		1
		2050 PH Micro 1x PH 00x60 ¹⁾ ; 1x PH 0x60 ²⁾	
		2035 Micro 1x 0,30x1,8x60; 1x 0,40x2,0x60; 1x 0,40x2,5x80; 1x 0,50x3,0x80	


¹⁾Optimised for Asian PH screws

²⁾Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

2035/6 B Screwdriver set and rack for electronic applications

- With useful plastic rack

2035/6 B Screwdriver set and rack for electronic applications




Code	EAN		
05118152001	031952		1
		2050 PH Micro 1x PH 0x60 ¹⁾ ; 1x PH 1x80	
		2035 Micro 1x 0,40x2,5x80; 1x 0,50x3,0x80; 1x 0,60x3,5x80; 1x 0,80x4,0x80	

¹⁾Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

2050/6 Screwdriver set and rack for electronic applications

- Kraftform Micro screwdriver for slotted, Phillips-Recess, IPR and Microstix® screws
- With useful plastic rack

2050/6 Screwdriver set and rack for electronic applications



Code	EAN		
05030181001	194794		1
		2050 PH Micro 1x PH 000x40 ¹⁾ ²⁾ ; 1x PH 00x40 ¹⁾ ²⁾ ; 1x PH 0x40 ³⁾	
		2067 TORX PLUS® IPR Micro 1x 1 IPRx40	
		2072 1x mx40	
		2035 Micro 1x 0,35x2,5x40	

¹⁾Optimised for Asian PH screws

²⁾On the output side, the blade is turned to a nominal length of 10 mm

³⁾Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

2052/6 Hexagon Screwdriver set and rack for electronic applications

- Kraftform Micro screwdriver with ballpoint for hexagon socket screws

2052/6 Hexagon Screwdriver set and rack for electronic applications



Code	EAN		
05118156001	4013288	032065	1
		2052 Micro	
		1x 1,5x60; 1x 2,0x60; 1x 2,5x60; 1x 3,0x60	
		2054 Micro	
		1x 0,9x40; 1x 1,3x40	

2067/6 TORX® B0 Screwdriver set and rack for electronic applications


- Kraftform Micro screwdriver set for recessed TORX® screws with safety pin

2067/6 TORX® B0 Screwdriver set and rack for electronic applications



Code	EAN		
05118154001	4013288	032294	1
		2067 TORX® B0 Micro	
		1x TX 7x60; 1x TX 8x60; 1x TX 9x60;	
		1x TX 10x60; 1x TX 15x60; 1x TX 20x60	

2069/6 Screwdriver set and rack for electronic applications



Code	EAN		
05118158001	4013288	032447	1
		2069 Micro	
		1x 2,0x60; 1x 2,5x60; 1x 3,0x60; 1x 3,5x60;	
		1x 4,0x60; 1x 5,0x60	

Series 400 T-Handle

The ergonomically shaped 2-component T-handle with finger recesses and pleasant surface facilitates very high power transmission and fatigue-free working.

Due to the special surface treatment, the blades receive a high level of corrosion protection. The optimum fitting accuracy of the screw is also guaranteed.

- T-handle screwdriver for the transmission of particularly high tightening and loosening moments
- Ergonomic 2-component handle with finger handle recesses and pleasant surface feel for very high power transmission and fatigue-free working.
- Take it easy tool finder: colour coding according to profile and size
- With additional short arm for the transmission of extremely high torques due to the leverage of the long arm

454 T-handle hexdriver



Code	EAN	mm	mm	mm	mm	mm	mm	mm
05023330001	207753	2	100	12	32	65	4"	5
05023332001	207814	2,5	100	12	32	65	4"	5

454 HF T-handle hexagon screwdriver Hex-Plus with holding function



	EAN						
Code	4013288		mm	mm	mm	mm	
05023334001	207838	3	100	15	38	77	5
05023338001	207883	4	100	15	38	77	5
05023339001	207876	4	150	15	38	77	5
05023340001	207890	4	200	15	38	77	5
05023342001	207913	5	100	20	49	99	5
05023343001	207920	5	150	20	49	99	5
05023344001	207937	5	200	20	49	99	5
05023346001	207951	6	100	20	49	99	5
05023347001	207968	6	150	20	49	99	5
05023348001	207975	6	200	20	49	99	5
05023350001	208002	7	200	20	49	99	5
05023351001	208019	8	100	20	49	99	5
05023352001	208026	8	150	20	49	99	5
05023353001	208033	8	200	20	49	99	5
05023354001	208057	10	100	20	49	99	5
05023355001	208064	10	200	20	49	99	5

454 Imperial T-handle hexagon screwdriver Hex-Plus, imperial



	EAN						
Code	4013288		mm	mm	mm	mm	
05023356001	214133	5/64"	150	12	32	65	5
05023357001	208071	3/32"	150	12	32	65	5
05023358001	208088	7/64"	150	12	32	65	5

454 HF T-handle hexagon screwdriver Hex-Plus with holding function, imperial

- With holding function (HF) on the long arm to securely hold the screw on the tool

454 HF T-handle hexagon screwdriver Hex-Plus with holding function, imperial



	EAN						
Code	4013288		mm	mm	mm	mm	
05023359001	208095	1/8"	150	15	38	77	5
05023360001	208101	9/64"	150	15	38	77	5
05023361001	208118	5/32"	150	15	38	77	5
05023362001	208125	3/16"	150	20	49	99	5
05023363001	208132	7/32"	150	20	49	99	5
05023364001	208149	1/4"	150	15	49	99	5
05023365001	208156	5/16"	150	20	49	99	5
05023366001	208163	3/8"	150	20	49	99	5

467 TORX® HF T-handle screwdriver with holding function

- With holding function (HF) on the long arm to securely hold the screw on the tool

467 TORX® HF T-handle screwdriver with holding function




	EAN							
Code	4013288		mm	mm	mm	mm	mm	
05023367001	208217	TX 6	100	12	32	65	3,0	5
05023368001	208224	TX 7	100	12	32	65	3,0	5
05023369001	208231	TX 8	100	12	32	65	3,5	5
05023370001	208248	TX 9	100	12	32	65	3,5	5
05023371001	208255	TX 10	100	12	32	65	4,0	5
05023372001	208262	TX 15	100	15	38	77	4,0	5
05023373001	208279	TX 20	100	15	38	77	4,5	5
05023374001	208286	TX 20	200	15	38	77	4,5	5
05023375001	208293	TX 25	100	15	38	77	5,0	5
05023376001	208309	TX 25	200	15	38	77	5,0	5
05023377001	208316	TX 27	200	20	49	99	6,0	5
05023378001	208323	TX 30	200	20	49	99	6,0	5
05023379001	208330	TX 40	200	20	49	99	8,0	5
05023380001	208347	TX 45	200	20	49	99	9,0	5

495 T-handle socket wrench screwdrivers



Code	EAN							
05023381001	208354	5	230	38	77	9"		5
05023382001	208361	5,5	230	38	77	9"		5
05023383001	208378	6	230	38	77	9"		5
05023384001	208385	7	230	49	99	9"		5
05023385001	208392	8	230	49	99	9"		5
05023386001	208408	9	230	49	99	9"		5
05023387001	208415	10	230	49	99	9"		5
05023389001	208439	11	230	49	99	9"		5
05023391001	208477	12	230	49	99	9"		5
05023393001	208491	13	230	49	99	9"		5

Radidaptor - the amazing compact multifunction tool



The ergonomically shaped 2-component T-handle with finger recesses and pleasant surface facilitates very high power transmission and fatigue-free working.

For bits with 1/4" hex head drive as per DIN ISO 1173-C 6.3 and E 6.3. With Radidaptor technology for lightning-fast bit changes.

- T-handle screwdriver for the transmission of particularly high tightening and loosening moments
- Ergonomic 2-component handle with finger handle recesses and pleasant surface feel for very high power transmission and fatigue-free working.
- With Radidaptor technology for lightning-fast bit changes
- Bitholders, magnetic, for easier application of the screw
- For bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3

416 R T-handle bitholding screwdriver Radidaptor



Code	EAN							
05023404001	214157	1/4"	45	44	99	1 25/32"		2

416 RA T-handle bitholding screwdriver with ratchet function and Rapidaptor quick-release chuck

The integrated ratchet with fine toothing (80 teeth/return angle 4.5°) eases and accelerates screwdriving without having to reposition the tool. The ratchet mechanism completely embedded in the handle ensures very handy and comfortable work. With reversing lever for comfortable clockwise/counterclockwise direction change in one-hand operation.

The ergonomic shape of the handle fills the ball of the hand well, the fingers lie securely in the softly rounded recessed grips. The whole hand comes into contact with the handle, friction loss between hand and handle is avoided.

Bit holder for bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3. With Rapidaptor technology for lightning-fast bit changes.

- The integrated ratchet with fine toothing ensures fast and safe working
- Reversing lever for comfortable clockwise/counterclockwise direction change
- Convenient working thanks to the ratchet mechanism fully embedded in the handle
- Ergonomic 2-component handle with finger handle recesses and pleasant surface feel for very high power transmission and fatigue-free working
- Fast-rotating sleeve for extremely high working speed
- Rapidaptor bitholding screwdriver with fast-rotating sleeve for lightning-fast bit changes and high working speeds
- For bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3

416 RA T-handle bitholding screwdriver with ratchet function and Rapidaptor quick-release chuck



	EAN						
Code	4013288		mm	mm	mm		
05023461001	222824	1/4"	45	44	99	1 25/32"	2

411 A RA T-handle adapter screwdriver with ratchet function, 1/4"

The integrated ratchet with fine toothing (80 teeth/return angle 4.5°) eases and accelerates screwdriving without having to reposition the tool.

The ratchet mechanism completely embedded in the handle ensures very handy and comfortable work. With reversing lever for comfortable clockwise/counterclockwise direction change in one-hand operation.

The ergonomic shape of the handle fills the ball of the hand well, the fingers lie securely in the softly rounded recessed grips. The whole hand comes into contact with the handle, friction loss between hand and handle is avoided. 1/4" socket mounting with secure locking mechanism.

- The integrated ratchet with fine toothing ensures fast and safe working
- Reversing lever for comfortable clockwise/counterclockwise direction change
- Convenient working thanks to the ratchet mechanism fully embedded in the handle
- Ergonomic 2-component handle with finger handle recesses and pleasant surface feel for very high power transmission and fatigue-free working
- Fast-rotating sleeve for extremely high working speed
- 1/4" socket mounting with secure ball lock

411 A RA T-handle adapter screwdriver with ratchet function, 1/4"



	EAN						
Code	4013288		mm	mm	mm		
05023460001	222817	1/4"	45	44	99	1 25/32"	2

454/7 HF Set 1 screwdriver set T-handle screwdrivers Hex-Plus with holding function

- With holding function (HF) on the long arm to securely hold the screw on the tool

454/7 HF Set 1 screwdriver set T-handle screwdrivers Hex-Plus with holding function



Code	EAN			
05023450001	4013288	214829		1
		○	454	
			1x 2,5x100	
		○	454 HF	
			1x 3x100; 1x 4x100; 1x 5x150; 1x 6x150; 1x 8x200; 1x 10x200	
			Rack	
			2x 190,0x50,0	

454/7 HF Set 2 Screwdriver set T-handle Hex-Plus screwdrivers with holding function

- T-handle screwdriver for the transmission of particularly high tightening and loosening torque
- Ergonomic 2-component handle with finger handle recesses and pleasant surface feel for very high power transmission and fatigue-free working
- Take it easy tool finder: colour coding according to profile and size
- With additional short arm for the transmission of extremely high torques due to the leverage of the long arm
- With holding function (HF) on the long arm to securely hold the screw on the tool
- Including metal rack; the rack can be placed upright or hung on the tool wall.

454/7 HF Set 2 Screwdriver set T-handle Hex-Plus screwdrivers with holding function




Code	EAN			
05023453001	4013288	221742		1
		○	454	
			1x 2,5x100	
		○	454 HF	
			1x 3x100; 1x 4x100; 1x 5x150; 1x 6x150; 1x 8x200; 1x 10x200	
			9604	
			1x 214,0x78,0	

454/10 HF Set Imperial 1 screwdriver set T-handle screwdrivers Hex-Plus with holding function, imperial

- With holding function (HF) on the long arm to securely hold the screw on the tool

454/10 HF Set Imperial 1 screwdriver set T-handle screwdrivers Hex-Plus with holding function, imperial



				
Code	EAN 4013288			
05023451001	214836			1
			454 Imperial 1x ³ / ₃₂ "x150; 1x ⁷ / ₆₄ "x150	
			454 Imperial HF 1x ¹ / ₈ "x150; 1x ⁹ / ₆₄ "x150; 1x ⁵ / ₃₂ "x150; 1x ³ / ₁₆ "x150; 1x ⁷ / ₃₂ "x150; 1x ¹ / ₄ "x150; 1x ⁵ / ₁₆ "x150; 1x ³ / ₈ "x150	
			Rack 2x 190,0x50,0	

454/10 HF Set Imperial 2 Screwdriver set T-handle Hex-Plus screwdrivers with holding function, imperial

T-handle screwdriver: The ideal handle shape allows the transmission of particularly high tightening and loosening torque. The ergonomic shape of the handle fills the palm of the hand well, the fingers lie safely in the soft rounded handle recesses. The whole hand makes contact with the handle and friction losses between the hand and the handle are avoided.

With holding function to securely hold the hexagon socket screw on the tool. Special surface treatment of the blades for high corrosion protection and optimum fitting accuracy in the screw. Including metal rack for storage. The rack can be placed on the workbench or hung on the tool wall.

- Including metal rack; the rack can be placed upright or hung on the tool wall.

454/10 HF Set Imperial 2 Screwdriver set T-handle Hex-Plus screwdrivers with holding function, imperial



				
Code	EAN			
	4013288			
05023454001	221735			1
			454 Imperial 1x 3/32"x150; 1x 7/64"x150	
			454 Imperial HF 1x 1/8"x150; 1x 9/64"x150; 1x 5/32"x150; 1x 3/16"x150; 1x 7/32"x150; 1x 1/4"x150; 1x 5/16"x150; 1x 3/8"x150	
			9605 1x 214,0x78,0	

454/5 HF SHK Set 1 Screwdriver set T-handle screwdriver Hex-Plus with holding function

- Tool set with 5 T-handle screwdrivers for operations in plumbing, heating and air conditioning
- Extra long blades
- With holding function (HF) on the long arm to securely hold the screw on the tool

454/5 HF SHK Set 1 Screwdriver set T-handle screwdriver Hex-Plus with holding function



Code	EAN		
05136070001	4013288 228000		1
		454 HF 1x 4x200; 1x 5x200; 1x 6x200; 1x 7x200; 1x 8x200	

467/7 TORX® HF Set 1 screwdriver set T-handle TORX® screwdrivers with holding function

- With holding function (HF) on the long arm to securely hold the screw on the tool

467/7 TORX® HF Set 1 screwdriver set T-handle TORX® screwdrivers with holding function



Code	EAN		
05023452001	4013288 214874		1
		467 TORX® HF 1x TX 10x100; 1x TX 15x100; 1x TX 20x100; 1x TX 25x100; 1x TX 30x200; 1x TX 40x200; 1x TX 45x200	
		Rack 2x 190,0x50,0	

467/7 TORX® HF Set 2 Screwdriver set T-handle TORX® screwdrivers with holding function

T-handle screwdriver: The ideal handle shape allows the transmission of particularly high tightening and loosening torque. The ergonomic shape of the handle fills the palm of the hand well, the fingers lie safely in the soft rounded handle recesses. The whole hand makes contact with the handle and friction losses between the hand and the handle are avoided.

With holding function to securely hold the TORX® screw on the tool. Special surface treatment of the blades for high corrosion protection and optimum fitting accuracy in the screw. Including metal rack for storage. The rack can be placed on the workbench or hung on the tool wall.

- Including metal rack; the rack can be placed upright or hung on the tool wall.

467/7 TORX® HF Set 2 Screwdriver set T-handle TORX® screwdrivers with holding function



Code	EAN		
05023456001	4013288 221728		1
		467 TORX® HF 1x TX 10x100; 1x TX 15x100; 1x TX 20x100; 1x TX 25x100; 1x TX 30x200; 1x TX 40x200; 1x TX 45x200	
		9606 1x 214,0x78,0	

Bicycle set 6


10-piece T-handle screwdriver set for operations on the bike: The ideal handle shape allows the transmission of particularly high tightening and loosening moments. The ergonomic shape of the handle fills the ball of the hand well, the fingers lie securely in the softly rounded recessed grips.

The whole hand comes into contact with the handle and friction losses between hand and handle are avoided. With holding function at the long arm to hold the TORX® and hexagonal socket screws (from size 3) securely on the tool. Special surface treatment for high corrosion protection and optimal fitting accuracy in the screw.

With extra-short arm for the transmission of extremely high torques through the leverage of the long arm. Including metal rack for clearly arranged storage in the workshop.

- T-handle screwdriver for the transmission of particularly high tightening and loosening moments
- With holding function (HF) on the long arm to securely hold the screw on the tool
- With additional short arm for the transmission of extremely high torques due to the leverage of the long arm
- Take it easy Tool Finder: colour coding according to profile and size

Bicycle set 6



Code		EAN		
05004174001		4013288	220592	1
			454	
			1x 2,5x100	
			454 HF	
			1x 3x100; 1x 4x150; 1x 5x150; 1x 6x200;	
			1x 8x200; 1x 10x200	
			467 TORX® HF	
			1x TX 10x100; 1x TX 20x100; 1x TX 25x200	

9604 Metal rack for T-handle screwdrivers

Metal rack for T-handle screwdrivers. The rack can be placed on the workbench or hung on the tool wall.

For up to 7 Wera hexagonal socket T-handle screwdrivers.

- Metal rack for T-handle screwdrivers

9604 Metal rack for T-handle screwdrivers



	EAN						
Code	4013288	mm	mm				
05136424001	223418	214,0	78,0				1

9605 Metal rack for T-handle screwdrivers

Metal rack for T-handle screwdrivers. The rack can be placed on the workbench or hung on the tool wall.

For up to 10 Wera hexagonal socket T-handle screwdrivers.

- For up to 10 hexagonal socket T-handle screwdrivers

9605 Metal rack for T-handle screwdrivers



	EAN						
Code	4013288	mm	mm				
05136425001	223425	214,0	78,0				1

9606 Metal rack for T-handle screwdrivers

Metal rack for T-handle screwdrivers. The rack can be placed on the workbench or hung on the tool wall. For up to 7 Wera TORX® T-handle screwdrivers.

9606 Metal rack for T-handle screwdrivers



	EAN							
Code	4013288	mm	mm					
05136426001	223432	214,0	78,0					1

ESD Series

ESD-safe Micro screwdriver. Dependable protection against electrostatic energy and associated damage. Rapid twisting results from fixing the hand on the head and using the fast-turning zone just below. This makes time-consuming grip adjustments unnecessary.

Power zones with integrated soft sections ensure the transfer of high loosening and tightening torque; a precision zone for the right rotation angle during fine adjustment work.

The Black Point tip offers optimised corrosion protection and an exact fit. Take it easy Tool Finder with colour coding according to profiles and size stamp – for simple and rapid accessing of the required tool.

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm
- Multi-component Kraftform Micro handle for fast and ergonomic screwdriving
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- Take it easy Tool Finder: colour coding according to profile and size
- Anti-roll feature and swivel cap for rapid twisting

1578 A ESD Kraftform Micro screwdriver for slotted screws



	EAN							
Code	4013288	mm	mm	mm	mm	mm		
05030099001	215253	0,16	0,8	40	97	2,0	1/32"	5
05030101001	039040	0,23	1,5	40	97	2,0	1/16"	5
05030100001	039033	0,25	1,2	40	97	2,0	0,05"	5
05030102001	039057	0,30	1,8	60	97	2,0	0,07"	5
05030108001	194763	0,35	2,5	40	97	2,5	3/32"	5
05030103001	039064	0,40	2,0	60	97	2,5	5/64"	5
05030104001	039071	0,40	2,5	80	97	2,5	3/32"	5
05030105001	039088	0,50	3,0	80	97	3,0	1/8"	5
05030106001	039095	0,60	3,5	80	97	4,0	9/64"	5
05030107001	039101	0,80	4,0	80	97	4,0	5/32"	5

1550 PH ESD Kraftform Micro screwdriver for Phillips screws



	EAN						
Code	4013288		mm	mm	mm		
05030117001 ^{1) 2)}	194725	PH 000	40	97	1,5/2,5	1 9/16"	5
05030118001 ^{1) 2)}	194732	PH 00	40	97	1,8/2,5	1 9/16"	5
05030110001 ²⁾	039118	PH 00	60	97	1,8/2,5	2 3/8"	5
05030119001 ³⁾	194749	PH 0	40	97	3,0	1 9/16"	5
05030111001 ³⁾	039125	PH 0	60	97	3,0	2 3/8"	5
05030112001	039132	PH 1	80	97	4,0	3 1/8"	5

¹⁾ Optimised for Asian PH screws

²⁾ On the output side, the blade is turned to a nominal length of 10 mm

³⁾ Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

1550 PH S ESD Kraftform Micro screwdrivers



	EAN						
Code	4013288		mm	mm			
05030109001	215222	# 01	40	97	1 9/16"		5

1555 PZ ESD Kraftform Micro screwdriver for Pozidriv screws



	EAN						
Code	4013288		mm	mm	mm		
05030115001	039149	PZ 0	60	97	3,0	2 3/8"	5
05030116001	039156	PZ 1	80	97	4,0	3 1/8"	5

TORX® Tools with holding function

Clamping force holds TORX® screw tight.



1567 TORX® HF ESD Kraftform Micro screwdriver with holding function for TORX® screws



	EAN						
Code	4013288		mm	mm	mm		
05030400001	183972	TX 4	40	97	2,5	1 9/16"	5
05030401001	183989	TX 5	40	97	3,0	1 9/16"	5
05030402001	183996	TX 6	40	97	3,0	1 9/16"	5
05030403001	184009	TX 7	60	97	3,0	2 3/8"	5
05030404001	184016	TX 8	60	97	3,0	2 3/8"	5
05030405001	184023	TX 9	60	97	4,0	2 3/8"	5
05030406001	184030	TX 10	60	97	4,0	2 3/8"	5

1567 TORX® ESD Kraftform Micro screwdriver for TORX® screws



	EAN						
Code	4013288		mm	mm	mm		
05030158001	215239	TX 2	40	97	2,0	1 9/16"	5
05030159001	215246	TX 3	40	97	2,0	1 9/16"	5
05030120001	039163	TX 4	40	97	2,5	1 9/16"	5
05030121001	039170	TX 5	40	97	3,0	1 9/16"	5
05030122001	039187	TX 6	40	97	3,0	1 9/16"	5

1567 TORX® BO ESD Kraftform Micro screwdriver for tamper-proof TORX® screws



	EAN						
Code	4013288		mm	mm	mm		
05030113001	219473	TX 6 BO	60	97	3,0	2 3/8"	5
05030114001	219480	TX 8 BO	60	97	3,0	2 3/8"	5

1567 IPR TORX PLUS® ESD Kraftform Micro screwdriver



	EAN						
Code	4013288		mm	mm	mm		
05030135001 ¹⁾	194756	1 IPR	40	97	2,0	1 9/16"	5

¹⁾Without bore hole

1572 ESD Kraftform Micro screwdriver for Microstix® screws



	EAN							
Code	4013288		mm	mm	mm			
05030080001	181169	m	40	97	2,5	1 9/16"		5
05030081001	181176	00	40	97	2,5	1 9/16"		5
05030082001	181183	F	40	97	2,5	1 9/16"		5
05030083001	181190	0	40	97	2,5	1 9/16"		5
05030084001	181206	1	40	97	2,5	1 9/16"		5

1573 Pentalobe ESD Kraftform Micro screwdriver

- Kraftform Micro screwdriver for Pentalobe screws

1573 Pentalobe ESD Kraftform Micro screwdriver



	EAN							
Code	4013288		mm	mm	mm			
05030330001	219435	PL 1,1	40	97	2,0	1 9/16"		5
05030331001	219497	PL 1,4	40	97	2,0	1 9/16"		5

1569 ESD Nutdriver



	EAN							
Code	4013288		mm	mm	mm			
05030410001	184047	1,5	60	97	5,7	2 3/8"		5
05030411001	184054	1,8	60	97	5,7	2 3/8"		5
05030412001	184061	2,0	60	97	5,7	2 3/8"		5
05030413001	184078	2,5	60	97	5,7	2 3/8"		5
05030414001	184085	3,0	60	97	5,7	2 3/8"		5
05030415001	184092	3,2	60	97	5,7	2 3/8"		5
05030416001	184108	3,5	60	97	5,7	2 3/8"		5
05030417001	184115	4,0	60	97	5,7	2 3/8"		5
05030418001	184122	4,5	60	97	6,4	2 3/8"		5
05030150001	093486	5,0	60	97	7,0	2 3/8"		5
05030151001	093493	5,5	60	97	7,8	2 3/8"		5

1529 ESD Chip Removal Tool

- Chip lifter to remove firmly-fitted parts from a circuit board after desoldering

1529 ESD Chip Removal Tool



	EAN							
Code	4013288		mm	mm	mm	mm		
05027450001	219428	1,0	3,5	50	97			10

Kraftform Micro ESD Big Pack 1 Screwdriver set for electronic applications

Electrostatically secured Wera Micro screwdriver 25-piece set. The included screw profiles are especially suitable for the use on mobile phones and tablets. Safe protection against electrostatic energy and associated damage.

By supporting the hand on the rotating cap, and by the fast rotating zone below the rotating cap, lightning fast turning is possible. Time-consuming hand switching is eliminated.

The power zone with integrated soft zones ensures the transmission of high tightening and loosening moments. Precision zone for correct rotation angles whilst adjusting.

The Black Point tip provides fitting accuracy and optimum corrosion protection.

Take it easy Tool Finder with size stamping and colour coding by profile to find the required tool quickly and easily. Storage and transport in a robust textile bag, so the tool is well protected and always close at hand.

- Included profiles especially suitable for servicing mobile phones, tablets and laptops/desktops
- Storage and transport in a robust textile bag, so the tool is well protected and always close at hand

Kraftform Micro ESD Big Pack 1 Screwdriver set for electronic applications



				
Code	EAN			
05134019001	4013288 219459			1
			1550 PH ESD Micro 1x PH 000x40 ^{1) 2)} ; 1x PH 00x40 ^{1) 2)} ; 1x PH 0x40 ³⁾ ; 1x PH 1x80	
			1550 PH S ESD Micro 1x # 01x40	
			1567 TORX® HF ESD Micro 1x TX 8x60; 1x TX 10x60	
			1567 TORX® ESD Micro 1x TX 2x40; 1x TX 3x40; 1x TX 4x40; 1x TX 5x40; 1x TX 6x40	
			1567 TORX® B0 ESD Micro 1x TX 6 B0x60; 1x TX 8 B0x60	
			1567 TORX PLUS® IPR ESD 1x 1 IPRx40	
			1572 ESD 1x mx40; 1x 00x40; 1x Fx40; 1x 0x40	
			1573 Pentalobe ESD 1x PL 1,1x40; 1x PL 1,4x40	
			1569 ESD 1x 3,0x60	
			1578 A ESD Micro 1x 0,16x0,8x40; 1x 0,23x1,5x40	
			1529 ESD 1x 1,0x3,5x50	

¹⁾ Optimised for Asian PH screws

²⁾ On the output side, the blade is turned to a nominal length of 10 mm

³⁾ Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

1578 A/6 ESD Screwdriver set and rack for electronic applications

- Includes practical rack for tidy storage of the screwdrivers

1578 A/6 ESD Screwdriver set and rack for electronic applications



Code	EAN			
05030170001	4013288 113900			1
		+	1550 PH ESD Micro 1x PH 0x60 ¹⁾ ; 1x PH 1x80	
		-	1578 A ESD Micro 1x 0,23x1,5x40; 1x 0,25x1,2x40; 1x 0,30x1,8x60; 1x 0,40x2,5x80	

¹⁾Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

1550/6 ESD Screwdriver set and rack for electronic applications

- Includes practical rack for tidy storage of the screwdrivers

1550/6 ESD Screwdriver set and rack for electronic applications



Code	EAN			
05030180001	4013288 194787			1
		+	1550 PH ESD Micro 1x PH 000x40 ^{1) 2)} ; 1x PH 00x40 ^{1) 2)} ; 1x PH 0x40 ³⁾	
		-	1578 A ESD Micro 1x 0,35x2,5x40	
		T	1567 TORX PLUS® IPR ESD 1x 1 IPRx40	
		A	1572 ESD 1x mx40	

¹⁾Optimised for Asian PH screws

²⁾On the output side, the blade is turned to a nominal length of 10 mm

³⁾Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

1013 Kraftform Micro ESD bitholding screwdriver

ESD-safe Wera tool. The Kraftform Micro ESD holder for dependable protection against electrostatic energy and associated damage. Electrical surface resistance of $\leq 10^9$ Ohm. Ergonomic Kraftform handle for pleasant and low-fatigue working.

Black anti-roll feature prevents any bothersome rolling away at the workplace. Suitable for the take-up of bits with 4 mm half-moon drive and bits with 4 mm HIOS drive. Ideal for applications on smartphones, cell phones, cameras, electrical appliances, in dental labs and dental surgeries.

- Kraftform Micro ESD bit holder
- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm
- Multi-component Kraftform Micro handle with anti-roll feature and swivel cap
- Suitable for take-up of bits with 4 mm halfmoon drive and bits with 4 mm HIOS drive
- Applications e.g. on smartphones, mobile phones, cameras, electronic equipment

1013 Kraftform Micro ESD Bitholding screwdriver



Code	EAN	mm	mm	mm			
05300004001	4013288 168610	23	97	29/32"			1

Rapid-out

For bits according to
DIN 3126-C 6,3 & E 6,3

Rapid-in & Self-Lock

Free-spinning outer sleeve to
stabilise the screwdriver

One-hand use

Wera

- ### 816 R ESD Bitholding screwdriver, non-magnetic



813 R ESD Bitholding screwdriver, non-magnetic



			
Code	EAN		
	4013288		
05051043001	<i>183934</i>		1
		816 R ESD 1x 1/4"x119	
		851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89	
		855/4 Z PZ 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89	
		867/4 Z TORX® B0 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
		840/4 Z Hex-Plus 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89	
		800/4 Z 1x 1,0x5,5x89	

Kraftform Kompakt Micro 21 ESD 1

Kraftform Kompakt Micro set for precision mechanical work. Suitable for the take-up of bits with 4 mm halfmoon drive (Wera series 9) and bits with 4 mm HIOS drive (Wera series 21). Electrical surface resistance of $\leq 10^9$ Ohm for secure protection against electrostatic charge.

Manufactured in accordance with DIN EN 61340-5-1. Compact handle/interchangeable blade system for fast blade change. Kaftform Micro handle with twist cap and free-turning zone for rapid twisting, making any time-consuming repositioning of the fingers unnecessary.

Power zone with integrated soft zones for the transfer of higher tightening and loosening torque. Precision zone directly above the blade for the right angle for adjustment work. Bits for manual as well as power tool operations. Rapid fixing of the bit: just push the bit into the insert for automatic locking and a secure fit. To change the bit, simply push the sleeve forward and remove. Free-turning sleeve for simple guidance of the tool during the screwdriving process.

Kraftform Kompakt Micro 21 ESD 1



							
Code	EAN						
05135973001	4013288	194855					1
			1013 Kraftform Micro ESD				
			1x 97				
			851/9 C				
			1x PH 000x44 ¹⁾ ; 1x PH 00x44 ¹⁾ ; 1x PH 0x44 ²⁾				
			867/9 C TORX®				
			1x TX 1x44; 1x TX 2x44; 1x TX 3x44; 1x TX 4x44; 1x TX 5x44				
			867/9 C TORX PLUS®				
			1x 1 IPx44; 1x 2 IPx44; 1x 3 IPx44; 1x 4 IPx44				
			867/9 IPR TORX® PLUS				
			1x 1 IPRx44				
			872/9				
			1x mx44; 1x 00x44; 1x Fx44; 1x 0x44				
			800/9 C				
			1x 0,23x1,5x44; 1x 0,35x2,5x44				
			869/9				
			1x 2,5x44,0				

Kraftform Kompakt Micro 20 ESD 1

- Bit holder suitable for the take-up of bits with 4 mm halfmoon or HIOS drive
- Handle out of material with a surface resistance of $\leq 10^9$ Ohm
- Handle/Interchangeable blade system for rapid exchange of the blade
- Kraftform Micro handle with swivel cap for rapid twisting
- Bits for manual as well as power tool operations

Kraftform Kompakt Micro 20 ESD 1



Code	EAN			
05073671001	169662			1
		1013 Kraftform Micro ESD		
		1x 97		
		851/9 C		
		1x PH 00x44 ¹⁾ ; 1x PH 0x44 ²⁾ ; 1x PH 1x44 ¹⁾		
		867/9 C TORX®		
		1x TX 1x44; 1x TX 2x44; 1x TX 3x44; 1x TX 4x44; 1x TX 5x44; 1x TX 6x44		
		867/9 C TORX PLUS®		
		1x 1 IPx44; 1x 2 IPx44; 1x 3 IPx44; 1x 4 IPx44		
		840/9 C		
		1x 1,5x44; 1x 2,0x44		
		800/9 C		
		1x 0,23x1,5x44; 1x 0,40x2,0x44; 1x 0,50x3,0x44		
		867/9 IPR TORX® PLUS		
		1x 1 IPRx44		

¹⁾Optimised for Asian PH screws

²⁾Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

Kraftform Kompakt Micro 11 ESD 1



Code	EAN			
05073670001	168344			1
		1013 Kraftform Micro ESD		
		1x 97		
		851/9 C		
		1x PH 00x44 ¹⁾ ; 1x PH 0x44 ²⁾ ; 1x PH 1x44 ¹⁾		
		867/9 C TORX®		
		1x TX 5x44; 1x TX 6x44		
		800/9 C		
		1x 0,23x1,5x44; 1x 0,40x2,0x44; 1x 0,50x3,0x44		
		840/9 C		
		1x 1,5x44; 1x 2,0x44		

¹⁾Optimised for Asian PH screws

²⁾Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

809/1 ESD Stubby Bitholding screwdriver, with retaining ring

- Short compact shape for working in confined spaces
- Bit holder with retaining ring for bits with 1/4" hexagon drive

809/1 ESD Stubby Bitholding screwdriver, with retaining ring



	EAN						
Code	4013288		mm	mm			
05008882001	219206	1/4"	10	54	3/8"		2

811/1 ESD Stubby Bitholding screwdriver, magnetic

- Short compact shape for working in confined spaces
- Ergonomic 2-component Kraftform handle for precise work
- Hexagonal anti-roll feature against rolling away
- ESD bits hand holder for electrostatically safe working, magnetic
- For 1/4" bits as per DIN ISO 1173-C 6.3

811/1 ESD Stubby Bitholding screwdriver, magnetic



	EAN						
Code			mm	mm			
05008881001	212382	1/4"	10	54	3/8"		2

9514 ESD Magnetiser SB

Magnetiser. Simply pull the tool along the positive side of the Wera magnetiser and the tool will hold the screw securely on the blade.

To demagnetise, move the tool along the negative side.


- Magnetiser
- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm
- To magnetise and demagnetise tool tips
- Securely holds the screw on the tool

9514 ESD Magnetiser SB



	EAN							
Code	4013288	mm						
05073984001	225924	64,6						1

Kraftform Stainless - stainless steel to prevent rust



High quality Kraftform Plus VDE screwdriver out of stainless steel by Wera. The stainless tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. They can be used for industrial application without hesitation.

The individual testing of the Kraftform Stainless VDE screwdrivers at 10,000 volts as per DIN EN 60900 (IEC 60900) ensures safe working with voltages of up to 1,000 volts. Secure working is also ensured under extreme conditions and verified with the proven cold impact resistance at -40° C. Kraftform handle for fast and low-fatigue working.

Take it easy Tool Finder: colour coding according to profile and size. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace.

Lasertip - laser engineered blade



3160 i VDE Insulated Screwdriver for slotted screws, stainless



	EAN							
Code	4013288	mm	mm	mm	mm			
05022729001 ¹⁾	122353	0,5	3,0	80	81	1/8"	3 1/8"	10
05022730001 ¹⁾	122148	0,6	3,5	100	81	9/64"	4"	10
05022731001	122155	0,8	4,0	100	98	5/32"	4"	10
05022732001	122162	1,0	5,5	125	98	7/32"	5"	10

¹⁾ without Lasertip

3162 i PH VDE Insulated Screwdriver for Phillips screws, stainless




	EAN					
Code	4013288		mm	mm		
05022733001	122179	PH 1	80	98	3 1/8"	5
05022734001	122186	PH 2	100	105	4"	5

3165 i PZ VDE Insulated Screwdriver for Pozidriv screws, stainless



	EAN					
Code	4013288		mm	mm		
05022740001	183941	PZ 1	80	98	3 1/8"	5
05022741001	183965	PZ 2	100	105	4"	5

3167 i VDE Insulated TORX® screwdriver, stainless steel



	EAN						
Code	4013288		mm	mm			
05022760001	220103	TX 8	80	81	3 1/8"		5
05022761001	220110	TX 9	80	81	3 1/8"		5
05022762001	220127	TX 10	80	81	3 1/8"		5
05022763001	220134	TX 15	80	98	3 1/8"		5
05022764001	220141	TX 20	80	98	3 1/8"		5
05022765001	220158	TX 25	100	105	4"		5
05022766001	220165	TX 30	100	105	4"		5

3160 i/7 Screwdriver set, stainless and rack

- Including useful rack for well-arranged storage of the screwdrivers

3160 i/7 Screwdriver set, stainless and rack



Code	EAN			
05022728001	118073			1
		+	3162 i VDE 1x PH 1x80; 1x PH 2x100	
		-	3160 i VDE 1x 0,5x3,0x80 ¹⁾ ; 1x 0,6x3,5x100 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125	
		-	3247 1x 0,5x3,0x70	

¹⁾ without Lasertip

²⁾ Product not available in the USA and Canada.

3165 i/6 Screwdriver set, stainless and rack

- Including useful rack for well-arranged storage of the screwdrivers


3165 i/6 Screwdriver set, stainless and rack



Code	EAN			
05022745001	184207			1
		+	3165 i PZ VDE 1x PZ 1x80; 1x PZ 2x100	
		-	3160 i VDE 1x 0,5x3,0x80 ¹⁾ ; 1x 0,6x3,5x100 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125	

¹⁾ without Lasertip

3167 i/7 TORX® Screwdriver set, stainless and rack



Code	EAN			
05022767001	220172			1
		+	3167 i TORX® VDE 1x TX 8x80; 1x TX 9x80; 1x TX 10x80; 1x TX 15x80; 1x TX 20x80; 1x TX 25x100; 1x TX 30x100	

Lasertip - laser engineered blade



Wera VDE screwdrivers with multi-component Kraftform Plus handle for fast and low-fatigue working: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. Individually tested at 10,000 volts for secure work at the permissible voltage of 1,000 volts.

The tips of the Wera Lasertip screwdrivers are microscopically roughened by laser beams. This rough surface literally bites into the head of the screw. Any unintentional slipping out is therefore a thing of the past.

Take it easy Tool Finder with colour coding according to profiles and size stamp – for simple and rapid accessing of the required tool. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace.

- Insulated blades for secure work at 1,000 volts
- Smooth hard zones for high speed turning, soft grip zones for high torque transfer
- Take it easy Tool Finder: colour coding according to profile and size
- Hexagonal anti-roll feature against rolling away
- Conical blade, Lasertip


160 i VDE Insulated screwdriver for slotted screws



	EAN	mm	mm	mm	mm	mm	mm	
Code	4013288	mm	mm	mm	mm	mm	mm	
05006100001 ¹⁾	027221	0,4	2,5	80	81	3/32"	3 1/8"	10
05006105001 ¹⁾	027238	0,5	3,0	100	81	1/8"	4"	10
05006110001 ¹⁾	027245	0,6	3,5	100	81	9/64"	4"	10
05006115001	027252	0,8	4,0	100	98	5/32"	4"	10
05006116001	105431	0,8	4,0	150	98	5/32"	6"	5
05006120001	027269	1,0	5,5	125	98	7/32"	5"	10
05006121001	105448	1,0	5,5	200	98	7/32"	8"	5
05006125001	027276	1,2	6,5	150	105	1/4"	6"	10
05006126001	105455	1,2	6,5	200	105	1/4"	8"	5
05006130001	027283	1,2	8,0	175	112	5/16"	7"	5
05006135001	028884	1,6	8,0	200	112	5/16"	8"	5
05006140001	028877	1,6	10,0	200	112	3/8"	8"	5

¹⁾without Lasertip

160 i SB VDE Insulated screwdriver for slotted screws



Code	EAN		
05100000001	181466	160 i VDE 1x 0.4x2.5x80 ¹⁾	10
05100001001	181473	160 i VDE 1x 0.5x3.0x100 ¹⁾	10
05100002001	181480	160 i VDE 1x 0.6x3.5x100 ¹⁾	10
05100003001	181497	160 i VDE 1x 0.8x4.0x100	10
05100004001	181503	160 i VDE 1x 1.0x5.5x125	10

¹⁾without Lasertip

160 iS VDE Insulated screwdriver with reduced blade diameter for slotted screws

- Reduced shaft diameter
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

160 iS VDE Insulated screwdriver with reduced blade diameter for slotted screws




Code	EAN	mm	mm	mm	mm	mm	mm	
05006440001	160089	0,6	3,5	100	81	9/64"	4"	10
05006441001	160102	0,8	4,0	100	98	5/32"	4"	10
05006442001	160126	1,0	5,5	125	98	7/32"	5"	10

160 iSS VDE Insulated screwdriver with reduced blade and handle diameter for slotted screws

- Reduced blade and handle diameter
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

160 iSS VDE Insulated screwdriver with reduced blade and handle diameter for slotted screws



Code	EAN	mm	mm	mm	mm	mm	mm	
05020129001	179548	0,8	4,0	100	81	5/32"	4"	5

162 i PH VDE Insulated screwdriver for Phillips screws



	EAN	+	mm	mm	mm		
Code	4013288						
05006150001 ¹⁾	027290	PH 0	80	81	3 1/8"		5
05006152001	027306	PH 1	80	98	3 1/8"		5
05006153001	105417	PH 1	150	98	6"		5
05006154001	027313	PH 2	100	105	4"		5
05006159001	105424	PH 2	200	105	8"		5
05006156001	027320	PH 3	150	112	6"		5
05006158001 ¹⁾	027818	PH 4	200	112	8"		2

¹⁾without Lasertip

162 i PH SB VDE Insulated screwdriver for Phillips screws



Code	EAN	+		
05100011001	181442	+	162 i PH VDE 1x PH 1x80	5
05100012001	181459	+	162 i PH VDE 1x PH 2x100	5

162 iS PH VDE Insulated screwdriver with reduced blade diameter for Phillips screws

- Reduced shaft diameter
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

162 iS PH VDE Insulated screwdriver with reduced blade diameter for Phillips screws



	EAN	+	mm	mm	mm		
Code	4013288						
05006450001	160140	PH 1	80	98	3 1/8"		5
05006451001	160164	PH 2	100	105	4"		5

162 iSS PH VDE Insulated screwdriver with reduced blade diameter for Phillips screws

- Reduced blade and handle diameter
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated



162 iSS PH VDE Insulated screwdriver with reduced blade diameter for Phillips screws



	EAN	+	mm	mm	mm		
Code	4013288						
05020131001	179432	PH 1	80	81	3 1/8"		5
05020133001	179425	PH 2	100	98	4"		5


165 i PZ VDE Insulated screwdriver for Pozidriv screws



	EAN	+	mm	mm	mm		
Code	4013288						
05006160001 ¹⁾	032782	PZ 0	80	81	3 1/8"		5
05006162001	029836	PZ 1	80	98	3 1/8"		5
05006163001	105462	PZ 1	150	98	6"		5
05006164001	029843	PZ 2	100	105	4"		5
05006165001	105479	PZ 2	200	105	8"		5
05006166001	029850	PZ 3	150	112	6"		5
05006168001 ¹⁾	029867	PZ 4	200	112	8"		2

¹⁾without Lasertip

165 i PZ SB VDE Insulated screwdriver for Pozidriv screws



Code	EAN	+		
05100015001	181510	+	165 i PZ VDE 1x PZ 1x80	5
05100016001	181527	+	165 i PZ VDE 1x PZ 2x100	5

165 iS PZ VDE Insulated screwdriver with reduced blade diameter for Pozidriv screws

- Reduced shaft diameter
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

165 iS PZ VDE Insulated screwdriver with reduced blade diameter for Pozidriv screws



	EAN						
Code	4013288		mm	mm			
05006460001	160188	PZ 1	80	98	3 1/8"		5
05006461001	160249	PZ 2	100	105	4"		5

162 i PH/S VDE Insulated screwdriver for PlusMinus screws (Phillips/slotted)

- Combination profile Phillips/slotted

162 i PH/S VDE Insulated screwdriver for PlusMinus screws (Phillips/slotted)



	EAN						
Code	4013288		mm	mm			
05006380001	102614	# 1	80	98	3 1/8"		5
05006381001	102621	# 2	100	105	4"		5

162 i PH/S SB VDE Insulated screwdriver for PlusMinus screws (Phillips/slotted)



Code	EAN			
05100019001	186560	162 i PH/S VDE	1x # 1x80	5
05100020001	186577	162 i PH/S VDE	1x # 2x100	5

162 iS PH/S VDE Insulated screwdriver with reduced blade diameter for PlusMinus screws (Phillips/slotted)

- Reduced shaft diameter: combination profile Phillips/slotted
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

162 iS PH/S VDE Insulated screwdriver with reduced blade diameter for PlusMinus screws (Phillips/slotted)



	EAN						
Code	4013288		mm	mm			
05006455001	160201	# 1	80	98	3 1/8"		5
05006456001	160225	# 2	100	105	4"		5

165 i PZ/S VDE Insulated screwdriver for PlusMinus screws (Pozidriv/slotted)

- Combination profile Pozidriv/slotted

165 i PZ/S VDE Insulated screwdriver for PlusMinus screws (Pozidriv/slotted)



	EAN						
Code	4013288		mm	mm			
05006190001	102638	# 1	80	98	3 1/8"		5
05006191001	102645	# 2	100	105	4"		5

165 i PZ/S SB VDE Insulated screwdriver for PlusMinus screws (Pozidriv/slotted)



Code	EAN			
05100021001	186584	165 i PZ/S VDE	1x # 1x80	5
05100022001	186591	165 i PZ/S VDE	1x # 2x100	5

165 iS PZ/S VDE Insulated screwdriver with reduced blade diameter for PlusMinus screws (Pozidriv/slotted)

- Reduced shaft diameter: combination profile Pozidriv/slotted
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated



	EAN						
Code	4013288		mm	mm			
05006465001	160263	# 1	80	98	3 1/8"		5
05006466001	160287	# 2	100	105	4"		5

165 iSS PZ/S VDE Insulated screwdriver with reduced blade diameter for PlusMinus screws (Pozidriv/slotted)

- Reduced blade and handle diameter
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated



	EAN						
Code	4013288		mm	mm			
05020132001	179418	# 1	80	81	3 1/8"		5
05020134001	179401	# 2	100	98	4"		5

167 i VDE Insulated screwdriver for TORX® screws



	EAN						
Code	4013288		mm	mm			
05006181001	108876	TX 5	80	81	3 1/8"		5
05006182001	108883	TX 6	80	81	3 1/8"		5
05006183001	108890	TX 7	80	81	3 1/8"		5
05006184001	108906	TX 8	80	81	3 1/8"		5
05006169001	036452	TX 9	80	81	3 1/8"		5
05006170001	036667	TX 10	80	81	3 1/8"		5
05006172001	036674	TX 15	80	98	3 1/8"		5
05006174001	036681	TX 20	80	98	3 1/8"		5
05006176001	036698	TX 25	100	105	4"		5
05006177001	036469	TX 27	100	105	4"		5
05006178001	036704	TX 30	100	105	4"		5
05006179001	036476	TX 40	150	112	6"		5

168 i VDE Insulated screwdriver for square socket head screws



	EAN						
Code	4013288		mm	mm			
05004780001	038777	# 1	80	98	3 1/8"		5
05004783001	105486	# 1	150	98	6"		5
05004781001	038784	# 2	100	105	4"		5
05004784001	105493	# 2	200	105	8"		5
05004782001	040909	# 3	150	112	6"		5

168 i SB VDE Insulated screwdriver for square socket head screws



	EAN			
Code	4013288			
05100024001	181534	168 i VDE 1x # 1x80		5
05100025001	181541	168 i VDE 1x # 2x100		5
05100026001	181558	168 i VDE 1x # 3x150		5

190 i VDE Insulated nutdriver



	EAN							
Code	4013288	mm		mm	mm	mm		
05005300001	032485	5,5		125	98	11,0	5"	5
05005305001	032492	6,0		125	98	12,0	5"	5
05005310001	032508	7,0		125	105	14,0	5"	5
05005315001	032515	8,0		125	105	15,0	5"	5
05005320001	032522	9,0		125	105	16,0	5"	5
05005325001	032539	10,0		125	112	17,0	5"	5
05005330001	032546	11,0		125	112	19,0	5"	5
05005335001	032553	12,0		125	112	20,0	5"	5
05005340001	032560	13,0		125	112	21,0	5"	5

247 Single-pole phase tester



	EAN							
Code	4013288	mm	mm	mm	mm			
05005655001	002686	0,5	3,0	70	3,0	1/8"	2 3/4"	5

¹⁾Product not available in the USA and Canada.

247 SB Single-pole phase tester



Code	EAN			
05100100001	181664		247	5
			1x 0.5x3.0x70	


¹⁾Product not available in the USA and Canada.

Kraftform Big Pack 100 VDE

14-piece screwdriver set with individually tested, insulated screwdrivers as per IEC 60900. Individual testing at 10,000 volts so as to ensure safe working at the permitted voltage of 1,000 volts.

- Insulated blades for secure work at 1,000 volts
- Multi-component Kraftform handle for high working speeds and ergonomic screwdriving
- Take it easy Tool Finder: colour coding according to profile and size
- Hexagonal anti-roll feature against rolling away
- Lasertip tips for more secure fit in the screw head

Kraftform Big Pack 100 VDE



Code	EAN		
05105631001	163639		1
			162 i PH VDE 1x PH 1x80; 1x PH 2x100
			165 i PZ VDE 1x PZ 1x80; 1x PZ 2x100
			165 i PZ/S VDE 1x # 1x80; 1x # 2x100
			167 i TORX® VDE 1x TX 10x80; 1x TX 15x80; 1x TX 20x80
			160 iS 1x 0,6x3,5x100
			160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125
			247 1x 0,5x3,0x70
			Rack 2x 190,0x50,0

¹⁾ without Lasertip

¹⁾Product not available in the USA and Canada.

Kraftform 2go 100

11 VDE-insulated, Kraftform screwdrivers; with Take it easy Toolfinder; in the Wera 2go 4 quiver; comes with an adjustable partition element for individual sectioning.

- Suitable for docking with the Wera 2go system

Kraftform 2go 100




Code	EAN		
05004310001	4013288		1
	187826		
		Wera 2go 4 1x 165,0x165,0x105,0	
		162 i PH VDE 1x PH 1x80; 1x PH 2x100	
		165 i PZ VDE 1x PZ 1x80; 1x PZ 2x100	
		167 i TORX® VDE 1x TX 10x80; 1x TX 15x80; 1x TX 20x80	
		160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,8x4,0x150; 1x 1,0x5,5x200	
		160 iS 1x 0,6x3,5x100	
		K120 1x 50,0x120,0	

¹⁾without Lasertip

160 i/6 Rack Screwdriver set Kraftform Plus Series 100 + Rack

- Including useful rack for well-arranged storage of the screwdrivers

160 i/6 Rack Screwdriver set Kraftform Plus Series 100 + Rack



Code	EAN		
05006145001	4013288		1
	027887		
		162 i PH VDE 1x PH 1x80; 1x PH 2x100	
		160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125	

¹⁾without Lasertip

160 i/7 Rack Screwdriver set Kraftform Plus Series 100, single-pole phase tester and rack

- Including useful rack for well-arranged storage of the screwdrivers

160 i/7 Rack Screwdriver set Kraftform Plus Series 100, single-pole phase tester and rack



Code	EAN		
05006147001	4013288		1
	041708		
		162 i PH VDE 1x PH 1x80; 1x PH 2x100	
		160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125	
		247 1x 0,5x3,0x70	

¹⁾without Lasertip

²⁾Product not available in the USA and Canada.

160 i/165 i/7 Rack Screwdriver set Kraftform Plus Series 100, single-pole phase tester and rack

- Including useful rack for well-arranged storage of the screwdrivers

160 i/165 i/7 Rack Screwdriver set Kraftform Plus Series 100, single-pole phase tester and rack



Code	EAN		
05006148001	4013288		1
	041715		
		165 i PZ VDE 1x PZ 1x80; 1x PZ 2x100	
		160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125	
		247 1x 0,5x3,0x70	

¹⁾without Lasertip

²⁾Product not available in the USA and Canada.

167 i/6 Screwdriver set Kraftform Plus Series 100



Code				
EAN				
05133356001	160072			1



167 i TORX® VDE
1x TX 8x80; 1x TX 9x80; 1x TX 10x80;
1x TX 15x80; 1x TX 20x80; 1x TX 25x100

160 iS/7 Rack Screwdriver set Kraftform Plus Series 100, single-pole phase tester and rack. With reduced blade diameter.

- Reduced shaft diameter
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated
- Including useful rack for well-arranged storage of the screwdrivers

160 iS/7 Rack Screwdriver set Kraftform Plus Series 100, single-pole phase tester and rack. With reduced blade diameter



Code				
EAN				
05006480001	160713			1



162 iS
1x PH 1x80; 1x PH 2x100



165 iS PZ/S
1x # 2x100



160 iS
1x 0,6x3,5x100; 1x 0,8x4,0x100;
1x 1,0x5,5x125



247
1x 0,5x3,0x70

^{*)}Product not available in the USA and Canada.

160 iSS/7 Screwdriver set Kraftform Plus Series 100. With reduced blade diameters and smaller handle diameters

- Kraftform screwdrivers with reduced blade diameter as well as partially with slim handle design
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated
- Safe work at a voltage of 1,000 volts, individually tested

160 iSS/7 Screwdriver set Kraftform Plus Series 100. With reduced blade diameters and smaller handle diameters



Code				
EAN				
05135961001	178640			1



160 iSS 1x 0,8x4,0x100



160 iS 1x 0,6x3,5x100; 1x 1,0x5,5x125



162 iSS 1x PH 1x80; 1x PH 2x100



165 iSS PZ/S 1x # 1x80; 1x # 2x100

160 i/168 i/6 Rack Screwdriver set Kraftform Plus Series 100, and rack

- Including useful rack for well-arranged storage of the screwdrivers

160 i/168 i/6 Rack Screwdriver set Kraftform Plus Series 100, and rack



Code	EAN			
05347777001	4013288 122957			1
		+	162 i PH VDE 1x PH 1x80; 1x PH 2x100	
		•	160 i VDE 1x 0,6x3,5x100 ¹⁾ ; 1x 1,0x5,5x125	
		□	168 i VDE 1x # 1x80; 1x # 2x100	

¹⁾ without Lasertip

160 i/162 i/167 i/9 Screwdriver set Kraftform Plus Series 100



Code	EAN			
05133355001	4013288 160065			1
		+	162 i PH VDE 1x PH 2x100	
		•	165 i PZ VDE 1x PZ 2x100	
		□	165 i PZ/S VDE 1x # 1x80; 1x # 2x100	
		✱	167 i TORX® VDE 1x TX 15x80; 1x TX 20x80; 1x TX 25x100	
		•	160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 1,0x5,5x125	


¹⁾ without Lasertip

165 iS PZ/S # 1 + 2 Screwdriver set Kraftform Plus series 100. With reduced blade diameter

- Reduced shaft diameter: combination profile - Pozidriv / slotted
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated



165 iS PZ/S # 1 + 2 Screwdriver set Kraftform Plus series 100. With reduced blade diameter



Code	EAN			
05006470001	4013288 214317			1
		•	165 iS PZ/S 1x # 1x80; 1x # 2x100	

Kraftform Kompakt VDE Safe-Torque Speed control cabinet Set 1

23-piece Kraftform Kompakt VDE set.

One Safe-Torque Speed 7508 VDE torque wrench with five selectable maximum tightening torques (0.4; 0.8; 1.2; 1.6; 2.0 Nm), one 7516 VDE Safe-Torque Speed torque wrench with five selectable maximum tightening torques (0.4; 0.8; 1.2; 1.6; 2.0 Nm), each with a fixed position (Torque Lock) for unlimited loosening and tightening moments, digital torque value display, reliable slip-over mechanism when the set torque is reached, one 817 VDE bitholding screwdriver.

Torque wrenches and bitholding screwdriver solely for Wera VDE blades.

20 VDE blades (each 157 mm length) with Take it easy Tool Finder: colour coding by profile and laser-engraved size indication, most of which with reduced blade diameter, so that even low-lying screw and spring elements can be easily reached and operated.

In a robust textile box for neat storage and convenient transport.

- Individually tested tools as per IEC 60900
- VDE bitholding torque screwdriver 7508 VDE with 5 pre-set values (0.4; 0.8; 1.2; 1.6; 2.0 Nm)
- VDE bitholding torque screwdriver 7516 with 5 pre-set values (2.4; 2.8; 3.2; 3.6; 4.0 Nm)
- Accuracy $\pm 10\%$
- Speed: Extremely fast setting of desired torque values
- Torque Lock function: for high tightening and loosening moments without torque
- 817 VDE handle for Kraftform Kompakt interchangeable blades
- VDE blades (157 mm length) with practical spinning function, anti-roll protection and Take it easy Tool Finder: colour coding by profile and laser-engraved size indication
- Compact and stable tool box with Wera 2go compatibility

Kraftform Kompakt VDE Safe-Torque Speed control cabinet Set 1



Code	EAN		
05006633001	4013288 234261		1
		7508 VDE 9 mm; 0,4 Nm; 0,8 Nm; 1,2 Nm; 1,6 Nm; 2,0 Nm; 192 mm	
		7516 VDE 9 mm; 2,4 Nm; 2,8 Nm; 3,2 Nm; 3,6 Nm; 4,0 Nm; 192 mm	
		817 VDE 1x 9x98	
		Kraftform Kompakt VDE 62 IS Take it easy 1x PH 1x157; 1x PH 2x157	
		Kraftform Kompakt VDE 65 IS Take it easy 1x PZ 1x157; 1x PZ 2x157	
		Kraftform Kompakt VDE 62 IS PH/S Take it easy 1x # 1x157; 1x # 2x157	
		Kraftform Kompakt VDE 65 IS PZ/S Take it easy 1x # 1x157; 1x # 2x157	
		Kraftform Kompakt VDE 67 IS TORX® Take it easy 1x TX 15x157; 1x TX 20x157; 1x TX 25x157	
		Kraftform Kompakt VDE 67 i TORX® Take it easy 1x TX 10x157; 1x TX 30x157	
		Kraftform Kompakt VDE 64 i Take it easy 1x 2.5x157; 1x 3.0x157; 1x 4.0x157; 1x 5.0x157	
		Kraftform Kompakt VDE 60 IS Take it easy 1x 0.6x3.5x157; 1x 0.8x4.0x157; 1x 1.0x5.5x157	

Kraftform Kompakt VDE Safe-Torque Speed switch cabinet set Basic 1

- Tool set with the 11 most important tools for switch cabinet couplings
- Speed: Extremely fast setting of desired torque values
- Safe: Slip-over torque function which can not be overtightened - for clockwise/counterclockwise torque operation
- Torque Lock function: for high tightening and loosening moments without torque
- Individually tested tools as per IEC 60900
- VDE blades with reduced blade diameter (iS); slotted, Phillips and Pozidriv, combination profiles Phillips/slotted and Pozidriv/slotted as well as TORX®
- Accuracy $\pm 10\%$
- Compact and stable tool box with Wera 2go compatibility

Kraftform Kompakt VDE Safe-Torque Speed switch cabinet set Basic 1



Code	EAN			
05006634001	238368			1
		7516 VDE		
		1x 9 mm; 2,4 Nm; 2,8 Nm; 3,2 Nm; 3,6 Nm; 4,0 Nm; 192 mm		
		817 VDE		
		1x 9x98		
		Kraftform Kompakt VDE 62 iS Take it easy		
		1x PH 2x157		
		Kraftform Kompakt VDE 65 iS Take it easy		
		1x PZ 2x157		
		Kraftform Kompakt VDE 62 iS PH/S Take it easy		
		1x # 1x157; 1x # 2x157		
		Kraftform Kompakt VDE 65 iS PZ/S Take it easy		
		1x # 1x157		
		Kraftform Kompakt VDE 67 iS TORX®		
		Take it easy		
		1x TX 20x157; 1x TX 25x157		
		Kraftform Kompakt VDE 60 iS Take it easy		
		1x 0,6x3,5x157; 1x 0,8x4,0x157		
		Hook and Loop Fastener Strip 120		
		1x 50,0x120,0		

Kraftform Kompakt VDE Safe-Torque Speed switch cabinet set Basic 2

- With Kraftform Kompakt VDE blades for square head socket screws

Kraftform Kompakt VDE Safe-Torque Speed switch cabinet set Basic 2



Code	EAN			
05006635001	238634			1
		7516 VDE		
		1x 9 mm; 2,4 Nm; 2,8 Nm; 3,2 Nm; 3,6 Nm; 4,0 Nm; 192 mm		
		817 VDE		
		1x 9x98		
		Kraftform Kompakt VDE 62 iS Take it easy		
		1x PH 1x157; 1x PH 2x157		
		Kraftform Kompakt VDE 60 iS Take it easy		
		1x 0,6x3,5x157; 1x 0,8x4,0x157		
		Kraftform Kompakt VDE 67 iS TORX®		
		Take it easy		
		1x TX 15x157; 1x TX 20x157; 1x TX 25x157		
		Kraftform Kompakt VDE 68 iS Take it easy		
		1x # 1x157; 1x # 2x157		
		Hook and Loop Fastener Strip 120		
		1x 50,0x120,0		

7508 VDE Kraftform Safe-Torque Speed Torque screwdriver, 0.4-2.0 Nm

- VDE bladeholding torque screwdriver 7508 VDE with 5 pre-set values (0.4; 0.8; 1.2; 1.6; 2.0 Nm)
- Accuracy $\pm 10\%$
- Speed: Extremely fast setting of desired torque values
- Safe: Slip-over torque function which can not be overtightened - for clockwise/counterclockwise torque operation
- Torque Lock function: for high tightening and loosening moments without torque
- With fast-rotating sleeve and mounting for Wera VDE interchangeable blades

7508 VDE Kraftform Safe-Torque Speed Torque screwdriver, 0.4-2.0 Nm



	EAN							
Code	4013288	mm	Nm	Nm	Nm	Nm	Nm	
05075870001	233578	9	0,4	0,8	1,2	1,6	2,0	1

7516 VDE Kraftform Safe-Torque Speed Torque screwdriver, 2.4-4.0 Nm

- VDE bladeholding torque screwdriver 7516 with 5 pre-set values (2.4; 2.8; 3.2; 3.6; 4.0 Nm)
- Accuracy $\pm 10\%$

7516 VDE Kraftform Safe-Torque Speed Torque screwdriver, 2.4-4.0 Nm



	EAN							
Code	4013288	mm	Nm	Nm	Nm	Nm	Nm	
05075876001	233585	9	2,4	2,8	3,2	3,6	4,0	1

Kraftform Kompakt VDE Stainless 17 extra slim 1 Tool finder

2x 3817 Kraftform VDE bitholding screwdrivers for ergonomic screwdriving. 15 VDE stainless blades, some of which with reduced blade diameter (iS), so that even low-lying screw and spring elements can be easily reached and operated; with Take it easy Tool finder: Colour coding by profile and laser-engraved size indication - for quick and easy identification of the required tool. Individually tested at 10.000 V for safe working at the approved voltage of 1.000 V.

Wera's stainless steel tools are vacuum ice tempered and therefore have the hardness and strength properties required for screw connections. Industrial use is possible without restrictions. In a robust belt pouch.

The pouch is suitable for attachment to walls, shelves, workshop trolleys and the Wera 2go system thanks to the hook and loop fastener system on the back.

Kraftform Kompakt VDE Stainless 17 extra slim 1 Tool finder



Code	EAN		
05006631001	230034		1
		3817 VDE Stainless 2x 9x98	
		Kraftform Kompakt VDE 3062 iS Take it easy 1x PH 1x157; 1x PH 2x157	
		Kraftform Kompakt VDE 3065 iS PZ Take it easy 1x PZ 1x157; 1x PZ 2x157	
		Kraftform Kompakt VDE 3065 iS PZ/S Take it easy 1x # 1x157; 1x # 2x157	
		Kraftform Kompakt VDE 3067 i Take it easy 1x TX 10x157	
		Kraftform Kompakt VDE 3067 iS Take it easy 1x TX 15x157; 1x TX 20x157; 1x TX 25x157	
		Kraftform Kompakt VDE 3060 i Take it easy 1x 0,4x2,5x157; 1x 1,2x6,5x157	
		Kraftform Kompakt VDE 3060 iS Take it easy 1x 0,6x3,5x157; 1x 0,8x4,0x157; 1x 1,0x5,5x157	
		Hook and Loop Fastener Strip 70 1x 50,0x70,0	

Kraftform Kompakt VDE Stainless 8 extra slim 1 Tool finder

One 3817 VDE Kraftform bitholding screwdriver for ergonomic screwdriving. 7 VDE stainless blades, some of which with reduced blade diameter (iS), so that even low-lying screw and spring elements can be easily reached and operated; with Take it easy Tool finder: Colour coding by profile and laser-engraved size indication - for quick and easy identification of the required tool. Individually tested at 10,000 V for safe working at the approved voltage of 1,000 V.

Wera's stainless steel tools are vacuum ice tempered and therefore have the hardness and strength properties required for screw connections. Industrial use is possible without restrictions.

In a robust belt pouch. The pouch is suitable for attachment to walls, shelves, workshop trolleys and the Wera 2go system thanks to the hook and loop fastener system on the back.

Kraftform Kompakt VDE Stainless 8 extra slim 1 Tool finder



Code	EAN			
05006630001	229656			1
			3817 VDE Stainless 1x 9x98	
			Kraftform Kompakt VDE 3067 i Take it easy 1x TX 8x157; 1x TX 9x157; 1x TX 10x157; 1x TX 30x157	
			Kraftform Kompakt VDE 3067 iS Take it easy 1x TX 15x157; 1x TX 20x157; 1x TX 25x157	
			Hook and Loop Fastener Strip 70 1x 50,0x70,0	

3817 VDE Kraftform Stainless blade-holding handle SB


Premium VDE bitholding screwdriver solely for Wera VDE stainless blades. The handle/blade system allows for lightning-fast change of the required blade and thus a wide range of applications.

Kraftform Plus handle for comfortable ergonomic screwdriving, which avoids blisters and calluses. Hard handle zones for high working speeds, while soft handle zones guarantee a high torque transfer.

- Kraftform Kompakt VDE Stainless bitholding handle
- Smooth hard zones for high speed turning, soft grip zones for high torque transfer



3817 VDE Kraftform Stainless blade-holding handle SB



	EAN						
Code	4013288	mm	mm				
05003991001	220189	9	98				1

Kraftform Kompakt VDE 3060 i Take it easy SB, stainless steel

VDE stainless blade for the Kraftform Kompakt handle/blade system for lightning-fast blade changes without special tools. Individually tested tools as per IEC 60900. Individually tested at 10,000 V for safe working at the approved voltage of 1,000 V.

Wera's stainless steel tools are vacuum ice hardened and therefore have the hardness and strength properties required for screw connections. Industrial use is possible without restrictions.

- Kraftform Kompakt VDE interchangeable blades for slotted screws
- Insulated, individually tested as per IEC 60900
- Blades made of stainless steel to prevent extraneous rust
- Vacuum ice-hardening provides the required hardness and strength
- 9 mm hex drive with with entry chamfer
- Take it easy Tool Finder: Colour coding by profile and laser-engraved size indication

Kraftform Kompakt VDE 3060 i Take it easy SB, stainless steel




Code	EAN			
	4013288			
05006575001	229236	⊖	Kraftform Kompakt VDE 3060 i Take it easy 1x 0.4x2.5x157	5
05006576001	229243	⊖	Kraftform Kompakt VDE 3060 i Take it easy 1x 1.2x6.5x157	5

Kraftform Kompakt VDE 3060 iS Take it easy SB, stainless steel

- Reduced shaft diameter and integrated insulation protection
- This means that low-lying screws and spring elements can be accessed and actuated
- Take it easy Tool Finder: Colour coding by profile and laser-engraved size indication

Kraftform Kompakt VDE 3060 iS Take it easy SB, stainless steel




Code	EAN			
	4013288			
05006577001	229250	⊖	Kraftform Kompakt VDE 3060 iS Take it easy 1x 0.6x3.5x157	5
05006578001	229274	⊖	Kraftform Kompakt VDE 3060 iS Take it easy 1x 0.8x4.0x157	5
05006579001	229281	⊖	Kraftform Kompakt VDE 3060 iS Take it easy 1x 1.0x5.5x157	5

Kraftform Kompakt VDE 3062 iS Take it easy SB, stainless steel

- Reduced shaft diameter and integrated insulation protection
- In this way, low-lying PH screws can be accessed and actuated
- Take it easy Tool Finder: Colour coding by profile and laser-engraved size indication

Kraftform Kompakt VDE 3062 iS Take it easy SB, stainless steel



Code	EAN			
	4013288			
05006580001	229304	⊕	Kraftform Kompakt VDE 3062 iS Take it easy 1x PH 1x157	5
05006581001	229427	⊕	Kraftform Kompakt VDE 3062 iS Take it easy 1x PH 2x157	5

Kraftform Kompakt VDE 3065 iS PZ Take it easy SB, stainless steel

- Reduced shaft diameter and integrated insulation protection
- In this way, low-lying PZ screws can be accessed and actuated
- Take it easy Tool Finder: Colour coding by profile and laser-engraved size indication

Kraftform Kompakt VDE 3065 iS PZ Take it easy SB, stainless steel



Code	EAN			
05006582001	229533	+	Kraftform Kompakt VDE 3065 iS PZ Take it easy 1x PZ 1x157	5
05006583001	229540	+	Kraftform Kompakt VDE 3065 iS PZ Take it easy 1x PZ 2x157	5

Kraftform Kompakt VDE 3065 iS PZ/S Take it easy SB, stainless steel

- Reduced shaft diameter and integrated insulation protection
- In this way, low-lying PlusMinus screws can be accessed and actuated
- Take it easy Tool Finder: Colour coding by profile and laser-engraved size indication

Kraftform Kompakt VDE 3065 iS PZ/S Take it easy SB, stainless steel



Code	EAN			
05006584001	229502	+	Kraftform Kompakt VDE 3065 iS PZ/S Take it easy 1x # 1x157	5
05006585001	229526	+	Kraftform Kompakt VDE 3065 iS PZ/S Take it easy 1x # 2x157	5

Kraftform Kompakt VDE 3067 iS TORX® Take it easy SB, stainless steel

- Reduced shaft diameter and integrated insulation protection
- In this way, low-lying TORX® screws can be accessed and actuated
- Take it easy Tool Finder: Colour coding by profile and laser-engraved size indication

Kraftform Kompakt VDE 3067 iS TORX® Take it easy SB, stainless steel



Code	EAN			
05006590001	229472	+	Kraftform Kompakt VDE 3067 iS Take it easy 1x TX 15x157	5
05006591001	229489	+	Kraftform Kompakt VDE 3067 iS Take it easy 1x TX 20x157	5
05006592001	229496	+	Kraftform Kompakt VDE 3067 iS Take it easy 1x TX 25x157	5

Kraftform Kompakt VDE 3067 i TORX® Take it easy SB, stainless steel

- Kraftform Kompakt VDE interchangeable blade for TORX® screws
- Take it easy Tool Finder: Colour coding by profile and laser-engraved size indication

Kraftform Kompakt VDE 3067 i TORX® Take it easy SB, stainless steel



Code	EAN			
05006586001	229434	+	Kraftform Kompakt VDE 3067 i Take it easy 1x TX 8x157	5
05006587001	229441	+	Kraftform Kompakt VDE 3067 i Take it easy 1x TX 9x157	5
05006588001	229458	+	Kraftform Kompakt VDE 3067 i Take it easy 1x TX 10x157	5
05006589001	229465	+	Kraftform Kompakt VDE 3067 i Take it easy 1x TX 30x157	5

837 i RA Kraftform Blade-holding screwdriver with ratchet functionality

Blitholding screwdriver for Wera Kraftform Kompakt VDE blades with ratchet with fine toothing integrated in the handle (40 teeth/return angle 9°). The ratchet accelerates screwdriving without having to reposition the tool.

The ratchet mechanism completely embedded in the handle ensures very handy and comfortable work. The handle/blade system allows for lightning-fast change of the required blade and thus a wide range of applications.

- Kraftform Kompakt VDE Kraftform blade-holding screwdriver with ratchet functionality
- The integrated ratchet with fine toothing ensures fast and safe working
- High working speed: The ratchet allows to “spin” when screwdriving
- Ergonomic intuitive switching to clockwise/counterclockwise or position 0
- Kraftform Plus handle for comfortable ergonomic work

837 i RA Kraftform Blade-holding screwdriver with ratchet functionality



	EAN							
Code	4013288	mm	mm					
05057490001	229700	9	115					1

Kraftform Kompakt VDE 24 Allrounder Set 1

The all-rounder set for VDE applications. Two bladeholding screwdrivers 837 i RA and 817 VDE for Kraftform Kompakt VDE blades (837 i RA with ratchet functionality for accelerated screwdriving).

11 Kraftform Kompakt blades for slotted screws, Phillips-head screws (Phillips and Pozidriv) and TORX® screws. Even low-lying screw and spring elements can be reached thanks to the reduced blade diameter. The Take it easy Tool Finder (colour coding by profile as well as laser-engraved size indication) makes it easy to reach for the required blade.

One T-handle with ratchet functionality for 1/4" sockets. The recesses in the fast-rotating sleeve on the blade allow resistance to be generated by finger force which allows the ratchet mechanism to be used even at low resistance of the screw.

9 sockets offer increased safety thanks to the 2-component insulation with a yellow insulation core under an outer red insulation layer. The inner yellow insulation layer becomes visible if the outer red VDE insulation layer is damaged.

All tools are individually tested at 10,000 Volt as per IEC 60900. Space-saving and safe storage in a textile box. The textile box can be docked directly onto the Wera 2go transport system or attached to the workshop trolley, tool wall, etc with the included hook and loop fastener strip.

- Individually tested tools as per IEC 60900
- One Kraftform Kompakt VDE 837 i RA bladeholding screwdriver with ratchet functionality (40 teeth, 9° return angle) for interchangeable blades, one 817 VDE bladeholding screwdriver for interchangeable blades
- One 410 i VDE A RA T-handle adapter screwdriver with ratchet functionality for 1/4" sockets and 1/4" bit sockets
- One Kraftform Kompakt A VDE 712 i adapter blade (1/4" external hexagon to 9 mm external hexagon) for 1/4" sockets and bit sockets
- VDE blades (157 mm length) with practical spinning function, anti-roll protection and Take it easy Tool Finder: colour coding by profile and laser-engraved size indication
- 9 Zyklop sockets with 2-component insulation (yellow insulation core, which becomes visible if the outer red VDE insulation layer is damaged)
- Space-saving and safe storage in a textile box, which can also be docked onto the Wera 2go system

Kraftform Kompakt VDE 24 Allrounder Set 1



Code	EAN			
05006632001	4013288 234148			1
		837 i RA	1x 9x115	
		817 VDE	1x 9x98	
		410 i VDE A RA	1x 1/4"x130	
		Kraftform Kompakt VDE 60 i Take it easy	1x 0.4x2.5x157; 1x 1.2x6.5x157	
		Kraftform Kompakt VDE 60 iS Take it easy	1x 0.6x3.5x157; 1x 0.8x4.0x157	
		Kraftform Kompakt VDE 62 iS Take it easy	1x PH 1x157; 1x PH 2x157	
		Kraftform Kompakt VDE 65 iS Take it easy	1x PZ 1x157; 1x PZ 2x157	
		Kraftform Kompakt VDE 67 iS TORX®	1x TX 15x157; 1x TX 20x157; 1x TX 25x157	
		Kraftform Kompakt A VDE 712 i	1x 1/4"x154	
		8790 A VDE	1x 5.0x41.0; 1x 5.5x41.0; 1x 6.0x41.0; 1x 7.0x41.0; 1x 8.0x41.0; 1x 10.0x41.0; 1x 11.0x41.0; 1x 12.0x41.0; 1x 13.0x41.0	
		9575	1x 230.0x105.0x50.0	

Kraftform Kompakt VDE 17 RA 1

17-piece Kraftform Kompakt VDE set. One 837 i RA blade-holding screwdriver with ratchet functionality (40 teeth, 9° return angle), one 817 VDE bitholding screwdriver, 15 VDE blades with Take it easy Tool finder: Colour coding by profile and laser-engraved size indication. Individually tested tools as per IEC 60900.

Individually tested in a water quench at 10,000 V for safe working at the approved voltage of 1,000 V. In a robust belt pouch.

- One Kraftform Kompakt VDE Kraftform 837 i RA blade-holding screwdriver with ratchet functionality (40 teeth, 9° return angle) for blades, one 817 VDE bitholding screwdriver for blades
- The 837 i RA bitholding screwdriver with ratchet integrated in the handle ensures fast and safe working
- High working speed: The ratchet allows to "spin" when screwdriving
- Ergonomic intuitive switching to clockwise/counterclockwise or position 0
- VDE blades (157 mm length) with practical spinning function, anti-roll protection and Take it easy Tool finder: Colour coding by profile and laser-engraved size indication
- Individually tested tools as per IEC 60900
- In robust pouch
- Suitable for Wera 2go



Kraftform Kompakt VDE 17 RA 1



Code	EAN			
05006618001	4013288 229694			1
		837 i RA	1x 9x115	
		817 VDE	1x 9x98	
		Kraftform Kompakt VDE 62 i Take it easy	1x PH 1x157; 1x PH 2x157	
		Kraftform Kompakt VDE 65 i Take it easy	1x PZ 1x157; 1x PZ 2x157	
		Kraftform Kompakt VDE 65 i PZ/S Take it easy	1x # 1x157; 1x # 2x157	
		Kraftform Kompakt VDE 67 i Take it easy	1x TX 10x157; 1x TX 15x157; 1x TX 20x157; 1x TX 25x157	
		Kraftform Kompakt VDE 60 i Take it easy	1x 0.4x2.5x157; 1x 0.8x4.0x157; 1x 1.0x5.5x157; 1x 1.2x6.5x157	
		Kraftform Kompakt VDE 60 iS Take it easy	1x 0.6x3.5x157	

Kraftform Kompakt VDE 17 RA Imperial 1



Code	EAN			
05006619001	4013288 229885			1
		837 i RA 1x 9x115		
		817 VDE 1x 9x98		
		Kraftform Kompakt VDE 62 i Take it easy 1x PH 1x157; 1x PH 2x157		
		Kraftform Kompakt VDE 65 i PZ/S Take it easy 1x # 1x157; 1x # 2x157		
		Kraftform Kompakt VDE 67 i Take it easy 1x TX 10x157; 1x TX 15x157; 1x TX 20x157; 1x TX 25x157		
		Kraftform Kompakt VDE 60 i Take it easy 1x 0,4x2,5x157; 1x 0,8x4,0x157; 1x 1,0x5,5x157; 1x 1,2x6,5x157		
		Kraftform Kompakt VDE 60 iS Take it easy 1x 0,6x3,5x157		
		Kraftform Kompakt VDE 68 i Take it easy 1x # 1x157; 1x # 2x157		

Kraftform Kompakt VDE GO RA 1

- Compact holster for attaching to the belt
- The tools are immediately accessible
- Thanks to the holster's design, it is possible to remove the handle and insert the required blade into it with only one hand
- Particularly suitable for mobile use
- 837 i RA bitholding screwdriver with ratchet functionality for Kraftform Kompakt VDE blades
- 4 Kraftform Kompakt blades with reduced blade diameter and integrated protective insulation (iS); Phillips, Pozidriv, combination profile Pozidriv/slotted and slotted
- 9 mm hex drive with with entry chamfer
- Take it easy tool finder: colour coding by profile and laser-engraved size indication
- Individually tested tools as per IEC 60900 at 10,000 V for safe working up to 1,000 volt

Kraftform Kompakt VDE GO RA 1



Code	EAN			
05006620001	4013288 238641			1
		837 i RA 1x 9x115		
		Kraftform Kompakt VDE 62 iS Take it easy 1x PH 2x157		
		Kraftform Kompakt VDE 65 iS Take it easy 1x PZ 2x157		
		Kraftform Kompakt VDE 65 iS PZ/S Take it easy 1x # 1x157		
		Kraftform Kompakt VDE 60 iS Take it easy 1x 0,6x3,5x157		
		9594 Holster 1x 74,0x167,0		
		Hook and Loop Fastener Strip 70 1x 50,0x70,0		

Kraftform Kompakt VDE GO RA 2

- 4 Kraftform Kompakt blades with reduced blade diameter and integrated protective insulation (iS); Phillips and slotted

Kraftform Kompakt VDE GO RA 2



Code	EAN		
05006621001	4013288 238658		1
		● 837 i RA 1x 9x115	
		⊕ Kraftform Kompakt VDE 62 iS Take it easy 1x PH 1x157; 1x PH 2x157	
		⊖ Kraftform Kompakt VDE 60 iS Take it easy 1x 0,6x3,5x157; 1x 1,0x5,5x157	
		9594 Holster 1x 74,0x167,0	
		Hook and Loop Fastener Strip 70 1x 50,0x70,0	

Kraftform Kompakt VDE GO RA 3

- 4 Kraftform Kompakt blades with reduced blade diameter and integrated protective insulation (iS); square head and slotted

Kraftform Kompakt VDE GO RA 3



Code	EAN		
05006622001	4013288 238665		1
		● 837 i RA 1x 9x115	
		⊖ Kraftform Kompakt VDE 68 iS Take it easy 1x # 1x157; 1x # 2x157	
		⊖ Kraftform Kompakt VDE 60 iS Take it easy 1x 0,6x3,5x157; 1x 1,0x5,5x157	
		9594 Holster 1x 74,0x167,0	
		Hook and Loop Fastener Strip 70 1x 50,0x70,0	

Kraftform Kompakt & VDE - every size always available

Kraftform Kompakt VDE 16 Torque 1.2-3.0 Nm extra slim 1 Tool finder

16-piece torque VDE blade set. Includes 14 blades (12 of which with reduced blade diameter) with integrated protective insulation.

With Take it easy Tool finder: Colour coding by profile and laser-engraved size indication - for quick and easy identification of the required tool. Torque VDE bitholding screwdriver with adjustable torque value from 1.2-3.0 Nm and 817 VDE bitholding screwdriver.

Both with ergonomic Kraftform Plus handle, with hard handle zones ensuring high working speeds while soft handle zones guarantee a high torque transfer.

Kraftform Kompakt VDE 16 Torque 1.2-3.0 Nm extra slim 1 Tool finder



Code	EAN			
05006609001	4013288 229953			1
		7400 VDE	1x 7441 VDE, 1,2-3,0 Nm	
		817 VDE	1x 9x98	
		Kraftform Kompakt VDE 62 iS Take it easy	1x PH 1x157; 1x PH 2x157	
		Kraftform Kompakt VDE 65 iS Take it easy	1x PZ 1x157; 1x PZ 2x157	
		Kraftform Kompakt VDE 65 iS PZ/S Take it easy	1x # 1x157; 1x # 2x157	
		Kraftform Kompakt VDE 67 i Take it easy	1x TX 10x157	
		Kraftform Kompakt VDE 67 iS Take it easy	1x TX 15x157; 1x TX 20x157; 1x TX 25x157	
		Kraftform Kompakt VDE 60 i Take it easy	1x 0,4x2,5x157	
		Kraftform Kompakt VDE 60 iS Take it easy	1x 0,6x3,5x157; 1x 0,8x4,0x157; 1x 1,0x5,5x157	
		Hook and Loop Fastener Strip 70	1x 50,0x70,0	

Kraftform Kompakt VDE 15 Torque 1.2-3.0 Nm extra slim 1 Tool finder


15-piece torque VDE blade set. One torque VDE bitholding screwdriver with adjustable torque value from 1.2-3.0 Nm.

With ergonomic Kraftform Plus handle, with hard handle zones ensuring high working speeds while soft handle zones guarantee a high torque transfer. Includes 14 blades (12 of which with reduced blade diameter) with integrated protective insulation.

With Take it easy Tool finder: Colour coding by profile and laser-engraved size indication - for quick and easy identification of the required tool.

In a robust belt pouch. The textile box features a fleece zone at the back. Using the provided self-adhesive hook and loop fastener strips, the textile box can be attached to the Wera 2go components. Or to the wall, shelf or workshop trolley.

Kraftform Kompakt VDE 15 Torque 1.2-3.0 Nm extra slim 1 Tool finder



Code	EAN			
05006605001	4013288 229915			1
		7400 VDE	1x 7441 VDE, 1,2-3,0 Nm	
		Kraftform Kompakt VDE 62 iS Take it easy	1x PH 1x157; 1x PH 2x157	
		Kraftform Kompakt VDE 65 iS Take it easy	1x PZ 1x157; 1x PZ 2x157	
		Kraftform Kompakt VDE 65 iS PZ/S Take it easy	1x # 1x157; 1x # 2x157	
		Kraftform Kompakt VDE 67 i Take it easy	1x TX 10x157	
		Kraftform Kompakt VDE 67 iS Take it easy	1x TX 15x157; 1x TX 20x157; 1x TX 25x157	
		Kraftform Kompakt VDE 60 i Take it easy	1x 0,4x2,5x157	
		Kraftform Kompakt VDE 60 iS Take it easy	1x 0,6x3,5x157; 1x 0,8x4,0x157; 1x 1,0x5,5x157	
		Hook and Loop Fastener Strip 70	1x 50,0x70,0	

Kraftform Kompakt VDE Big Pack 1

26-piece Kraftform Kompakt VDE set, 2x 817 VDE Kraftform blade-holding screwdrivers, 24 VDE blades (each 157 mm length) most of them with reduced blade diameter (iS), so that even low-lying screw and spring elements can be easily reached and operated. Individually tested as per IEC 60900 at 10,000 V for safe working at the approved voltage of 1,000 V.

Take it easy Tool finder with colour coding by profile and laser-engraved size indication - for quick and easy identification of the required tool. Kraftform Plus handle for comfortable ergonomic screwdriving, avoiding blisters and calluses. Hard handle zones for high working speeds, while soft handle zones guarantee a high torque transfer. The anti-roll protection avoids bits from rolling away annoyingly at the workplace.

- 2 VDE-insulated Kraftform 817 VDE blade-holding screwdrivers with anti-roll protection
- VDE blades (157 mm length) with practical spinning function, anti-roll protection and Take it easy Tool finder: Colour coding by profile and laser-engraved size indication
- Insulated tools, blades partly with reduced diameter for safe working at up to 1,000 Volt
- Individually tested tools as per IEC 60900
- In robust pouch
- Suitable for Wera 2go

Kraftform Kompakt VDE Big Pack 1



					
Code	EAN				
05006617001	4013288 229557				1
			817 VDE 2x 9x98		
			Kraftform Kompakt VDE 62 iS Take it easy 1x PH 1x157; 1x PH 2x157		
			Kraftform Kompakt VDE 65 iS Take it easy 1x PZ 1x157; 1x PZ 2x157		
			Kraftform Kompakt VDE 62 iS PH/S Take it easy 1x # 1x157; 1x # 2x157		
			Kraftform Kompakt VDE 65 iS PZ/S Take it easy 1x # 1x157; 1x # 2x157		
			Kraftform Kompakt VDE 67 i Take it easy 1x TX 8x157; 1x TX 9x157; 1x TX 10x157; 1x TX 30x157		
			Kraftform Kompakt VDE 67 iS Take it easy 1x TX 15x157; 1x TX 20x157; 1x TX 25x157		
			Kraftform Kompakt VDE 64 i Take it easy 1x 2,5x157; 1x 3,0x157; 1x 4,0x157; 1x 5,0x157		
			Kraftform Kompakt VDE 60 i Take it easy 1x 0,4x2,5x157; 1x 1,2x6,5x157		
			Kraftform Kompakt VDE 60 iS Take it easy 1x 0,6x3,5x157; 1x 0,8x4,0x157; 1x 1,0x5,5x157		

Kraftform Kompakt VDE 18 Universal 1 Tool finder

One 817 VDE Kraftform bitholding screwdriver, 12 VDE blades with Take it easy Tool finder: Colour coding by profile and laser-engraved size indication - for quick and easy identification of the required tool, 4 control cabinet keys, one single-pole phase tester. Individually tested at 10,000 V for safe working at the approved voltage of 1,000 V.

In a robust belt pouch. The textile box features a fleece zone at the back. Using the provided self-adhesive hook and loop fastener strips, the textile box can be attached to the Wera 2go components. Or to the wall, shelf or workshop trolley.

- VDE blades (157 mm length) with practical spinning function, anti-roll protection and Take it easy Tool finder: Colour coding by profile and laser-engraved size indication

Kraftform Kompakt VDE 18 Universal 1 Tool finder



Code				
EAN				
05006613001	4013288	229991		1
		817 VDE	1x 9x98	
		Kraftform Kompakt VDE 62 i Take it easy	1x PH 1x157; 1x PH 2x157	
		Kraftform Kompakt VDE 65 i Take it easy	1x PZ 1x157; 1x PZ 2x157	
		Kraftform Kompakt VDE 62 i PH/S Take it easy	1x # 1x157; 1x # 2x157	
		Kraftform Kompakt VDE 65 i PZ/S Take it easy	1x # 1x157; 1x # 2x157	
		Kraftform Kompakt VDE 60 i Take it easy	1x 0,4x2,5x157; 1x 0,6x3,5x157; 1x 0,8x4,0x157; 1x 1,0x5,5x157	
		Kraftform Kompakt 96 VK 6,3	1x 6,3x89	
		Kraftform Kompakt 97 VK 8,1	1x 8,1x89	
		Kraftform Kompakt 98 DK	1x 89	
		Kraftform Kompakt 99 FL	1x 89	
		247	1x 0,5x3,0x70	
		Hook and Loop Fastener Strip 70	1x 50,0x70,0	

***Product not available in the USA and Canada.

Kraftform Kompakt VDE 18 Imperial 1 Tool finder



Code				
EAN				
05006616001	4013288	230027		1
		817 VDE	2x 9x98	
		Kraftform Kompakt VDE 62 i Take it easy	1x PH 1x157; 1x PH 2x157	
		Kraftform Kompakt VDE 62 i PH/S Take it easy	1x # 1x157; 1x # 2x157	
		Kraftform Kompakt VDE 65 i PZ/S Take it easy	1x # 1x157; 1x # 2x157	
		Kraftform Kompakt VDE 60 i Take it easy	1x 0,4x2,5x157; 1x 0,6x3,5x157; 1x 0,8x4,0x157; 1x 1,0x5,5x157	
		Kraftform Kompakt VDE 68 i Take it easy	1x # 1x157; 1x # 2x157	
		Kraftform Kompakt 96 VK 6,3	1x 6,3x89	
		Kraftform Kompakt 97 VK 8,1	1x 8,1x89	
		Kraftform Kompakt 98 DK	1x 89	
		Kraftform Kompakt 99 FL	1x 89	
		Hook and Loop Fastener Strip 70	1x 50,0x70,0	

Kraftform Kompakt VDE 18 Universal 2 Tool finder



Code	EAN			
05006614001	4013288 230010			1
		817 VDE 2x 9x98		
		Kraftform Kompakt VDE 62 i Take it easy 1x PH 1x157; 1x PH 2x157		
		Kraftform Kompakt VDE 65 i Take it easy 1x PZ 1x157; 1x PZ 2x157		
		Kraftform Kompakt VDE 62 i PH/S Take it easy 1x # 1x157; 1x # 2x157		
		Kraftform Kompakt VDE 65 i PZ/S Take it easy 1x # 1x157; 1x # 2x157		
		Kraftform Kompakt VDE 60 i Take it easy 1x 0,4x2,5x157; 1x 0,6x3,5x157; 1x 0,8x4,0x157; 1x 1,0x5,5x157		
		Kraftform Kompakt 96 VK 6,3 1x 6,3x89		
		Kraftform Kompakt 97 VK 8,1 1x 8,1x89		
		Kraftform Kompakt 98 DK 1x 89		
		Kraftform Kompakt 99 FL 1x 89		
		Hook and Loop Fastener Strip 70 1x 50,0x70,0		

Kraftform Kompakt VDE 17 extra slim 1 Tool finder

- Individually tested VDE interchangeable blades with reduced blade diameters
- 2 multi-component, ergonomic Kraftform VDE hand-holders with anti-roll protection
- In a robust textile box
- Multifunctional pliers for electrical installation: cable cutting, stripping, gripping, bending, deburring, crimping of wire end ferrules
- Pliers including cable shears with precision cutting edges (inductively hardened) for Cu and Al cables up to 5 x 2.5mm² / Ø 15 mm
- VDE blades (157 mm length) with practical spinning function, anti-roll protection and Take it easy Tool finder: Colour coding by profile and laser-engraved size indication



Kraftform Kompakt VDE 17 extra slim 1 Tool finder



Code	EAN			
05006612001	4013288 229977			1
		817 VDE 2x 9x98		
		Kraftform Kompakt VDE 62 iS Take it easy 1x PH 1x157; 1x PH 2x157		
		Kraftform Kompakt VDE 65 iS Take it easy 1x PZ 1x157; 1x PZ 2x157		
		Kraftform Kompakt VDE 65 iS PZ/S Take it easy 1x # 1x157; 1x # 2x157		
		Kraftform Kompakt VDE 67 i Take it easy 1x TX 10x157		
		Kraftform Kompakt VDE 67 iS Take it easy 1x TX 15x157; 1x TX 20x157; 1x TX 25x157		
		Kraftform Kompakt VDE 60 i Take it easy 1x 0,4x2,5x157		
		Kraftform Kompakt VDE 60 iS Take it easy 1x 0,6x3,5x157; 1x 0,8x4,0x157; 1x 1,0x5,5x157		
		KNIPEX 13 96 200		
		Hook and Loop Fastener Strip 70 1x 50,0x70,0		

Kraftform Kompakt VDE 17 extra slim 2 Tool finder

- The 837 i RA bladeholding screwdriver with a ratchet integrated in the handle ensures fast and safe working
- 817 VDE handle for Kraftform Kompakt interchangeable blades
- 1x Knipex needle-nose combination pliers, 185 mm long

Kraftform Kompakt VDE 17 extra slim 2 Tool finder



Code	EAN			
05006610001	234131			1
		837 i RA	1x 9x115	
		817 VDE	1x 9x98	
		Kraftform Kompakt VDE 62 iS Take it easy	1x PH 1x157; 1x PH 2x157	
		Kraftform Kompakt VDE 65 iS Take it easy	1x PZ 1x157; 1x PZ 2x157	
		Kraftform Kompakt VDE 65 iS PZ/S Take it easy	1x # 1x157; 1x # 2x157	
		Kraftform Kompakt VDE 67 i TORX®	Take it easy	
			1x TX 10x157	
		Kraftform Kompakt VDE 67 iS TORX®	Take it easy	
			1x TX 15x157; 1x TX 20x157; 1x TX 25x157	
		Kraftform Kompakt VDE 60 i Take it easy	1x 0.4x2.5x157	
		Kraftform Kompakt VDE 60 iS Take it easy	1x 0.6x3.5x157; 1x 0.8x4.0x157; 1x 1.0x5.5x157	
		KNIPLEX Needle-nose combination pliers	08 26 185	
		Hook and Loop Fastener Strip 70	1x 50.0x70.0	

Kraftform Kompakt VDE 17 Universal 1 Tool finder

- 17-piece set
- 2 VDE-insulated Kraftform 817 VDE blade-holding screwdrivers with anti-roll protection
- VDE blades (157 mm length) with practical spinning function, anti-roll protection and Take it easy Tool finder: Colour coding by profile and laser-engraved size indication
- Individually tested tools as per IEC 60900
- In robust pouch
- Suitable for Wera 2go

Kraftform Kompakt VDE 17 Universal 1 Tool finder



Code	EAN			
05006611001	229564			1
		817 VDE	2x 9x98	
		Kraftform Kompakt VDE 62 i Take it easy	1x PH 1x157; 1x PH 2x157	
		Kraftform Kompakt VDE 65 i Take it easy	1x PZ 1x157; 1x PZ 2x157	
		Kraftform Kompakt VDE 65 i PZ/S Take it easy	1x # 1x157; 1x # 2x157	
		Kraftform Kompakt VDE 67 i Take it easy	1x TX 10x157; 1x TX 15x157; 1x TX 20x157; 1x TX 25x157	
		Kraftform Kompakt VDE 60 i Take it easy	1x 0.4x2.5x157; 1x 0.8x4.0x157; 1x 1.0x5.5x157; 1x 1.2x6.5x157	
		Kraftform Kompakt VDE 60 iS Take it easy	1x 0.6x3.5x157	
		Hook and Loop Fastener Strip 70	1x 50,0x70,0	

Kraftform Kompakt VDE 16 extra slim 1 Tool finder

- VDE interchangeable blade with reduced shaft diameter
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated
- VDE blades (157 mm length) with practical spinning function, anti-roll protection and Take it easy Tool finder: Colour coding by profile and laser-engraved size indication

Kraftform Kompakt VDE 16 extra slim 1 Tool finder



Code	EAN			
05006608001	4013288 229946			1
		●	817 VDE 1x 9x98	
		+	Kraftform Kompakt VDE 62 iS Take it easy 1x PH 1x157; 1x PH 2x157	
		+	Kraftform Kompakt VDE 65 iS Take it easy 1x PZ 1x157; 1x PZ 2x157	
		+	Kraftform Kompakt VDE 65 iS PZ/S Take it easy 1x # 1x157; 1x # 2x157	
		+	Kraftform Kompakt VDE 67 i Take it easy 1x TX 10x157	
		+	Kraftform Kompakt VDE 67 iS Take it easy 1x TX 15x157; 1x TX 20x157; 1x TX 25x157	
		●	Kraftform Kompakt VDE 60 i Take it easy 1x 0,4x2,5x157	
		●	Kraftform Kompakt VDE 60 iS Take it easy 1x 0,6x3,5x157; 1x 0,8x4,0x157; 1x 1,0x5,5x157	
		●	247 1x 0,5x3,0x70	
			Hook and Loop Fastener Strip 70 1x 50,0x70,0	

™Product not available in the USA and Canada.

Kraftform Kompakt VDE 16 Universal 1 Tool finder



Code	EAN			
05006607001	4013288 229922			1
		●	817 VDE 1x 9x98	
		+	Kraftform Kompakt VDE 62 i Take it easy 1x PH 1x157; 1x PH 2x157	
		+	Kraftform Kompakt VDE 65 i Take it easy 1x PZ 1x157; 1x PZ 2x157	
		+	Kraftform Kompakt VDE 65 i PZ/S Take it easy 1x # 1x157; 1x # 2x157	
		+	Kraftform Kompakt VDE 67 i Take it easy 1x TX 10x157; 1x TX 15x157; 1x TX 20x157; 1x TX 25x157	
		●	Kraftform Kompakt VDE 60 i Take it easy 1x 0,4x2,5x157; 1x 0,6x3,5x157; 1x 0,8x4,0x157; 1x 1,0x5,5x157	
		●	247 1x 0,5x3,0x70	
			Hook and Loop Fastener Strip 70 1x 50,0x70,0	

™Product not available in the USA and Canada.

Kraftform Kompakt VDE 7 extra slim 1 Tool finder

- Individually tested VDE interchangeable blades with reduced blade diameters
- In robust folding pouch with Wera 2go compatibility
- VDE blades (157 mm length) with practical spinning function, anti-roll protection and Take it easy Tool finder: Colour coding by profile and laser-engraved size indication

Kraftform Kompakt VDE 7 extra slim 1 Tool finder



Code	EAN			
05006603001	4013288 229687			1
		817 VDE	1x 9x98	
		Kraftform Kompakt VDE 62 iS Take it easy	1x PH 1x157; 1x PH 2x157	
		Kraftform Kompakt VDE 65 iS PZ/S Take it easy	1x # 2x157	
		Kraftform Kompakt VDE 67 iS Take it easy	1x TX 15x157; 1x TX 20x157	
		Kraftform Kompakt VDE 60 iS Take it easy	1x 0,6x3,5x157	
		Hook and Loop Fastener Strip 70	1x 50,0x70,0	

Kraftform Kompakt VDE 7 Universal 1 Tool finder

One 817 VDE Kraftform bitholding screwdriver and 6 VDE blades with Take it easy Tool finder: Colour coding and laser-engraved size indication. Individually tested at 10,000 V for safe working at the approved voltage of 1,000 V.

In a robust belt pouch. The textile box features a fleece zone at the back. Using the provided self-adhesive hook and loop fastener strips, the textile box can be attached to the Wera 2go components. Or to the wall, shelf or workshop trolley.

- VDE blades (157 mm length) with practical spinning function, anti-roll protection and Take it easy Tool finder: Colour coding by profile and laser-engraved size indication

Kraftform Kompakt VDE 7 Universal 1 Tool finder



Code	EAN			
05006600001	4013288 229663			1
		817 VDE	1x 9x98	
		Kraftform Kompakt VDE 62 i Take it easy	1x PH 1x157; 1x PH 2x157	
		Kraftform Kompakt VDE 60 i Take it easy	1x 0,4x2,5x157; 1x 0,6x3,5x157; 1x 0,8x4,0x157; 1x 1,0x5,5x157	
		Hook and Loop Fastener Strip 70	1x 50,0x70,0	

Kraftform Kompakt VDE 7 Imperial 1 Tool finder



Code	EAN			
05006604001	4013288 229892			1
		817 VDE	1x 9x98	
		Kraftform Kompakt VDE 62 i Take it easy	1x PH 1x157; 1x PH 2x157	
		Kraftform Kompakt VDE 60 i Take it easy	1x 0,6x3,5x157; 1x 1,0x5,5x157	
		Kraftform Kompakt VDE 68 i Take it easy	1x # 1x157; 1x # 2x157	
		Hook and Loop Fastener Strip 70	1x 50,0x70,0	

Kraftform Kompakt VDE 7 Universal 2 Tool finder



Code	EAN			
05006601001	4013288			1
	229670			
		817 VDE		
		1x 9x98		
		Kraftform Kompakt VDE 65 i Take it easy		
		1x PZ 1x157; 1x PZ 2x157		
		Kraftform Kompakt VDE 60 i Take it easy		
		1x 0,4x2,5x157; 1x 0,6x3,5x157;		
		1x 0,8x4,0x157; 1x 1,0x5,5x157		
		Hook and Loop Fastener Strip 70		
		1x 50,0x70,0		

Series 7400 VDE Kraftform adjustable torque handle (0.3-3.5 Nm)

- Adjustable Kraftform VDE torque holder
- Adjustable torque from 0.3-1.2
- Distinct audible and perceivable excess load signal when the pre-set torque value is reached
- Suitable for Kraftform Kompakt VDE blades
- Rapid exchange of the interchangeable blades

Series 7400 VDE Kraftform adjustable torque handle (0.3-3.5 Nm)



Code	EAN	Art.No.	mm	Nm	Nm	mm	mm	
05074752001	179111	7440 VDE	9	0,3-1,2	0,05	192	7 9/16"	1
05074750001	168535	7441 VDE	9	1,2-3,0	0,10	192	7 9/16"	1
05074757001	184412	7444 VDE	9	1,7-3,5	0,10	192	7 9/16"	1

Kraftform Kompakt A VDE 712 i Adapter blade, insulated, for 1/4" sockets

- The blade adapts from 9 mm external hexagon to 1/4" external square head
- Suitable for the insulated Wera Kraftform Kompakt VDE bladeholding screwdrivers with 9 mm hexagonal mounting
- For insulated Wera 1/4" sockets and 1/4" bit sockets



Kraftform Kompakt A VDE 712 i Adapter blade, insulated, for 1/4" sockets



Code	EAN		mm	mm			
05006642001	234155	1/4"	9	154	6"		2

Kraftform Kompakt A VDE 712 i SB Adapter blade, insulated, for 1/4" sockets



Code	EAN			
05073702001	234162			3
		Kraftform Kompakt A VDE 712 i		
		1x 1/4"x154		

Kraftform Kompakt Turbo i 1 Tool finder

Many users wish to carry out screwdriving operations faster without compromises. With a screwdriver which is precise, allows powerful end screwdriving and is also much faster than a conventional screwdriver. The solution: A planetary drive that can be switched on and off: Integrated in the handle it quadruples the working speed in smooth couplings all mechanically. One hand holds the front part of the handle, the second hand turns the back part of the handle.

The turbo function can be switched on and off at the push of a button. Turning it off is recommended for tightening and loosening with high torque as well as for fine adjustments. Robust, maintenance-free steel drive with maximum torque of 14 Nm when the turbo function is deactivated.

In the VDE version, the 827 T i Kraftform Turbo bitholding screwdriver with the Wera VDE blades individually tested as per IEC 60900 ensures fast and safe working even under tension (up to 1,000 volt). VDE blades with Take it easy Tool finder: Colour coding by profile and laser-engraved size indication - for quick and easy identification of the required tool. In a robust belt pouch. The textile box features a fleece zone at the back. Using the provided self-adhesive hook and loop fastener strips, the textile box can be attached to the Wera 2go components. Or to the wall, shelf or workshop trolley.

- 4 times the screwdriving speed thanks to the turbo function (purely mechanical - without battery)
- Activate and deactivate the turbo function by a simple push of a button
- Turbo function especially for smooth couplings
- Can be used without the turbo function like a normal screwdriver for couplings with steadily increasing torque
- Robust, maintenance-free gear made of steel

Kraftform Kompakt Turbo i 1 Tool finder




Code		EAN		
		4013288		
05006640001	230041			1
		⦿	827 T Kraftform Turbo 1x 9x125	
		⦿	817 VDE 1x 9x98	
		+	Kraftform Kompakt VDE 62 iS Take it easy 1x PH 1x157; 1x PH 2x157	
		+	Kraftform Kompakt VDE 65 iS Take it easy 1x PZ 1x157; 1x PZ 2x157	
		+	Kraftform Kompakt VDE 65 iS PZ/S Take it easy 1x # 1x157; 1x # 2x157	
		⦿	Kraftform Kompakt VDE 67 i Take it easy 1x TX 10x157	
		⦿	Kraftform Kompakt VDE 67 iS Take it easy 1x TX 15x157; 1x TX 20x157; 1x TX 25x157	
		⦿	Kraftform Kompakt VDE 60 i Take it easy 1x 0,4x2,5x157	
		⦿	Kraftform Kompakt VDE 60 iS Take it easy 1x 0,6x3,5x157; 1x 0,8x4,0x157; 1x 1,0x5,5x157	
			Hook and Loop Fastener Strip 120 1x 50,0x120,0	

Kraftform Kompakt Turbo i Imperial 1 Tool finder



Code	EAN			
05006641001	4013288 230058			1
		●	827 T Kraftform Turbo 1x 9x125	
		●	817 VDE 1x 9x98	
		+	Kraftform Kompakt VDE 62 iS Take it easy 1x PH 1x157; 1x TX 2x157	
		+	Kraftform Kompakt VDE 62 iS PH/S Take it easy 1x # 1x157; 1x # 2x157	
		+	Kraftform Kompakt VDE 67 i Take it easy 1x TX 10x157	
		+	Kraftform Kompakt VDE 67 iS Take it easy 1x TX 15x157; 1x TX 20x157; 1x TX 25x157	
		●	Kraftform Kompakt VDE 60 i Take it easy 1x 0,4x2,5x157	
		●	Kraftform Kompakt VDE 60 iS Take it easy 1x 0,6x3,5x157; 1x 0,8x4,0x157; 1x 1,0x5,5x157	
		□	Kraftform Kompakt VDE 68 iS Take it easy 1x # 1x157; 1x # 2x157	
			Hook and Loop Fastener Strip 120 1x 50,0x120,0	

827 T i Kraftform Turbo hand holder



Code	EAN			
05057481001	4013288 214607	9	125	1

817 VDE Kraftform blade-holding handle



Code	EAN						
05003990001	104359	9	102				1

Kraftform Kompakt VDE 60 i Take it easy



Code	EAN						
05006500001	228420	0,4	2,5	157	3/32"	6 3/16"	5
05006501001	228437	0,5	3,0	157	1/8"	6 3/16"	5
05006502001	228444	0,6	3,5	157	9/64"	6 3/16"	5
05006503001	228451	0,8	4,0	157	5/32"	6 3/16"	5
05006504001	228468	1,0	5,5	157	7/32"	6 3/16"	5
05006505001	228475	1,2	6,5	157	1/4"	6 3/16"	5

Kraftform Kompakt VDE 60 i Take it easy SB



				
Code	EAN			
	4013288			
05006550001	228925		Kraftform Kompakt VDE 60 i Take it easy 1x 0.4x2.5x157	5
05006551001	228932		Kraftform Kompakt VDE 60 i Take it easy 1x 0.5x3.0x157	5
05006552001	229007		Kraftform Kompakt VDE 60 i Take it easy 1x 0.6x3.5x157	5
05006553001	229014		Kraftform Kompakt VDE 60 i Take it easy 1x 0.8x4.0x157	5
05006554001	229021		Kraftform Kompakt VDE 60 i Take it easy 1x 1.0x5.5x157	5
05006555001	229038		Kraftform Kompakt VDE 60 i Take it easy 1x 1.2x6.5x157	5

Kraftform Kompakt VDE 60 iS Take it easy

- Reduced shaft diameter and integrated insulation protection
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated
- Take it easy tool finder: Colour coding by profile and laser-engraved size indication

Kraftform Kompakt VDE 60 iS Take it easy



	EAN	mm	mm	mm	mm	mm		
Code	4013288	mm	mm	mm	mm	mm		
05006506001	228482	0,6	3,5	157	9/64"	6 3/16"		5
05006507001	228499	0,8	4,0	157	5/32"	6 3/16"		5
05006508001	228505	1,0	5,5	157	7/32"	6 3/16"		5

Kraftform Kompakt VDE 60 iS Take it easy SB



Code	EAN			
4013288				
05006556001	229045	●	Kraftform Kompakt VDE 60 iS Take it easy 1x 0.6x3.5x157	5
05006557001	229052	●	Kraftform Kompakt VDE 60 iS Take it easy 1x 0.8x4.0x157	5
05006558001	229069	●	Kraftform Kompakt VDE 60 iS Take it easy 1x 1.0x5.5x157	5

Kraftform Kompakt VDE 62 i Take it easy



	EAN	+	mm	mm				
Code	4013288		mm	mm				
05006509001	228512	PH 0	157	6 3/16"				5
05006510001	228529	PH 1	157	6 3/16"				5
05006511001	228536	PH 2	157	6 3/16"				5

Kraftform Kompakt VDE 62 iS Take it easy

- Reduced shaft diameter and integrated insulation protection
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated
- Take it easy tool finder: Colour coding by profile and laser-engraved size indication

Kraftform Kompakt VDE 62 iS Take it easy



	EAN	+	mm	mm				
Code	4013288		mm	mm				
05006512001	228543	PH 1	157	6 3/16"				5
05006513001	228550	PH 2	157	6 3/16"				5

Kraftform Kompakt VDE 62 iS Take it easy SB



Code	EAN			
4013288				
05006559001	229076	+	Kraftform Kompakt VDE 62 iS Take it easy 1x PH 1x157	5
05006560001	229083	+	Kraftform Kompakt VDE 62 iS Take it easy 1x PH 2x157	5

Kraftform Kompakt VDE 65 i Take it easy



	EAN							
Code	4013288		mm					
05006523001	228659	PZ 0	157	6 3/16"				5
05006524001	228666	PZ 1	157	6 3/16"				5
05006525001	228673	PZ 2	157	6 3/16"				5

Kraftform Kompakt VDE 65 iS Take it easy

- Reduced shaft diameter and integrated insulation protection
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated
- Take it easy tool finder: Colour coding by profile and laser-engraved size indication

Kraftform Kompakt VDE 65 iS Take it easy



	EAN							
Code	4013288		mm					
05006526001	228680	PZ 1	157	6 3/16"				5
05006527001	228697	PZ 2	157	6 3/16"				5

Kraftform Kompakt VDE 65 iS Take it easy SB



Code	EAN			
05006566001	229212		Kraftform Kompakt VDE 65 iS Take it easy 1x PZ 1x157	5
05006567001	229229		Kraftform Kompakt VDE 65 iS Take it easy 1x PZ 2x157	5

Kraftform Kompakt VDE 62 i PH/S Take it easy

- Kraftform Kompakt VDE interchangeable blade for PlusMinus screws slotted/Phillips
- Particularly for jobs on terminal blocks, fuse boxes, switches and relays
- Take it easy tool finder: Colour coding by profile and laser-engraved size indication



Kraftform Kompakt VDE 62 i PH/S Take it easy



	EAN							
Code	4013288		mm					
05006514001	228567	# 1	157	6 3/16"				5
05006515001	228574	# 2	157	6 3/16"				5

Kraftform Kompakt VDE 62 iS PH/S Take it easy

- Kraftform Kompakt VDE interchangeable blade for PlusMinus screws slotted/Phillips
- Reduced shaft diameter and integrated insulation protection
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated
- Take it easy tool finder: Colour coding by profile and laser-engraved size indication

Kraftform Kompakt VDE 62 iS PH/S Take it easy



	EAN							
Code	4013288		mm					
05006516001	228581	# 1	157	6 3/16"				5
05006517001	228598	# 2	157	6 3/16"				5

Kraftform Kompakt VDE 65 i PZ/S Take it easy

- Combination profile - Pozidriv/slotted
- Particularly for jobs on terminal blocks, fuse boxes, switches and relays
- Take it easy tool finder: Colour coding by profile and laser-engraved size indication

Kraftform Kompakt VDE 65 i PZ/S Take it easy



	EAN						
Code	4013288		mm				
05006528001	228703	# 1	157	6 3/16"			5
05006529001	228710	# 2	157	6 3/16"			5

Kraftform Kompakt VDE 65 iS PZ/S Take it easy

- Combination profile - Pozidriv/slotted
- Reduced shaft diameter and integrated insulation protection
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated
- Take it easy tool finder: Colour coding by profile and laser-engraved size indication

Kraftform Kompakt VDE 65 iS PZ/S Take it easy



	EAN						
Code	4013288		mm				
05006530001	228727	# 1	157	6 3/16"			5
05006531001	228734	# 2	157	6 3/16"			5

Kraftform Kompakt VDE 65 iS PZ/S Take it easy SB




Code	EAN			
	4013288			
05006568001	229199		Kraftform Kompakt VDE 65 i PZ/S Take it easy 1x # 1x157	5
05006569001	229205		Kraftform Kompakt VDE 65 iS PZ/S Take it easy 1x # 2x157	5

Kraftform Kompakt VDE 67 i TORX® Take it easy

- Kraftform Kompakt VDE interchangeable blade for hexagon socket screws
- Take it easy tool finder: Colour coding by profile and laser-engraved size indication

Kraftform Kompakt VDE 67 i TORX® Take it easy



	EAN						
Code	4013288		mm				
05006532001	228758	TX 8	157	6 3/16"			5
05006533001	228765	TX 9	157	6 3/16"			5
05006534001	228772	TX 10	157	6 3/16"			5
05006535001	228789	TX 15	157	6 3/16"			5
05006536001	228796	TX 20	157	6 3/16"			5
05006537001	228802	TX 25	157	6 3/16"			5
05006538001	228819	TX 27	157	6 3/16"			5
05006539001	228826	TX 30	157	6 3/16"			5

Kraftform Kompakt VDE 67 i TORX® Take it easy SB



Code	EAN			
	4013288			
05006570001	229151		Kraftform Kompakt VDE 67 i Take it easy 1x TX 10x157	5
05006571001	229144		Kraftform Kompakt VDE 67 i Take it easy 1x TX 15x157	5
05006572001	229168		Kraftform Kompakt VDE 67 i Take it easy 1x TX 20x157	5
05006573001	229175		Kraftform Kompakt VDE 67 i Take it easy 1x TX 25x157	5
05006574001	229182		Kraftform Kompakt VDE 67 i Take it easy 1x TX 30x157	5

Kraftform Kompakt VDE 67 iS TORX® Take it easy

- Reduced shaft diameter and integrated insulation protection
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated
- Take it easy tool finder: Colour coding by profile and laser-engraved size indication

Kraftform Kompakt VDE 67 iS TORX® Take it easy



Code	EAN						
	4013288		mm				
05006540001	228833	TX 15	157	6 3/16"			5
05006541001	228840	TX 20	157	6 3/16"			5
05006542001	228857	TX 25	157	6 3/16"			5

Kraftform Kompakt VDE 68 i Take it easy



Code	EAN						
	4013288		mm				
05006543001	228864	# 1	157	6 3/16"			5
05006544001	228871	# 2	157	6 3/16"			5

Kraftform Kompakt VDE 68 iS Take it easy

- Reduced shaft diameter and integrated insulation protection
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated
- Take it easy tool finder: Colour coding by profile and laser-engraved size indication

Kraftform Kompakt VDE 68 iS Take it easy




Code	EAN						
	4013288		mm				
05006545001	228888	# 1	157	6 3/16"			5
05006546001	228895	# 2	157	6 3/16"			5

Kraftform Kompakt VDE 64 i Take it easy

- Kraftform Kompakt VDE interchangeable blade for hexagon socket screws
- With Hex-Plus profile (prevents hexagonal socket screws from cylindrical turning)
- Take it easy tool finder: Colour coding by profile and laser-engraved size indication

Kraftform Kompakt VDE 64 i Take it easy



	EAN							
Code	4013288	mm	mm					
05006518001	228604	2,5	157	6 3/16"				5
05006519001	228611	3,0	157	6 3/16"				5
05006520001	228628	4,0	157	6 3/16"				5
05006521001	228635	5,0	157	6 3/16"				5
05006522001	228642	6,0	157	6 3/16"				5

Kraftform Kompakt VDE 64 i Take it easy SB



Code	EAN							
05006561001	229090		Kraftform Kompakt VDE 64 i Take it easy	1x 2.5x157				5
05006562001	229106		Kraftform Kompakt VDE 64 i Take it easy	1x 3.0x157				5
05006563001	229113		Kraftform Kompakt VDE 64 i Take it easy	1x 4.0x157				5
05006564001	229120		Kraftform Kompakt VDE 64 i Take it easy	1x 5.0x157				5
05006565001	229137		Kraftform Kompakt VDE 64 i Take it easy	1x 6.0x157				5

Kraftform Kompakt 96 VK 6,3

Glass-fibre reinforced switch cabinet key. Blade for Kraftform Kompakt handle/interchangeable blade system for rapid exchange of the blade without needing any special tools - square socket.

Kraftform Kompakt 96 VK 6,3



	EAN							
Code	4013288	mm	mm					
05003460001	105349	6,3	89	3 9/16"				5

Kraftform Kompakt 97 VK 8,1

- Kraftform Kompakt switch cabinet key 8.1 mm

Kraftform Kompakt 97 VK 8,1



	EAN							
Code	4013288	mm	mm					
05003461001	105370	8,1	89	3 9/16"				5

Kraftform Kompakt 98 DK



	EAN							
Code	4013288		mm					
05003462001	105356		89	3 9/16"				5

Kraftform Kompakt 99 FL



	EAN							
Code	4013288		mm					
05003463001	105363		89	3 9/16"				5

Kraftform – Series 1000 VDE

Premium Kraftform VDE screwdriver. Multi-component Kraftform handle for fast and gentle work. The Wera Black Point tip and a sophisticated hardening process guarantee a long usability for the tip, increased corrosion protection and exact fitting accuracy.

Individually tested at 10,000 V for safe working at the approved voltage of 1,000 V. The hexagon anti-roll protection avoids bits from rolling away annoyingly at the workplace. Handles marked to find and sort the tools easily.

- Insulated screwdriver for safe working up to 1,000 volts
- Individually tested
- Multi-component Kraftform handle for fast and low-fatigue working
- Handle markings simplify finding and sorting of tools
- The Wera Black Point tip offers an exact fit and optimum corrosion protection

1060 i VDE-insulated Kraftform slotted screwdriver



	EAN							
Code	4013288	mm	mm	mm	mm	mm	mm	
05051580001	222268	0,4	2,5	80	81	3/32"	3 1/8"	10
05051582001	222275	0,6	3,5	100	81	9/64"	4"	10
05051583001	222282	0,8	4,0	100	98	5/32"	4"	10
05051587001	222299	1,0	5,5	125	98	7/32"	5"	10

1062 i PH VDE-insulated Kraftform Phillips-head screwdriver



	EAN					
Code	4013288		mm	mm		
05051601001	222220	PH 1	80	98	3 1/8"	5
05051603001	222237	PH 2	100	105	4"	5

1065 i PZ VDE-insulated Kraftform Phillips-head screwdriver



	EAN					
Code	4013288		mm	mm		
05051611001	222244	PZ 1	80	98	3 1/8"	5
05051613001	222251	PZ 2	100	105	4"	5

1060 i/1062 i/6 Kraftform VDE screwdriver set

Premium Kraftform VDE screwdriver set. Multi-component Kraftform handle for fast and gentle work. The Wera Black Point tip and a sophisticated hardening process guarantee a long usability for the tip, increased corrosion protection and exact fitting accuracy.

Individually tested at 10,000 V for safe working at the approved voltage of 1,000 V. The hexagon anti-roll protection avoids bits from rolling away annoyingly at the workplace. Handles marked to find and sort the tools easily.

1060 i/1062 i/6 Kraftform VDE screwdriver set



Code	EAN			
05051575001	222381			1
			1062 i PH VDE 1x PH 1x80; 1x PH 2x100	
			1060 i VDE 1x 0,4x2,5x80; 1x 0,6x3,5x100; 1x 0,8x4,0x100; 1x 1,0x5,5x125	

1060 i/1065 i/6 Kraftform VDE screwdriver set




Code	EAN		
05051576001	4013288 222374		1
		1065 i PZ VDE 1x PZ 1x80; 1x PZ 2x100	
		1060 i VDE 1x 0,4x2,5x80; 1x 0,6x3,5x100; 1x 0,8x4,0x100; 1x 1,0x5,5x125	

410 i VDE A RA VDE-insulated T-handle adapter screwdriver with ratchet functionality for 1/4" sockets

- The fine-toothed ratchet mechanism in the handle ensures fast, powerful and precise working
- The recesses in the fast-rotating sleeve allow resistance to be generated by finger force. This allows the ratchet mechanism to be used even at low resistance of the screw
- Socket mounting with integrated ball lock

410 i VDE A RA VDE-insulated T-handle adapter screwdriver with ratchet functionality for 1/4" sockets




Code	EAN					
05005121001	4013288 234100	1/4"	130	49	99	5 1/8"

410 i VDE B RA VDE-insulated T-handle adapter screwdriver with ratchet functionality for 3/8" sockets

- For 3/8" square head sockets with ball lock

410 i VDE B RA VDE-insulated T-handle adapter screwdriver with ratchet functionality for 3/8" sockets



Code	EAN						
05005122001	4013288 234117	3/8"	130	49	99	5 1/8"	1

410 i VDE B VDE-insulated T-handle adapter screwdriver for 3/8" sockets

The shape of the T-handle allows a transmission of particularly high tightening and loosening torque. The geometry of the handle fills the hand well and the fingers lie safely in the soft rounded handle recesses.

This ensures optimal, ergonomic power transmission. Individually tested tool as per IEC 60900 at 10,000 V for safe working at the approved voltage of 1,000 V.

Only allowed for 3/8" VDE bit sockets and sockets of the Wera Zyklop VDE series 8740, 8760, 8767, 8790. The coated handle protects even sensitive surfaces from damage.

- 3/8" VDE T-handle screwdriver for the transmission of particularly high tightening and loosening torque
- Ergonomic 2-component T-handle with handle recesses and a pleasant feel for a very high power transmission and fatigue-free working.
- Insulated, individually tested tool as per IEC 60900 for safe working up to 1.000 V
- Only allowed for 3/8" VDE bit sockets and sockets of the Wera Zyklop VDE series 8740, 8760, 8767, 8790

410 i VDE B VDE-insulated T-handle adapter screwdriver for 3/8" sockets



Code	EAN						
05005120001	4013288 222664	3/8"	130	49	99	5 1/8"	1

8100 SA VDE 1 Zyklop ratchet set, insulated, reversing lever, 1/4" drive, metric

22-piece 1/4" ratchet set; VDE-insulated. For the most common VDE screw connections in electrical building installations.

One Zyklop VDE ratchet with reversing lever for easy clockwise/ counterclockwise change, fine-toothed (80 teeth, low return angle of only 4.5°); 10 Zyklop VDE sockets, 5 Zyklop VDE bit sockets with holding function for TORX® screws, 4 Zyklop VDE bit sockets with holding function for hexagonal socket screws, one Zyklop VDE extension (150 mm long); all tools individually tested as per IEC 60900 at 10,000 V for safe working at the approved voltage of 1,000 V.

One robust textile box, compact design for space-saving tool storage; the firm and light material lowers the weight of the set - ideal for mobile use. Equipped with twist-to-unlock system for easy removal of the tools.

- 22-piece 1/4" ratchet set; VDE-insulated
- One Zyklop ratchet, 10 sockets, 5 bit sockets with holding function for TORX® screws, 4 bit sockets with holding function for hexagonal socket screws, one extension (150 mm)
- Individually tested tools as per IEC 60900
- Increased safety thanks to 2-component insulation with a yellow insulation core under an outer red insulation layer
- Compact textile box with twist-to-unlock system: the tools are securely stored, yet easy to remove
- Textile box made of robust material, protects surfaces from damage, can be docked onto the Wera 2go system

8100 SA VDE 1 Zyklop ratchet set, insulated, reversing lever, 1/4" drive, metric



Code	EAN		
05004967001	4013288 236975		1
		8007 A VDE 1x 1/4"x144,0	
		8790 A VDE 1x 4,5x41,0; 1x 5,0x41,0; 1x 5,5x41,0; 1x 6,0x41,0; 1x 7,0x41,0; 1x 8,0x41,0; 1x 10,0x41,0; 1x 11,0x41,0; 1x 12,0x41,0; 1x 13,0x41,0; 1x 14,0x41,0	
		8767 A VDE HF 1x TX 10x46,0; 1x TX 15x46,0; 1x TX 20x46,0; 1x TX 25x46,0; 1x TX 30x46,0	
		8740 A VDE HF 1x 3,0x46,0; 1x 4,0x46,0; 1x 5,0x46,0; 1x 6,0x46,0	
		8794 LA VDE 1x 1/4"x150,0	
		Hook and Loop Fastener Strip 120 1x 50,0x120,0	

8007 A VDE Zyklus ratchet, insulated, with reversing lever, with 1/4" drive

Zyklus ratchet VDE with switch lever with the unmistakable Wera design. Slim design for working even in very confined spaces. Due to the finely spaced 80 teeth, a low return angle of only 4.5° is possible. With a reversing lever for a comfortable change of direction.

With secure socket locking function by push button. Individually tested tool as per IEC 60900 at 10,000V for safe working at the approved voltage of 1,000V.

- Insulated and 100% individually tested Zyklus ratchet for safe working up to 1,000 volts
- Fine toothing with 80 teeth for a short return angle of only 4.5°
- Extremely slim design with a soft, ergonomic grip zone for easy work even in very confined spaces
- Safe socket lock via push button, convenient direction change thanks to the reversing lever
- Plastic coating protects surfaces from damage

8007 A VDE Zyklus ratchet, insulated, with reversing lever, with 1/4" drive



	EAN							
Code	4013288		mm					
05004866001	236357	1/4"	144,0					1

8790 A VDE Zyklus Socket, insulated, with 1/4" drive

- Individually tested tools as per IEC 60900 at 10,000 V
- Increased safety thanks to 2-component insulation with a yellow insulation core under an outer red insulation layer
- Plastic sleeve protects surfaces from damage

8790 A VDE Zyklus Socket, insulated, with 1/4" drive



	EAN							
Code	4013288	mm	mm	mm	mm			
05005930001	233806	4,0	41,0	11,8	18,0			1
05005929001	235411	4,5	41,0	13,0	18,0			
05005931001	233813	5,0	41,0	13,0	18,0			1
05005932001	233820	5,5	41,0	13,7	18,0			1
05005933001	233837	6,0	41,0	14,3	18,0			1
05005934001	233844	7,0	41,0	15,8	18,0			1
05005935001	233851	8,0	41,0	16,8	18,0			1
05005936001	233868	10,0	41,0	19,3	18,0			1
05005937001	233875	11,0	41,0	20,8	18,0			1
05005938001	233882	12,0	41,0	21,8	18,0			1
05005939001	233899	13,0	41,0	22,8	18,0			1
05005940001	233905	14,0	41,0	24,7	18,0			1

8767 A VDE HF TORX® Zyklus Bit socket, insulated, with 1/4" drive, with holding function

- For TORX® socket screws
- Extremely short and compact insulated 1/4" bit socket for easy working even in very confined spaces
- The holding function holds screws securely on the tool

8767 A VDE HF TORX® Zyklus Bit socket, insulated, with 1/4" drive, with holding function



	EAN							
Code	4013288		mm	mm	mm			
05005920001	233738	TX 10	36,0	18,0	9,0			1
05005921001	233745	TX 15	36,0	18,0	9,0			1
05005922001	233752	TX 20	36,0	18,0	9,0			1
05005923001	233769	TX 25	36,0	18,0	9,0			1
05005924001	233776	TX 27	36,0	18,0	9,0			1
05005925001	233783	TX 30	36,0	18,0	9,0			1
05005926001	233790	TX 40	36,0	18,0	9,0			1

8740 A VDE HF Zyklop Bit socket, insulated, with 1/4" drive, with holding function for hexagonal socket screws

- For hexagonal socket head screws
- Extremely short and compact insulated 1/4" bit socket for easy working even in very confined spaces
- The holding function holds screws securely on the tool

8740 A VDE HF Zyklop Bit socket, insulated, with 1/4" drive, with holding function for hexagonal socket screws



	EAN						
Code	4013288	mm	mm	mm	mm		
05005900001	233684	3,0	45,0	18,0	9,0		1
05005901001	233691	4,0	45,0	18,0	9,0		1
05005902001	233707	5,0	45,0	18,0	9,0		1
05005903001	233714	6,0	45,0	18,0	9,0		1
05005904001	233721	8,0	47,0	18,0	11,0		1

8794 SA VDE Zyklop extension, insulated, short, 1/4"

- 1/4" VDE Zyklop extension
- Short design
- Individually tested tools as per IEC 60900 at 10,000 V
- Increased safety thanks to 2-component insulation with a yellow insulation core under an outer red insulation layer
- Plastic sleeve protects surfaces from damage



	EAN						
Code	4013288		mm				
05005950001	233677	1/4"	91,0				1

8794 LA Zyklop VDE extension, insulated, long, 1/4"

- Long design (150 mm)

8794 LA Zyklop VDE extension, insulated, long, 1/4"



	EAN						
Code	4013288		mm				
05003301001	236548	1/4"	150,0				1

781 A/B VDE connector, insulated, 1/4"

- Connector from 1/4" square head socket to 3/8" external square head
- Individually tested tools as per IEC 60900 at 10,000 V for safe working up to 1,000 volt
- Increased safety thanks to 2-component insulation with a yellow insulation core under an outer red insulation layer
- Plastic coating protects surfaces from damage

781 A/B VDE connector, insulated, 1/4"



	EAN						
Code	4013288	Art.No.		mm			
05024690001	236524	781 A/B	3/8"	56	2 25/32"	1/4"	1

8100 SB VDE 1 Zyklop Ratchet set, insulated, switch lever, $\frac{3}{8}$ " drive, metric

Incredibly compact set arrangement for a lot of tools in a small space. Individually tested ratchet, sockets and extensions as per IEC 60900 at 10,000V for safe working at the approved voltage of 1,000V.

Textile box with very high robustness and durability can be positioned upright for clear storage in the workshop shelf. Additional surface protection through textile outer material. Low weight and volume for easier mobility. Smooth turning mechanism for secure hold and easy removal of VDE sockets.

- Insulated and 100% individually tested Zyklop ratchets, sockets and extensions for safe working up to 1,000 volts
- Fine-toothed ratchet with 80 teeth for a short return angle of 4.5°
- Extremely slim design with a soft, ergonomic grip zone for easy work even in very confined spaces
- Robust and extremely compact textile box with socket holders, which ensure a secure hold and easy socket removal by means of a rotating mechanism
- Tools and textile box protect sensitive surfaces, the box is Wera 2go compatible

8100 SB VDE 1 Zyklop Ratchet set, insulated, switch lever, $\frac{3}{8}$ " drive, metric



					
Code	EAN				
	4013288				
05004970001	190970				1
			8007 B VDE		
			1x 3/8"x222,0		
			8790 B VDE		
			1x 6,0x46,0; 1x 7,0x46,0; 1x 8,0x46,0;		
			1x 9,0x46,0; 1x 10,0x46,0; 1x 11,0x46,0;		
			1x 12,0x46,0; 1x 13,0x46,0; 1x 14,0x46,0;		
			1x 15,0x46,0; 1x 16,0x46,0; 1x 17,0x46,0;		
			1x 18,0x46,0; 1x 19,0x46,0		
			8794 SB VDE		
			1x 3/8"x91,0		
			8794 LB VDE		
			1x 3/8"x166,0		

Belt B VDE 1 Zyklop bit socket set TORX® hexagonal socket with holding function, 3/8" drive




Code	EAN		
05004930001	210234		1
			8767 B VDE HF 1x TX 20x55,0; 1x TX 25x55,0; 1x TX 27x55,0; 1x TX 30x55,0; 1x TX 40x55,0; 1x TX 45x59,0
			8740 B VDE HF 1x 4,0x55,0; 1x 5,0x55,0; 1x 6,0x55,0; 1x 8,0x59,0
			Belt B VDE 0/10 1x 71,0x209,0
			K30 1x 30,0x200,0

8007 B VDE Zyklop ratchet, insulated, with switch lever, with 3/8" drive

- Insulated and 100% individually tested Zyklop ratchet for safe working up to 1,000 volts
- Fine toothing with 80 teeth for a short return angle of only 4.5°
- Extremely slim design with a soft, ergonomic grip zone for easy work even in very confined spaces
- Safe socket lock via push button, convenient direction change thanks to the reversing lever
- Plastic coating protects surfaces from damage



8007 B VDE Zyklop ratchet, insulated, with switch lever, with 3/8" drive



	EAN							
Code	4013288		mm					
05004966001	190963	3/8"	222,0					3

8790 B VDE Zyklop $\frac{3}{8}$ " socket, insulated

- Individually tested tool as per IEC 60900 at 10,000V
- Increased safety due to 2-component isolation with yellow insulation core under red insulation outer layer
- Plastic coating protects surfaces from damage

8790 B VDE Zyklop $\frac{3}{8}$ " socket, insulated



	EAN						
Code	4013288	mm	mm	mm	mm		
05004950001	192936	6,0	46,0	14,8	23,0		1
05004951001	192943	7,0	46,0	15,7	23,0		1
05004952001	192950	8,0	46,0	17,0	23,0		1
05004953001	192967	9,0	46,0	18,2	23,0		1
05004954001	192974	10,0	46,0	19,4	23,0		1
05004955001	192981	11,0	46,0	20,7	23,0		1
05004956001	192998	12,0	46,0	23,0	23,0		1
05004957001	193001	13,0	46,0	23,0	23,0		1
05004958001	193018	14,0	46,0	24,7	23,0		1
05004959001	193025	15,0	46,0	26,0	23,0		1
05004960001	193032	16,0	46,0	26,8	23,0		1
05004961001	193049	17,0	46,0	29,0	23,0		1
05004962001	193056	18,0	46,0	29,6	23,0		1
05004963001	193063	19,0	46,0	30,7	23,0		1

8767 B VDE HF TORX® Zyklop bit socket, insulated, with holding function, $\frac{3}{8}$ " drive

- The holding function holds screws securely on the tool
- Extremely short and compact $\frac{3}{8}$ " bit socket for easy work even in very confined spaces

8767 B VDE HF TORX® Zyklop bit socket, insulated, with holding function, $\frac{3}{8}$ " drive



	EAN						
Code	4013288		mm	mm	mm		
05004920001	210173	TX 20	55,0	23,0	9,0		1
05004921001	210180	TX 25	55,0	23,0	9,0		1
05004922001	210197	TX 27	55,0	23,0	9,0		1
05004923001	210203	TX 30	55,0	23,0	9,0		1
05004924001	210210	TX 40	55,0	23,0	9,0		1
05004925001	210227	TX 45	59,0	23,0	13,0		1

8740 B VDE HF Zyklop Hex bit socket, insulated, with holding function, $\frac{3}{8}$ " drive

- The holding function holds screws securely on the tool
- Extremely short and compact $\frac{3}{8}$ " bit socket for easy work even in very confined spaces

8740 B VDE HF Zyklop Hex bit socket, insulated, with holding function, $\frac{3}{8}$ " drive



	EAN						
Code	4013288	mm	mm	mm	mm		
05004900001	210135	4,0	55,0	23,0	9,0		1
05004901001	210142	5,0	55,0	23,0	9,0		1
05004902001	210159	6,0	55,0	23,0	9,0		1
05004903001	210166	8,0	59,0	23,0	13,0		1

8760 B VDE XZN Zyklop bit socket, insulated, $\frac{3}{8}$ " drive, for multi-point socket screws

- Extremely short and compact $\frac{3}{8}$ " bit socket for easy work even in very confined spaces



	EAN						
Code	4013288		mm	mm	mm		
05004940001	211453	M 8	59,0	23,0	13,0		1
05004941001	211460	M 10	59,0	23,0	13,0		1
05004942001	211477	M 12	59,0	23,0	13,0		1

8794 LB VDE Zyklop extension, insulated, long, 3/8"

- 3/8" VDE Zyklop extension
- Individually tested tool as per IEC 60900 at 10,000 V
- Increased safety due to 2-component isolation with yellow insulation core under red insulation outer layer
- Plastic coating protects surfaces from damage
- Long version

8794 LB VDE Zyklop extension, insulated, long, 3/8"



	EAN							
Code	4013288		mm					
05004965001	190956	3/8"	166,0					1

8794 SB VDE Zyklop extension, insulated, short, 3/8"

- Short version

8794 SB VDE Zyklop extension, insulated, short, 3/8"



	EAN							
Code	4013288		mm					
05004964001	190949	3/8"	91,0					1

781 B/A VDE connector, insulated, 3/8"

- Connector from 3/8" square head socket to 1/4" external square head
- Individually tested tools as per IEC 60900 at 10,000 V for safe working up to 1,000 volt
- Increased safety thanks to 2-component insulation with a yellow insulation core under an outer red insulation layer
- Plastic coating protects surfaces from damage

781 B/A VDE connector, insulated, 3/8"



	EAN							
Code	4013288	Art.No.		mm				
05024692001	236531	781 B/A	1/4"	66	2 19/32"	3/8"		1

Socket rail B VDE (textile belt), 10 location, unloaded

- Empty textile belt for 10 VDE socket wrench/bit socket inserts, 3/8"
- Includes a convenient snap hook
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Socket rail B VDE (textile belt), 10 location, unloaded



Code	EAN		
05003982001	210913		1
		Belt B VDE 0/10 1x 71,0x209,0	
		K30 1x 30,0x200,0	

6004 Joker VDE 4 Set 1 VDE-insulated self-setting spanner set

Individually tested tools as per IEC 60900 at 10,000 V for safe working at the approved voltage of 1.000 V. The adjustable VDE spanner continuously and automatically grips all hexagonal sizes in the indicated range of dimensions - metric and imperial.

The integrated lever mechanism securely clamps the hexagon screw or bolt between the jaws, which significantly reduces the risk of slippage or damage. The ratchet feature ensures fast and consistent screwdriving without removing the tool.


By using the corner-width rectangular prisms, a back-pivoting angle of only 30° can be achieved. The single-arm design, in conjunction with the ratchet feature and the corner-width prism, makes it possible to work even in confined spaces.

The adjustable Joker 6004 VDE has a naturally comfortable handle thanks to the 2-component plastic insulation.

Safety is increased by the anti-slip protection at the front end of the handle. The sliding function offers contactless and safe opening of the non-insulated jaws, thereby providing extra protection.

- The compact textile box with four adjustable Joker 6004 VDE covers all metric and imperial dimensions in the field of application from 7 to 19 mm or ¼" to ¾"

6004 Joker VDE 4 Set 1 VDE-insulated self-setting spanner set



Code	EAN		
05020170001	221803		1
		6004 Joker VDE XS 1x 7-10 (1/4"-3/8")x119	
		6004 Joker VDE S 1x 10-13 (1/16"-1/2")x155	
		6004 Joker VDE M 1x 13-16 (1/2"-5/8")x190	
		6004 Joker VDE L 1x 16-19 (5/8"-3/4")x226	
		Hook and Loop Fastener Strip 120 1x 50,0x120,0	

6004 Joker VDE VDE-insulated, self-setting spanner

Individually tested tools as per IEC 60900 at 10,000 V for safe working at the approved voltage of 1.000 V. The adjustable VDE spanner continuously and automatically grips all hexagonal sizes in the indicated range of dimensions – metric and imperial.

The integrated lever mechanism securely clamps the hexagon screw or bolt between the jaws, which significantly reduces the risk of slippage or damage.

The ratchet feature ensures fast and consistent screwdriving without removing the tool. By using the corner-width rectangular prisms, a back-pivoting angle of only 30° can be achieved.


The single-arm design, in conjunction with the ratchet feature and the corner-width prism, makes it possible to work even in confined spaces.

The adjustable Joker 6004 VDE has a naturally comfortable handle thanks to the 2-component plastic insulation. Safety is increased by the anti-slip protection at the front end of the handle.

The sliding function offers contactless and safe opening of the non-insulated jaws, thereby providing extra protection.


- The adjustable Joker 6004 VDE covers all metric and imperial dimensions in the respective field of application
- Individually tested tools with insulated handles for safe working up to 1,000 volt, with anti-slip protection and sliding function for contactless and safe opening of the non-insulated jaws
- Automatic and continuous grip of hexagon screws and bolts
- Lever mechanism when gripping avoids slipping and damage
- Fast and consistent screwdriving without removing the wrench thanks to mechanical ratchet function
- Return angle of only 30° through placement in the corner-width rectangular prisms in the mouth

6004 Joker VDE XS VDE-insulated, self-setting spanner




Code	EAN	mm	mm	mm	mm	
05020150001	221797	7-10	1/4"-3/8"	119	7,7	3

6004 Joker VDE S VDE-insulated, self-setting spanner




Code	EAN	mm	mm	mm	mm			
05020151001	221766	10-13	7/16"-1/2"	155	10			3

6004 Joker VDE M VDE-insulated, self-setting spanner



Code	EAN	mm	mm	mm	mm			
05020152001	221780	13-16	1/2"-5/8"	190	12,4			3

6004 Joker VDE L VDE-insulated self-setting spanner



Code	EAN	mm	mm	mm	mm			
05020153001	221773	16-19	5/8"-3/4"	226	14			3

400 i VDE Hex Insulated torque-indicator

Wera VDE torque indicator with fixed torque for hexagon socket screws. Tamper proof. The robust slip clutch generates a clearly audible and tactile trigger that signals when the set torque is reached, making it impossible to apply any further torque. The loosening torque value is significantly higher than the set tightening torque, therefore no additional tools are needed for loosening screw connections. The shape of the handle perfectly fills the whole hand and fingers comfortably lie in the softly rounded recessed grips. This ensures optimal, ergonomic power transfer. Individually tested tool as per IEC 60900 at 10,000 V for safe working at the approved voltage of 1,000 V.

- Insulated, individually tested VDE T-handle torque indicator for safe working up to 1,000V
- T-handle is ideal for transferring controlled tightening torque and high loosening torque
- Error-free screwdriving due to non-slip friction clutch and exact torque transmission
- Distinctly audible and noticeable excess-load signal when the pre-set torque is reached
- Tamper-proof against accidental changing of set torque value



400 i VDE Hex Insulated torque-indicator




Code	EAN	Nm	Nm	mm	mm	mm	mm	
05004980001	206398	4,0	5,0	90	48	100	3 1/2"	1
05004981001	206114	5,0	5,0	90	48	100	3 1/2"	1





Ratchets & Accessories

Zyklop Speed - incredibly fast and incredibly flexible



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable.

They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility. Take it easy Tool Finder with colour coding according to sizes.

- 42-piece ratchet set in robust textile box
- Freely pivoting ratchet head with 5 predefined locking positions
- Bit-sockets with all the advantages of the Wera bit technology
- TORX®, hex plus and hexagon nuts with holding function for screws / nuts
- Take it easy tool finder with colour coding according to sizes
- Suitable for Wera 2go

8100 SA All-in Zyklop Speed Ratchet Set, 1/4" drive, with holding function, metric



Code	EAN		
05003755001	4013288 190994		1
		8000 A 1x 1/4"x152,0	
		8796 LA 1x 1/4"x150,0	
		8794 A 1x 1/4"x56,0	
		8790 HMA HF 1x 4,0x23,0; 1x 4,5x23,0; 1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 9,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0; 1x 14,0x23,0	
		8767 A HF 1x TX 8x28,0; 1x TX 9x28,0; 1x TX 10x28,0; 1x TX 15x28,0; 1x TX 20x28,0; 1x TX 25x28,0; 1x TX 27x28,0; 1x TX 30x28,0; 1x TX 40x28,0	
		8740 A 1x 2,0x28,0; 1x 2,5x28,0	
		8740 A HF 1x 3,0x28,0; 1x 4,0x28,0; 1x 5,0x28,0; 1x 6,0x28,0; 1x 7,0x28,0; 1x 8,0x28,0	
		8751 A 1x PH 1x28,0; 1x PH 2x28,0; 1x PH 3x28,0	
		8755 A 1x PZ 1x28,0; 1x PZ 2x28,0; 1x PZ 3x28,0	
		8700 A FL 1x 0,8x5,5x28,0; 1x 1,2x6,5x28,0	
		Nut Extractor 1x 14,0x43,0	
		Hook and Loop Fastener Strip 120 1x 50,0x120,0	

8100 SA 6 Zyklop Speed Ratchet Set, 1/4" drive, metric

- Freely pivoting ratchet head with 5 predefined locking positions
- Fine toothing with 72 teeth
- Small return angle of only 5°
- Free-turning sleeve for high working speeds
- Take it easy tool finder with colour coding according to sizes
- Compact textile box with high robustness, low weight and volume

8100 SA 6 Zyklop Speed Ratchet Set, 1/4" drive, metric



Code	EAN		
05004016001	174000		1
		8000 A 1x 1/4"x152,0	
		8790 HMA 1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	
		8794 LA 1x 1/4"x150,0	
		8794 A 1x 1/4"x56,0	
		8784 A1 1x 1/4"x1/4"x37,0	
		851/4 TZ PH 1x PH 1x50; 1x PH 2x50; 1x PH 3x50	
		855/4 TZ PZ 1x PZ 1x50; 1x PZ 2x50	
		867/4 Z TORX® 1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 27x50; 1x TX 30x50	
		840/4 Z Hex-Plus 1x 3,0x50; 1x 4,0x50; 1x 5,0x50; 1x 6,0x50	
		Hook and Loop Fastener Strip 120 1x 50,0x120,0	

8100 SA 9 Zyklop Speed Ratchet Set, 1/4" drive, imperial



Code	EAN		
05004019001	173843		1
		8000 A 1x 1/4"x152,0	
		8790 HMA 1x 3/16"x23,0; 1x 7/32"x23,0; 1x 1/4"x23,0; 1x 9/32"x23,0; 1x 5/16"x23,0; 1x 11/32"x23,0; 1x 3/8"x23,0; 1x 7/16"x23,0; 1x 1/2"x23,0	
		8794 LA 1x 1/4"x150,0	
		8794 A 1x 1/4"x56,0	
		8784 A1 1x 1/4"x1/4"x37,0	
		851/4 TZ PH 1x PH 1x50; 1x PH 2x50; 1x PH 3x50	
		855/4 TZ PZ 1x PZ 1x50; 1x PZ 2x50	
		867/4 Z TORX® 1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 27x50; 1x TX 30x50	
		840/4 Z Hex-Plus 1x 5/32"x50; 1x 3/16"x50; 1x 7/32"x50; 1x 1/4"x50	
		Hook and Loop Fastener Strip 120 1x 50,0x120,0	

Kraftform Kompakt Zyklop MS1 Metal/Speed 1/4"

- Incredibly fast 1/4" Zyklop Speed ratchet with pivoting ratchet head and 5 predefined locking positions
- Extremely slim Zyklop Metal ratchet with long lever
- Return angle of only 5°
- Convenient direction change thanks to switchover lever
- Set in robust textile box

Kraftform Kompakt Zyklop MS1 Metal/Speed 1/4"



Code	EAN			
05135949001	178633			1
		8000 A	1x 1/4"x152,0	
		8004 A	1x 1/4"x141,0	
		8796 LA	1x 1/4"x150,0	
		8794 LA	1x 1/4"x150,0	
		8794 SA	1x 1/4"x75,0	
		8784 A1	1x 1/4"x1/4"x37,0	
		8794 A	1x 1/4"x56,0	
		8795 A	1x 1/4"x35,5	

8100 SA 2 Zyklop Speed Ratchet Set, 1/4" drive, metric

- 42-piece set in a robust metal case

8100 SA 2 Zyklop Speed Ratchet Set, 1/4" drive, metric



Code	EAN			
05003533001	127103			1
		8000 A	1x 1/4"x152,0	
		8790 HMA	1x 4,0x23,0; 1x 4,5x23,0; 1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 9,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0; 1x 14,0x23,0	
		8789 A	1x 1/4"x110,0	
		8794 A	1x 1/4"x56,0	
		8795 A	1x 1/4"x35,5	
		8784 A1	1x 1/4"x1/4"x37,0	
		8796 SA	1x 1/4"x75,0	
		8796 LA	1x 1/4"x150,0	
		851/1 Z PH	1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		855/1 Z PZ	1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25	
		867/1 Z TORX® B0	1x TX 8x25; 1x TX 9x25; 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		840/1 Z Hex-Plus	1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25	
		800/1 Z	1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x8,0x25	

8100 SA 4 Zyklop Speed Ratchet Set, 1/4" drive, imperial

- 41-piece set in a robust metal case

8100 SA 4 Zyklop Speed Ratchet Set, 1/4" drive, imperial



Code	EAN			
05003535001	4013288 121127			1
		8000 A	1x 1/4"x152,0	
		8790 HMA	1x 3/16"x23,0; 1x 7/32"x23,0; 1x 1/4"x23,0; 1x 9/32"x23,0; 1x 5/16"x23,0; 1x 11/32"x23,0; 1x 3/8"x23,0; 1x 7/16"x23,0; 1x 1/2"x23,0; 1x 9/16"x23,0	
		8789 A	1x 1/4"x110,0	
		8794 A	1x 1/4"x56,0	
		8795 A	1x 1/4"x35,5	
		8784 A1	1x 1/4"x1/4"x37,0	
		8796 SA	1x 1/4"x75,0	
		8796 LA	1x 1/4"x150,0	
		851/1 Z PH	1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		855/1 Z PZ	1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25	
		867/1 Z TORX® B0	1x TX 8x25; 1x TX 9x25; 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		840/1 Z Hex-Plus	1x 5/64"x25; 1x 3/32"x25; 1x 1/8"x25; 1x 9/64"x25; 1x 5/32"x25; 1x 3/16"x25; 1x 7/32"x25	
		800/1 Z	1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x8,0x25	

8100 SA/SC 2 Zyklop Speed Ratchet Set, 1/4" drive and 1/2" drive, metric

- 43-piece set in a robust metal case

8100 SA/SC 2 Zyklop Speed Ratchet Set, 1/4" drive and 1/2" drive, metric



Code	EAN			
05160785001	4013288 126610			1
		8000 A	1x 1/4"x152,0	
		8790 HMA	1x 4,0x23,0; 1x 4,5x23,0; 1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 9,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	
		8784 A1	1x 1/4"x1/4"x37,0	
		8796 LA	1x 1/4"x150,0	
		8000 C	1x 1/2"x277,0	
		8790 HMC	1x 13,0x37,0; 1x 14,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 18,0x37,0; 1x 19,0x37,0; 1x 21,0x37,0; 1x 22,0x37,0; 1x 24,0x37,0	
		8796 LC	1x 1/2"x250,0	
		816 R	1x 1/4"x119	
		800/4 Z	1x 1,0x5,5x89	
		840/4 Z Hex-Plus	1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89	
		851/4 Z PH	1x PH 1x89; 1x PH 2x89; 1x PH 3x89	
		855/4 Z PZ	1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89	
		867/4 Z TORX® B0	1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	

Kraftform Kompakt Zyklus Speed

- Pouch for belt attachment

Kraftform Kompakt Zyklus Speed



Code	EAN		
05051045001	155313		1
			8000 A 1x 1/4"x152,0
			8784 A1 1x 1/4"x1/4"x37,0
			8794 LA 1x 1/4"x150,0
			851/4 TZ PH 1x PH 1x50; 1x PH 2x50; 1x PH 3x50
			855/4 TZ PZ 1x PZ 1x50; 1x PZ 2x50
			867/4 Z TORX® 1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 27x50; 1x TX 30x50
			800/4 Z 1x 1,0x5,5x50
			840/4 Z Hex-Plus 1x 3,0x50; 1x 4,0x50; 1x 5,0x50; 1x 6,0x50
			8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0
			Hook and Loop Fastener Strip 70 1x 50,0x70,0

8000 A Zyklus Speed Ratchet with 1/4" drive

- Combines five different types of a ratchet in one
- Flywheel design and easy-to-grip free-turning sleeve for very high working speeds
- Freely pivoting ratchet head, push button release and left/right switchover
- Fine-tooth design allows a small return angle of 5°
- Can also be used as a screwdriver

8000 A Zyklus Speed Ratchet with 1/4" drive



Code	EAN						
05003500001	121868	1/4"	152,0				1

8000 A SB Zyklus Speed Ratchet with 1/4" drive



Code	EAN			
05073260001	128034		8000 A 1x 1/4"x152,0	3

8100 SA 13 Zyklop Comfort ratchet set, reversing lever, 1/4" drive, metric

15-piece ratchet set, 1/4", sockets in metric sizes.

One Zyklop Comfort ratchet with reversing lever, fine-toothed with 80 teeth, low return angle of only 4.5°; 12 Zyklop sockets with Take it easy tool finder: colour coding by size and extra laser-engraved size indication to find the required tool quickly; one Zyklop extension (150 mm long) with fast-rotating sleeve for fast spinning, one Wobble extension with pivoting angle of 15° in all directions.

One robust textile box, compact design for space-saving tool storage; the firm and light material of the textile box lowers the weight of the set - ideal for mobile use.

- 15-piece Zyklop Comfort ratchet set; 1/4"; sockets in metric sizes
- Zyklop Comfort ratchet with pleasant feel thanks to the plastic sleeve, which also protects surfaces from damage
- Ratchet in extremely slim design; fine toothing with 80 teeth, short return angle of only 4.5° for easy working even in very confined spaces
- Safe socket lock via push button, convenient direction change thanks to the reversing lever
- 1/4" Zyklop wobble extension with swivel angle of 15° in all directions
- Textile box made of robust material, protects surfaces from damage, can be docked onto the Wera 2go system

8100 SA 13 Zyklop Comfort ratchet set, reversing lever, 1/4" drive, metric



Code	EAN			
05004022001	236753			1
		8010 A	1x 1/4"x144,0	
		8790 HMA	1x 4,0x23,0; 1x 4,5x23,0; 1x 5,0x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 9,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0; 1x 14,0x23,0	
		8794 LA	1x 1/4"x150,0	
		8794 A	1x 1/4"x56,0	
		Hook and Loop Fastener Strip 120	1x 50,0x120,0	

8100 SA 14 Zyklop Comfort ratchet set, reversing lever, 1/4" drive, metric

- 28-piece Zyklop Comfort ratchet set; 1/4"; sockets in metric sizes
- One bit holder for 1/4" bits; 15 bits for universal use (Phillips, Pozidriv, TORX®, hexagonal socket)

8100 SA 14 Zyklop Comfort ratchet set, reversing lever, 1/4" drive, metric



Code	EAN			
05005541001	236821			1
		8010 A	1x 1/4"x144,0	
		8790 HMA	1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	
		8794 LA	1x 1/4"x150,0	
		8794 A	1x 1/4"x56,0	
		8784 A1	1x 1/4"x1/4"x37,0	
		851/4 TZ	1x PH 1x50; 1x PH 2x50; 1x PH 3x50	
		855/4 TZ	1x PZ 2x50; 1x PZ 3x50	
		867/4 Z TORX®	1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 27x50; 1x TX 30x50	
		840/4 Z	1x 3,0x50; 1x 4,0x50; 1x 5,0x50; 1x 6,0x50 ¹⁾	
		Hook and Loop Fastener Strip 120	1x 50,0x120,0	

¹⁾Hexagonal blade

8100 SA 15 Zyklop Comfort ratchet set, reversing lever, 1/4" drive, imperial

- 28-piece Zyklop Comfort ratchet set; 1/4"; sockets in imperial sizes
- One bit holder; 15 bits for universal use (Phillips, TORX®, hexagonal socket, square head socket)

8100 SA 15 Zyklop Comfort ratchet set, reversing lever, 1/4" drive, imperial



Code	EAN			
05005542001	236913			1
		8010 A	1x 1/4"x144,0	
		8790 HMA	1x 3/16"x23,0; 1x 7/32"x23,0; 1x 1/4"x23,0; 1x 9/32"x23,0; 1x 5/16"x23,0; 1x 11/32"x23,0; 1x 3/8"x23,0; 1x 7/16"x23,0; 1x 1/2"x23,0	
		8794 LA	1x 1/4"x150,0	
		8794 A	1x 1/4"x56,0	
		8784 A1	1x 1/4"x1/4"x37,0	
		851/4 TZ	1x PH 1x50; 1x PH 2x50; 1x PH 3x50	
		867/4 Z TORX®	1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 27x50; 1x TX 30x50	
		840/4 Z	1x 5/32"x50; 1x 3/16"x50; 1x 7/32"x50; 1x 1/4"x50	
		868/4	1x # 1x50; 1x # 2x50	
		Hook and Loop Fastener Strip 120		
		1x 50,0x120,0		

8010 A Zyklop Comfort ratchet, with reversing lever, with 1/4" drive


- Extremely slim design with a soft, ergonomic grip zone for easy work even in very confined spaces
- Fine toothing with 80 teeth for a short return angle of only 4.5°
- Pleasant feel thanks to the plastic sleeve
- Plastic sleeve protects surfaces from damage

8010 A Zyklop Comfort ratchet, with reversing lever, with 1/4" drive



Code	EAN							
05005600001	236340	1/4"	144,0					1

Zyklop Metal with push-through square



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable. They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility.

Take it easy Tool Finder with colour coding according to sizes.

- Extremely slim ratchet with long lever
- Return angle of only 4.7°
- Absolutely smooth switchover of the non-detachable push-through square
- Take it easy tool finder system

8100 SA 7 Zyklop Metal Ratchet Set with push-through square, 1/4" drive, metric



Code	EAN			
05004017001	4013288 173898			1
		□	8003 A 1x 1/4"x141,0	
		●	8790 HMA 1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	
		■	8794 LA 1x 1/4"x150,0	
		■	8794 A 1x 1/4"x56,0	
		●	8784 A1 1x 1/4"x1/4"x37,0	
		+	851/1 Z PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		+	855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25	
		✱	867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25	
		○	840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	

8100 SA 10 Zyklop Metal Ratchet Set with push-through square, 1/4" drive, imperial



Code	EAN			
05004020001	4013288 173904			1
		□	8003 A 1x 1/4"x141,0	
		●	8790 HMA 1x 3/16"x23,0; 1x 7/32"x23,0; 1x 1/4"x23,0; 1x 9/32"x23,0; 1x 5/16"x23,0; 1x 11/32"x23,0; 1x 3/8"x23,0; 1x 7/16"x23,0; 1x 1/2"x23,0	
		■	8794 LA 1x 1/4"x150,0	
		■	8794 A 1x 1/4"x56,0	
		●	8784 A1 1x 1/4"x1/4"x37,0	
		+	851/1 Z PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		+	855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25	
		✱	867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25	
		○	840/1 Z Hex-Plus 1x 5/32"x25; 1x 3/16"x25; 1x 7/32"x25; 1x 1/4"x25	

8003 A Zyklop Metal Ratchet with push-through square and 1/4" drive

- For 1/4" square sockets with ball lock
- Forged, full metal ratchet (chrome-molybdenum); slim design to enable work in very confined spaces
- The dual-ratchet-teeth design means that a 76 fine-toothing division can be achieved from the 38 robust teeth with a return angle of only 4.7°
- Absolutely smooth switchover of the non-detachable push-through square

8003 A Zyklop Metal Ratchet with push-through square and 1/4" drive



Code	EAN	mm	mm	mm			
05004003001	174017	1/4"	141,0	21	22		3

Zyklop Metal with switch lever



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable.

They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility.

Take it easy Tool Finder with colour coding according to sizes.

- Convenient direction change thanks to switchover lever
- Extremely slim ratchet with long lever
- Return angle of only 5°

8100 SA 8 Zyklop Metal Ratchet Set with switch lever, 1/4" drive, metric



Code	EAN			
05004018001	173836			1
		8004 A	1x 1/4"x141,0	
		8790 HMA	1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	
		8794 LA	1x 1/4"x150,0	
		8794 A	1x 1/4"x56,0	
		8784 A1	1x 1/4"x1/4"x37,0	
		851/1 Z PH	1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		855/1 Z PZ	1x PZ 1x25; 1x PZ 2x25	
		867/1 TORX®	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25	
		840/1 Z Hex-Plus	1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	
		Hook and Loop Fastener Strip 120	1x 50,0x120,0	

8100 SA 11 Zyklop Metal Ratchet Set with switch lever, 1/4" drive, imperial



Code	EAN			
05004021001	173850			1
		8004 A	1x 1/4"x141,0	
		8790 HMA	1x 3/16"x23,0; 1x 7/32"x23,0; 1x 1/4"x23,0; 1x 9/32"x23,0; 1x 5/16"x23,0; 1x 11/32"x23,0; 1x 3/8"x23,0; 1x 7/16"x23,0; 1x 1/2"x23,0	
		8794 LA	1x 1/4"x150,0	
		8794 A	1x 1/4"x56,0	
		8784 A1	1x 1/4"x1/4"x37,0	
		851/1 Z PH	1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		855/1 Z PZ	1x PZ 1x25; 1x PZ 2x25	
		867/1 TORX®	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25	
		840/1 Z Hex-Plus	1x 3/32"x25; 1x 3/16"x25; 1x 7/32"x25; 1x 1/4"x25	

8100 SA 12 HF Zyklop Metal Ratchet Set with switch lever, 1/4" drive, metric

- Sockets with holding function for screws/bolts/nuts

8100 SA 12 HF Zyklop Metal Ratchet Set with switch lever, 1/4" drive, metric




Code	EAN			
05003756001	190987			1
		8004 A	1x 1/4"x141	
		8794 LA	1x 1/4"x150,0	
		8794 A	1x 1/4"x56,0	
		8790 HMA HF	1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	
		Nut Extractor	1x 14,0x43,0	
		Hook and Loop Fastener Strip 120	1x 50,0x120,0	

8004 A Zyklop Metal Ratchet with switch lever and 1/4" drive

- Convenient direction change thanks to switchover lever
- Extremely slim ratchet with long lever
- Return angle of only 5°
- Secure socket locking

8004 A Zyklop Metal Ratchet with switch lever and 1/4" drive



Code	EAN						
05004004001	174024	1/4"	141,0	19	22		3

8790 HMA Zyklop 1/4" socket

- 1/4" Zyklop socket
- For manual and power tool operations (non-impact)
- Knurling at lower end to enable easy gripping when used in manual applications
- Equipped with ball stop groove
- Take it easy tool finder with colour coding according to sizes

8790 HMA Zyklop 1/4" socket



Code	EAN							
05003501001	120083		mm		mm	mm	mm	
05003502001	120106		4,0		23,0	6,9	13,0	1
05003503001	120113		4,5		23,0	7,5	13,0	1
05003504001	120120		5,0		23,0	8,2	13,0	1
05003505001	120137		5,5		23,0	8,8	13,0	1
05003506001	120144		6,0		23,0	9,4	13,0	1
05003507001	120151		7,0		23,0	11,0	13,0	1
05003508001	120151		8,0		23,0	12,0	13,0	1
05003508001	120090		9,0		23,0	13,0	14,0	1
05003509001	120168		10,0		23,0	14,5	14,5	1
05003510001	120175		11,0		23,0	16,0	15,0	1
05003511001	120182		12,0		23,0	17,0	16,0	1
05003512001	120199		13,0		23,0	18,0	17,0	1
05003513001	120205		14,0		23,0	20,0	18,0	1
05003499001	206862		15,0		23,0	21,5	19,0	1
05003514001	120212			3/16"	23,0	7,5	13,0	1
05003515001	120229			7/32"	23,0	8,8	13,0	1
05003516001	120236			1/4"	23,0	11,0	13,0	1
05003517001	120243			9/32"	23,0	11,0	13,0	1
05003518001	120250			5/16"	23,0	12,0	13,0	1
05003519001	120267			11/32"	23,0	13,0	14,0	1
05003520001	120274			3/8"	23,0	14,5	14,5	1
05003521001	120281			7/16"	23,0	16,0	15,0	1
05003522001	120298			1/2"	23,0	18,0	17,0	1
05003523001	120304			9/16"	23,0	20,0	18,0	1

8790 HMA HF Zyklop socket with 1/4" drive with holding function

- Socket (non-impact) for manual or power tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Chrome vanadium steel, matt chrome-plated
- Equipped with ball stop groove, knurling at lower end for better gripping

8790 HMA HF Zyklop socket with 1/4" drive with holding function



Code	EAN							
05003717001	185631		mm	mm	mm	mm		
05003718001	185648		4,0	23,0	7,0	11,0		1
05003719001	185655		4,5	23,0	7,8	11,0		1
05003720001	185662		5,0	23,0	8,9	11,0		1
05003721001	185679		5,5	23,0	9,2	11,0		1
05003722001	185686		6,0	23,0	10,5	11,0		1
05003723001	185693		7,0	23,0	11,9	11,0		1
05003724001	185709		8,0	23,0	12,9	11,0		1
05003725001	185716		9,0	23,0	14,1	12,0		1
05003726001	185723		10,0	23,0	15,6	12,5		1
05003727001	185730		11,0	23,0	17,4	13,0		1
05003728001	185747		12,0	23,0	18,4	14,0		1
05003729001	185754		13,0	23,0	19,5	15,0		1
05003729001	185754		14,0	23,0	20,8	16,0		1
05003010001	206855		15,0	23,0	21,5	18,5		1

Belt A 1 Zyklop socket set with holding function, 1/4" drive

Typically Wera designed robust textile belt with 9 sockets taking up minimal space. A Smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly. Includes a snap hook for secure fastening to a belt loop or pocket.

Sockets with holding function for particularly convenient screw-driving with reduced risk of losing the screw when approaching the workpiece.

Supplied with a non-woven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 10-piece socket set on a robust textile belt, 1/4"
- Sockets with holding function for screws/bolts/nuts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Take it easy tool finder with colour coding according to sizes
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt A 1 Zyklop socket set with holding function, 1/4" drive



Code		EAN		
05003880001		4013288		1
		190758		
		8790 HMA HF		
		1x 4,0x23,0; 1x 4,5x23,0; 1x 5,0x23,0;		
		1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0;		
		1x 8,0x23,0; 1x 10,0x23,0; 1x 13,0x23,0		
		Nut Extractor		
		1x 14,0x43,0		
		Belt A 0/9		
		1x 39,0x238,0		
		Hook and Loop Fastener Strip 30		
		1x 30,0x200,0		

Nut Extractor

- Simple removal of nuts contained within Wera HF sockets
- For the simple removal of nuts from 1/4", 3/8", 1/2" sockets with holding function
- Hexagonal anti-roll feature against rolling away

Nut Extractor



Code		EAN					
05050005001		192554	14,0	43,0			1

Belt A 4 Zyklop socket set, 1/4" drive

- 9-piece socket set on a robust textile belt, 1/4"
- For manual and power tool operations (non-impact)
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Take it easy tool finder with colour coding according to sizes
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt A 4 Zyklop socket set, 1/4" drive



Code		EAN					
05003883001		4013288					1
		190789					
		8790 HMA					
		1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0;					
		1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0;					
		1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0					
		Belt A 0/9					
		1x 39,0x238,0					
		Hook and Loop Fastener Strip 30					
		1x 30,0x200,0					

Magnetic socket rail A 4 Zyklop socket set, 1/4" drive
 Socket rail with 9 manual and machine sockets (non-impact), 1/4". A smooth rotary mechanism allows a secure hold and easy access of the sockets.

With Take it easy tool finder with colour coding by size - to help you find the required tool quickly and easily.

The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.

- 9-piece socket set on socket rail, 1/4"
- Rail with secure bit mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- With Take it easy tool finder: colour coding by size

Magnetic socket rail A 4 Zyklop socket set, 1/4" drive



Code	EAN		
05005400001	4013288 223197		1
		●	8790 HMA 1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0
			9600 1x 30,0x270,0

Belt A Imperial 1 Zyklop In-Hex-Plus bit socket set with holding function, 1/4" drive



Code	EAN		
05003884001	4013288 194992		1
		○	8740 A 1x 5/64"x28,0; 1x 3/32"x28,0; 1x 7/64"x28,0
		○	8740 A HF 1x 1/8"x28,0; 1x 9/64"x28,0; 1x 5/32"x28,0; 1x 3/16"x28,0; 1x 7/32"x28,0; 1x 1/4"x28,0
			Belt A 0/9 1x 39,0x238,0
			Hook and Loop Fastener Strip 30 1x 30,0x200,0

Magnetic socket rail A Imperial 1 Zyklop socket set, 1/4" drive, imperial

Socket rail with 9 manual and machine sockets (non-impact), 1/4". A smooth rotary mechanism allows a secure hold and easy access of the sockets.

With Take it easy tool finder with colour coding by size - to help you find the required tool quickly and easily.

The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.

- 9-piece socket set on socket rail, 1/4"
- Rail with secure bit mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- With Take it easy tool finder: colour coding by size

Magnetic socket rail A Imperial 1 Zyklop socket set, 1/4" drive, imperial



Code	EAN		
05005420001	4013288 223227		1
		●	8790 HMA 1x 3/16"x23,0; 1x 7/32"x23,0; 1x 1/4"x23,0; 1x 9/32"x23,0; 1x 5/16"x23,0; 1x 11/32"x23,0; 1x 3/8"x23,0; 1x 7/16"x23,0; 1x 1/2"x23,0
			9600 1x 30,0x270,0

8790 HMA Deep 1/4" socket

Long 1/4" hand and machine socket (ISO 2725 part 3) with ball intercept ring; for external hexagonal bolts and sockets.

For use in manual and machine operation (non-impact), even with low-lying screwdriving and protruding threaded rods.

With Take it easy tool finder with colour coding by size - for easy and fast location of the required tool. Easy to grasp even with oily hands.

The hexagon profile allows the transmission of high forces and puts less strain on the edges of bolts or screw heads than a double hexagon profile.

Fine-toothed ratchets also make the use of a double hexagon profile superfluous, even in confined spaces, thanks to their small back-pivoting angle.

- Long sockets for low-lying screwdriving, often even with protruding threaded rods in small spaces
- Hexagonal profile enables precise bolting with high power transmission and preserves the profile
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower end for more grip when used manually
- For manual and machine operation (non-impact), ball intercept ring
- Made of matt chromed chrome-vanadium

8790 HMA Deep 1/4" socket



	EAN							
Code	4013288		mm	mm	mm	mm		
05004500001	210258		4,0	50,0	6,7	11,8		1
05004501001	210128		5,0	50,0	8,0	11,8		1
05004502001	210241		5,5	50,0	8,6	11,8		1
05004503001	210265		6,0	50,0	9,2	11,8		1
05004504001	210272		7,0	50,0	10,8	11,8		1
05004505001	210289		8,0	50,0	11,8	11,0		1
05004506001	210296		9,0	50,0	12,8	12,0		1
05004507001	210302		10,0	50,0	14,7	12,8		1
05004508001	210319		11,0	50,0	15,8	14,0		1
05004509001	210326		12,0	50,0	16,8	15,0		1
05004510001	210333		13,0	50,0	17,8	16,0		1
05004511001	210340		14,0	50,0	19,8	17,0		1
05004512001	210357		15,0	50,0	20,8	18,0		1

Belt A Deep 1 socket set, 1/4" drive

Robust textile belt in the typical Wera design with 9 long 1/4" manual and machine socket inserts (non-impacting) in a confined space. A smoother turning mechanism ensures a secure holding and easy removal of sockets. Includes snap hook for attaching to belt loops or bags.

With fleece backing and hook and loop fastener strips for easy attachment e.g. on wall, shelf, workshop trolley or the Wera 2go tool transport system.

Long 1/4" manual and mechanical socket wrench inserts (ISO 2725 part 3) from Wera for use in manual and machine operation (non-impacting) even with low-lying screwdriving and protruding threaded rods.

With Take it easy tool finder with colour coding by size - for easy and fast location of the required tool. Easy to grasp even with oily hands. With hexagonal profile and ball-catching groove. The hexagon profile allows the transmission of high forces and puts less strain on the edges of bolts or screw heads than a double hexagon profile.

Fine-toothed ratchets also make the use of a double hexagon profile superfluous, even in confined spaces, thanks to their small back-pivoting angle. For external hexagonal bolts and sockets.

- 9-piece socket set on a robust textile belt, 1/4"
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Long 1/4" socket for low-profile-fitting screw connections in tight construction spaces and for protruding threaded rods
- Hexagonal profile enables precise and profile-preserving screw-driving with high power transmission
- Take it easy tool finder with colour coding according to sizes

Belt A Deep 1 socket set, 1/4" drive



	Code	EAN		
		4013288		
	05004525001	210371		1
			8790 HMA Deep 1x 5,0x50,0; 1x 5,5x50,0; 1x 6,0x50,0; 1x 7,0x50,0; 1x 8,0x50,0; 1x 10,0x50,0; 1x 11,0x50,0; 1x 12,0x50,0; 1x 13,0x50,0	
			Belt A 0/9 1x 39,0x238,0	
			Hook and Loop Fastener Strip 30 1x 30,0x200,0	

Magnetic socket rail A Deep 1 socket set, 1/4" drive

Socket rail with 9 long manual and machine sockets (non-impact), 1/4". A smooth rotary mechanism allows a secure hold and easy access of the sockets.

Long 1/4" manual and machine sockets (ISO 2725 part 3) by Wera for manual and (non-impact) machine use even at low lying couplings and protruding thread rods. With Take it easy tool finder with colour coding by size - to help you find the required tool quickly and easily.

Slip-proof for easy grip even with oily hands. With hexagon profile and ball stop groove.

The hexagon profile enables the transmission of high forces and loads the edges of the bolt or the screw head less than a double hexagon profile.

Fine-teethed ratchets also make use of a double hexagon profile superfluous, even in confined spaces, thanks to their small return angle.

For external hexagon bolts and screws. The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.

- 9-piece socket set on socket rail, 1/4"
- Rail with secure bit mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Long 1/4" socket for low-profile-fitting screw connections in tight construction spaces and for protruding threaded rods
- Hexagonal profile enables precise and profile-preserving screwdriving with high power transmission

Magnetic socket rail A Deep 1 socket set, 1/4" drive



Code	EAN		
05005410001	4013288		1
	223210		
		8790 HMA Deep 1x 5,0x50,0; 1x 5,5x50,0; 1x 6,0x50,0; 1x 7,0x50,0; 1x 8,0x50,0; 1x 10,0x50,0; 1x 11,0x50,0; 1x 12,0x50,0; 1x 13,0x50,0	
		9600 1x 30,0x270,0	

8767 A TORX® Zyklop bit socket with holding function, 1/4" drive



	EAN							
Code	4013288			mm	mm	mm	mm	
05003390001	219602		TX 10	28,0	12,0	12,5	11,0	1
05003391001	219619		TX 20	28,0	12,0	12,5	11,0	1
05003392001	219626		TX 25	28,0	12,0	12,5	11,0	1
05003393001	219633		TX 30	28,0	12,0	12,5	11,0	1

8767 A HF TORX® Zyklop bit socket with holding function, 1/4" drive

- Bit socket (non-impact) for manual or machine tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower end for more grip when used manually
- Chrome vanadium steel, matt chrome-plated

8767 A HF TORX® Zyklop bit socket with holding function, 1/4" drive



	EAN							
Code	4013288			mm	mm	mm	mm	
05003360001	186829		TX 8	28,0	12,0	12,5	11,0	1
05003361001	186843		TX 9	28,0	12,0	12,5	11,0	1
05003362001	186836		TX 10	28,0	12,0	12,5	11,0	1
05003363001	186850		TX 15	28,0	12,0	12,5	11,0	1
05003364001	186867		TX 20	28,0	12,0	12,5	11,0	1
05003365001	186874		TX 25	28,0	12,0	12,5	11,0	1
05003366001	186881		TX 25	100,0	12,0	12,5	83,0	1
05003367001	186898		TX 27	28,0	12,0	12,5	11,0	1
05003368001	186904		TX 27	100,0	12,0	12,5	83,0	1
05003369001	186911		TX 30	28,0	12,0	12,5	11,0	1
05003370001	186928		TX 30	100,0	12,0	12,5	83,0	1
05003371001	186935		TX 40	28,0	12,0	12,5	11,0	1
05003372001	186942		TX 40	100,0	12,0	12,5	83,0	1

Belt A 3 TORX® HF Zyklus bit socket set with holding function, 1/4" drive

Typically Wera designed robust textile belt with 9 sockets taking up minimal space. A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly. Includes a snap hook for secure fastening to a belt loop or pocket. Especially short, stable bit-sockets with all the advantages of the Wera bit technology.

Bit sockets with holding function for particularly convenient screwdriving with reduced risk of losing the screw when approaching the workpiece. Supplied with a nonwoven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 9-piece bit-socket set on a robust textile belt, 1/4"
- Bit-sockets with all the advantages of the Wera bit technology
- Bit-sockets with holding function for screws/bolts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System
- Take it easy tool finder with colour coding according to sizes

Belt A 3 TORX® HF Zyklus bit socket set with holding function, 1/4" drive



Code	EAN		
05003882001	190772		1
			8767 A HF 1x TX 8x28,0; 1x TX 9x28,0; 1x TX 10x28,0; 1x TX 15x28,0; 1x 3,7x3,7xTX 20x28,0; 1x 4,1x4,1xTX 25x28,0; 1x 4,8x4,8xTX 27x28,0; 1x 5,4x5,4xTX 30x28,0; 1x 6,5x6,5xTX 40x28,0
			Belt A 0/9 1x 39,0x238,0
			Hook and Loop Fastener Strip 30 1x 30,0x200,0

8767 A TORX® HF 1 Zyklus bit socket set with holding function, 1/4" drive

- Compact textile box with high robustness, low weight and volume
- Bit socket (non-impact) for manual or power tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower socket end for more grip when used manually
- Long design

8767 A TORX® HF 1 Zyklus bit socket set with holding function, 1/4" drive



Code	EAN		
05003375001	191014		1
			8767 A HF 1x TX 25x100,0; 1x TX 27x100,0; 1x TX 30x100,0; 1x TX 40x100,0
			Hook and Loop Fastener Strip 70 1x 50,0x70,0

8740 A HF Zyklop bit socket with holding function, 1/4" drive

- Bit socket (non-impact) for manual or machine tool operations
- The holding function holds screws securely on the tool
- Hex-Plus allows socket head screws to live longer

8740 A HF Zyklop bit socket with holding function, 1/4" drive



	EAN							
Code	4013288		mm	mm	mm	mm	mm	
05003332001	187123		3,0		28,0	12,0	12,5	1
05003333001	187178		4,0		28,0	12,0	12,5	1
05003334001	187185		4,0		100,0	12,0	12,5	1
05003335001	187192		5,0		28,0	12,0	12,5	1
05003336001	187208		5,0		100,0	12,0	12,5	1
05003337001	187215		6,0		28,0	12,0	12,5	1
05003338001	187222		6,0		100,0	12,0	12,5	1
05003341001	189547		7,0		28,0	12,0	12,5	1
05003342001	189554		7,0		100,0	12,0	12,5	1
05003339001	187239		8,0		28,0	12,0	12,5	1
05003340001	187246		8,0		100,0	12,0	12,5	1
05003383001	189868			1/8"	28,0	12,0	12,5	1
05003384001	189875			9/64"	28,0	12,0	12,5	1
05003385001	189882			5/32"	28,0	12,0	12,5	1
05003386001	189899			3/16"	28,0	12,0	12,5	1
05003387001	189905			7/32"	28,0	12,0	12,5	1
05003388001	189912			1/4"	28,0	12,0	12,5	1
05003389001	189844			5/16"	28,0	12,0	12,5	1

8740 A Zyklop bit socket, 1/4" drive

- Bit socket (non-impact) for manual or machine tool operations
- Hex-Plus allows socket head screws to live longer

8740 A Zyklop bit socket, 1/4" drive



	EAN							
Code	4013288		mm	mm	mm	mm	mm	
05003330001	187154		2,0		28,0	12,0	12,5	1
05003331001	187161		2,5		28,0	12,0	12,5	1
05003380001	189820			5/64"	28,0	12,0	12,5	1
05003381001	189837			3/32"	28,0	12,0	12,5	1
05003382001	189851			7/64"	28,0	12,0	12,5	1

Belt A 2 Zyklop In-Hex-Plus bit socket set with holding function, 1/4" drive

Typically Wera designed robust textile belt with 8 in-hex bit-sockets taking up minimal space.


A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly. Includes a snap hook for secure fastening to a belt loop or pocket.

Supplied with a nonwoven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 8-piece bit socket set on a robust textile belt, 1/4"
- Bit-sockets with all the advantages of the Wera bit technology
- Bit sockets with retaining function for hexagon socket screws
- Take it easy tool finder with colour coding according to sizes
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt A 2 Zyklop In-Hex-Plus bit socket set with holding function, 1/4" drive



Code	EAN			
05003381001	190765			1
		8740 A	1x 2,0x28,0; 1x 2,5x28,0	
		8740 A HF	1x 3,0x28,0; 1x 4,0x28,0; 1x 5,0x28,0; 1x 6,0x28,0; 1x 7,0x28,0; 1x 8,0x28,0	
		Belt A 0/8	1x 39,0x220,0	
		Hook and Loop Fastener Strip 30	1x 30,0x200,0	

8740 A HF 1 Zyklop bit socket set with holding function, 1/4" drive

- Compact textile box with high robustness, low weight and volume
- Bit socket (non-impact) for manual or power tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower socket end for more grip when used manually
- Long design

8740 A HF 1 Zyklop bit socket set with holding function, 1/4" drive



Code	EAN		
05003345001	191007		1
		○	8740 A HF 1x 4,0x100,0; 1x 5,0x100,0; 1x 6,0x100,0; 1x 7,0x100,0; 1x 8,0x100,0
			Hook and Loop Fastener Strip 70 1x 50,0x70,0

8751 A Phillips Zyklop bit socket, 1/4" drive

- Extremely short

8751 A Phillips Zyklop bit socket, 1/4" drive



Code	EAN						
05003350001	187253	PH 1	28,0	12,0	11,0	12,5	1
05003351001	187260	PH 2	28,0	12,0	11,0	12,5	1
05003352001	187277	PH 3	28,0	12,0	11,0	12,5	1

8755 A Pozidriv Zyklop bit socket, 1/4" drive

- Extremely short



Code	EAN						
05003353001	187284	PZ 1	28,0	12,0	11,0	12,5	1
05003354001	187291	PZ 2	28,0	12,0	11,0	12,5	1
05003355001	187307	PZ 3	28,0	12,0	11,0	12,5	1

8700 A FL Slotted screws Zyklop bit socket, 1/4" drive

- Extremely short



Code	EAN						
05003320001	187314	0,8	5,5	28,0	12,0	11,0	1
05003321001	187321	1,0	5,5	28,0	12,0	11,0	1
05003322001	187338	1,2	6,5	28,0	12,0	11,0	1

8796 LA Zyklop "flexible-lock" extension with free-turning sleeve, long, 1/4"

- For 1/4" square sockets with ball lock
- Flexible lock system for either locking or rapid exchange of the attached tool
- With free-turning sleeve for rapid tightening and loosening of screws and nuts

8796 LA Zyklop "flexible-lock" extension with free-turning sleeve, long, 1/4"



Code	EAN						
05003531001	121059	1/4"	150,0				1

8796 SA Zyklop "flexible-lock" extension with free-turning sleeve, short, 1/4"

- For 1/4" square sockets with ball lock
- Flexible lock system for either locking or rapid exchange of the attached tool
- With free-turning sleeve for rapid tightening and loosening of screws and nuts

8796 SA Zyklop "flexible-lock" extension with free-turning sleeve, short, 1/4"



		EAN						
Code		4013288		mm				
05003530001		121042	1/4"	75,0				1

8794 LA Zyklop extension with free-turning sleeve, long, 1/4"

Wera Zyklop extension with easy-to-grip free-turning sleeve for rapid tightening and loosening of screws and nuts. Out of high quality chrome vanadium steel, matt chrome-plated.

8794 LA Zyklop extension with free-turning sleeve, long, 1/4"



		EAN						
Code		4013288		mm				
05003526001		121073	1/4"	150,0				1

8794 SA Zyklop extension with free-turning sleeve, short, 1/4"

Wera Zyklop extension with easy-to-grip free-turning sleeve for rapid tightening and loosening of screws and nuts. Out of high quality chrome vanadium steel, matt chrome-plated.

8794 SA Zyklop extension with free-turning sleeve, short, 1/4"



		EAN						
Code		4013288		mm				
05003525001		121066	1/4"	75,0				1

8789 A Zyklop sliding T-handle, 1/4"

Wera Zyklop T-handle for higher torque transfer. For 1/4" square sockets with ball lock. Adjustable drive, therefore more flexible usage. Out of high quality chrome vanadium steel, matt chrome-plated.

8789 A Zyklop sliding T-handle, 1/4"



		EAN						
Code		4013288		mm				
05003524001		121493	1/4"	110,0				3

8795 A Zyklop universal joint, 1/4"

Wera Zyklop universal joint for 1/4" square sockets with ball lock.

8795 A Zyklop universal joint, 1/4"



		EAN						
Code		4013288		mm				
05003528001		121509	1/4"	35,5				1

8784 A1 Zyklop bit adaptor, 1/4"

- 1/4" Zyklop adaptor with quick-release chuck for rapid bit change

8784 A1 Zyklop bit adaptor, 1/4"



	EAN							
Code	4013288			mm				
05003529001	121035	1/4"	1/4"	37,0				1

8794 A Zyklop wobble extension, 1/4"

Wobble extension for the Wera Zyklop. Swivel angle of 15° in all directions. This ensures rapid and precise work even in confined working situations.

8794 A Zyklop wobble extension, 1/4"



	EAN							
Code	4013288		mm					
05003527001	121080	1/4"	56,0					1

Socket rail A (textile belt), 9 location, unloaded



Code	EAN							
	4013288							
05003891001	192424							1
			Belt A 0/9					
			1x 39,0x238,0					
			Hook and Loop Fastener Strip 30					
			1x 30,0x200,0					

Socket rail A (textile belt), 8 location, unloaded



Code	EAN							
	4013288							
05003890001	192417							1
			Belt A 0/8					
			1x 39,0x220,0					
			Hook and Loop Fastener Strip 30					
			1x 30,0x200,0					


9600 Magnetic socket rail, 1/4", empty

1 socket rail, empty. For up to 10 sockets and/or bit sockets with 1/4" drive.

The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.


- Rail with secure bit mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Empty, for up to 10 sockets, 1/4"

9600 Magnetic socket rail, 1/4", empty



	EAN							
Code	4013288	mm	mm					
05136420001	223326	30,0	270,0					1

Zyklop Speed - incredibly fast and incredibly flexible



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable.

They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility.

Take it easy Tool Finder with colour coding according to sizes.

- Freely pivoting ratchet head with 5 predefined locking positions
- Fine toothing with 72 teeth
- Small return angle of only 5°
- Free-turning sleeve for high working speeds
- Take it easy tool finder with colour coding according to sizes
- Compact textile box with high robustness, low weight and volume

8100 SB All-in Zyklop Speed ratchet set, 3/8" drive

- Easy removal of the ratchet thanks to Twist-to-unlock system

8100 SB All-in Zyklop Speed ratchet set, 3/8" drive



Code	EAN		
05003536001	4013288 225573		1
		8000 B 1x 3/8"x199,0	
		8794 B 1x 3/8"x76,0	
		8796 LB 1x 3/8"x200,0	
		8790 HMB HF 1x 6,0x29,0; 1x 7,0x29,0; 1x 8,0x29,0; 1x 9,0x29,0; 1x 10,0x29,0; 1x 11,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 14,0x29,0; 1x 15,0x29,0; 1x 16,0x29,0; 1x 17,0x29,0; 1x 18,0x29,0; 1x 19,0x29,0	
		8767 B HF 1x TX 10x35,0; 1x TX 15x35,0; 1x TX 20x35,0; 1x TX 25x35,0; 1x TX 27x35,0; 1x TX 30x35,0; 1x TX 40x35,0; 1x TX 45x38,5; 1x TX 50x38,5	
		8740 B HF 1x 3,0x35,0; 1x 4,0x35,0; 1x 5,0x35,0; 1x 6,0x35,0; 1x 7,0x38,5; 1x 8,0x38,5; 1x 9,0x38,5; 1x 10,0x38,5	
		Nut Extractor 1x 14,0x43,0	
		Hook and Loop Fastener Strip 240 1x 50,0x240,0	

8100 SB 6 Zyklop Speed Ratchet Set, 3/8" drive, metric



Code	EAN			
05004046001	4013288 173911			1
			8000 B 1x 3/8"x199,0	
			8790 HMB 1x 8,0x29,0; 1x 10,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 15,0x29,0; 1x 16,0x30,0; 1x 17,0x30,0; 1x 18,0x30,0; 1x 19,0x30,0	
			8794 LB 1x 3/8"x200,0	
			8794 B 1x 3/8"x76,0	
			8784 B1 1x 1/4"x3/8"x44,0	
			851/4 TZ PH 1x PH 1x50; 1x PH 2x50; 1x PH 3x50	
			855/4 TZ PZ 1x PZ 1x50; 1x PZ 2x50; 1x PZ 3x50	
			867/4 Z TORX® 1x TX 20x50; 1x TX 25x50; 1x TX 27x50; 1x TX 30x50; 1x TX 40x50	
			840/4 Z Hex-Plus 1x 4,0x50; 1x 5,0x50; 1x 6,0x50; 1x 8,0x50	
			800/4 Z 1x 1,0x5,5x50	

8100 SB 9 Zyklop Speed Ratchet Set, 3/8" drive, imperial



Code	EAN			
05004049001	4013288 173980			1
			8000 B 1x 3/8"x199,0	
			8790 HMB 1x 1/4"x29,0; 1x 5/16"x29,0; 1x 3/8"x29,0; 1x 7/16"x29,0; 1x 1/2"x29,0; 1x 9/16"x29,0; 1x 5/8"x30,0; 1x 11/16"x30,0; 1x 3/4"x30,0	
			8794 LB 1x 3/8"x200,0	
			8794 B 1x 3/8"x76,0	
			8784 B1 1x 1/4"x3/8"x44,0	
			851/4 TZ PH 1x PH 1x50; 1x PH 2x50; 1x PH 3x50	
			855/4 TZ PZ 1x PZ 1x50; 1x PZ 2x50; 1x PZ 3x50	
			867/4 Z TORX® 1x TX 20x50; 1x TX 25x50; 1x TX 27x50; 1x TX 30x50; 1x TX 40x50	
			840/4 Z Hex-Plus 1x 3/16"x50; 1x 7/32"x50; 1x 1/4"x50; 1x 5/16"x50	
			800/4 Z 1x 1,0x5,5x50	

8100 SB 2 Zyklop Speed Ratchet Set, 3/8" drive, metric

- 43-piece set in a robust metal case

8100 SB 2 Zyklop Speed Ratchet Set, 3/8" drive, metric



Code	EAN		
05003594001	4013288 121141		1
		8000 B 1x 3/8"x199,0	
		8790 HMB 1x 6,0x29,0; 1x 7,0x29,0; 1x 8,0x29,0; 1x 9,0x29,0; 1x 10,0x29,0; 1x 11,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 14,0x29,0; 1x 15,0x29,0; 1x 16,0x30,0; 1x 17,0x30,0; 1x 18,0x30,0; 1x 19,0x30,0; 1x 20,0x30,0; 1x 21,0x30,0; 1x 22,0x30,0; 1x 24,0x32,0	
		8789 B 1x 3/8"x165,0	
		8794 B 1x 3/8"x76,0	
		8795 B 1x 3/8"x50,0	
		8784 B1 1x 1/4"x3/8"x44,0	
		8796 SB 1x 3/8"x125,0	
		8796 LB 1x 3/8"x200,0	
		851/1 Z PH 1x PH 2x25; 1x PH 3x25	
		855/1 Z PZ 1x PZ 2x25; 1x PZ 3x25	
		867/1 Z TORX® B0 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25; 1x TX 40x25	
		840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25; 1x 10,0x25	
		800/1 Z 1x 1,0x5,5x25	

8100 SB 4 Zyklop Speed Ratchet Set, 3/8" drive, imperial


- 38-piece set in a robust metal case

8100 SB 4 Zyklop Speed Ratchet Set, 3/8" drive, imperial



Code	EAN		
05003596001	4013288 121165		1
		8000 B 1x 3/8"x199,0	
		8790 HMB 1x 1/4"x29,0; 1x 5/16"x29,0; 1x 11/32"x29,0; 1x 3/8"x29,0; 1x 7/16"x29,0; 1x 1/2"x29,0; 1x 9/16"x29,0; 1x 5/8"x30,0; 1x 11/16"x30,0; 1x 3/4"x30,0; 1x 13/16"x30,0; 1x 7/8"x30,0	
		8789 B 1x 3/8"x165,0	
		8794 B 1x 3/8"x76,0	
		8795 B 1x 3/8"x50,0	
		8784 B1 1x 1/4"x3/8"x44,0	
		8796 SB 1x 3/8"x125,0	
		8796 LB 1x 3/8"x200,0	
		851/1 Z PH 1x PH 2x25; 1x PH 3x25	
		855/1 Z PZ 1x PZ 2x25; 1x PZ 3x25	
		867/1 Z TORX® B0 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25; 1x TX 40x25	
		800/1 Z 1x 1,0x5,5x25	
		840/1 Z Hex-Plus 1x 5/64"x25; 1x 3/32"x25; 1x 1/8"x25; 1x 9/64"x25; 1x 5/32"x25; 1x 3/16"x25; 1x 7/32"x25	

Zyklop Speed - incredibly fast and incredibly flexible



27-piece $\frac{3}{8}$ " ratchet set for typical bicycle operations with extensive accessories:

1 Zyklop Speed ratchet with $\frac{3}{8}$ " drive, 10 Zyklop sockets, 2 Zyklop bit sockets with 30mm and extra slim profile area for better accessibility in tight workspaces.

With Take it easy tool finder: Colour coding by size. 1 Zyklop extension (short) with fast-rotating sleeve, 1 Wobble extension, 1 bit adapter, 1 connection part $\frac{3}{8}$ " external square head to $\frac{1}{2}$ " external square head, 10 bits, tough, for universal use.

Incredibly compact set arrangement for many tools in a tight space thanks to the highly robust and durable textile box.

Can be placed in an upright position for clearly arranged storage in the workshop shelf. Additional surface protection due to textile outer material. Low weight and small size for better mobility.

- 27-piece $\frac{3}{8}$ " ratchet set including fine-toothed Zyklop Speed ratchet with swivelling ratchet head, push-button release and right/left switching
- Low return angle of only 5° for working in a small space
- Sockets and bits for the most popular screw profiles for road bikes, mountain bikes and e-bikes
- Assortment in robust textile box with low weight for easy transport
- With adapter from $\frac{3}{8}$ " square head socket to $\frac{1}{2}$ " external square head for mounting special bicycle tools

Bicycle set 7




Code	EAN			
05004175001	4013288 220608			1
			8000 B 1x $\frac{3}{8}$ "x199,0	
			8790 HMB 1x 6,0x29,0; 1x 7,0x29,0; 1x 8,0x29,0; 1x 9,0x29,0; 1x 10,0x29,0; 1x 11,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 14,0x29,0	
			8790 HMB Deep 1x 15,0x64,0	
			8740 B 1x 8,0x100,0; 1x 10,0x100,0	
			8794 B 1x $\frac{3}{8}$ "x76,0	
			8784 B1 1x $\frac{1}{4}$ "x $\frac{3}{8}$ "x44,0	
			8794 SB 1x $\frac{3}{8}$ "x125,0	
			781 B 1x 781 B/C, $\frac{1}{2}$ "x36,0x $\frac{3}{8}$ "	
			840/4 Z Hex-Plus 1x 3,0x50; 1x 4,0x50; 1x 5,0x50; 1x 6,0x50	
			867/4 Z TORX® 1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 27x50; 1x TX 30x50	

8000 B Zyklop Speed Ratchet with $\frac{3}{8}$ " drive

- Combines five different types of a ratchet in one
- Flywheel design and easy-to-grip free-turning sleeve for very high working speeds
- Freely pivoting ratchet head, push button release and left/right switchover
- Fine-tooth design allows a small return angle of 5°
- Can also be used as a screwdriver

8000 B Zyklop Speed Ratchet with $\frac{3}{8}$ " drive



Code	EAN						
05003550001	4013288 121875	$\frac{3}{8}$ "	199,0				1

8000 B SB Zyklop Speed Ratchet with $\frac{3}{8}$ " drive



Code				
Code		EAN		
05073261001		128041		3
		8000 B		
		1x $\frac{3}{8}$ "x199.0		

8100 SB 12 Zyklop Comfort Ratchet set, reversing lever, $\frac{3}{8}$ " drive, metric

16-piece Zyklop Comfort ratchet set in a light and robust, durable textile box.

The 2-component plastic sleeve of the Zyklop Comfort ratchet makes working comfortable even in the cold and at the same time protects surfaces against damage.

The Zyklop Impaktor sockets stand out with higher-than-average service life even at extreme requirements.

The required size is easily accessible due to the "Take it easy" Tool finder (colour coding by size). The Zyklop extension also makes it easy to operate hard-to-reach screws and bolts.

8100 SB 12 Zyklop Comfort Ratchet set, reversing lever, $\frac{3}{8}$ " drive, metric



Code				
Code		EAN		
05005530001		227980		1
		8010 B		
		1x $\frac{3}{8}$ "x230,0		
		8790 B Impaktor		
		1x 8,0x30,0; 1x 10,0x30,0; 1x 11,0x30,0; 1x 12,0x30,0; 1x 13,0x30,0; 1x 14,0x30,0; 1x 15,0x30,0; 1x 16,0x30,0; 1x 17,0x30,0; 1x 18,0x30,0; 1x 19,0x30,0; 1x 21,0x32,0; 1x 22,0x32,0; 1x 24,0x32,0		
		8798 B		
		1x $\frac{3}{8}$ "x152,4		

8100 SB 13 Zyklop Comfort Ratchet set, reversing lever, 3/8" drive, imperial

- 11-piece Zyklop Comfort ratchet set; imperial sizes

8100 SB 13 Zyklop Comfort Ratchet set, reversing lever, 3/8" drive, imperial



Code	EAN				
05005531001	4013288 227973				1
			8010 B		
			1x 3/8"x230,0		
			8790 B Impaktor		
			1x 1/4"x30,0; 1x 5/16"x30,0; 1x 3/8"x30,0; 1x 7/16"x30,0; 1x 1/2"x30,0; 1x 9/16"x30,0; 1x 5/8"x30,0; 1x 11/16"x30,0; 1x 3/4"x30,0		
			8798 B		
			1x 3/8"x152,4		

8010 B Zyklop Comfort Ratchet, with reversing lever, with 3/8" drive

Compelling Wera style Zyklop Comfort ratchet with reversing lever. Comfortable 2-component plastic sleeve. Protects sensitive surfaces. Slim design for working even in very confined spaces.


The fine toothing with 80 teeth allows for a low return angle of only 4.5°. With reversing lever to reverse rotation easily. With safe socket locking via push-button.

8010 B Zyklop Comfort Ratchet, with reversing lever, with 3/8" drive



		EAN							
Code		4013288		mm					
05005540001	227195	3/8"	230,0						1

Zyklop Metal with push-through square



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable.

They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility. Take it easy Tool Finder with colour coding according to sizes.

- Extremely slim ratchet with long lever
- Return angle of only 4.7°
- Absolutely smooth switchover of the non-detachable push-through square

8100 SB 7 Zyklop Metal Ratchet Set with push-through square, $\frac{3}{8}$ " drive, metric



Code	EAN		
05004047001	4013288 173867		1
		8003 B 1x $\frac{3}{8}$ "x222,0	
		8790 HMB 1x 8,0x29,0; 1x 10,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 15,0x29,0; 1x 16,0x30,0; 1x 17,0x30,0; 1x 18,0x30,0; 1x 19,0x30,0	
		8794 LB 1x $\frac{3}{8}$ "x200,0	
		8794 B 1x $\frac{3}{8}$ "x76,0	
		8784 B1 1x $\frac{1}{4}$ "x $\frac{3}{8}$ "x44,0	
		851/1 Z PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25	
		867/1 TORX® 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25; 1x TX 40x25	
		840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25	

8100 SB 10 Zyklop Metal Ratchet Set with push-through square, 3/8" drive, imperial



Code	EAN			
05004050001	4013288 173935			1
		8003 B	1x 3/8"x222,0	
		8790 HMB	1x 1/4"x29,0; 1x 5/16"x29,0; 1x 3/8"x29,0; 1x 7/16"x29,0; 1x 1/2"x29,0; 1x 9/16"x29,0; 1x 5/8"x30,0; 1x 11/16"x30,0; 1x 3/4"x30,0	
		8794 LB	1x 3/8"x200,0	
		8794 B	1x 3/8"x76,0	
		8784 B1	1x 1/4"x3/8"x44,0	
		851/1 Z PH	1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		855/1 Z PZ	1x PZ 1x25; 1x PZ 2x25	
		867/1 TORX®	1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25; 1x TX 40x25	
		840/1 Z Hex-Plus	1x 5/32"x25; 1x 3/16"x25; 1x 7/32"x25; 1x 1/4"x25; 1x 5/16"x25	

8003 B Zyklop Metal Ratchet with push-through square and 3/8" drive

- Forged, full metal ratchet (chrome-molybdenum); slim design to enable work in very confined spaces.
- The dual-ratchet-teeth design means that a 76 fine-tooth division can be achieved from the 38 robust teeth with a return angle of only 4.7°.
- Absolutely smooth switchover of the non-detachable push-through square
- For 3/8" square sockets with ball lock

8003 B Zyklop Metal Ratchet with push-through square and 3/8" drive



Code	EAN		mm	mm	mm		
05004033001	4013288 174031	3/8"	222,0	27	29		3

Zyklop Metal with switch lever



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable.

They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility. Take it easy Tool Finder with colour coding according to sizes.

- Convenient direction change thanks to switchover lever
- Extremely slim ratchet with long lever
- Return angle of only 5°
- Compact textile box with high robustness, low weight and volume

8100 SB 8 Zyklop Metal Ratchet Set with switch lever, 3/8" drive, metric



Code	EAN		
05004048001	4013288 173928		1
		8004 B 1x 3/8"x222,0	
		8790 HMB 1x 8,0x29,0; 1x 10,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 15,0x29,0; 1x 16,0x30,0; 1x 17,0x30,0; 1x 18,0x30,0; 1x 19,0x30,0	
		8794 LB 1x 3/8"x200,0	
		8794 B 1x 3/8"x76,0	
		8784 B1 1x 1/4"x3/8"x44,0	
		851/1 Z PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25	
		867/1 TORX® 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25; 1x TX 40x25	
		840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25	

8100 SB 11 Zyklop Metal Ratchet Set with switch lever, $\frac{3}{8}$ " drive, imperial



Code	EAN			
05004051001	4013288 173959			1
		8004 B	1x $\frac{3}{8}$ "x222,0	
		8790 HMB	1x $\frac{1}{4}$ "x29,0; 1x $\frac{5}{16}$ "x29,0; 1x $\frac{3}{8}$ "x29,0; 1x $\frac{7}{16}$ "x29,0; 1x $\frac{1}{2}$ "x29,0; 1x $\frac{9}{16}$ "x29,0; 1x $\frac{5}{8}$ "x30,0; 1x $\frac{11}{16}$ "x30,0; 1x $\frac{3}{4}$ "x30,0	
		8794 LB	1x $\frac{3}{8}$ "x200,0	
		8794 B	1x $\frac{3}{8}$ "x76,0	
		8784 B1	1x $\frac{1}{4}$ "x $\frac{3}{8}$ "x44,0	
		851/1 Z PH	1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		855/1 Z PZ	1x PZ 1x25; 1x PZ 2x25	
		867/1 TORX®	1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25; 1x TX 40x25	
		840/1 Z Hex-Plus	1x $\frac{5}{32}$ "x25; 1x $\frac{3}{16}$ "x25; 1x $\frac{7}{32}$ "x25; 1x $\frac{1}{4}$ "x25; 1x $\frac{5}{16}$ "x25	

8100 SB HF 1 Zyklop Metal Ratchet Set with switch lever, $\frac{3}{8}$ " drive, with holding function, metric

- Colour coding of the sockets according to size

8100 SB HF 1 Zyklop Metal Ratchet Set with switch lever, $\frac{3}{8}$ " drive, with holding function, metric



Code	EAN			
05003785001	4013288 195081			1
		8004 B	1x $\frac{3}{8}$ "x222,0	
		8790 HMB HF	1x 8,0x29,0; 1x 10,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 15,0x29,0; 1x 16,0x29,0; 1x 17,0x29,0; 1x 18,0x29,0; 1x 19,0x29,0	
		8794 LB	1x $\frac{3}{8}$ "x200,0	
		8794 B	1x $\frac{3}{8}$ "x76,0	
		Nut Extractor	1x 14,0x43,0	
		Hook and Loop Fastener Strip 240	1x 50,0x240,0	

The Zyklop Metal Ratchets Switch, $\frac{3}{8}$ "

- Convenient direction change thanks to switchover lever
- Extremely slim ratchet with long lever
- Return angle of only 5°
- Secure socket locking

8004 B Zyklop Metal Ratchet with switch lever and $\frac{3}{8}$ " drive



Code	EAN		mm	mm	mm		
05004034001	4013288 174048	$\frac{3}{8}$ "	222,0	26	29		3

8790 B Impaktor socket with 3/8" drive

- For use with electric or pneumatic wrenches with 3/8" drive
- Impaktor technology for above-average service life
- Hexagonal profile enables precise and profile-preserving screwdriving with high power transmission
- With Take it easy tool finder: colour coding by size
- With cross-bore and ring socket for securing locking pin and locking ring of machine-operated tools

8790 B Impaktor socket with 3/8" drive



Code	EAN		mm	mm	mm	mm	mm	
05005500001	227218		8,0		30,0	14,1	19,0	1
05005501001	227225		10,0		30,0	16,6	19,0	1
05005502001	227232		11,0		30,0	17,8	19,0	1
05005503001	227249		12,0		30,0	18,2	19,0	1
05005504001	227256		13,0		30,0	20,0	22,0	1
05005505001	227263		14,0		30,0	21,0	22,0	1
05005506001	227270		15,0		30,0	22,0	22,0	1
05005507001	227287		16,0		30,0	22,0	24,0	1
05005508001	227294		17,0		30,0	23,0	25,0	1
05005509001	227300		18,0		30,0	23,0	26,0	1
05005510001	227317		19,0		30,0	25,0	27,8	1
05005511001	227324		21,0		32,0	27,0	30,0	1
05005512001	227331		22,0		32,0	28,0	32,0	1
05005513001	227348		24,0		32,0	30,0	34,0	1
05005514001	227362			1/4"	30,0	11,0	19,0	1
05005515001	227379			5/16"	30,0	14,1	19,0	1
05005516001	227386			3/8"	30,0	16,6	19,0	1
05005517001	227393			7/16"	30,0	17,8	19,0	1
05005518001	227416			1/2"	30,0	20,0	22,0	1
05005519001	227423			9/16"	30,0	21,0	22,0	1
05005520001	227430			5/8"	30,0	22,0	24,0	1
05005521001	227447			11/16"	30,0	23,0	25,0	1
05005522001	227454			3/4"	30,0	25,0	28,0	1
05005523001	227461			13/16"	32,0	27,0	30,0	1
05005524001	227478			7/8"	32,0	28,0	32,0	1
05005525001	227485			15/16"	32,0	30,0	34,0	1
05005526001	227492			1"	32,0	32,0	36,0	1

8790 B Impaktor Deep Socket with 3/8" drive

- Robust Impaktor sockets for extremely high stress; for use with electric or pneumatic wrenches with 3/8" drive
- Long sockets for low lying couplings, also suitable for fitting, protruding thread rods in confined spaces
- Hexagon profile for precise and profile-friendly screwdriving at high power transmission
- With Take it easy tool finder: colour coding by size
- With cross hole and ring socket to attach the safety pin and safety ring of machine operated tools

8790 B Impaktor Deep Socket with 3/8" drive



Code	EAN		mm	mm	mm	mm	mm	
05005550001	233080		8,0		63,0	14,1	19,0	1
05005551001	233097		10,0		63,0	16,6	19,0	1
05005552001	233103		11,0		63,0	17,8	20,0	1
05005553001	233110		12,0		63,0	18,2	20,0	1
05005554001	233127		13,0		63,0	20,0	22,0	1
05005555001	233134		14,0		63,0	21,0	22,0	1
05005556001	233141		15,0		63,0	22,0	22,0	1
05005557001	233158		16,0		63,0	25,0	22,0	1
05005558001	233165		17,0		63,0	26,0	23,0	1
05005559001	233172		18,0		63,0	28,0	23,0	1
05005560001	233189		19,0		63,0	27,0	25,0	1
05005561001	233196		21,0		63,0	30,0	27,0	1
05005562001	233202		22,0		63,0	32,0	28,0	1
05005563001	233219		24,0		63,0	34,0	30,0	1
05005564001	233394			1/4"	63,0	11,0	19,0	1
05005565001	233400			5/16"	63,0	14,1	19,0	1
05005566001	233417			3/8"	63,0	16,6	19,0	1
05005567001	233424			7/16"	63,0	17,8	19,0	1
05005568001	233431			1/2"	63,0	20,0	22,0	1
05005569001	233448			9/16"	63,0	21,0	22,0	1
05005570001	233486			5/8"	63,0	24,0	22,0	1
05005571001	233493			11/16"	63,0	25,0	23,0	1
05005572001	233509			3/4"	63,0	28,0	25,0	1
05005573001	233516			13/16"	63,0	30,0	27,0	1
05005574001	233523			7/8"	63,0	32,0	28,0	1
05005575001	233530			15/16"	63,0	34,0	30,0	1
05005576001	233592			1"	63,0	36,0	32,0	1

8790 HMB Zyklop 3/8" socket

- 3/8" Zyklop socket
- For manual and power tool operations (non-impact)
- Knurling at lower end to enable easy gripping when used in manual applications
- Take it easy tool finder with colour coding according to sizes

8790 HMB Zyklop 3/8" socket



Code	EAN		mm	mm	mm	mm	
05003551001	120311		6,0	29,0	10,5	18,0	1
05003552001	120328		7,0	29,0	11,0	18,0	1
05003553001	120335		8,0	29,0	12,2	18,0	1
05003554001	120342		9,0	29,0	13,5	18,0	1
05003555001	120359		10,0	29,0	14,5	18,0	1
05003556001	120366		11,0	29,0	16,0	18,0	1
05003557001	120373		12,0	29,0	17,0	18,0	1
05003558001	120380		13,0	29,0	18,5	20,0	1
05003559001	120397		14,0	29,0	19,5	22,0	1
05003560001	120403		15,0	29,0	21,0	24,0	1
05003561001	120410		16,0	30,0	22,0	24,0	1
05003562001	120427		17,0	30,0	23,5	24,0	1
05003563001	120434		18,0	30,0	24,5	24,0	1
05003564001	120441		19,0	30,0	26,0	24,0	1
05003565001	120458		20,0	30,0	28,0	25,0	1
05003566001	120465		21,0	30,0	28,0	25,0	1
05003567001	120472		22,0	30,0	32,0	25,0	1
05003568001	120489		24,0	32,0	32,0	25,0	1
05003569001	120496		1/4"	29,0	11,0	18,0	1
05003570001	120502		5/16"	29,0	12,2	18,0	1
05003571001	120519		11/32"	29,0	13,5	18,0	1
05003572001	120526		3/8"	29,0	14,5	18,0	1
05003573001	120533		7/16"	29,0	16,0	18,0	1
05003574001	120649		1/2"	29,0	18,5	20,0	1
05003575001	120557		9/16"	29,0	19,5	22,0	1
05003576001	120564		5/8"	30,0	22,0	24,0	1
05003577001	120571		11/16"	30,0	23,0	24,0	1
05003578001	120588		3/4"	30,0	26,0	24,0	1
05003579001	120595		13/16"	30,0	28,0	25,0	1
05003580001	120601		7/8"	30,0	32,0	25,0	1

8790 HMB HF Zyklop socket with 3/8" drive with holding function

- Socket (non-impact) for manual or power tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Chrome vanadium steel, matt chrome-plated
- Equipped with ball stop groove, knurling at lower end for better gripping

8790 HMB HF Zyklop socket with 3/8" drive with holding function



Code	EAN		mm	mm	mm	mm	
05003740001	193919		6,0	29,0	12,7	17,5	1
05003741001	193926		7,0	29,0	13,2	17,5	1
05003742001	193933		8,0	29,0	14,2	17,5	1
05003743001	193940		9,0	29,0	15,7	17,5	1
05003744001	193957		10,0	29,0	17,0	17,5	1
05003745001	193964		11,0	29,0	18,2	17,5	1
05003746001	193971		12,0	29,0	19,0	17,5	1
05003747001	193988		13,0	29,0	20,4	19,5	1
05003748001	193995		14,0	29,0	21,5	21,5	1
05003749001	194008		15,0	29,0	23,5	23,5	1
05003750001	194015		16,0	29,0	24,2	23,5	1
05003751001	194022		17,0	29,0	26,0	23,5	1
05003752001	194039		18,0	29,0	26,5	23,5	1
05003753001	194046		19,0	29,0	28,0	23,5	1

9607 Magnetic rail B Impaktor 1

Socket rail with 10 Impaktor socket wrenches for use with electric or pneumatic wrenches with $\frac{3}{8}$ " drive. The Impaktor technology ensures a higher-than-average service life even at extreme requirements.

The hexagon profile used allows a high power transmission while simultaneously being precise and protecting the profile. With "Take it easy" Tool finder with colour coding by size - for quick and easy identification of the required tool.

The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.

- 10-piece socket set on socket rail, $\frac{3}{8}$ "
- Rail with secure socket mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- For use with electric or pneumatic wrenches with $\frac{3}{8}$ " drive
- Impaktor technology for above-average service life
- Hexagonal profile enables precise and profile-preserving screwdriving with high power transmission
- With cross-bore and ring socket for securing locking pin and locking ring of machine-operated tools
- With Take it easy tool finder: colour coding by size

9607 Magnetic rail B Impaktor 1



Code	EAN		
05005451001	4013288 227546		1
		● 8790 B Impaktor 1x 10,0x30,0; 1x 13,0x30,0; 1x 15,0x30,0; 1x 16,0x30,0; 1x 17,0x30,0; 1x 18,0x30,0; 1x 19,0x30,0; 1x 21,0x32,0; 1x 22,0x32,0; 1x 24,0x32,0	
		9603 1x 30,0x340,0	

9608 Magnetic rail B Impaktor Imperial 1

- Imperial sizes

9608 Magnetic rail B Impaktor Imperial 1



Code	EAN		
05005452001	4013288 227553		1
		● 8790 B Impaktor 1x $\frac{1}{4}$ "x30,0; 1x $\frac{5}{16}$ "x30,0; 1x $\frac{3}{8}$ "x30,0; 1x $\frac{7}{16}$ "x30,0; 1x $\frac{1}{2}$ "x30,0; 1x $\frac{9}{16}$ "x30,0; 1x $\frac{5}{8}$ "x30,0; 1x $\frac{11}{16}$ "x30,0; 1x $\frac{3}{4}$ "x30,0	
		9601 1x 30,0x340,0	

9660 Magnetic rail B Impaktor Deep 1 socket set, $\frac{3}{8}$ " drive

- 10-piece socket set on socket rail, $\frac{3}{8}$ "
- Magnetic rail with secure socket mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley

9660 Magnetic rail B Impaktor Deep 1 socket set, $\frac{3}{8}$ " drive



Code	EAN		
05005590001	4013288 233554		1
		● 8790 B Impaktor Deep 1x 10,0x63,0; 1x 13,0x63,0; 1x 15,0x63,0; 1x 16,0x63,0; 1x 17,0x63,0; 1x 18,0x63,0; 1x 19,0x63,0; 1x 21,0x63,0; 1x 22,0x63,0; 1x 24,0x63,0	
		9601 1x 30,0x340,0	

9661 Magnetic rail B Impaktor Deep Imperial 1 socket set, 3/8" drive

- Imperial sizes
- 9-piece socket set on socket rail, 3/8"
- Magnetic rail with secure socket mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley

9661 Magnetic rail B Impaktor Deep Imperial 1 socket set, 3/8" drive



Code	EAN		
05005591001	4013288 233561		1
		8790 B Impaktor Deep 1x 1/4"x63,0; 1x 5/16"x63,0; 1x 3/8"x63,0; 1x 7/16"x63,0; 1x 1/2"x63,0; 1x 9/16"x63,0; 1x 5/8"x63,0; 1x 11/16"x63,0; 1x 3/4"x63,0	
		9601 1x 30,0x340,0	

8790 B Impaktor Deep Set 1



Code	EAN		
05005580001	4013288 233639		1
		8790 B Impaktor Deep 1x 8,0x63,0; 1x 10,0x63,0; 1x 11,0x63,0; 1x 12,0x63,0; 1x 13,0x63,0; 1x 14,0x63,0; 1x 15,0x63,0; 1x 16,0x63,0; 1x 17,0x63,0; 1x 18,0x63,0; 1x 19,0x63,0; 1x 21,0x63,0; 1x 22,0x63,0; 1x 24,0x63,0	

8790 B Impaktor Deep Imperial Set 1

- Imperial sizes

8790 B Impaktor Deep Imperial Set 1



Code	EAN		
05005581001	4013288 233912		1
		8790 B Impaktor Deep 1x 1/4"x63,0; 1x 5/16"x63,0; 1x 3/8"x63,0; 1x 7/16"x63,0; 1x 1/2"x63,0; 1x 9/16"x63,0; 1x 5/8"x63,0; 1x 11/16"x63,0; 1x 3/4"x63,0; 1x 13/16"x63,0; 1x 7/8"x63,0; 1x 15/16"x63,0; 1x 1"x63,0	

Belt B 1 Zyklop socket set with holding function, 3/8" drive

Typically Wera designed robust textile belt with 9 sockets taking up minimal space. A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets. Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly. Includes a snap hook for secure fastening to a belt loop or pocket.

Sockets with holding function for particularly convenient screw-driving with reduced risk of losing the screw when approaching the workpiece. Supplied with a non-woven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 10-piece socket set on a robust textile belt, 1/4"
- Sockets with holding function for screws/bolts/nuts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Take it easy tool finder with colour coding according to sizes
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt B 1 Zyklop socket set with holding function, 3/8" drive



Code	EAN		
05003970001	4013288 194947		1
		●	8790 HMB HF 1x 8,0x29,0; 1x 10,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 15,0x29,0; 1x 16,0x29,0; 1x 17,0x29,0; 1x 18,0x29,0; 1x 19,0x29,0
			Nut Extractor 1x 14,0x43,0
			Belt B 0/9 1x 45,0x310,0
			Hook and Loop Fastener Strip 30 1x 30,0x200,0

Belt B 4 Zyklop socket set, 3/8" drive

- 9-piece socket set on a robust textile belt, 3/8"
- For manual and power tool operations (non-impact)
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Take it easy tool finder with colour coding according to sizes
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt B 4 Zyklop socket set, 3/8" drive



Code	EAN		
05003973001	4013288 194978		1
		●	8790 HMB 1x 8,0x29,0; 1x 10,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 15,0x29,0; 1x 16,0x30,0; 1x 17,0x30,0; 1x 18,0x30,0; 1x 19,0x30,0
			Belt B 0/9 1x 45,0x310,0
			Hook and Loop Fastener Strip 30 1x 30,0x200,0


Magnetic socket rail B 4 Zyklop socket set, $\frac{3}{8}$ " drive
 Socket rail with 9 manual and machine sockets (non-impact), $\frac{3}{8}$ ". A smooth rotary mechanism allows a secure hold and easy access of the sockets.

With Take it easy tool finder with colour coding by size - to help you find the required tool quickly and easily.

The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.

- 9-piece socket set on socket rail, $\frac{3}{8}$ "
- Rail with secure bit mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- With Take it easy tool finder: colour coding by size

Magnetic socket rail B 4 Zyklop socket set, $\frac{3}{8}$ " drive



Code	EAN			
05005430001	4013288	223234		1
		●	8790 HMB 1x 8,0x29,0; 1x 10,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 15,0x29,0; 1x 16,0x30,0; 1x 17,0x30,0; 1x 18,0x30,0; 1x 19,0x30,0	
			9601 1x 30,0x340,0	


Magnetic socket rail B Imperial 1 Zyklop socket set $\frac{3}{8}$ " drive, imperial

Socket rail with 9 manual and machine sockets (non-impact), $\frac{3}{8}$ ". A smooth rotary mechanism allows a secure hold and easy access of the sockets.

With Take it easy tool finder with colour coding by size - to help you find the required tool quickly and easily. The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.

- 9-piece socket set on socket rail, $\frac{3}{8}$ "
- Rail with secure bit mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- With Take it easy tool finder: colour coding by size

Magnetic socket rail B Imperial 1 Zyklop socket set $\frac{3}{8}$ " drive, imperial



Code	EAN			
05005450001	4013288	223258		1
		●	8790 HMB 1x $\frac{1}{4}$ "x29,0; 1x $\frac{5}{16}$ "x29,0; 1x $\frac{11}{32}$ "x29,0; 1x $\frac{3}{8}$ "x29,0; 1x $\frac{7}{16}$ "x29,0; 1x $\frac{1}{2}$ "x29,0; 1x $\frac{9}{16}$ "x29,0; 1x $\frac{5}{8}$ "x30,0; 1x $\frac{3}{4}$ "x30,0	
			9601 1x 30,0x340,0	

8790 HMB Deep 3/8" socket

Long 3/8" hand and machine socket (ISO 2725 part 3) with ball intercept ring; for external hexagonal bolts and sockets. For use in manual and machine operation (non-impact), even with low-lying screwdriving and protruding threaded rods.

With Take it easy tool finder with colour coding by size - for easy and fast location of the required tool. Easy to grasp even with oily hands. The hexagon profile allows the transmission of high forces and puts less strain on the edges of bolts or screw heads than a double hexagon profile.

Fine-toothed ratchets also make the use of a double hexagon profile superfluous, even in confined spaces, thanks to their small back-pivoting angle.

- Long sockets for low-lying screwdriving, often even with protruding threaded rods in small spaces
- Hexagonal profile enables precise bolting with high power transmission and preserves the profile
- Take it easy tool finder with colour coding according to sizes
- Knurling at lower end to enable easy gripping when used in manual applications
- For manual and machine operation (non-impact), ball intercept ring
- Made of matt chromed chrome-vanadium

8790 HMB Deep 3/8" socket



Code	EAN		mm	mm	mm	mm	
05004530001	210388		8,0	64,0	12,2	17,0	1
05004531001	210395		9,0	64,0	13,5	17,0	1
05004532001	210401		10,0	64,0	14,5	17,0	1
05004533001	210418		11,0	64,0	15,7	17,0	1
05004534001	210425		12,0	64,0	16,5	18,0	1
05004535001	210432		13,0	64,0	19,0	17,0	1
05004536001	210449		14,0	64,0	20,0	18,0	1
05004537001	210456		15,0	64,0	22,0	20,0	1
05004538001	210463		16,0	64,0	22,0	20,0	1
05004539001	210470		17,0	64,0	24,0	22,0	1
05004540001	210487		18,0	64,0	26,0	23,0	1
05004541001	210494		19,0	64,0	26,0	23,0	1
05004542001	210500		20,0	64,0	28,0	25,0	1
05004543001	210517		21,0	64,0	28,0	25,0	1
05004544001	210524		22,0	64,0	30,0	26,0	1

Belt B Deep 1 socket set, 3/8" drive

Robust textile belt in the typical Wera design with 9 long 3/8" manual and machine socket inserts (non-impacting) in a confined space. A smoother turning mechanism ensures a secure holding and easy removal of sockets. Includes snap hook for attaching to belt loops or bags. With fleece backing and hook and loop fastener strips for easy attachment e.g. on wall, shelf, workshop trolley or the Wera 2go tool transport system.

Long 3/8" manual and mechanical socket wrench inserts (ISO 2725 part 3) from Wera for use in manual and machine operation (non-impacting) even with low-lying screwdriving and protruding threaded rods.

With Take it easy tool finder with colour coding by size - for easy and fast location of the required tool. Easy to grasp even with oily hands. With hexagonal profile and ball-catching groove. The hexagon profile allows the transmission of high forces and puts less strain on the edges of bolts or screw heads than a double hexagon profile.

Fine-toothed ratchets also make the use of a double hexagon profile superfluous, even in confined spaces, thanks to their small back-pivoting angle. For external hexagonal bolts and sockets.

- 9-piece socket set on robust textile belt 3/8"
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Long 3/8" socket for low-profile-fitting screw connections in tight construction spaces and for protruding threaded rods
- Hexagonal profile enables precise and profile-preserving screwdriving with high power transmission
- Take it easy tool finder with colour coding according to sizes

Belt B Deep 1 socket set, 3/8" drive



Code	EAN		
05004545001	210555		1
		8790 HMB Deep 1x 8,0x64,0; 1x 10,0x64,0; 1x 12,0x64,0; 1x 13,0x64,0; 1x 15,0x64,0; 1x 16,0x64,0; 1x 17,0x64,0; 1x 18,0x64,0; 1x 19,0x64,0	
		Belt B 0/9 1x 45,0x310,0	
		Hook and Loop Fastener Strip 30 1x 30,0x200,0	

Magnetic socket rail B Deep 1 socket set, 3/8" drive

Socket rail with 9 long manual and machine sockets (non-impact), 3/8". A smooth rotary mechanism allows a secure hold and easy access of the sockets.

Long 3/8" manual and machine sockets (ISO 2725 part 3) by Wera for manual and (non-impact) machine use even at low lying couplings and protruding thread rods.

With Take it easy tool finder with colour coding by size - to help you find the required tool quickly and easily.

Slip-proof for easy grip even with oily hands. With hexagon profile and ball stop groove. The hexagon profile enables the transmission of high forces and loads the edges of the bolt or the screw head less than a double hexagon profile.

Fine-teethed ratchets also make use of a double hexagon profile superfluous, even in confined spaces, thanks to their small return angle. For external hexagon bolts and screws.

The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.

- 9-piece socket set on socket rail, 3/8"
- Rail with secure bit mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Long 3/8" socket for low-profile-fitting screw connections in tight construction spaces and for protruding threaded rods
- Hexagonal profile enables precise and profile-preserving screw-driving with high power transmission

Magnetic socket rail B Deep 1 socket set, 3/8" drive



Code	EAN		
05005440001	4013288 223241		
		8790 HMB Deep 1x 8,0x64,0; 1x 10,0x64,0; 1x 12,0x64,0; 1x 13,0x64,0; 1x 15,0x64,0; 1x 16,0x64,0; 1x 17,0x64,0; 1x 18,0x64,0; 1x 19,0x64,0	
		9601 1x 30,0x340,0	

8767 B HF TORX® Zyklop bit socket with holding function, 3/8" drive

- Bit socket (non-impact) for manual or machine tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower end for more grip when used manually
- Chrome vanadium steel, matt chrome-plated

8767 B HF TORX® Zyklop bit socket with holding function, 3/8" drive



	EAN						
Code	4013288			mm	mm	mm	
05003059001	189097		TX 10	35,0	12,0	17,5	1
05003060001	188830		TX 15	35,0	12,0	17,5	1
05003061001	188847		TX 20	35,0	12,0	17,5	1
05003062001	188854		TX 25	35,0	12,0	17,5	1
05003063001	188861		TX 25	107,0	12,0	17,5	1
05003064001	188878		TX 27	35,0	12,0	17,5	1
05003065001	188885		TX 27	107,0	12,0	17,5	1
05003066001	188892		TX 30	35,0	12,0	17,5	1
05003067001	188908		TX 30	107,0	12,0	17,5	1
05003068001	188915		TX 40	35,0	12,0	17,5	1
05003069001	188922		TX 40	107,0	12,0	17,5	1
05003070001	188939		TX 45	38,5	12,0	17,5	1
05003071001	188946		TX 45	100,0	12,0	17,5	1
05003072001	188953		TX 50	38,5	12,0	17,5	1
05003073001	188960		TX 50	100,0	12,0	17,5	1

8767 B TORX® Zyklop Bit socket with 3/8" drive, with extra slim profile area

- Bit socket (non-impact) for manual or machine tool operations
- The holding function holds screws securely on the tool
- With Take it easy tool finder: colour coding by size
- Knurling on lower end for more grip when used manually.
- Chrome vanadium steel, matt chrome-plated

8767 B TORX® Zyklop Bit socket with 3/8" drive, with extra slim profile area



Code	EAN			mm	mm	mm	mm	
05003074001	227102		TX 25	107,0	12,0	17,5	81,5	1
05003075001	227119		TX 30	107,0	12,0	17,5	81,5	1

Belt B 3 TORX® HF Zyklop bit socket set with holding function, 3/8" drive

Typically Wera designed robust textile belt with 9 sockets taking up minimal space. A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly. Includes a snap hook for secure fastening to a belt loop or pocket. Especially short, stable bit-sockets with all the advantages of the Wera bit technology.

Bit sockets with holding function for particularly convenient screwdriving with reduced risk of losing the screw when approaching the workpiece. Supplied with a nonwoven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 9-piece bit-socket set on a robust textile belt, 3/8"
- Bit-sockets with all the advantages of the Wera bit technology
- Bit-sockets with holding function for screws/bolts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt B 3 TORX® HF Zyklop bit socket set with holding function, 3/8" drive



Code	EAN			
05003972001	194961			1
			8767 B HF 1x TX 10x35,0; 1x TX 15x35,0; 1x TX 20x35,0; 1x TX 25x35,0; 1x TX 27x35,0; 1x TX 30x35,0; 1x TX 40x35,0; 1x TX 45x38,5; 1x TX 50x38,5	
			Belt B 0/9 1x 45,0x310,0	
			Hook and Loop Fastener Strip 30 1x 30,0x200,0	

8767 B TORX® HF 1 Zyklop bit socket set with holding function, 3/8" drive

- Bit sockets with holding function for TORX® screws
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower socket end for more grip when used manually

8767 B TORX® HF 1 Zyklop bit socket set with holding function, 3/8" drive



Code	EAN		
05003185001	195074		1
			8767 B HF 1x TX 25x107,0; 1x TX 27x107,0; 1x TX 30x107,0; 1x TX 40x107,0; 1x TX 45x100,0; 1x TX 50x100,0
			Hook and Loop Fastener Strip 120 1x 50,0x120,0

8740 B HF Zyklop bit socket with holding function, 3/8" drive

- Bit socket (non-impact) for manual or machine tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes

8740 B HF Zyklop bit socket with holding function, 3/8" drive



Code	EAN		mm	mm	mm	mm	
05003030001	188557		3,0		35,0	12,0	17,5
05003031001	188564		4,0		35,0	12,0	17,5
05003032001	188571		4,0		107,0	12,0	17,5
05003033001	188649		5,0		35,0	12,0	17,5
05003034001	188656		5,0		107,0	12,0	17,5
05003035001	188663		6,0		35,0	12,0	17,5
05003036001	188731		6,0		107,0	12,0	17,5
05003037001	188748		7,0		38,5	12,0	17,5
05003038001	188755		7,0		100,0	12,0	17,5
05003039001	188779		8,0		38,5	12,0	17,5
05003040001	188786		8,0		100,0	12,0	17,5
05003041001	188793		9,0		38,5	12,0	17,5
05003042001	188809		9,0		100,0	12,0	17,5
05003043001	188816		10,0		38,5	12,0	17,5
05003044001	188823		10,0		100,0	12,0	17,5
05003080001	193407			1/8"	35,0	12,0	17,5
05003081001	193414			1/8"	107,0	12,0	17,5
05003082001	193421			9/64"	35,0	12,0	17,5
05003083001	193438			5/32"	35,0	12,0	17,5
05003084001	193445			5/32"	107,0	12,0	17,5
05003085001	193452			3/16"	35,0	12,0	17,5
05003086001	193551			3/16"	107,0	12,0	17,5
05003087001	193568			7/32"	35,0	12,0	17,5
05003088001	193575			7/32"	107,0	12,0	17,5
05003089001	193612			1/4"	35,0	12,0	17,5
05003090001	193629			1/4"	107,0	12,0	17,5
05003091001	193636			5/16"	38,5	12,0	17,5
05003092001	193643			5/16"	100,0	12,0	17,5
05003093001	193650			3/8"	38,5	12,0	17,5
05003094001	193667			3/8"	100,0	12,0	17,5

8740 B Zyklop Bit socket with $\frac{3}{8}$ " drive, with extra slim profile area

- Bit socket (non-impact) for manual or machine tool operations
- The holding function holds screws securely on the tool
- With Take it easy tool finder: colour coding by size

8740 B Zyklop Bit socket with $\frac{3}{8}$ " drive, with extra slim profile area



Code	EAN		mm	mm	mm	mm	mm	
05003050001	227058		4,0	107,0	12,0	17,5	81,5	1
05003051001	227065		5,0	107,0	12,0	17,5	81,5	1
05003052001	227072		6,0	107,0	12,0	17,5	81,5	1
05003054001	227089		8,0	100,0	12,0	17,5	74,5	1
05003056001	227096		10,0	100,0	12,0	17,5	74,5	1

Belt B 2 Zyklop In-Hex-Plus bit socket set with holding function, $\frac{3}{8}$ " drive


Typically Wera designed robust textile belt with 8 in-hex bit-sockets taking up minimal space. A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly.

Includes a snap hook for secure fastening to a belt loop or pocket. Supplied with a nonwoven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 8-piece bit socket set on a robust textile belt, $\frac{3}{8}$ "
- Bit-sockets with all the advantages of the Wera bit technology
- Bit-sockets with holding function for screws/bolts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt B 2 Zyklop In-Hex-Plus bit socket set with holding function, $\frac{3}{8}$ " drive



Code	EAN			
05003971001	194954			1
		○	8740 B HF 1x 3,0x35,0; 1x 4,0x35,0; 1x 5,0x35,0; 1x 6,0x35,0; 1x 7,0x38,5; 1x 8,0x38,5; 1x 9,0x38,5; 1x 10,0x38,5	
			Belt B 0/8 1x 45,0x275,0	
			Hook and Loop Fastener Strip 30 1x 30,0x200,0	

8740 B HF 1 Zyklop bit socket set with holding function, 3/8" drive

- Compact textile box with high robustness, low weight and volume
- Bit socket (non-impact) for manual or power tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower socket end for more grip when used manually
- Long design

8740 B HF 1 Zyklop bit socket set with holding function, 3/8" drive



			
Code	EAN		
05003180001	4013288 195050		1
		8740 B HF 1x 4,0x107,0; 1x 5,0x107,0; 1x 6,0x107,0; 1x 7,0x100,0; 1x 8,0x100,0; 1x 9,0x100,0; 1x 10,0x100,0	
		Hook and Loop Fastener Strip 120 1x 50,0x120,0	

8740 B HF Imperial 1 Zyklop bit socket set with holding function, 3/8" drive

- Long version
- Imperial sizes

8740 B HF Imperial 1 Zyklop bit socket set with holding function, 3/8" drive



			
Code	EAN		
05003181001	4013288 195067		1
		8740 B HF 1x 1/8"x107,0; 1x 5/32"x107,0; 1x 3/16"x107,0; 1x 7/32"x107,0; 1x 1/4"x107,0; 1x 5/16"x100,0; 1x 3/8"x100,0	
		Hook and Loop Fastener Strip 120 1x 50,0x120,0	

Belt B Imperial 1 Zyklus In-Hex-Plus bit socket set with holding function, 3/8" drive


Typically Wera designed robust textile belt with 8 in-hex bit-sockets taking up minimal space. A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding by size to enable the right tool to be selected easily and quickly.

Includes a snap hook for secure fastening to a belt loop or pocket. Supplied with a nonwoven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 8-piece bit socket set on a robust textile belt, 3/8"
- Bit-sockets with all the advantages of the Wera bit technology
- Bit-sockets with holding function for screws/bolts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System
- Imperial

Belt B Imperial 1 Zyklus In-Hex-Plus bit socket set with holding function, 3/8" drive



Code	EAN		
05003974001	194985		1
		8740 B HF 1x 1/8"x35,0; 1x 9/64"x35,0; 1x 5/32"x35,0; 1x 3/16"x35,0; 1x 7/32"x35,0; 1x 1/4"x35,0; 1x 5/16"x38,5; 1x 3/8"x38,5	
		Belt B 0/8 1x 45,0x275,0	
		Hook and Loop Fastener Strip 30 1x 30,0x200,0	

Bicycle set 8

7-piece bit socket set with 3/8" drive for typical bicycle operations. Bit sockets with 30mm long and extra slim profile area for better accessibility in tight workspaces. The knurling facilitates manual screwdriving without slipping.

With Take it easy tool finder with colour coding by size - to help you find the required tool quickly and easily.

- Bit sockets with holding function for the most common TORX® and Hex screws
- The holding function holds screws securely on the tool
- With Take it easy tool finder: colour coding by size
- Knurling on lower socket end for more grip when used manually
- In a robust folding bag for easy transport

Bicycle set 8



Code	EAN		
05004176001	220622		1
		8767 B 1x TX 25x107,0; 1x TX 30x107,0	
		8740 B 1x 4,0x107,0; 1x 5,0x107,0; 1x 6,0x107,0; 1x 8,0x100,0; 1x 10,0x100,0	
		Hook and Loop Fastener Strip 120 1x 50,0x70,0	

8796 LB Zyklus "flexible-lock" extension with free-turning sleeve, long, 3/8"

- For 3/8" square sockets with ball lock
- Flexible lock system for either locking or rapid exchange of the attached tool
- With free-turning sleeve for rapid tightening and loosening of screws and nuts

8796 LB Zyklus "flexible-lock" extension with free-turning sleeve, long, 3/8"



Code	EAN						
05003592001	121325	3/8"	200,0				1

8796 SB Zyklop "flexible-lock" extension with free-turning sleeve, short, 3/8"

- Flexible lock system for either locking or rapid exchange of the attached tool
- For 3/8" square sockets with ball lock
- With free-turning sleeve for rapid tightening and loosening of screws and nuts

8796 SB Zyklop "flexible-lock" extension with free-turning sleeve, short, 3/8"



	EAN							
Code	4013288		mm					
05003591001	121318	3/8"	125,0					1

8794 LB Zyklop extension with free-turning sleeve, long, 3/8"

Wera Zyklop extension with easy-to-grip free-turning sleeve for rapid tightening and loosening of screws and nuts. Out of high quality chrome vanadium steel, matt chrome-plated.

8794 LB Zyklop extension with free-turning sleeve, long, 3/8"



	EAN							
Code	4013288		mm					
05003583001	121288	3/8"	200,0					1

8794 SB Zyklop extension with free-turning sleeve, short, 3/8"

Wera Zyklop extension with easy-to-grip free-turning sleeve for rapid tightening and loosening of screws and nuts. Out of high quality chrome vanadium steel, matt chrome-plated.

8794 SB Zyklop extension with free-turning sleeve, short, 3/8"



	EAN							
Code	4013288		mm					
05003582001	121271	3/8"	125,0					1

8795 B Zyklop universal joint, 3/8"

Wera Zyklop universal joint for 3/8" square sockets with ball lock.

8795 B Zyklop universal joint, 3/8"



	EAN							
Code	4013288		mm					
05003585001	121523	3/8"	50,0					1

8794 B Zyklop wobble extension, 3/8"

Wobble extension for the Wera Zyklop. Swivel angle of 15° in all directions. This ensures rapid and precise work even in confined working situations.

8794 B Zyklop wobble extension, 3/8"



	EAN							
Code	4013288		mm					
05003584001	121295	3/8"	76,0					1

8784 B1 Zyklop bit adaptor, 3/8"

- 3/8" Zyklop adaptor with quick-release chuck for rapid bit change

8784 B1 Zyklop bit adaptor, 3/8"



	EAN							
Code	4013288		mm					
05003590001	121301	1/4"	3/8"	44,0				1

8789 B Zyklop sliding T-handle, 3/8"

Wera ZyklopT-handle for higher torque transfer. For 3/8" square sockets with ball lock. Adjustable drive for more flexible usage. Out of high quality chrome vanadium steel, matt chrome-plated.

8789 B Zyklop sliding T-handle, 3/8"



	EAN							
Code	4013288		mm					
05003581001	121516	3/8"	165,0					3

Socket rail B (textile belt), 8 location, unloaded



Code	EAN			
05003980001	4013288 195005			1
		Belt B 0/8 1x 45,0x275,0		
		Hook and Loop Fastener Strip 30 1x 30,0x200,0		

Socket rail B (textile belt), 9 location, unloaded



Code	EAN			
05003981001	4013288 195012			1
		Belt B 0/9 1x 45,0x310,0		
		Hook and Loop Fastener Strip 30 1x 30,0x200,0		



9601 Magnetic socket rail, 3/8", empty

1 socket rail, empty. For up to 10 sockets and/or bit sockets with 3/8" drive.

The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.


- Rail with secure bit mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Empty, for up to 10 sockets, 3/8"

9601 Magnetic socket rail, 3/8", empty



	EAN							
Code	4013288	mm	mm					1
05136421001	223333	30,0	340,0					

Zyklop Speed - incredibly fast and incredibly flexible



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable.

They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility. Take it easy Tool Finder with colour coding according to sizes.

- Freely pivoting ratchet head with 5 predefined locking positions
- Fine toothing with 72 teeth
- Small return angle of only 5°
- Free-turning sleeve for high working speeds
- Take it easy tool finder with colour coding according to sizes
- Compact textile box with high robustness, low weight and volume

8100 SC 6 Zyklop Speed Ratchet Set, 1/2" drive, metric



Code	EAN		
05004076001	4013288	173874	1
		8000 C	
		1x 1/2"x277,0	
		8790 HMC	
		1x 10,0x37,0; 1x 11,0x37,0; 1x 12,0x37,0; 1x 13,0x37,0; 1x 14,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 18,0x37,0; 1x 19,0x37,0	
		8794 LC	
		1x 1/2"x250,0	
		8794 C	
		1x 1/2"x52,0	
		8784 C2	
		1x 9/16"x1/2"x50,0	
		851/2 Z PH	
		1x PH 2x32; 1x PH 3x32	
		855/2 Z PZ	
		1x PZ 2x32; 1x PZ 3x32	
		867/2 Z TORX®	
		1x TX 20x35; 1x TX 25x35; 1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35	
		840/2 Z	
		1x 5x30; 1x 6x30; 1x 8x30; 1x 10x30	

8100 SC 9 Zyklop Speed Ratchet Set, 1/2" drive, imperial



Code	EAN			
05004079001	173997			1
		8000 C	1x 1/2"x277,0	
		8790 HMC	1x 3/8"x37,0; 1x 7/16"x37,0; 1x 1/2"x37,0; 1x 9/16"x37,0; 1x 19/32"x37,0; 1x 5/8"x37,0; 1x 11/16"x37,0; 1x 3/4"x37,0; 1x 25/32"x37,0; 1x 19/16"x37,0	
		8794 LC	1x 1/2"x250,0	
		8794 C	1x 1/2"x52,0	
		8784 C2	1x 5/16"x1/2"x50,0	
		851/2 Z PH	1x PH 2x32; 1x PH 3x32	
		855/2 Z PZ	1x PZ 2x32; 1x PZ 3x32	
		867/2 Z TORX®	1x TX 20x35; 1x TX 25x35; 1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35	
		840/2 Z	1x 7/32"x30; 1x 1/4"x30; 1x 5/16"x30; 1x 3/8"x30	

8100 SC 2 Zyklop Speed Ratchet Set, 1/2" drive, metric

- 37-piece set in a robust metal case



Code	EAN			
05003645001	121189			1
		8000 C	1x 1/2"x277,0	
		8790 HMC	1x 10,0x37,0; 1x 11,0x37,0; 1x 12,0x37,0; 1x 13,0x37,0; 1x 14,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 18,0x37,0; 1x 19,0x37,0; 1x 20,0x37,0; 1x 21,0x37,0; 1x 22,0x37,0; 1x 24,0x37,0; 1x 27,0x40,0; 1x 30,0x42,0; 1x 32,0x42,0	
		8789 C	1x 1/2"x250,0	
		8794 C	1x 1/2"x52,0	
		8795 C	1x 1/2"x69,0	
		8784 C2	1x 5/16"x1/2"x50,0	
		8796 SC	1x 1/2"x125,0	
		8796 LC	1x 1/2"x250,0	
		851/2 Z PH	1x PH 3x32	
		855/2 Z PZ	1x PZ 3x32	
		867/2 Z TORX®	1x TX 20x35; 1x TX 25x35; 1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35; 1x TX 55x35	
		840/2 Z	1x 5x30; 1x 6x30; 1x 8x30; 1x 10x30	

8100 SC 4 Zyklop Speed Ratchet Set, 1/2" drive, imperial

- 38-piece set in a robust metal case

8100 SC 4 Zyklop Speed Ratchet Set, 1/2" drive, imperial



Code	EAN		
05003647001	121202		1
			8000 C 1x 1/2"x277,0
			8790 HMC 1x 3/8"x37,0; 1x 7/16"x37,0; 1x 1/2"x37,0; 1x 9/16"x37,0; 1x 19/32"x37,0; 1x 5/8"x37,0; 1x 11/16"x37,0; 1x 3/4"x37,0; 1x 25/32"x37,0; 1x 13/16"x37,0; 1x 7/8"x37,0; 1x 15/16"x37,0; 1x 31/32"x37,0; 1x 1"x40,0; 1x 1 1/16"x40,0; 1x 1 1/8"x40,0; 1x 1 3/16"x42,0; 1x 1 1/4"x42,0
			8789 C 1x 1/2"x250,0
			8794 C 1x 1/2"x52,0
			8795 C 1x 1/2"x69,0
			8784 C2 1x 5/16"x1/2"x50,0
			8796 SC 1x 1/2"x125,0
			8796 LC 1x 1/2"x250,0
			851/2 Z PH 1x PH 3x32
			855/2 Z PZ 1x PZ 3x32
			867/2 Z TORX® 1x TX 20x35; 1x TX 25x35; 1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35; 1x TX 55x35
			840/2 Z 1x 7/32"x30; 1x 1/4"x30; 1x 5/16"x30; 1x 3/8"x30

8000 C Zyklop Speed Ratchet with 1/2" drive

- Combines five different types of a ratchet in one
- Flywheel design and easy-to-grip free-turning sleeve for very high working speeds
- Freely pivoting ratchet head, push button release and left/right switchover
- Fine-tooth design allows a small return angle of 5°
- Can also be used as a screwdriver

8000 C Zyklop Speed Ratchet with 1/2" drive




Code	EAN						
05003600001	121882	1/2"	277,0				1

8000 C SB Zyklop Speed Ratchet with 1/2" drive



Code	EAN			
05073262001	128058		8000 C 1x 1/2"x277,0	3


Zyklop Hybrid - longer for more torque



Zyklop Hybrid ratchet set, 1/2" drive, metric. Including Zyklop Hybrid ratchet and Hybrid handle extension.

- Switchover lever for convenient direction change
- Fine-pitched with 72 teeth for a return angle of only 5°
- Compact textile box with high robustness, low weight and volume
- Colour coding of the sockets according to size
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets

8006 SC 1 Zyklop Hybrid Ratchet Set, 1/2" drive, metric




Code	EAN			
05004090001	4013288 182159			1
		8006 C	1x 1/2"x281,0	
		8797 C	1x 271,0	
		8794 LC	1x 1/2"x250,0	
		8790 HMC HF	1x 10,0x37,0; 1x 11,0x37,0; 1x 12,0x37,0; 1x 13,0x37,0; 1x 14,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 18,0x37,0; 1x 19,0x37,0	
		Hook and Loop Fastener Strip 240	1x 50,0x240,0	

Zyklop Hybrid Set

Zyklop Hybrid ratchet set, 1/2" drive, metric. Including Zyklop Hybrid ratchet and Hybrid handle extension, extension and 10 sockets.

- Zyklop Hybrid ratchet with long overall length (leverage effect) and slim ratchet head
- Fine-pitched with 72 teeth for a return angle of only 5°
- Extension with unlocking pin

Zyklop Hybrid Set



Code	EAN			
05004095001	4013288 184320			1
		8006 C	1x 1/2"x281,0	
		8797 C	1x 271,0	

8006 C Zyklop Hybrid Ratchet with switch lever and 1/2" drive

Zyklop Hybrid ratchet with switchover lever and 1/2" drive, low weight, ergonomic Kraftform handle with slim head design, long lever and with an extension option.

8006 C Zyklop Hybrid Ratchet with switch lever and 1/2" drive



Code	EAN						
05003780001	4013288 184214	1/2"	281,0	34	37		3

8797 C Zyklop Hybrid extension


- Can be used with Zyklop Hybrid 8006 C
- To increase the torque to be applied
- Multi-component Kraftform handle optimised to withstand pressure and tensile loads
- With unlocking pin
- Blade out of tough, tempered chrome-molybdenum steel

8797 C Zyklop Hybrid extension



	EAN	Ø	l					
Code	4013288	mm	mm					
05003781001	183200	271,0	134,0					1

Zyklop Metal with push-through square



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable.

They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility.

Take it easy Tool Finder with colour coding according to sizes.

- Extremely slim ratchet with long lever
- Return angle of only 4.7°
- Absolutely smooth switchover of the non-detachable push-through square
- Take it easy tool finder system

8100 SC 7 Zyklop Metal Ratchet Set with push-through square, 1/2" drive, metric



Code	EAN		
05004077001	173942		1
		8003 C 1x 1/2"x281,0	
		8790 HMC 1x 10,0x37,0; 1x 11,0x37,0; 1x 12,0x37,0; 1x 13,0x37,0; 1x 14,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 18,0x37,0; 1x 19,0x37,0	
		8794 LC 1x 1/2"x250,0	
		8794 C 1x 1/2"x52,0	
		8784 C2 1x 5/16"x1/2"x50,0	
		851/2 Z PH 1x PH 2x32; 1x PH 3x32	
		867/2 Z TORX® 1x TX 20x35; 1x TX 25x35; 1x TX 27x35; 1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35; 1x TX 55x35	
		840/2 Z 1x 5x30; 1x 6x30; 1x 8x30; 1x 10x30	

8100 SC 10 Zyklop Metal Ratchet Set with push-through square, 1/2" drive, imperial



Code	EAN			
05004080001	4013288	173966		1
			8003 C 1x 1/2"x281,0	
			8790 HMC 1x 3/8"x37,0; 1x 7/16"x37,0; 1x 1/2"x37,0; 1x 9/16"x37,0; 1x 19/32"x37,0; 1x 5/8"x37,0; 1x 11/16"x37,0; 1x 3/4"x37,0; 1x 25/32"x37,0; 1x 13/16"x37,0	
			8794 LC 1x 1/2"x250,0	
			8794 C 1x 1/2"x52,0	
			8784 C2 1x 5/16"x1/2"x50,0	
			851/2 Z PH 1x PH 2x32; 1x PH 3x32	
			867/2 Z TORX® 1x TX 20x35; 1x TX 25x35; 1x TX 27x35; 1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35; 1x TX 55x35	
			840/2 Z 1x 7/32"x30; 1x 1/4"x30; 1x 5/16"x30; 1x 3/8"x30	

8003 C Zyklop Metal Ratchet with push-through square and 1/2" drive

- Forged, full metal ratchet (chrome-molybdenum); slim design to enable work in very confined spaces.
- The dual-ratchet-teeth design means that a 76 fine-toothing division can be achieved from the 38 robust teeth with a return angle of only 4.7°.
- Absolutely smooth switchover of the non-detachable push-through square
- For 1/2" square sockets with ball lock

8003 C Zyklop Metal Ratchet with push-through square and 1/2" drive



Code	EAN						
05004063001	4013288		mm	mm	mm		3
	174055	1/2"	281,0	36	37		

Zyklop Metal with switch lever



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable.

They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility.

Take it easy Tool Finder with colour coding according to sizes.

- Convenient direction change thanks to switchover lever
- Extremely slim ratchet with long lever
- Return angle of only 5°

8100 SC 8 Zyklop Metal Ratchet Set with switch lever, 1/2" drive, metric



Code	EAN			
05004078001	4013288 173881			1
		□	8004 C 1x 1/2"x281,0	
		●	8790 HMC 1x 10,0x37,0; 1x 11,0x37,0; 1x 12,0x37,0; 1x 13,0x37,0; 1x 14,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 18,0x37,0; 1x 19,0x37,0	
		□	8794 LC 1x 1/2"x250,0	
		□	8794 C 1x 1/2"x52,0	
		●	8784 C2 1x 5/16"x1/2"x50,0	
		+	851/2 Z PH 1x PH 2x32; 1x PH 3x32	
		⬢	867/2 Z TORX® 1x TX 20x35; 1x TX 25x35; 1x TX 27x35; 1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35; 1x TX 55x35	
		○	840/2 Z 1x 5x30; 1x 6x30; 1x 8x30; 1x 10x30	

8100 SC 11 Zyklus Metal Ratchet Set with switch lever, 1/2" drive, imperial



Code	EAN			
05004081001	173973			1
		8004 C	1x 1/2"x281,0	
		8790 HMC	1x 3/8"x37,0; 1x 7/16"x37,0; 1x 1/2"x37,0; 1x 9/16"x37,0; 1x 19/32"x37,0; 1x 5/8"x37,0; 1x 11/16"x37,0; 1x 3/4"x37,0; 1x 25/32"x37,0; 1x 13/16"x37,0	
		8794 LC	1x 1/2"x250,0	
		8794 C	1x 1/2"x52,0	
		8784 C2	1x 5/16"x1 1/2"x50,0	
		851/2 Z PH	1x PH 2x32; 1x PH 3x32	
		867/2 Z TORX®	1x TX 20x35; 1x TX 25x35; 1x TX 27x35; 1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35; 1x TX 55x35	
		840/2 Z	1x 7/32"x30; 1x 1/4"x30; 1x 5/16"x30; 1x 3/8"x30	

8004 C Zyklus Metal Ratchet with switch lever and 1/2" drive

- Convenient direction change thanks to switchover lever
- Extremely slim ratchet with long lever
- Return angle of only 5°
- Secure socket locking

8004 C Zyklus Metal Ratchet with switch lever and 1/2" drive



Code	EAN		mm	mm	mm		
05004064001	174062	1/2"	281,0	34	37		3

8790 C Impaktor socket with 1/2" drive

Impaktor socket for use with electric or pneumatic impact wrenches with 12.5mm = 1/2" drive. The Impaktor technology ensures above-average service life even under extreme conditions.

With Take it easy tool finder with colour coding by size - for easy and fast location of the required tool. With hexagonal profile and grooved socket.

The hexagon profile allows the transmission of high forces and puts less strain on the edges of bolts or screw heads than a double hexagon profile. For hexagon headed bolts, screws and nuts.

- For use with electric or pneumatic powered impact wrenches with 12.5mm = 1/2" drive
- Impaktor technology for above-average service life
- Hexagonal profile enables precise and profile-preserving screwdriving with high power transmission
- With Take it easy tool finder: colour coding by size
- With cross-bore and ring socket for securing locking pin and locking ring of machine-operated tools

8790 C Impaktor socket with 1/2" drive



Code	EAN		mm	mm	mm	mm	
05004570001	210012		13,0	38,0	21,0	24,0	1
05004571001	210029		14,0	38,0	22,0	24,0	1
05004572001	210036		15,0	38,0	24,0	24,0	1
05004573001	210043		16,0	38,0	24,0	24,0	1
05004574001	210050		17,0	38,0	26,0	26,0	1
05004575001	210067		18,0	38,0	28,0	28,0	1
05004576001	210074		19,0	38,0	28,0	28,0	1
05004577001	210081		20,0	38,0	26,0	30,0	1
05004578001	210098		21,0	38,0	26,0	30,0	1

Belt C Impaktor 1 socket set, 1/2" drive

Robust textile belt in the typical Wera design with nine Impaktor socket wrench plug-ins for missions in confined spaces. A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets. Including snap hook for attachment on belt loops or bags.

With fleece backing and hook and loop fastener strips for easy attachment e.g. on wall, shelf, workshop trolley and Wera 2go tool transport system. Impaktor sockets for use with electric or pneumatic powered impact wrenches with 12.5mm = 1/2" drive.

Impaktor technology ensures above-average service life, even under extreme conditions. With Take it easy tool finder with colour coding by size - for easy and fast location of the required tool. With hexagonal profile and grooved socket.

The hexagon profile allows the transmission of high forces and puts less strain on the edges of bolts or screw heads than a double hexagon profile. For external hexagonal bolts and sockets.

- 9-piece socket set on robust textile belt 1/2"
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Particularly suitable for use with customary impact drivers
- With Take it easy tool finder: colour coding by size
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt C Impaktor 1 socket set, 1/2" drive



Code	EAN		
05004580001	210104		1
		●	8790 C Impaktor 1x 13,0x38,0; 1x 14,0x38,0; 1x 15,0x38,0; 1x 16,0x38,0; 1x 17,0x38,0; 1x 18,0x38,0; 1x 19,0x38,0; 1x 20,0x38,0; 1x 21,0x38,0
			Belt C Impaktor 0/9 1x 71,0x210,0
			Hook and Loop Fastener Strip 30 1x 30,0x200,0

Magnetic socket rail C Impaktor 1 socket set, 1/2" drive

Socket rail with 9 Impaktor sockets for use with electric or pneumatic wrenches with 12.5 mm = 1/2" drive.

The Impaktor technology ensures a higher-than-average service life even at extreme requirements.

The hexagon profile used allows a high power transmission while simultaneously being precise and protecting the profile.

With Take it easy tool finder with colour coding by size - to help you find the required tool quickly and easily.

The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.

- 9-piece socket set on socket rail, 1/2"
- For use with electric or pneumatic powered impact wrenches with 12.5mm = 1/2" drive
- Impaktor technology for above-average service life
- Hexagonal profile enables precise and profile-preserving screwdriving with high power transmission
- With cross-bore and ring socket for securing locking pin and locking ring of machine-operated tools

Magnetic socket rail C Impaktor 1 socket set, 1/2" drive



Code	EAN		
05005490001	223289		1
		●	8790 C Impaktor 1x 13,0x38,0; 1x 14,0x38,0; 1x 15,0x38,0; 1x 16,0x38,0; 1x 17,0x38,0; 1x 18,0x38,0; 1x 19,0x38,0; 1x 20,0x38,0; 1x 21,0x38,0
			9602 1x 30,0x370,0

8790 C Impaktor Deep socket with 1/2" drive

Long Impaktor socket for use with electric or pneumatic wrenches with 12.5 mm = 1/2" drive. For use even at low lying couplings and protruding thread rods.

The Impaktor technology ensures a higher-than-average service life even at extreme requirements. With Take it easy tool finder with colour coding by size – to help you find the required tool quickly and easily.

With hexagon profile with socket and well. With hexagon profile with socket and well. The hexagon profile enables the transmission of high forces and loads the edges of the bolt or the screw head less than a double hexagon profile. For external hexagon bolts and screws.

- Robust Impaktor sockets for extremely high stress; for use with electric or pneumatic wrenches with 12.5 mm = 1/2" drive
- Long socket wrenches for low lying couplings, also suitable for fitting, protruding thread rods in confined spaces
- With cross-bore and ring socket for securing locking pin and locking ring of machine-operated tools

8790 C Impaktor Deep socket with 1/2" drive



Code	EAN		mm	mm	mm	mm		
05004830001	221926		13,0	83,0	21,0	24,0		1
05004831001	221933		14,0	83,0	22,0	24,0		1
05004832001	221940		15,0	83,0	24,0	24,0		1
05004833001	221957		16,0	83,0	24,0	24,0		1
05004834001	221964		17,0	83,0	26,0	26,0		1
05004835001	221995		18,0	83,0	28,0	28,0		1
05004836001	222008		19,0	83,0	28,0	28,0		1
05004837001	222015		21,0	83,0	30,0	27,0		1
05004838001	222107		22,0	83,0	32,0	28,0		1
05004839001	222114		24,0	83,0	34,0	30,0		1
05004840001	222121		27,0	83,0	38,0	33,0		1

8790 C Impaktor Deep Set 1

Set with 11 Impaktor Deep sockets for use with electric or pneumatic wrenches with 12.5 mm = 1/2" drive. Long design for low-lying couplings and protruding thread rods.

The Impaktor technology ensures a higher-than-average service life even at extreme requirements.

The hexagon profile used allows a high power transmission while simultaneously being precise and protecting the profile. With Take it easy tool finder with colour coding by size - for quick and easy identification of the required tool .

- Long 1/2" sockets for low-profile-fitting screw connections in tight construction spaces and for protruding threaded rods
- For use with electric or pneumatic powered impact wrenches with 12.5mm = 1/2" drive
- Impaktor technology for above-average service life
- Hexagonal profile enables precise and profile-preserving screwdriving with high power transmission
- With cross-bore and ring socket for securing locking pin and locking ring of machine-operated tools
- With Take it easy tool finder: colour coding by size
- In a robust textile box

8790 C Impaktor Deep Set 1



Code	EAN		
05004841001	224088		1
		8790 C Impaktor Deep 1x 13,0x83,0; 1x 14,0x83,0; 1x 15,0x83,0; 1x 16,0x83,0; 1x 17,0x83,0; 1x 18,0x83,0; 1x 19,0x83,0; 1x 21,0x83,0; 1x 22,0x83,0; 1x 24,0x83,0; 1x 27,0x83,0	

8790 HMC Zyklop socket with 1/2" drive

- 1/2" inch Zyklop socket
- For manual and power tool operations (non-impact)
- Knurling at lower end to enable easy gripping when used in manual applications
- Equipped with ball stop groove
- Take it easy tool finder with colour coding according to sizes

8790 HMC Zyklop socket with 1/2" drive



Code	EAN		mm	mm	mm	mm	mm	
05003601001	120618		10,0		37,0	15,5	24,0	1
05003602001	120625		11,0		37,0	16,5	24,0	1
05003603001	120656		12,0		37,0	17,5	24,0	1
05003604001	120663		13,0		37,0	19,0	24,0	1
05003605001	120670		14,0		37,0	20,0	24,0	1
05003606001	120687		15,0		37,0	21,0	24,0	1
05003607001	120694		16,0		37,0	22,5	24,0	1
05003608001	120700		17,0		37,0	24,0	26,0	1
05003609001	120717		18,0		37,0	25,0	26,0	1
05003610001	120724		19,0		37,0	26,5	26,0	1
05003611001	120731		20,0		37,0	28,0	26,0	1
05003612001	120748		21,0		37,0	29,0	26,0	1
05003613001	120755		22,0		37,0	30,5	26,0	1
05003614001	120762		24,0		37,0	33,0	28,0	1
05003615001	120779		27,0		40,0	36,5	32,0	1
05003616001	120786		30,0		42,0	40,0	34,0	1
05003617001	120793		32,0		42,0	42,0	36,0	1
05003618001	120809		3/8"		37,0	15,5	24,0	1
05003619001	120816		7/16"		37,0	16,5	24,0	1
05003620001	120823		1/2"		37,0	19,0	24,0	1
05003621001	120830		9/16"		37,0	20,0	24,0	1
05003622001	120847		19/32"		37,0	21,0	24,0	1
05003623001	120854		5/8"		37,0	22,5	24,0	1
05003624001	120861		11/16"		37,0	25,5	26,0	1
05003625001	120878		3/4"		37,0	26,5	26,0	1
05003626001	120885		25/32"		37,0	28,0	26,0	1
05003627001	120892		13/16"		37,0	29,0	26,0	1
05003628001	120908		7/8"		37,0	30,5	26,0	1
05003629001	120915		15/16"		37,0	33,0	28,0	1
05003630001	120922		31/32"		37,0	33,0	28,0	1
05003631001	120939		1"		40,0	36,5	32,0	1
05003632001	120946		1 1/16"		40,0	36,5	32,0	1
05003633001	120953		1 1/8"		40,0	40,0	34,0	1
05003634001	120960		1 3/16"		42,0	40,0	34,0	1
05003635001	120977		1 1/4"		42,0	42,0	36,0	1

8790 HMC HF Zyklop socket with 1/2" drive with holding function

- Socket (non-impact) for manual or power tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Chrome vanadium steel, matt chrome-plated
- Equipped with ball stop groove, knurling at lower end for better gripping

8790 HMC HF Zyklop socket with 1/2" drive with holding function



Code	EAN		mm	mm	mm	mm	mm	
05003730001	180957		10,0	37,0	17,8	23,5	10,4	1
05003731001	180964		11,0	37,0	18,8	23,5	10,4	1
05003732001	180971		12,0	37,0	20,4	23,5	11,4	1
05003733001	181022		13,0	37,0	21,4	23,5	11,4	1
05003734001	181039		14,0	37,0	22,6	23,5	11,4	1
05003735001	181046		15,0	37,0	23,6	23,5	12,0	1
05003736001	181053		16,0	37,0	25,0	23,5	12,0	1
05003737001	181060		17,0	37,0	26,8	23,5	12,5	1
05003738001	181077		18,0	37,0	28,0	23,5	12,5	1
05003739001	181084		19,0	37,0	29,2	23,5	14,0	1

Belt C 1 Zyklop socket set with holding function, 1/2" drive

Typically Wera designed robust textile belt with 6 sockets taking up minimal space. A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly.

Includes a snap hook for secure fastening to a belt loop or pocket. Sockets with holding function for particularly convenient screwdriving with reduced risk of losing the screw when approaching the workpiece.

Supplied with a non-woven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 7-piece socket set on a robust textile belt, 1/2"
- Sockets with holding function for screws/bolts/nuts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Take it easy tool finder with colour coding according to sizes
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt C 1 Zyklop socket set with holding function, 1/2" drive



Code	EAN		
05003995001	204400		1
		●	8790 HMC HF 1x 10,0x37,0; 1x 13,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 19,0x37,0
			Nut Extractor 1x 14,0x43,0
			Belt C 0/6 1x 45,0x275,0
			Hook and Loop Fastener Strip 30 1x 30,0x200,0

Magnetic socket rail C Imperial 1 Zyklop socket set, 1/2" drive, imperial


Socket rail with 9 manual and machine socket wrench inserts (non-impact), 1/2". A smooth rotary mechanism allows a secure hold and easy access of the sockets.

With Take it easy tool finder with colour coding by size - to help you find the required tool quickly and easily.

The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.

- 9-piece socket set on socket rail, 1/2"
- Rail with secure bit mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- With Take it easy tool finder: colour coding by size

Magnetic socket rail C Imperial 1 Zyklop socket set, 1/2" drive, imperial



Code	EAN		
05005480001	223296		1
		●	8790 HMC 1x 3/8"x37,0; 1x 7/16"x37,0; 1x 1/2"x37,0; 1x 9/16"x37,0; 1x 5/8"x37,0; 1x 11/16"x37,0; 1x 3/4"x37,0; 1x 7/8"x37,0; 1x 1"x40,0
			9602 1x 30,0x370,0

8790 HMC HF 1 Zyklus socket set with 1/2" drive, with holding function

Socket set with holding function for particularly convenient screwdriving with reduced risk of losing the screw when addressing the workpiece.

- Compact textile box with high robustness, low weight and volume
- Bit socket (non-impact) for manual or power tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower socket end for more grip when used manually

8790 HMC HF 1 Zyklus socket set with 1/2" drive, with holding function



Code	EAN			
05004203001	184238			1
		●	8790 HMC HF 1x 10,0x37,0; 1x 11,0x37,0; 1x 12,0x37,0; 1x 13,0x37,0; 1x 14,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 18,0x37,0; 1x 19,0x37,0	
			Hook and Loop Fastener Strip 120 1x 50,0x120,0	

8790 C Wheel Impaktor Socket with 1/2" drive

Impaktor socket, 1/2", for use with impact wrenches, with rotating smooth plastic sleeve for higher working speed, better accuracy during screwdriving and additional rim protection.

- For use with electric or pneumatic impact wrenches with 12.5mm = 1/2" drive
- Robust Impaktor design for extremely high stresses
- Hexagonal profile enables precise and profile-preserving screwdriving with high power transmission
- Take it easy tool finder with colour coding according to sizes

8790 C Wheel Impaktor Socket with 1/2" drive



Code	EAN		mm	mm	mm			
05004590001	210739		17,0	85,0	30,0			1
05004591001	210746		19,0	85,0	30,0			1
05004592001	210753		21,0	85,0	32,0			1

Wheel Impaktor C Set 1 Socket set, 1/2" drive

Three 1/2" Impaktor socket wrench plug-ins, for use with impact wrenches; with rotating smooth plastic sleeve for higher working speed and additional rim protection. Internal plastic insert to protect the wheel bolt surface.

Wheel Impaktor C Set 1 Socket set, 1/2" drive



				
Code	EAN			
	4013288			
05004595001	210760			1
			8790 C Wheel Impaktor 1x 17,0x85,0x30,0; 1x 19,0x85,0x30,0; 1x 21,0x85,0x32,0	

8790 HMC Deep socket with 1/2" drive

Long 1/2" hand and machine socket (ISO 2725 part 3) with ball intercept ring; for external hexagonal bolts and sockets. For use in manual and machine operation (non-impact), even with low-lying screwdriving and protruding threaded rods.

With Take it easy tool finder with colour coding by size - for easy and fast location of the required tool. Easy to grasp even with oily hands.

The hexagon profile allows the transmission of high forces and puts less strain on the edges of bolts or screw heads than a double hexagon profile. Fine-toothed ratchets also make the use of a double hexagon profile superfluous, even in confined spaces, thanks to their small back-pivoting angle.

- Long sockets for low-lying screwdriving, often even with protruding threaded rods in small spaces
- Hexagonal profile enables precise bolting with high power transmission and preserves the profile
- Knurling at lower end to enable easy gripping when used in manual applications
- Made of matt chromed chrome-vanadium

8790 HMC Deep socket with 1/2" drive



		EAN							
Code	4013288		mm	mm	mm	mm			
05004550001	210562		10,0	83,0	15,5	21,8			1
05004551001	210579		11,0	83,0	16,7	22,0			1
05004552001	210586		12,0	83,0	18,0	22,0			1
05004553001	210593		13,0	83,0	19,2	22,0			1
05004554001	210609		14,0	83,0	20,5	22,0			1
05004555001	210616		15,0	83,0	22,0	20,7			1
05004556001	210623		16,0	83,0	22,0	20,7			1
05004557001	210630		17,0	83,0	24,0	22,2			1
05004558001	210647		18,0	83,0	26,0	23,2			1
05004559001	210654		19,0	83,0	26,0	23,2			1
05004560001	210661		20,0	83,0	28,0	25,2			1
05004561001	210678		21,0	83,0	28,0	25,2			1
05004562001	210685		22,0	83,0	30,0	27,2			1
05004563001	210692		24,0	83,0	32,0	28,2			1

Belt C Deep 1 socket set, 1/2" drive


- 6-piece socket set on robust textile belt, 1/2"
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Long 1/2" socket for low-profile-fitting screw connections in tight construction spaces and for protruding threaded rods
- Hexagonal profile enables precise and profile-preserving screwdriving with high power transmission
- Take it easy tool finder with colour coding according to sizes

Belt C Deep 1 socket set, 1/2" drive



Code	EAN			
05004565001	210708			1
		●	8790 HMC Deep 1x 10,0x83,0; 1x 13,0x83,0; 1x 15,0x83,0; 1x 16,0x83,0; 1x 17,0x83,0; 1x 19,0x83,0	
			Belt C 0/6 1x 45,0x275,0	
			Hook and Loop Fastener Strip 30 1x 30,0x200,0	

Magnetic socket rail C Deep 1 socket set, 1/2" drive



Code	EAN			
05005470001	223272			1
		●	8790 HMC Deep 1x 10,0x83,0; 1x 13,0x83,0; 1x 15,0x83,0; 1x 16,0x83,0; 1x 17,0x83,0; 1x 19,0x83,0	
			9602 1x 30,0x370,0	

8790 HMC Deep Socket wrench insert with cutout shaft, with 1/2" drive

Socket for external hexagon bolts and screws, 1/2", long design. Slotted on the side for installing panel connectors.

With ball stop groove. For manual and machine-operated tools (non-impact).

- Slotted on the side for installing top- and side-wired panel connectors

8790 HMC Deep Socket wrench insert with cutout shaft, with 1/2" drive



	EAN							
Code	4013288	mm	mm	mm	mm	mm		
05138007001	233547	17,0	76,0	24,0	24,0	10,0		1

8767 C HF TORX® Zyklop bit socket with 1/2" drive with holding function

- Bit socket (non-impact) for manual or machine tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower end for more grip when used manually
- Chrome vanadium steel, matt chrome-plated

8767 C HF TORX® Zyklop bit socket with 1/2" drive with holding function



Code	EAN			mm	mm	mm	mm	
05003830001	183316		TX 20	60,0	16,4	23,5	21,5	1
05003850001	183545		TX 20	140,0	16,4	23,5	101,5	1
05003831001	183323		TX 25	60,0	16,4	23,5	21,5	1
05003851001	183552		TX 25	140,0	16,4	23,5	101,5	1
05003832001	183330		TX 27	60,0	16,4	23,5	21,5	1
05003852001	183569		TX 27	140,0	16,4	23,5	101,5	1
05003833001	183347		TX 30	60,0	16,4	23,5	21,5	1
05003853001	183576		TX 30	140,0	16,4	23,5	101,5	1
05003834001	183354		TX 40	60,0	16,4	23,5	21,5	1
05003854001	183583		TX 40	140,0	16,4	23,5	101,5	1
05003835001	183361		TX 45	60,0	16,4	23,5	21,5	1
05003855001	184443		TX 45	140,0	16,4	23,5	101,5	1
05003836001	183378		TX 50	60,0	21,4	23,5	21,5	1
05003856001	183606		TX 50	140,0	21,4	23,5	101,5	1
05003837001	183385		TX 55	60,0	21,4	23,5	21,5	1
05003857001	183613		TX 55	140,0	21,4	23,5	101,5	1
05003838001	183392		TX 60	60,0	21,4	23,5	21,5	1
05003858001	183620		TX 60	140,0	21,4	23,5	101,5	1

Belt C 3 TORX® HF Zyklop bit socket set with holding function, 1/2" drive

Typically Wera designed robust textile belt with 6 in-hex bit-sockets taking up minimal space. A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly. Includes a snap hook for secure fastening to a belt loop or pocket.

Supplied with a nonwoven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 6-piece socket set on robust textile belt, 1/2"
- Bit-sockets with all the advantages of the Wera bit technology
- Bit-sockets with holding function for screws/bolts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt C 3 TORX® HF Zyklop bit socket set with holding function, 1/2" drive



Code	EAN		
05003997001	204882		1
			8767 C HF 1x TX 25x60,0; 1x TX 30x60,0; 1x TX 40x60,0; 1x TX 45x60,0; 1x TX 50x60,0; 1x TX 55x60,0
			Belt C 0/6 1x 45,0x275,0
			Hook and Loop Fastener Strip 30 1x 30,0x200,0


Magnetic socket rail C 4 Zyklus socket set, 1/2" drive
 Socket rail with 9 manual and machine sockets (non-impact), 1/2". A smooth rotary mechanism allows a secure hold and easy access of the sockets.

With Take it easy tool finder with colour coding by size - to help you find the required tool quickly and easily.

The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.

- 9-piece socket set on socket rail, 1/2"
- Rail with secure bit mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- With Take it easy tool finder: colour coding by size

Magnetic socket rail C 4 Zyklus socket set, 1/2" drive



			
Code	EAN		
05005460001	4013288 223265		1
		 8790 HMC 1x 10,0x37,0; 1x 12,0x37,0; 1x 13,0x37,0; 1x 14,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 18,0x37,0; 1x 19,0x37,0	
		9602 1x 30,0x370,0	

8767 C TORX® HF 1 Zyklus bit socket set with 1/2" drive, with holding function

- Compact textile box with high robustness, low weight and volume

8767 C TORX® HF 1 Zyklus bit socket set with 1/2" drive, with holding function



			
Code	EAN		
05004202001	4013288 184276		1
		 8767 C HF 1x TX 20x60,0; 1x TX 25x60,0; 1x TX 27x60,0; 1x TX 30x60,0; 1x TX 40x60,0; 1x TX 45x60,0; 1x TX 50x60,0; 1x TX 55x60,0; 1x TX 60x60,0	

8767 C TORX® HF 2 Zyklus bit socket set with 1/2" drive, with holding function

- Compact textile box with high robustness, low weight and volume
- Long version

8767 C TORX® HF 2 Zyklus bit socket set with 1/2" drive, with holding function



			
Code	EAN		
05004211001	4013288 185464		1
		 8767 C HF 1x TX 20x140,0; 1x TX 25x140,0; 1x TX 27x140,0; 1x TX 30x140,0; 1x TX 40x140,0; 1x TX 45x140,0	
		Hook and Loop Fastener Strip 120 1x 50,0x120,0	

8767 C TORX® HF 3 Zyklop bit socket set with 1/2" drive, with holding function

- Compact textile box with high robustness, low weight and volume
- Long version

8767 C TORX® HF 3 Zyklop bit socket set with 1/2" drive, with holding function



Code	EAN		
05004212001	185471		1
			8767 C HF 1x TX 20x140,0; 1x TX 25x140,0; 1x TX 27x140,0; 1x TX 30x140,0; 1x TX 40x140,0; 1x TX 45x140,0; 1x TX 50x140,0; 1x TX 55x140,0; 1x TX 60x140,0
			Hook and Loop Fastener Strip 120 1x 50,0x120,0

8740 C HF Zyklop bit socket with 1/2" drive with holding function

- Bit socket (non-impact) for manual or machine tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower end for more grip when used manually
- Chrome vanadium steel, matt chrome-plated

8740 C HF Zyklop bit socket with 1/2" drive with holding function



Code	EAN							
Code	4013288		mm	mm	mm	mm	mm	
05003820001	183217		4,0	60,0	14,0	21,5	21,5	1
05003840001	183484		4,0	140,0	14,0	21,5	101,5	1
05003821001	183224		5,0	60,0	14,0	21,5	21,5	1
05003841001	183491		5,0	140,0	14,0	21,5	101,5	1
05003822001	183231		6,0	60,0	14,0	21,5	21,5	1
05003842001	183507		6,0	140,0	14,0	21,5	101,5	1
05003823001	183248		7,0	60,0	14,0	23,5	21,5	1
05003843001	183514		7,0	140,0	14,0	23,5	101,5	1
05003824001	183255		8,0	60,0	16,0	23,5	21,5	1
05003844001	183521		8,0	140,0	16,0	23,5	101,5	1
05003825001	183262		10,0	60,0	16,0	23,5	21,5	1
05003845001	183538		10,0	140,0	16,0	23,5	101,5	1
05003826001	183279		12,0	60,0	21,0	23,5	23,0	1
05003827001	183286		14,0	60,0	22,0	23,5	23,0	1
05003828001	183293		17,0	60,0	24,5	25,5	23,0	1
05003829001	183309		19,0	60,0	26,5	27,5	23,0	1

Belt C 2 Zyklop In-Hex-Plus bit socket set with holding function, 1/2" drive

Typically Wera designed robust textile belt with 6 in-hex bit-sockets taking up minimal space.


A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly. Includes a snap hook for secure fastening to a belt loop or pocket.

Supplied with a nonwoven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 6-piece socket set on robust textile belt, 1/2"
- Bit-sockets with all the advantages of the Wera bit technology
- Bit-sockets with holding function for screws/bolts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt C 2 Zyklop In-Hex-Plus bit socket set with holding function, 1/2" drive



Code	EAN		
05003996001	4013288 204424		1
		○ 8740 C HF 1x 4,0x60,0; 1x 5,0x60,0; 1x 6,0x60,0; 1x 7,0x60,0; 1x 8,0x60,0; 1x 10,0x60,0	
		Belt C 0/6 1x 45,0x275,0	
		Hook and Loop Fastener Strip 30 1x 30,0x200,0	

8740 C HF 1 Zyklop bit socket set with 1/2" drive, with holding function

- Compact textile box with high robustness, low weight and volume

8740 C HF 1 Zyklop bit socket set with 1/2" drive, with holding function



Code	EAN		
05004201001	4013288 184283		1
		○ 8740 C HF 1x 4,0x60,0; 1x 5,0x60,0; 1x 6,0x60,0; 1x 7,0x60,0; 1x 8,0x60,0; 1x 10,0x60,0; 1x 12,0x60,0; 1x 14,0x60,0; 1x 17,0x60,0	
		Hook and Loop Fastener Strip 120 1x 50,0x120,0	

8740 C HF 2 Zyklop bit socket set with 1/2" drive, with holding function

- Compact textile box with high robustness, low weight and volume
- Long version

8740 C HF 2 Zyklop bit socket set with 1/2" drive, with holding function



Code	EAN		
05004210001	4013288 185457		1
		○ 8740 C HF 1x 4,0x140,0; 1x 5,0x140,0; 1x 6,0x140,0; 1x 7,0x140,0; 1x 8,0x140,0; 1x 10,0x140,0	
		Hook and Loop Fastener Strip 120 1x 50,0x120,0	

9529 C SB 1/2" Step wrench

- 5 steps (3/8", 7/16", 1/2", 16 and 21 mm)
- For 1/2" ratchets
- Chrome vanadium steel

9529 C SB 1/2" Step wrench



	EAN								
Code	4013288	mm							
05136074001	228390	88,0							1

8796 LC Zyklop "flexible-lock" extension with free-turning sleeve, long, 1/2"

- For 1/2" square sockets with ball lock
- Flexible lock system for either locking or rapid exchange of the attached tool
- With free-turning sleeve for rapid tightening and loosening of screws and nuts

8796 LC Zyklop "flexible-lock" extension with free-turning sleeve, long, 1/2"



	EAN								
Code	4013288		mm						
05003643001	121462	1/2"	250,0						1

8796 SC Zyklop "flexible-lock" extension with free-turning sleeve, short, 1/2"

- For 1/2" square sockets with ball lock
- Flexible lock system for either locking or rapid exchange of the attached tool
- With free-turning sleeve for rapid tightening and loosening of screws and nuts

8796 SC Zyklop "flexible-lock" extension with free-turning sleeve, short, 1/2"



	EAN								
Code	4013288		mm						
05003642001	121455	1/2"	125,0						1

8794 LC Zyklop extension with free-turning sleeve, long, 1/2"

Wera Zyklop extension with easy-to-grip free-turning sleeve for rapid tightening and loosening of screws and nuts. Out of high quality chrome vanadium steel, matt chrome-plated.

8794 LC Zyklop extension with free-turning sleeve, long, 1/2"



	EAN								
Code	4013288		mm						
05003638001	121431	1/2"	250,0						1

8794 SC Zyklop extension with free-turning sleeve, short, 1/2"

Wera Zyklop extension with easy-to-grip free-turning sleeve for rapid tightening and loosening of screws and nuts. Out of high quality chrome vanadium steel, matt chrome-plated.

8794 SC Zyklop extension with free-turning sleeve, short, 1/2"



	EAN								
Code	4013288		mm						
05003637001	121424	1/2"	125,0						1

8789 C Zyklop sliding T-handle, 1/2"

Wera Zyklop T-handle for higher torque transfer. For 1/2" square sockets with ball lock. Adjustable drive for more flexible usage. Out of high quality chrome vanadium steel, matt chrome-plated.

8789 C Zyklop sliding T-handle, 1/2"



	EAN								
Code	4013288		mm						
05003636001	121530	1/2"	250,0						3

8795 C Zyklop universal joint, 1/2"

Wera Zyklop universal joint for 1/2" square sockets with ball lock.

8795 C Zyklop universal joint, 1/2"



	EAN							
Code	4013288		mm					
05003640001	121547	1/2"	69,0					1

8794 C Zyklop wobble extension, 1/2"

Wobble extension for the Wera Zyklop. Swivel angle of 15° in all directions. This ensures rapid and precise work even in confined working situations.

8794 C Zyklop wobble extension, 1/2"



	EAN							
Code	4013288		mm					
05003639001	121448	1/2"	52,0					1

8784 C2 Zyklop bit adaptor, 1/2", 5/16"

Adaptor from square to hex. For 5/16" hex bits as per DIN ISO 1173-C 8 and Wera connecting series 2; with quick-release chuck.

8784 C2 Zyklop bit adaptor, 1/2", 5/16"



	EAN							
Code	4013288			mm				
05003641001	119353	5/16"	1/2"	50,0				1

8009 Zyklop Pocket Set 1

Compact Zyklop ratchet with bit magazine for the pocket.

Magnetic direct mounting for 1/4" bits and 3/8" sockets. Rapid tool change thanks to the non-locking mounting.

As the head is lockable at 0°, 15° and 90°, the tool can be used as a ratchet and as a ratchet screwdriver. The fine toothing with 72 teeth allows for a low return angle of 5°.

Wide range of applications thanks to 12 bits integrated in the handle. The robust ratchet mechanism allows for ample torque. Perfect combination of a Zyklop ratchet with a 12-piece screwdriver set.


- Compact Zyklop ratchet with integrated bit magazine
- Thanks to it's clever design the ratchet head doubles up as both a 3/8" square drive ratchet for sockets, and integral 1/4" hexagon drive for screwdriver bits
- Freely pivoting ratchet head with 5 predefined locking positions
- Fine tooth reversible ratchet (72 teeth) for a low return angle of only 5°
- Captive and freely swivelling bit magazine for easy removal and secure storage of the bits

8009 Zyklop Pocket Set 1



	Code	EAN		
	05004280001	221834		1
			8009 1x 3/8"x1/4"x133,0	
			851/1 BTZ 1x PH 1x25; 1x PH 2x25	
			855/1 BTZ 1x PZ 1x25; 1x PZ 2x25	
			867/1 TORX® BTZ 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25	
			840/1 BTZ 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	

8009 Zyklop Pocket Imperial Set 1



Code	EAN			
05004282001	221841			1
		8009	1x 3/8"x1/4"x133,0	
		851/1 BTZ	1x PH 1x25; 1x PH 2x25	
		867/1 TORX® BTZ	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25	
		840/1 Z	1x 1/8"x25; 1x 5/32"x25; 1x 3/16"x25; 1x 1/4"x25	
		868/1 Z	1x # 1x25; 1x # 2x25	

8009 Zyklop Pocket Set 2

Compact Zyklop ratchet with bit magazine for the pocket. Magnetic direct mounting for 1/4" bits and 3/8" sockets. Rapid tool change thanks to the non-locking mounting. As the head is lockable at 0°, 15° and 90°, the tool can be used as a ratchet and as a ratchet screwdriver.

The fine toothing with 72 teeth allows for a low return angle of 5°. Wide range of applications thanks to 12 bits integrated in the handle. The robust ratchet mechanism allows for ample torque. Perfect combination of a Zyklop ratchet with a 12-piece screwdriver set.

The 75 mm long universal holder for 1/4" bits can be used as an extension. Including sockets in the commonest dimensions. One robust textile holster 9468 to be attached to the belt and docked onto the Wera 2go system.

- Compact Zyklop ratchet with integrated bit magazine
- The magnetic direct mounting simultaneously turns the 3/8" ratchet into a bit ratchet screwdriver with 1/4" bit mounting
- Freely pivoting ratchet head with 5 predefined locking positions
- Fine tooth reversible ratchet (72 teeth) for a low return angle of only 5°
- Captive and freely swivelling bit magazine for easy removal and secure storage of the bits
- Universal holder with stainless steel sleeve and strong permanent magnet, can be used as extension
- Robust textile holster to be attached to the belt and docked onto the Wera 2go system

Zyklop Pocket

Comprehensive and space-saving ratchet/screwdriver combination. Compact Zyklop ratchet with bit magazine for the pocket. Magnetic direct mounting for 1/4" bits and 3/8" sockets. Rapid tool change thanks to the non-locking mounting. As the head is lockable at 0°, 15° and 90°, the tool can be used as a ratchet and as a ratchet screwdriver. The fine tooththing with 72 teeth allows for a low return angle of 5°.

Wide range of applications thanks to 12 bits integrated in the handle. The robust ratchet mechanism allows for ample torque. Perfect combination of a Zyklop ratchet with a 12-piece screwdriver set.

The 75 mm long universal holder for 1/4" bits can be used as an extension. Including sockets in the commonest dimensions. In a textile box, which can be docked onto the Wera 2go system.

- Compact Zyklop ratchet with integrated bit magazine
- The magnetic direct mounting simultaneously turns the 3/8" ratchet into a bit ratchet screwdriver with 1/4" bit mounting
- Freely pivoting ratchet head with 5 predefined locking positions
- Fine tooth reversible ratchet (72 teeth) for a low return angle of only 5°
- Captive and freely swivelling bit magazine for easy removal and secure storage of the bits

8009 Zyklop Pocket Set 3



				
Code	EAN			
05004284001	4013288 227560			
			8009 1x 3/8"x1/4"x133,0	1
			8794 SB 1x 3/8"x125,0	
			893/1/1 1x 1/4"x75	
			8790 HMB 1x 6,0x29,0; 1x 7,0x29,0; 1x 8,0x29,0; 1x 9,0x29,0; 1x 10,0x29,0; 1x 11,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 14,0x29,0; 1x 15,0x29,0; 1x 16,0x30,0; 1x 17,0x30,0	
			851/1 BTZ 1x PH 1x25; 1x PH 2x25	
			855/1 BTZ 1x PZ 1x25; 1x PZ 2x25	
			867/1 TORX® BTZ 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25	
			840/1 BTZ 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	
			Hook and Loop Fastener Strip 120 1x 50,0x120,0	

8009 Zyklop Pocket Set 4



Code	EAN		
05004285001	4013288 227591		1
		8009 1x 3/8"x1/4"x133,0	
		8794 SB 1x 3/8"x125,0	
		893/1/1 1x 1/4"x75	
		8790 HMB 1x 8,0x29,0; 1x 9,0x29,0; 1x 10,0x29,0; 1x 12,0x29,0; 1x 14,0x29,0; 1x 16,0x30,0; 1x 1/4"x29,0; 1x 5/16"x29,0; 1x 3/8"x29,0; 1x 7/16"x29,0; 1x 1/2"x29,0; 1x 9/16"x29,0	
		851/1 BTZ 1x PH 1x25; 1x PH 2x25	
		867/1 TORX® BTZ 1x TX 10x25; 1x TX 15x25	
		800/1 BTZ 1x 0,8x5,5x25; 1x 1,2x6,5x25	
		840/1 BTZ 1x 4,0x25; 1x 6,0x25	
		840/1 Z 1x 3/16"x25; 1x 1/4"x25	
		868/1 Z 1x # 1x25; 1x # 2x25	
		Hook and Loop Fastener Strip 120 1x 50,0x120,0	

Koloss - this ratchet is the best!



The ratchet that can also be safely and officially used as a hammer. The Koloss is a reversible, heavy-duty ratchet that can be used with a load of at least 600 Newton metres. The dual ratchet teeth and the minimum return angle of only 6° ensure rapid and precise screwdriving even in confined situations.

And the best thing: absolutely no impact on the hammer faces, however hard, can destroy the ratchet mechanism.

Multi-component Kraftform handle optimised to withstand pressure, impact and tensile loads; take-up for Koloss extension 8780 C and Koloss centring pin 8781 C at end of handle. Also included in the set: 1 pad to protect materials and surface areas, 1 Koloss extension for the transfer of even more torque, 1 unlocking pin and 1 holster – so the Koloss can always be at hand.

- For loads of at least 600 Newton metres
- Push-through square drive for right/left switchover
- Including hammer function
- Multi-component Kraftform handle optimised to withstand pressure, impact and tensile loads
- Fine-pitched ratchet mechanism, small return angle of 6°

8002 C Koloss All Inclusive Set with 1/2" drive



Code	EAN		
05133862001	4013288 162403		1
		8002 C 1x 1/2"x341,0	
		8782 C 1x 50,0	
		8780 C 1x 341,0x137	
		8000 E 1x 40,5	
		8000 HLF 1x 175,0x75,0	

8002 C Koloss ½" with ½" drive



Code	EAN			
05003692001	4013288 144607			1
		8002 C		
		1x ½"x341,0		
		8782 C		
		1x 50,0		
		8000 HLF		
		1x 175,0x75,0		

8780 C Koloss extension

Extension for the Wera Koloss out of tough, tempered chrome-molybdenum steel. Can be used as an extension with the Wera Koloss 8002 C to increase the torque to be applied. Multi-component Kraftform handle optimised to withstand pressure, impact and tensile loads. Safety instructions laser-engraved for permanent recognition.

8780 C Koloss extension



Code	EAN	mm	mm					
05003695001	4013288 144614	341,0	137					1

8781 C Koloss centring pin

Centring pin for the Wera Koloss. To align lugs or drill holes. Conical pin, tough, hardened chrome-molybdenum steel.

8781 C Koloss centring pin



Code	EAN	mm	mm					
05003696001	4013288 144683	50	135,0					1

8782 C Koloss pad set

Protective pads for the Wera Koloss. To protect materials and surfaces of workpieces. Flexible thermoplastic, elastomer material offering permanent elasticity and maximum protection.

8782 C Koloss pad set



Code	EAN	#	mm					
05003697001	4013288 144690	2	50,0					1

8000 E Unlocking pin



Code	EAN	mm						
05136400001	4013288 194633	40,5						1

Socket rail C (textile belt), 6 location, unloaded

- Empty socket belt for 6 sockets/bit sockets, 1/2"
- Includes a convenient snap hook
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Socket rail C (textile belt), 6 location, unloaded



Code	EAN		
05003892001	4013288 205797		1
		Belt C 0/6 1x 45,0x275,0	
		Hook and Loop Fastener Strip 30 1x 30,0x200,0	


9602 Magnetic socket rail, 1/2", empty

1 socket rail, empty. For up to 10 sockets and/or bit sockets with 1/2" drive.

The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.

- Rail with secure bit mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Empty, for up to 10 sockets, 1/2"

9602 Magnetic socket rail, 1/2", empty



	EAN						
Code	4013288	mm	mm				1
05136422001	223340	30,0	370,0				

Socket rail C Impaktor (textile belt), 9 location, unloaded



Code	EAN		
05003893001	4013288 211484		1
		Belt C Impaktor 0/9 1x 71,0x210,0	
		Hook and Loop Fastener Strip 30 1x 30,0x200,0	

Zyklop Mini - beauty in strength

Zyklop Mini 1
1/4" bit ratchet.

Zyklop Mini 2
The Zyklop Mini 2 is suitable for the direct attachment of the special Wera Zyklop sockets 8790 FA. These sockets feature a very low height, ideal for confined working spaces.

Zyklop Mini 3
Mini ratchet suitable for direct mounting of 1/4" sockets.



Zyklop Mini 1 & 2 & 3
Fine tooth mechanism (60 teeth), small return angle of only 6° – ideal for precision work.

Zyklop Mini 1 & 2 & 3
Easy switching between left/right operations.

Zyklop Mini 1 & 2 & 3
Its slim design makes it ideal for all particularly confined working situations.

Wera Zyklop Mini 1: a symbiosis of strength and stylishness. Incredibly robust due to its drop-forged, full-steel design. Can withstand torque forces up to 65 Nm.

The petite sizing is particularly suited for work in confined spaces. The thumbwheel allows fast screwdriving. Comes in a set in the proven Wera Bit-Check with socket adaptor and belt clip. Simple tool removal and reinsertion is ensured, very robust and durable.

- Bit-Checks convince due to their functionality in a minimum of space
- Wera Mini ratchet for particularly fast screwdriving even in confined spaces
- Ideal for working in confined spaces
- Tough viscous bits for universal use
- In handy and robust Bit-Check

Bit-Check 30 Zyklop Mini 1



			
Code	EAN		
05073640001	4013288 144652		1
		8001 A 1x 1/4"x87,0	
		870/1 1x 1/4"x25 ¹⁾	
		889/4/1 K 1x 1/4"x50	
		851/1 TZ PH 2x PH 1x25; 3x PH 2x25; 1x PH 3x25	
		855/1 TH PZ 1x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25	
		867/1 TZ TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		867/1 Z TORX® B0 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	
		800/1 TZ 1x 1,0x5,5x25	
		840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25	

¹⁾With friction ball; for manual nut spinner sockets

Bit-Check 30 Zyklus Mini 2



Code	EAN			
05346293001	145765			1
			8001 A	
			1x 1/4"x87,0	
		●○	889/4/1 K	
			1x 1/4"x50	
		○○	870/1	
			1x 1/4"x25 ¹⁾	
		+	851/1 TZ PH	
			2x PH 1x25; 3x PH 2x25; 1x PH 3x25	
		✱	867/1 TZ TORX®	
			1x TX 10x25; 1x TX 15x25; 1x TX 20x25;	
			1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		✱	867/1 Z TORX® B0	
			1x TX 10x25; 1x TX 15x25; 1x TX 20x25;	
			1x TX 25x25; 1x TX 30x25	
		○	840/1 Z Hex-Plus	
			1x 3/32"x25; 1x 1/8"x25; 1x 5/32"x25; 1x 3/16"x25;	
			1x 1/4"x25	
		—	800/1 TZ	
			1x 1,0x5,5x25	
		□	868/1 Z	
			1x # 1x25; 3x # 2x25; 1x # 3x25	

¹⁾With friction ball; for manual nut spinner sockets

Kraftform Kompakt Zyklus Mini 2

Ratchets and screws in a Kraftform Kompakt format. These drop-forged, full-steel ratchets, Zyklus Mini 1 and 2, combine filigree design with incredible robustness.

For particularly rapid screwdriving in confined working situations. Zyklus Mini 1 or Zyklus Mini 2 can be used whenever screwdriving with power tools or conventional hand tools is unfeasible for lack of space. 1 bit ratchet Zyklus Mini 1; suitable for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 and Wera connecting series 1 and 4; also possible to use 1/4" sockets by attaching the Wera adaptor 870/1. 1 socket ratchet Zyklus Mini 2; suitable for the direct attachment of Wera Zyklus special sockets 8790 FA.

- Hollow design of the Zyklus Mini ratchet 8005 and the sockets 8790 FA; the thread rods (up to M6) can pass completely through the tool during screwdriving



Kraftform Kompakt Zyklus Mini 2



Code	EAN			
05135918001	182180			1
			8001 A	
			1x 1/4"x87,0	
			8005 Zyklus Mini 2 Ratchet	
			1x 107	
		●	813	
			1x 1/4"x78	
		○○	870/1	
			1x 1/4"x25 ¹⁾	
		+	851/1 Z PH	
			1x PH 1x25; 1x PH 2x25	
		✱	855/1 Z PZ	
			1x PZ 1x25; 1x PZ 2x25	
		✱	867/1 TORX®	
			1x TX 10x25; 1x TX 15x25; 1x TX 20x25;	
			1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		○	840/1 Z Hex-Plus	
			1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	
			8790 FA	
			1x 4,0; 1x 5,0; 1x 5,5; 1x 6,0; 1x 7,0; 1x 8,0;	
			1x 10,0; 1x 12,0; 1x 13,0	
			Hook and Loop Fastener Strip 120	
			1x 50,0x120,0	

¹⁾With friction ball; for manual nut spinner sockets

Kraftform Kompakt Zyklop Mini 2 set 1

- 10 Zyklop 8790 FA special sockets with 1/4" and Hex 11 hexagon drive and ball stop groove; chrome-vanadium

Kraftform Kompakt Zyklop Mini 2 set 1



Code	EAN		
05135021001	238375		1
		8005 1x 107	
		8790 FA 1x 4,0x18,0; 1x 4,5x18,0; 1x 5,0x18,0; 1x 5,5x18,0; 1x 6,0x18,0; 1x 7,0x18,0; 1x 8,0x18,0; 1x 10,0x18,0; 1x 12,0x18,0; 1x 13,0x18,0	
		Hook and Loop Fastener Strip 120 1x 50,0x120,0	

Bit-Check 10 Zyklop Mini BiTorsion 1

Many tools in a minimum of space. The sorting according to drive and size allows rapid accessing of the bits.

The Wera Mini ratchet: drop-forged, full-steel design. Fine-pitched mechanism with 60 teeth that allows a small return angle of only 6° for precise work. Simple left/right switchover. Ergonomically-designed ratchet head and lever.

- 1/4" Mini ratchet and tough viscous bits

Bit-Check 10 Zyklop Mini BiTorsion 1



Code	EAN		
05057418001	195951		1
		8001 A 1x 1/4"x87,0	
		+ 851/1 BTZ PH 1x PH 1x25; 1x PH 2x25	
		+ 855/1 BTZ PZ 1x PZ 1x25; 1x PZ 2x25	
		* 867/1 TORX® BTZ 1x TX 15x25; 1x TX 20x25; 1x TX 25x25	
		○ 840/1 BTZ Hex-Plus 1x 4,0x25; 1x 5,0x25	

Bit-Check 10 Zyklop Mini 1

- Tough viscous bits for universal use

Bit-Check 10 Zyklop Mini 1



Code	EAN		
05073645001	168115		1
		8001 A 1x 1/4"x87,0	
		+ 851/1 Z PH 1x PH 1x25; 1x PH 2x25	
		+ 855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25	
		* 867/1 TORX® 1x TX 15x25; 1x TX 20x25; 1x TX 25x25	
		○ 840/1 Z Hex-Plus 1x 4,0x25; 1x 5,0x25	

Bicycle Set 1

Bicycle repair shops and passionate cyclists love screwdriving on a bicycle. With their Bicycle Set 1, the screwdriving tool specialist Wera offers an assortment of tools that is very mobile thanks to its compact and design-oriented textile folding bag, and offers solutions for the most common screwdriving situations when working with bicycles.

The sturdy bag contains the bit ratchet Zyklop Mini 1 and 10 bits with all the benefits of Wera-Bit technology, specially adapted to the most common screw connections on a bicycle.

With the glass fibre reinforced plastic tyre levers, the tyres can be safely levered off the rim without damaging the rim.

- Compact 14-piece screwdriving tool set for bicycle applications, also for mobile use
- Practical range for DIY assembly work and repairs
- Suitable tools for the most common bolt profiles on road bikes, mountain bikes and e-bikes
- Robust, surface-friendly, compact textile folding bag
- Set including Mini bit ratchet, extension and two tyre levers with additional functions

Bicycle Set 1



Code	EAN			
05004170001	207623			1
		8001 A	1x 1/4"x87,0	
		3899/4/1	1x 1/4"x100	
		851/1 Z PH	1x PH 2x25	
		867/1 TORX®	1x TX 10x25; 1x TX 25x25	
		840/1 Z Hex-Plus	1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25	
		9502	1x 105.0	
		9503	1x 105.0	
		Hook and Loop Fastener Strip 70	1x 50,0x70,0	

Bicycle Set 9

A lot of bicycle tools in a small space. The sorting of the 9 stainless steel bits by profile and size allows quick access to the right tool. With one Wera Zyklop Mini 1 bit ratchet in a drop-forged solid steel design.

The fine toothing mechanism with 60 teeth allows a small return angle of 6° for precise working. The knurl allows fast screwdriving in cramped situations, when there is no space for ratcheting. Easy left/right switching.

Ergonomically shaped ratchet head and lever. With Take it easy tool finder with colour coding by size - to help you find the required tool quickly and easily.

- 10-piece Zyklop Mini set
- Mini ratchet suitable for direct mounting of 1/4" nuts
- Drop-forged full steel design for torques exceeding 65 Nm
- Fine-pitched ratchet mechanism and small return angle of 6°
- Stainless Steel Bits

Bicycle Set 9



Code	EAN			
05004177001	220646			1
		8001 A	1x 1/4"x87,0	
		3851/1 TS PH	1x PH 2x25	
		3867/1 TS TORX®	1x TX 10x25; 1x TX 25x25	
		3840/1 TS	1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	

8001 A Zyklop Mini 1 Bit Ratchet 1/4" SB with 1/4" drive


The Wera Mini ratchet. Simple operation, even with just one hand, in confined working spaces. Drop-forged, full-steel design and fine-pitched mechanism with 60 teeth that allows a small return angle of 6° for precise working.

The thumbwheel allows rapid fastening in confined situations when there is no space for ratcheting.

Easy left/right switchover. Ergonomically designed ratchet head and lever. Suitable for 1/4" bit and socket take-up.

- Suitable for direct take-up of bits with 1/4" hex head drive
- Drop-forged, full-steel design
- Torque of over 65 Nm
- Fine-pitched ratchet mechanism and small return angle of 6°
- Ideal for working in confined spaces

8001 A Zyklop Mini 1 Bit Ratchet 1/4" SB with 1/4" drive



Code	EAN				
05073230001	4013288 144638				1
			8001 A 1x 1/4"x87,0		
			870/1 1x 1/4"x25 ¹⁾		

¹⁾With friction ball; for manual nut spinner sockets

8011 Zyklop Mini 4 Bit ratchet, 1/4"

- For bitholding screwdrivers with 1/4" bit mounting

8011 Zyklop Mini 4 Bit ratchet, 1/4"



	EAN							
Code	4013288		mm					
05003662001	234650	1/4"	50,0					1

8005 Zyklop Mini 2 Ratchet

Zyklop Mini 2 for the direct take-up of special Wera Zyklop sockets. Combines filigree design with incredible robustness. For particularly rapid screwdriving even in confined working spaces. The Zyklop Mini 2 is the preferred choice whenever fastening with a power tool or conventional hand tool is impossible due to a lack of space.

- Direct attachment of special Zyklop sockets
- Small return angle of 6° for precise working
- Simple left/right switchover
- Ideal for confined working situations

8005 Zyklop Mini 2 Ratchet



	EAN							
Code	4013288	mm						
05003660001	179616	107						1

8008 A Zyklop Mini 3 Ratchet with 1/4" drive

The Wera Zyklop Mini 3 ratchet for 1/4" sockets. Simplest operation even with just one hand in confined screwdriving challenges. Drop-forged full steel design.

Fine tooth mechanism with 60 teeth allows a small return angle of 6° for precise work.

The knurled wheel allows fast screwdriving in tight spaces when there is no room for ratcheting. Simple left/right switching. Ergonomically shaped ratchet head and lever.

- Mini ratchet suitable for direct mounting of 1/4" nuts
- Drop-forged full steel design for torques exceeding 65 Nm
- Fine-pitched ratchet mechanism and small return angle of 6°
- Simple left/right switchover
- Ideal for working in confined spaces

8008 A Zyklop Mini 3 Ratchet with 1/4" drive



	EAN							
Code	4013288		mm					
05003793001	211699	1/4"	87,0					1

8790 FA Zyklop socket with 1/4" and Hexagon 11 drive

Zyklop socket with 1/4" and hex drive for manual jobs with a 1/4" ratchet.

8790 FA Zyklop socket with 1/4" and Hexagon 11 drive



	EAN							
Code	4013288	mm	mm	mm	mm	mm		
05003665001	179623	4,0	9,5	6,4	11,8	18,0		1
05003666001	179630	4,5	9,5	7,0	11,8	18,0		1
05003667001	179647	5,0	9,5	7,6	11,8	18,0		1
05003668001	179654	5,5	9,5	8,2	11,8	18,0		1
05003669001	179661	6,0	9,5	9,2	11,8	18,0		1
05003670001	183408	7,0	9,5	10,4	11,8	18,0		1
05003675001	179678	8,0	9,5	11,5	11,8	18,0		1
05003690001	179685	10,0	9,5	13,8	11,8	18,0		1
05003684001	183415	12,0	9,5	16,8	11,8	18,0		1
05003685001	179692	13,0	9,5	17,8	11,8	18,0		1



Tool-Check PLUS 1

Wera

Wera
Be a Tool Room

5.5 6 7 8 10 12 13



Tool-Check

The Tool-Check Modular system Combine & expand - always the perfect fit!

Tool-Check Modular 1

Very compact 21-piece tool set.

One Kraftform 815/1 bitholding screwdriver, suitable for mounting bits with 1/4" external hexagon drive, one 8011 Zyklop Mini 4 bit ratchet (1/4"), also suitable for 1/4" sockets using the included 870/1 adapter (1/4" external hexagon to 1/4" external square head), one magnetic 899/4/1 bit holder for screwdriver machines, 13 bits with 1/4" external hexagon drive for Phillips-head screws (Phillips and Pozidriv), TORX®, hexagonal socket and slotted screws. BiTorsion (BTZ) for longer tool life, 4 Zyklop 8790 HMA sockets, 1/4".

In the compact Tool-Check Modular 1. Tools can be connected to other components of the Tool-Check Modular system using the rigid Tool-Check Modular adapter 9549 or the flexible Tool-Check Modular hinge 9550.

- Tool-Check Modular: individual combination of different Tool-Check Modular components
- Very compact 21-piece tool set for manual and machine-operated screwdriving
- Perfect for a wide variety of screw connections with 1/4" ratchet, hand or machine
- 1/4" 8011 Zyklop Mini 4 bit ratchet for handles with 1/4" bit mounting
- Magnetic 899/4/1 K bit holder for 1/4" hex drive bits; and machine use
- 13 BiTorsion bits (BTZ) for cross recess (Phillips and Pozidriv), TORX®, slotted and hexagonal socket; 25 mm and 50 mm length
- 4x 8790 HMA sockets, 1/4"; one 870/1 adapter (1/4" external hexagon to 1/4" external square head)

Tool-Check Modular 1



Code	EAN		
05049000001	4013288 234230		1
		815/1 1x 1/4"x78	
		8011 A 1x 1/4"x50,0	
		870/1 1x 1/4"x25 ¹⁾	
		899/4/1 1x 1/4"x50	
		851/1 BTZ 1x PH 1x25	
		851/4 BTZ 1x PH 2x50	
		855/1 BTZ 1x PZ 1x25	
		855/4 BTZ 1x PZ 2x50	
		867/1 TORX® BTZ 1x TX 10x25; 1x TX 15x25	
		867/4 TORX® BTZ 1x TX 20x50; 1x TX 25x50	
		800/4 BTZ 1x 0,8x5,5x50	
		840/1 BTZ 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	
		8790 HMA 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 13,0x23,0	

¹⁾With friction ball; for manual nut spinner sockets

Tool-Check Modular Imperial 1

- 4x 8790 HMA sockets, 1/4", imperial sizes; one adapter 1/4" external hexagon to 1/4" external square head
- 9 BiTorsion bits (BTZ) for Phillips, TORX®, slotted and square head, 4 tough bits (Z) for hexagonal socket screws; 25 mm and 50 mm length

Tool-Check Modular Imperial 1



Code	EAN			
05049001001	4013288 234674			1
		●	815/1 1x 1/4"x78	
		●	8011 A 1x 1/4"x50,0	
		○	870/1 1x 1/4"x25 ¹⁾	
		●	899/4/1 1x 1/4"x50	
		+	851/4 BTZ 1x PH 1x50; 1x PH 2x50	
		✱	867/1 TORX® BTZ 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25	
		—	800/4 BTZ 1x 0,8x5,5x50	
		○	840/1 Z 1x 3/32"x25; 1x 1/8"x25; 1x 5/32"x25; 1x 3/16"x25	
		□	868/4 BTZ 1x #1x50; 1x #2x50	
		●	8790 HMA 1x 3/8"x23,0; 1x 7/16"x23,0; 1x 1/2"x23,0; 1x 9/16"x23,0	

¹⁾With friction ball; for manual nut spinner sockets

Tool-Check Modular L-keys Hex-Plus 1

Very compact 7-piece L-key set for hexagonal socket screws.

The Hex-Plus profile offers larger contact surfaces in the screw head. The notch effect is reduced to a minimum and the destruction of the screw head is almost eliminated. The thoroughly chrome-plated design guarantees high corrosion protection. All L-keys are easily accessible due to their laser-engraved size markings.


One adapter 9549 for Tool-Check Modular, which connects different Tool-Check Modular components.

In the compact Tool-Check Modular.

- L-key set for hexagonal socket screws; the Hex-Plus profile reduces cylindrical turning of hexagonal socket screws
- Chrome-plated hexagon L-keys for outstanding surface protection and long service life. High corrosion protection.
- Laser-engraved and thereby wear-resistant size markings on the L-keys
- Adapter 9549: Rigid component to connect further Tool-Check Modular products



Tool-Check Modular L-keys Hex-Plus 1



Code	EAN			
05049003001	4013288 234254			1
		○	950 1x 1,5x45 ¹⁾ ; 1x 2,0x50; 1x 2,5x56; 1x 3,0x63; 1x 4,0x70; 1x 5,0x80; 1x 6,0x90	
			9549 Adapter 1x 10,5x47,0x16,5	

¹⁾Regular hexagon.

Tool-Check Modular Micro 1

Very compact 21-piece tool set for precision mechanical couplings.

One Kraftform Micro 1014 bitholding screwdriver, suitable for mounting bits with 4 mm external hexagon drive, 20 bits with 4 mm external hexagon drive for Phillips-head screws (Phillips and Pozidriv), TORX®, hexagonal socket and slotted screws.

Tough for universal use, one adapter 9549, which connects different Tool-Check Modular components.

In the compact Tool-Check Modular Micro 1.

- Very compact 21-piece tool set for precision mechanical couplings
- Bitholding screwdriver for bits with 4 mm external hexagon drive
- Multi-component Kraftform Micro handle with anti-roll feature and rotating cap
- 20 bits (4 mm external hexagon drive) for Phillips-head (Phillips and Pozidriv), TORX®, hexagonal socket and slotted
- Adapter 9549: Rigid component to connect further Tool-Check Modular products

Tool-Check Modular Micro 1



Code	EAN			
05049002001	234247			1
			1014 1x 4x80,0	
			851/0 Micro 1x PH 000x30; 1x PH 00x30; 1x PH 0x30 ¹⁾ ; 1x PH 1x30	
			855/0 Micro 1x PZ 0x30; 1x PZ 1x30	
			867/0 Micro TORX® 1x TX 3x30; 1x TX 4x30; 1x TX 5x30; 1x TX 6x30; 1x TX 8x30; 1x TX 10x30	
			840/0 Micro 1x 0,9x30; 1x 1,3x30; 1x 1,5x30; 1x 2,0x30; 1x 2,5x30	
			800/0 Micro 1x 0,3x1,5x30; 1x 0,40x2,5x30; 1x 0,50x3,0x30	
			9549 Adapter 1x 10,5x47,0x16,5	

Tool-Check Modular Set 1

Very compact tool set: Tool-Check Modular Set 1.

Includes: one Tool-Check Modular 1, one Tool-Check Modular Micro 1, one Tool-Check Modular L-key Hex-Plus 1, one adapter 9549 and one flexible hinge 9550 (adapter and hinge for connecting Tool-Check Modular products).

Tool-Check Modular Set 1



Code		EAN		
05049020001		4013288	234766	1
1x Tool-Check Modular 1				
		815/1	1x 1/4"x78	
		8011 A	1x 1/4"x50.0	
		870/1	1x 1/4"x25 ¹⁾	
		899/4/1	1x 1/4"x50	
		851/1 BTZ	1x PH 1x25	
		851/4 BTZ	1x PH 2x50	
		855/1 BTZ	1x PZ 1x25	
		855/4 BTZ	1x PZ 2x50	
		867/1 TORX® BTZ	1x TX 10x25; 1x TX 15x25	
		867/4 TORX® BTZ	1x TX 20x50; 1x TX 25x50	
		800/4 BTZ	1x 0.8x5.5x50	
		840/1 BTZ	1x 3.0x25; 1x 4.0x25; 1x 5.0x25; 1x 6.0x25	
		8790 HMA	1x 7.0x23.0; 1x 8.0x23.0; 1x 10.0x23.0; 1x 13.0x23.0	
1x Tool-Check Modular Hex-Plus 1				
		950	1x 1.5x45 ²⁾ ; 1x 2.0x50; 1x 2.5x56; 1x 3.0x63; 1x 4.0x70; 1x 5.0x80; 1x 6.0x90	
1x Tool-Check Modular Micro 1				
		1014	1x 4x80.0	
		851/0 Micro	1x PH 000x30; 1x PH 00x30; 1x PH 0x30 ³⁾ ; 1x PH 1x30	
		855/0 Micro	1x PZ 0x30; 1x PZ 1x30	
		867/0 Micro TORX®	1x TX 3x30; 1x TX 4x30; 1x TX 5x30; 1x TX 6x30; 1x TX 8x30; 1x TX 10x30	
		840/0 Micro	1x 0.9x30; 1x 1.3x30; 1x 1.5x30; 1x 2.0x30; 1x 2.5x30	
		800/0 Micro	1x 0.3x1.5x30; 1x 0.40x2.5x30; 1x 0.50x3.0x30	
1x 9550 Hinge				
			1x 67.5x91.0x22.0	
1x 9549 Adapter				
			1x 10.5x47.0x16.5	

¹⁾ With friction ball; for manual nut spinner sockets

²⁾ Regular hexagon

³⁾ Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

Tool-Check Modular Set Imperial 1



Code	EAN			
05049025001	4013288 234773			1

1x Tool-Check Modular Imperial 1

		815/1 1x 1/4"x78	
		8011 A 1x 1/4"x50.0	
		870/1 1x 1/4"x25 ¹⁾	
		899/4/1 1x 1/4"x50	
		851/4 BTZ 1x PH 1x50; 1x PH 2x50	
		867/1 TORX® BTZ 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25	
		800/4 BTZ 1x 0.8x5.5x50	
		840/1 Z 1x 3/32"x25; 1x 1/8"x25; 1x 5/32"x25; 1x 3/16"x25	
		868/4 BTZ 1x #1x50; 1x #2x50	
		8790 HMA 1x 3/8"x23.0; 1x 7/16"x23.0; 1x 1/2"x23.0; 1x 9/16"x23.0	

1x Tool-Check Modular Micro 1

		1014 1x 4x80.0	
		851/0 Micro 1x PH 000x30; 1x PH 00x30; 1x PH 0x30 ²⁾ ; 1x PH 1x30	
		855/0 Micro 1x PZ 0x30; 1x PZ 1x30	
		867/0 Micro TORX® 1x TX 3x30; 1x TX 4x30; 1x TX 5x30; 1x TX 6x30; 1x TX 8x30; 1x TX 10x30	
		840/0 Micro 1x 0.9x30; 1x 1.3x30; 1x 1.5x30; 1x 2.0x30; 1x 2.5x30	
		800/0 Micro 1x 0.3x1.5x30; 1x 0.40x2.5x30; 1x 0.50x3.0x30	

1x Tool-Check Modular Hex-Plus 1

		950 1x 1.5x45 ³⁾ ; 1x 2.0x50; 1x 2.5x56; 1x 3.0x63; 1x 4.0x70; 1x 5.0x80; 1x 6.0x90	
--	--	--	--

1x 9550 Hinge

		1x 67.5x91.0x22.0	
--	--	-------------------	--

1x 9549 Adapter

		1x 10.5x47.0x16.5	
--	--	-------------------	--

¹⁾ With friction ball; for manual nut spinner sockets

²⁾ Regular hexagon

³⁾ Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

9549 Adapter for Tool-Check Modular

- Tool-Check Modular: individual combination of different Tool-Check Modular components
- The adapter allows for a compact connection of two Tool-Check Modular components

9549 Adapter for Tool-Check Modular



	EAN						
Code	4013288	mm	mm	mm			
05049005001	234681	10,5	47,0	16,5			1

9550 Hinge for Tool-Check Modular

- Tool-Check Modular: individual combination of different Tool-Check Modular components
- Flexible connection of two Tool-Check Modular components with the hinge
- The hinge allows compact folding up of two Tool-Check Modular components

9550 Hinge for Tool-Check Modular



	EAN						
Code	4013288	mm	mm	mm			
05049004001	234667	67,5	91,0	22,0			1

Tool-Check PLUS 1

39-piece set. Very compact tool set for manual and machine use.

The green locking elements of the Tool-Check secure the tools during transport.

Includes one 1/4" bit ratchet in drop-forged solid steel design. Fine toothing mechanism (60 teeth) for a small return angle of 6° for precise working. Easy clockwise/counterclockwise switching. Ergonomically shaped ratchet head and lever. 1/4" sockets can also be used with the Wera 870/1 adapter (1/4" external hexagon to 1/4" external square head) included in the set.

7 Zyklop sockets (1/4") for manual and machine-operated tools; with ball stop groove. Knurling at the rear end for manageability during manual screwdriving. With Take it easy tool finder: colour coding by size – for quick and easy identification of the required tool. Made of matt chrome-plated chrome-vanadium.

28 bits, BTZ and BTH design with BiTorsion zone (prevents the bit from breaking prematurely) and Take it easy tool finder: colour coding by profile and size stamping, tough design (Z) for universal use, Phillips and Pozidriv, TORX®, TORX® BO, slotted and hexagonal socket. In the very compact, functional Tool-Check.

- Very compact 39-piece tool set for manual and machine use
- Perfect for a wide variety of screw connections with Zyklop Mini with 1/4" bit mounting, bitholding screwdriver or bit holder
- Green locking components to secure the tools
- Ideal for mobile use
- 1/4" bit ratchet, Kraftform bitholding screwdriver, BiTorsion bits (BTZ and BTH), Rapidaptor holder, adapter and 1/4" sockets
- Use of 1/4" sockets also possible with the Wera adaptor 870/1
- Take it easy tool finder system

Tool-Check PLUS 1



Code	EAN		
05049055001	4013288 234896		1
	●	8001 A 1x 1/4"x87,0	
	●	813 1x 1/4"x78	
	●	889/4/1 K 1x 1/4"x50	
	○	870/1 1x 1/4"x25 ¹⁾	
	+	851/1 BTZ 2x PH 1x25; 3x PH 2x25; 1x PH 3x25	
	✱	855/1 BTH 1x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25	
	✱	867/1 TORX® BTZ 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
	✱	867/1 Z TORX® BO 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	
	⊖	800/1 BTZ 1x 1,0x5,5x25	
	○	840/1 BTZ 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	
	○	840/1 Z 1x 8,0x25	
	●	8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	

¹⁾With friction ball; for manual nut spinner sockets

Tool-Check PLUS 2

- With Square-Plus bits (Robertson)

Tool-Check PLUS 2



Code	EAN			
05049056001	4013288 234902			1
		8001 A	1x 1/4"x87,0	
		889/4/1 K	1x 1/4"x50	
		813	1x 1/4"x78	
		870/1	1x 1/4"x25 ¹⁾	
		851/1 BTZ	2x PH 1x25; 3x PH 2x25; 1x PH 3x25	
		867/1 TORX® BTZ	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		867/1 Z TORX® B0	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	
		800/1 BTZ	1x 1,0x5,5x25	
		840/1 BTZ	1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	
		840/1 Z	1x 8,0x25	
		868/1 Z	1x # 1x25; 3x # 2x25; 1x # 3x25	
		8790 HMA	1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	

¹⁾With friction ball; for manual nut spinner sockets

Tool-Check PLUS Imperial 1

- With Square-Plus bits (Robertson)
- Sockets 8790 HMA , 1/4", imperial sizes

Tool-Check PLUS Imperial 1



Code	EAN			
05049060001	4013288 234919			1
		8001 A	1x 1/4"x87,0	
		889/4/1 K	1x 1/4"x50	
		813	1x 1/4"x78	
		870/1	1x 1/4"x25 ¹⁾	
		851/1 BTZ	2x PH 1x25; 3x PH 2x25; 1x PH 3x25	
		867/1 TORX® BTZ	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		867/1 Z TORX® B0	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	
		800/1 BTZ	1x 1,0x5,5x25	
		840/1 Z	1x 3/32"x25; 1x 1/8"x25; 1x 5/32"x25; 1x 3/16"x25; 1x 1/4"x2	
		868/1 Z	1x # 1x25; 3x # 2x25; 1x # 3x25	
		8790 HMA	1x 3/16"x23,0; 1x 1/4"x23,0; 1x 5/16"x23,0; 1x 11/32"x23,0; 1x 3/8"x23,0; 1x 7/16"x23,0; 1x 1/2"x23,0	

¹⁾With friction ball; for manual nut spinner sockets

Bicycle Set 3

Bike tool set with ratchet, bits, sockets and a bitholding screwdriver in the very compact Tool-Check. Perfect as a universal companion for a multitude of screwdriving applications.

Premium bitholding screwdriver with Kraftform Plus handle for comfortable ergonomic screwdriving, avoiding blisters and calluses. Hard handle zones for high working speeds, soft handle zones for a high torque transfer.

Bit ratchet for quick working when screwdriving with a machine or conventional hand tool is not possible due to space constraints. Rapid reversing from clockwise to counterclockwise rotation and vice versa via the reversing lever. The knurling on the ratchet head allows for quick rotation (with the thumb). Easiest operation, even with just one hand. Ergonomic ratchet head/lever: Kraftform geometry with perfectly shaped contact surfaces for the fingers. Smallest possible tool design thanks to the direct bit mounting in the ratchet head, perfect for low working heights. Small return angle of 6° for precise working. Robust drop-forged solid steel design. Torques of over 65 Nm.

The Rapidaptor bitholding screwdriver with fast-rotating sleeve: Can be used as an extension, for lightning-fast bit changes of even the smallest bit sizes with just one hand.

Bits (BTZ) with BiTorsion zone to cushion peak loads for universal use; tough bits (Z) for universal use.

Hand and machine sockets for nearly all applications. With Take it easy tool finder: colour coding by size – for quick and easy identification of the required tool. Slip-proof for easy grip even with oily hands. With ball stop groove. For external hexagon bolts and screws. Made of matt chrome-plated chrome-vanadium.

With the glass fibre reinforced plastic tyre levers, the tyres can be safely levered off the rim without damaging the rim.

Take a selection of tools out and about with you in the included Bit-Check. With a robust tool pouch.

- Compact 41-piece screwdriving tool set for bicycle operations, also for mobile use
- Including two tyre levers with additional functionality - allowing the take up of 1/4" screwdriver bits

Bicycle Set 3



Code	EAN		
	4013288		
05004187001	234926		1
		8001 A 1x 1/4"x87,0	
		813 1x 1/4"x78	
		889/4/1 K 1x 1/4"x50	
		870/1 1x 1/4"x25 ¹⁾	
		851/1 BTZ 1x PH 1x25; 2x PH 2x25; 1x PH 3x25	
		867/1 TORX® BTZ 1x TX 10x25; 1x TX 15x25; 2x TX 20x25; 2x TX 25x25; 1x TX 27x25; 1x TX 30x25; 1x TX 40x25	
		800/1 BTZ 1x 0,5x4,0x25; 1x 0,6x4,5x25; 1x 1,0x5,5x25	
		840/1 BTZ 1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	
		840/1 Z 1x 8,0x25	
		842/1 Z 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	
		8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 13,0x23,0; 1x 15,0x23,0	
		9502 1x 105,0	
		9503 1x 105,0	
		Hook and Loop Fastener Strip 120 1x 50,0x120,0	

¹⁾With friction ball; for manual nut spinner sockets

Bicycle Set 3 A

Bike tool set with ratchet, bits, sockets and a bitholding screwdriver in the very compact Tool-Check. Perfect as a universal companion for a multitude of screwdriving applications. An added extra: The set comes with two pouches— a larger pouch for the complete tool set and a small soft pouch to store the tools safely in your shirt pocket when you are on the go. The soft pouch has additional loops for holding two CO₂ cartridges (the cartridges are not included).

With useful bike tools (chain riveter and chain fastener) to repair bike chains.

Premium bitholding screwdriver with Kraftform Plus handle for comfortable ergonomic screwdriving.

Bit ratchet for quick working when screwdriving with a machine or conventional hand tool is not possible due to space constraints. Rapid reversing from clockwise to counterclockwise rotation and vice versa via the reversing lever. The knurling on the ratchet head allows for quick rotation (with the thumb). Easiest operation, even with just one hand. Ergonomic ratchet head/lever: Kraftform geometry with perfectly shaped contact surfaces for the fingers. The direct bit mounting in the ratchet head provides small tool design for low working heights. Small return angle of 6° for precise working. Robust drop-forged solid steel design. Torques of over 65 Nm.

The Rapidaptor bitholding screwdriver with fast-rotating sleeve: Can be used as an extension, for lightning-fast bit changes for even very small bit sizes with just one hand and without any extra tools.

Bits (BTZ) with BiTorsion zone to cushion peak loads for universal use; tough bits (Z) for universal use.

Zyklop sockets with colour coding by size as well as size stamping – to help you find the required socket quickly and easily. Slip-proof thanks to the knurling at the rear end for easy handling even with oily hands. With ball stop groove. For external hexagon bolts and screws. Made of matt chrome-plated chrome-vanadium.

With the glass fibre reinforced plastic tyre levers, the tyres can be safely levered off the rim without damaging the rim. One tyre lever with valve ejector, one tyre lever with 1/4" bit mounting.

- Compact 38-piece bike tool set in a pouch for the workshop and on tour
- With a small soft pouch to take individual tools with you
- With chain riveter and chain fastener with exchangeable rivet pin for opening and closing bicycle chains. Suitable for single-speed chains, up to 12-speed

Bicycle Set 3 A



Code	EAN			
	4013288			
05004188001	234933			1
		8001 A	1x 1/4"x87,0	
		813	1x 1/4"x78	
		3899/4/1	1x 1/4"x100	
		889/4/1 K	1x 1/4"x50	
		870/1	1x 1/4"x25 ¹⁾	
		851/1 BTZ	1x PH 1x25; 1x PH 2x25	
		867/1 TORX® BTZ	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25	
		800/1 BTZ	1x 0,5x4,0x25; 1x 0,6x4,5x25	
		840/1 BTZ	1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	
		840/1 Z	1x 8,0x25	
		842/1 Z	1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	
		8790 HMA	1x 5,5x23,0; 1x 6,0x23,0; 1x 8,0x23,0; 1x 9,0x23,0; 1x 10,0x23,0; 1x 13,0x23,0; 1x 15,0x23,0	
		9502	1x 105,0	
		9503	1x 105,0	
		9513 Chain Tool		
		9512 Chain-Hook		
		9481	1x 203x85	
		9480	1x 90,0x135,0	
		Hook and Loop Fastener Strip 120	1x 50,0x120,0	

¹⁾With friction ball; for manual nut spinner sockets

Tool-Check 1

38-piece set. Very compact tool set for manual and machine use. The green locking elements of the Tool-Check secure the tools during transport.

Includes one $\frac{1}{4}$ " bit ratchet in drop-forged solid steel design. Fine toothing mechanism (60 teeth) for a small return angle of 6° for precise working. Easy clockwise/counterclockwise switching. Ergonomically shaped ratchet head and lever. $\frac{1}{4}$ " sockets can also be used with the Wera 870/1 adapter ($\frac{1}{4}$ " external hexagon to $\frac{1}{4}$ " external square head) included in the set.

7 Zyklop sockets ($\frac{1}{4}$ ", for manual and machine-operated tools); with ball stop groove. Knurling at the rear end for manageability during manual screwdriving. With Take it easy tool finder: colour coding by size – for quick and easy identification of the required tool. Made of matt chrome-plated chrome-vanadium.

28 tough bits (Phillips and Pozidriv, TORX®, TORX® BO, slotted and hexagonal socket) for universal use. In the very compact, functional Tool-Check.

- Very compact 38-piece tool set for manual and machine use

Tool-Check 1



Code	EAN		
05049050001	4013288	234889	1
		8001 A	1x $\frac{1}{4}$ "x87,0
		889/4/1 K	1x $\frac{1}{4}$ "x50
		870/1	1x $\frac{1}{4}$ "x25 ¹⁾
		851/1 TZ	2x PH 1x25; 3x PH 2x25; 1x PH 3x25
		855/1 TH	1x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25
		867/1 TZ TORX®	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25
		867/1 Z TORX® BO	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25
		800/1 TZ	1x 1,0x5,5x25
		840/1 Z	1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25
		8790 HMA	1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0

¹⁾With friction ball; for manual nut spinner sockets

Tool-Check Automotive 1



Code	EAN			
05049065001	4013288 234827			1
		8001 A	1x 1/4"x87,0	
		889/4/1 K	1x 1/4"x50	
		870/1	1x 1/4"x25 ¹⁾	
		851/1 TZ	1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		867/1 TZ TORX®	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		867/1 Z TORX® BO	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	
		800/1 TZ	1x 1,0x5,5x25	
		840/1 Z	1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25	
		873/1 Five Lobe	1x 20x25; 1x 25x25; 1x 27x25; 1x 30x25	
		860/1 XZN	1x M 4x25; 1x M 5x25; 1x M 6x25; 1x M 8x25	
		8790 HMA	1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	

¹⁾With friction ball; for manual nut spinner sockets

Tool-Check Combi 1

40-piece set. Very compact tool set for manual and machine use. The green locking components of the Tool-Check secure the tools during transport.

Includes one 1/4" bit ratchet in drop-forged solid steel design. Fine toothing mechanism (60 teeth) for a small return angle of 6° for precise working. Easy clockwise/counterclockwise switching. Ergonomically shaped ratchet head and lever. 1/4" sockets can also be used with the Wera 870/1 adapter (1/4" external hexagon to 1/4" external square head) included in the set.

7 Zyklop sockets (1/4") for manual and machine-operated tools; with ball stop groove. Knurling at the rear end for manageability during manual screwdriving. With Take it easy tool finder: colour coding by size - for quick and easy identification of the required tool. Made of matt chrome-plated chrome-vanadium.

28 bits, BTZ and BTH design with BiTorsion zone (prevents the bit from breaking prematurely) and Take it easy toolfinder: colour coding by profile and size, tough design (Z) for universal use, Phillips and Pozidriv, TORX®, TORX® BO, slotted and hexagonal socket.

1x KNIPEX Cobra® 87 01 125 high-tech water pump pliers. In the very compact, functional Tool-Check. One robust pouch.

- Very compact 40-piece tool set for manual and machine use
- 1x KNIPEX Cobra® 87 01 125 high-tech water pump pliers

Tool-Check Combi 1



Code	EAN			
05049070001	4013288 235060			1
		●	8001 A 1x 1/4"x87,0	
		●	813 1x 1/4"x78	
		●○	889/4/1 K 1x 1/4"x50	
		○	870/1 1x 1/4"x25 ¹⁾	
		+	851/1 BTZ 2x PH 1x25; 3x PH 2x25; 1x PH 3x25	
		+	855/1 BTH 1x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25	
		✱	867/1 TORX® BTZ 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		✱	867/1 Z TORX® B0 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	
		⊖	800/1 BTZ 1x 1,0x5,5x25	
		○	840/1 BTZ 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	
		○	840/1 Z 1x 8,0x25	
		●●	8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	
			KNIPEX Cobra® High-Tech Water Pump Pliers 87 01 125	

¹⁾With friction ball; for manual nut spinner sockets







Joker Wrenches & Spanners

Joker - Can.Do.Everything.Better.



High quality, metric, combination ratchet wrench by Wera. Everything that a wrench has to be able to do. And a whole lot more. Faster, better, stylish. Yes, a real Joker. The new generation of combination ratchet wrenches.

Suitable for hexagon socket screws, bolts or nuts. Comes with holding function, thanks to the metal plate in the jaw, which reduces the risk of dropping nuts and bolts. The replaceable metal plate in the jaw secures nuts and bolts with its extra hard teeth and reduces the danger of slipping.

The integrated limit stop prevents any slipping around the bolt head and allows higher torque to be applied. The double-hex geometry makes for a positive connection with nuts or bolts and reduces the risk of slipping. A return angle of only 30° at the open end prevents any time consuming flipping of the wrench. The ratchet mechanism at the ring end, with an exceptional, fine-tooth mechanism – 80 teeth in all – enables flexibility even in very confined working spaces.

The specially forged geometry ensures high torque transfer and strength. The ratchet is manufactured out of high performance chrome molybdenum steel with nickel-chrome coating for high corrosion protection. Take it easy Tool Finder with colour coding according to sizes.

- Practical holding function thanks to the metal plate in the jaw
- Limit stop prevents any slipping
- The double-hex geometry reduces the risk of slipping
- Return angle of only 30°
- Take it easy tool finder with colour coding according to sizes

6000 Joker Ratcheting combination wrenches



Code	EAN		mm	mm	mm	mm	mm	
05073268001	167309		8	144	20	5,5	18	3
05073270001	164360		10	159	22	5,5	21	3
05073271001	167316		11	165	25	6,3	22	3
05073272001	167323		12	170,7	26,3	6,6	25	3
05073273001	164377		13	177	27,3	7	25	3
05073274001	167330		14	188	29,3	7,5	28	3
05073275001	167347		15	200	32,3	7,8	28,5	3
05073276001	167392		16	212	35	8,2	32,7	3
05073277001	164384		17	224	37,2	8,5	32,7	3
05073278001	167408		18	235	39	9	33,8	3
05073279001	164391		19	246	42	9,5	34,8	3

6000 Joker Ratcheting combination wrenches, Imperial



Code	EAN			mm	mm	mm	mm	
05073280001	167354		5/16"	144	20	5,5	18	3
05073281001	167361		3/8"	159	22	5,5	21	3
05073282001	167378		7/16"	165	25	6,3	22	3
05073283001	167385		1/2"	177	27,3	7	25	3
05073284001	167415		9/16"	188	29,3	7,5	28	3
05073285001	167422		5/8"	212	35	8,2	32,7	3
05073286001	167439		11/16"	235	39	9	33,8	3
05073287001	167446		3/4"	246	42	9,5	34,8	3

9630 Magnetic rail 6000 Joker 1 Ratcheting combination wrenches set

- 11-piece set
- With its strong magnet, the rail holds securely to metal surfaces. It can also be bolted to the wall
- The clips hold the tools perfectly

9630 Magnetic rail 6000 Joker 1 Ratcheting combination wrenches set



Code	EAN		
05020014001	228949		1
		6000 Joker 1x 8x144; 1x 10x159; 1x 11x165; 1x 12x170,7; 1x 13x177; 1x 14x188; 1x 15x200; 1x 16x212; 1x 17x224; 1x 18x235; 1x 19x246	
		9610 1x 30,0x370,0	

9631 Magnetic rail 6000 Joker 2 Ratcheting combination wrenches set

- 5-piece set

9631 Magnetic rail 6000 Joker 2 Ratcheting combination wrenches set



Code	EAN		
05020015001	229847		1
		6000 Joker 1x 8x144; 1x 10x159; 1x 13x177; 1x 17x224; 1x 19x246	
		9610 1x 30,0x370,0	

9632 Magnetic rail 6000 Joker Imperial 1 Ratcheting combination wrenches set

- 8-piece set

9632 Magnetic rail 6000 Joker Imperial 1 Ratcheting combination wrenches set



Code	EAN		
05020016001	229861		1
		6000 Joker Imperial 1x 5/16"x144; 1x 3/8"x159; 1x 7/16"x165; 1x 1/2"x177; 1x 9/16"x188; 1x 5/8"x212; 1x 11/16"x235; 1x 3/4"x246	
		9610 1x 30,0x370,0	

6000 Joker 11 Set 1 of ratcheting combination wrenches

- In robust pouch

6000 Joker 11 Set 1 of ratcheting combination wrenches



Code	EAN		
05020013001	4013288 167521		1
6000 Joker 1x 8x144; 1x 10x159; 1x 11x165; 1x 12x170,7; 1x 13x177; 1x 14x188; 1x 15x200; 1x 16x212; 1x 17x224; 1x 18x235; 1x 19x246			

6000 Joker 8 Imperial Set 1 Set of ratcheting combination wrenches, Imperial

- In robust pouch

6000 Joker 8 Imperial Set 1 Set of ratcheting combination wrenches, Imperial



Code	EAN		
05020012001	4013288 167514		1
6000 Joker Imperial 1x 5/16"x144; 1x 3/8"x159; 1x 7/16"x165; 1x 1/2"x177; 1x 9/16"x188; 1x 5/8"x212; 1x 11/16"x235; 1x 3/4"x246			

6000/6002 Joker 6 Set 1 Set of ratcheting combination / double open-ended wrenches

- The Joker double open-ended wrench is ideally suited for locking down nuts and bolts.
- In robust pouch

6000/6002 Joker 6 Set 1 Set of ratcheting combination / double open-ended wrenches



Code	EAN		
05020022001	4013288 173034		1
6000 Joker 1x 10x159; 1x 13x177; 1x 17x224; 1x 19x246			
6002 Joker Double 1x 10x13x167; 1x 17x19x235			

6000 Joker 4 Set 1 Set of ratcheting combination wrenches

- In robust pouch

6000 Joker 4 Set 1 Set of ratcheting combination wrenches



Code	EAN		
05073290001	4013288 164407		1
6000 Joker 1x 10x159; 1x 13x177; 1x 17x224; 1x 19x246			

6000 Joker 4 Imperial Set 1 Set of ratcheting combination wrenches, Imperial

- In robust pouch

6000 Joker 4 Imperial Set 1 Set of ratcheting combination wrenches, Imperial



Code	EAN		
05073295001	167460		1
6000 Joker Imperial 1x 7/16"x165; 1x 1/2"x177; 1x 9/16"x188; 1x 3/4"x246			
Hook and Loop Fastener Strip 120 1x 50,0x120,0			

6001 Joker Switch

Joker ratcheting combination wrenches with angled ratchet head and switch lever. The metal plate in the jaw provides for the holding function which reduces the risk of losing nuts and bolts.

The integrated limit stop can prevent any slipping from the bolt head downwards and enables higher torque to be applied.

The exchangeable metal plate in the jaw securely holds nuts and bolts with its extra hard teeth and reduces the risk of slipping.

The double-hex geometry delivers a very positive connection with nuts or bolts and again provides for a lower risk of any slipping. The low return angle of only 30° at the jaw end avoids any time-consuming flipping of the wrench when fastening.

The reversible ratchet mechanism at the ring end with its fine toothing (80 teeth) ensures great flexibility even in confined spaces. Audibly precise ratchet mechanism.

Additionally, the robust two-piece locking element provides for an extreme stability. Comes with a 15° angled ratchet end for secure work even at high torque. The special forged geometry allows for high torque transfer and high flexural rigidity. Manufactured out of high-performance chrome-molybdenum steel with a nickel-chromium coating for high corrosion protection.

With Take it easy tool finder: colour coding according to size.

- Practical holding function thanks to the metal plate in the jaw
- Limit stop prevents any slipping
- Very fine toothing and robust locking element
- Ratchet end angled by 15°
- Take it easy tool finder with colour coding according to sizes

6001 Joker Switch Ratcheting combination wrenches, with switch lever



Code	EAN						
05020064001	184696	8	144	20,3	5,5	18	3
05020065001	183903	10	159	23	5,5	21,5	3
05020066001	183910	11	165	24,3	6,3	22	3
05020067001	183927	12	171	26,3	6,6	25	3
05020068001	184702	13	179	27,3	7	26	3
05020069001	184719	14	187	30	7,5	28	3
05020070001	184726	15	199	32	7,8	28,8	3
05020071001	184733	16	213	35	8,2	31,7	3
05020072001	184740	17	225	37	8,5	33	3
05020073001	184757	18	234	39,5	9	34	3
05020074001	184764	19	246	42	9,5	34,7	3

6001 Joker Switch Ratcheting combination wrenches, with switch lever, imperial



Code	EAN						
05020075001	184788	5/16"	144	20,3	5,5	18	3
05020076001	184795	3/8"	159	23	5,5	21,5	3
05020077001	184801	7/16"	165	24,3	6,3	22	3
05020078001	184818	1/2"	171	26,3	6,6	25	3
05020079001	184825	9/16"	187	30	7,5	28	3
05020080001	184832	5/8"	213	35	8,2	31,7	3
05020081001	184849	11/16"	234	39,5	9	34	3
05020082001	184771	3/4"	246	42	9,5	34,7	3

6001 Joker Switch 11 Set 1 Set of ratcheting combination wrenches

- Compact textile box with high robustness, low weight and volume

6001 Joker Switch 11 Set 1 Set of ratcheting combination wrenches



Code	EAN		
05020091001	4013288 184160		1
		6001 Joker Switch 1x 8x144; 1x 10x159; 1x 11x165; 1x 12x171; 1x 13x179; 1x 14x187; 1x 15x199; 1x 16x213; 1x 17x225; 1x 18x234; 1x 19x246	
		Hook and Loop Fastener Strip 240 1x 50,0x240,0	

6001 Joker Switch 8 Imperial Set 1 Set of ratcheting combination wrenches, Imperial

- Compact textile box with high robustness, low weight and volume

6001 Joker Switch 8 Imperial Set 1 Set of ratcheting combination wrenches, Imperial



Code	EAN		
05020093001	4013288 184153		1
		6001 Joker Switch Imperial 1x 5/16"x144; 1x 3/8"x159; 1x 7/16"x165; 1x 1/2"x171; 1x 9/16"x187; 1x 5/8"x213; 1x 11/16"x234; 1x 3/4"x246	
		Hook and Loop Fastener Strip 240 1x 50,0x240,0	

6001 Joker Switch 4 Set 1 Set of ratcheting combination wrenches

- In robust pouch

6001 Joker Switch 4 Set 1 Set of ratcheting combination wrenches



Code	EAN		
05020090001	4013288 184139		1
		6001 Joker Switch 1x 10x159; 1x 13x179; 1x 17x225; 1x 19x246	
		Hook and Loop Fastener Strip 120 1x 50,0x120,0	

6001 Joker Switch 4 Imperial Set 1 Set of ratcheting combination wrenches, Imperial

- In robust pouch

6001 Joker Switch 4 Imperial Set 1 Set of ratcheting combination wrenches, Imperial



Code	EAN		
05020092001	4013288 184146		1
		6001 Joker Switch Imperial 1x 7/16"x165; 1x 1/2"x171; 1x 9/16"x187; 1x 3/4"x246	
		Hook and Loop Fastener Strip 120 1x 50,0x120,0	

6002 Joker Double open-ended wrenches

- Practical holding function thanks to the metal plate in the jaw
- Limit stop prevents any slipping
- The double-hex geometry reduces the risk of slipping
- Return angle of only 30°
- Take it easy tool finder with colour coding according to sizes

6002 Joker Double open-ended wrenches



Code	EAN		mm	mm	mm	mm	mm	
05020259001	219015		8	20	10	23	5,5	3
05003760001	173010		10	23	13	27	5,5	3
05003765001	173027		17	37	19	42	8,5	3
05020260001	212764		20	48	22	51	10	3
05020261001	212771		22	48	24	51	10	3
05020262001	212788		24	51	27	60	11	3
05020263001	212795		27	63	32	66	12	3
05020264001	212801		30	63	32	66	12	3

6003 Joker ring spanner

As the installation space becomes increasingly tight during screwdriving, it remains necessary that tools enable users to work successfully.

Narrow spaces require additional placement points of the tool. Can spanners be modified so that the placement possibilities of the tool increase?


The combination of the 7.5° pivoted mouth and the double hex-agon geometry doubles the placement points. A repeated 180° turn of the wrench around the longitudinal axis during screw-driving provides four placement possibilities, and bolts or screw heads can be "taken" every 15°.

The Joker 6003 with its smart mouth geometry significantly expands the range of uses in confined spaces. The Joker 6003 will automatically find the respective placement point after every turn.

The slim yet robust ring side is angled by 15° to the tool axis. The high-quality surface treatment achieves a high and long-lasting corrosion protection. With Take it easy tool finder: colour coding by size.


- Especially suitable for tight spaces
- The special mouth geometry expands the placement possibilities of the tool
- The low return angle in the mouth "takes" the screw every 15°
- Slim ring side angled by 15°
- Take it easy tool finder with colour coding according to sizes

6003 Joker ring spanner



Code	EAN		mm	mm	mm	mm	mm	
05020190001	219039		5,5	105	16	4	10	3
05020198001	218780		6	105	16	4	10	3
05020199001	218773		7	110	17,7	4,2	11,5	3
05020200001	212528		8	115	19	4,5	12,5	3
05020219001	220097		9	120	21	4,8	13,5	3
05020201001	212542		10	125	22	5	15	3
05020202001	212559		11	135	24,5	5	17	3
05020203001	212566		12	148	26	5,5	18	3
05020204001	212696		13	160	27	6	19	3
05020205001	212702		14	167	29	6	20	3
05020206001	212719		15	174	32	6	22	3
05020207001	212726		16	182	35	6,5	23	3
05020208001	212733		17	190	38	6,5	24,5	3
05020209001	212740		18	210	39	7,5	26	3
05020210001	212757		19	230	42	7,5	27,5	3
05020500001	218797		20	230	45	7,5	29	3
05020501001	218803		21	260	47	7,5	30	3
05020502001	218841		22	260	49	7,5	31,5	3
05020503001	218858		24	280	53	8	36	3
05020504001	218865		27	300	60	8,5	40	3
05020505001	218872		30	330	66	9	43	3
05020506001	218889		32	360	70	9,5	45,5	3
05020507001	218896		36	460	80	10	50,5	3

6003 Joker ring spanner, imperial



Code	EAN		mm	mm	mm	mm	mm	
05020220001	219046		1/4"	105	16	4	10	3
05020211001	212979		5/16"	115	19	4,5	12,5	3
05020212001	212986		3/8"	125	22	5	15	3
05020213001	212993		7/16"	135	24,5	5	17	3
05020214001	213006		1/2"	160	26	6	19	3
05020215001	213013		9/16"	167	29	6	20	3
05020216001	213020		5/8"	182	35	6,5	23	3
05020217001	213037		11/16"	210	40	7,5	26	3
05020218001	213044		3/4"	230	42	7,5	27,5	3

6003 Joker Pedal ring spanner

The extra thin pedal wrench 6003 Joker Pedal is ideal for narrow installation spaces.

- Especially suitable for tight spaces
- The special mouth geometry expands the placement possibilities of the tool
- The low return angle in the mouth "takes" the screw every 15°
- Slim ring side angled by 15°
- Joker 6003 pedal size 15 with flat mouth to mount and dismount pedals
- With Take it easy tool finder: colour coding by size

6003 Joker Pedal ring spanner



	EAN							
Code	4013288		mm	mm	mm	mm	mm	
05020221001	220677		15	174	32	4,5	22	1

6003 Joker 22 Set 1 ring spanner set

As the installation space becomes increasingly tight during screwdriving, tools are necessary that enable users to work successfully even in such situations. Narrow spaces require additional placement points of the tool.

Can spanners be modified so that the placement possibilities of the tool increase? The combination of the 7.5° pivoted mouth and the double hexagon geometry doubles the placement points.

A repeated 180° turn of the wrench around the longitudinal axis during screwdriving provides four placement possibilities, and bolts or screw heads can be engaged every 15°. The Joker 6003 with its smart mouth geometry significantly expands the range of uses in confined spaces.

The Joker 6003 will automatically find the respective placement point after every turn. The slim yet robust ring side is angled by 15° to the tool axis. The high-quality surface treatment achieves a high and long-lasting corrosion protection. With tool finder Take it easy: colour coding by size.

- 22-piece ring spanner set - particularly suitable for narrow installation spaces
- The special mouth geometry expands the placement possibilities of the tool
- The low return angle in the mouth "takes" the screw every 15°
- Slim ring side angled by 15°

6003 Joker 22 Set 1 ring spanner set



Code	EAN		
05020232001	221087		1
		6003 Joker 1x 5,5x105; 1x 6x105; 1x 7x110; 1x 8x115; 1x 9x120; 1x 10x125; 1x 11x135; 1x 12x148; 1x 13x160; 1x 14x167; 1x 15x174; 1x 16x182; 1x 17x190; 1x 18x210; 1x 19x230; 1x 20x230; 1x 21x260; 1x 22x260; 1x 24x280; 1x 27x300; 1x 30x330; 1x 32x360	

6003 Joker 15 Set 1 combination wrench set

- In robust pouch

6003 Joker 15 Set 1 combination wrench set




Code	EAN		
05020302001	4013288	222657	1
		6003 Joker 1x 5,5x105; 1x 6x105; 1x 7x110; 1x 8x115; 1x 9x120; 1x 10x125; 1x 11x135; 1x 12x148; 1x 13x160; 1x 14x167; 1x 15x174; 1x 16x182; 1x 17x190; 1x 18x210; 1x 19x230	
		Hook and Loop Fastener Strip 240 1x 50,0x240,0	

6003 Joker 11 Set 1 ring spanner set

- In robust pouch

6003 Joker 11 Set 1 ring spanner set



Code	EAN		
05020231001	4013288	214195	1
		6003 Joker 1x 8x115; 1x 10x125; 1x 11x135; 1x 12x148; 1x 13x160; 1x 14x167; 1x 15x174; 1x 16x182; 1x 17x190; 1x 18x210; 1x 19x230	
		Hook and Loop Fastener Strip 240 1x 50,0x240,0	

6003 Joker 8 Imperial Set 1 ring spanner set, Imperial

- In robust pouch

6003 Joker 8 Imperial Set 1 ring spanner set, Imperial



Code	EAN		
05020241001	4013288	214201	1
		6003 Joker Imperial 1x 5/16"x115; 1x 3/8"x125; 1x 7/16"x135; 1x 1/2"x160; 1x 9/16"x167; 1x 5/8"x182; 1x 11/16"x210; 1x 3/4"x230	
		Hook and Loop Fastener Strip 240 1x 50,0x240,0	

6003 Joker 5 Set 1 ring spanner set

- In robust pouch

6003 Joker 5 Set 1 ring spanner set



Code	EAN		
05020230001	4013288	214171	1
		6003 Joker 1x 8x115; 1x 10x125; 1x 13x160; 1x 17x190; 1x 19x230	
		Hook and Loop Fastener Strip 120 1x 50,0x120,0	

Bicycle set 10

5-piece Joker 6003 spanner set; size 15 in an extra-slim design. As the working space is very narrow when working on your bike, tools are necessary that enable users to work successfully even in such situations. Narrow spaces require additional placement points of the tool.

Can spanners be modified so that the placement possibilities of the tool increase? The combination of the 7.5° pivoted mouth and the double hexagon geometry doubles the placement points. A repeated 180° turn of the wrench around the longitudinal axis during screwdriving provides four placement possibilities, and bolts or screw heads can be engaged every 15°.

The Joker 6003 with its smart mouth geometry significantly expands the range of uses in confined spaces. The Joker 6003 will automatically find the respective placement point after every turn.

The slim yet robust ring side is angled by 15° to the tool axis. The high-quality surface treatment achieves a high and long-lasting corrosion protection. With tool finder Take it easy: colour coding by size.

The Joker bags are suitable for attachment to walls, shelves, workshop trolleys and the Wera 2go system thanks to the hook and loop fastener system on the back.

- Particularly suitable for narrow screwdriving situations on the bike
- The special mouth geometry expands the placement possibilities of the tool
- The low return angle in the mouth "takes" the screw every 15°
- Slim ring side angled by 15°
- Joker 6003 pedal size 15 with flat mouth to mount and dismount pedals

Bicycle set 10



			
Code	EAN		
05004178001	220653		1
		6003 Joker 1x 8x115; 1x 9x120; 1x 10x125; 1x 13x160	
		6003 Joker Pedal 1x 15x174	
		Hook and Loop Fastener Strip 120 1x 50,0x120,0	

Bicycle set 12

12-piece Joker 6003 spanner set; size 15 in an extra-slim design. As the working space is very narrow when working on your bike, tools are necessary that enable users to work successfully even in such situations.

Narrow spaces require additional placement points of the tool. Can spanners be modified so that the placement possibilities of the tool increase?

The combination of the 7.5° pivoted mouth and the double hexagon geometry doubles the placement points. A repeated 180° turn of the wrench around the longitudinal axis during screwdriving provides four placement possibilities, and bolts or screw heads can be engaged every 15°.

The Joker 6003 with its smart mouth geometry significantly expands the range of uses in confined spaces. The Joker 6003 will automatically find the respective placement point after every turn. The slim yet robust ring side is angled by 15° to the tool axis. The high-quality surface treatment achieves a high and long-lasting corrosion protection. With tool finder Take it easy: colour coding by size.

The Joker bags are suitable for attachment to walls, shelves, workshop trolleys and the Wera 2go system thanks to the hook and loop fastener system on the back.

- Especially suitable for tight spaces
- The special mouth geometry expands the placement possibilities of the tool
- The low return angle in the mouth "takes" the screw every 15°
- Slim ring side angled by 15°
- Joker 6003 pedal size 15 with flat mouth to mount and dismount pedals
- With Take it easy tool finder: colour coding by size
- In robust pouch

Bicycle set 12



			
Code	EAN		
05004181001	220721		1
		6003 Joker 1x 6x105; 1x 7x110; 1x 8x115; 1x 9x120; 1x 10x125; 1x 11x135; 1x 12x148; 1x 13x160; 1x 14x167; 1x 16x182; 1x 17x190	
		6003 Joker Pedal 1x 15x174	

6003 Joker 5 Imperial Set 1 ring spanner set, Imperial

- In robust pouch

6003 Joker 5 Imperial Set 1 ring spanner set, Imperial



Code	EAN		
05020240001	4013288 274188		1
		6003 Joker Imperial 1x 5/16"x115; 1x 3/8"x125; 1x 1/2"x160; 1x 9/16"x167; 1x 3/4"x230	
		Hook and Loop Fastener Strip 120 1x 50,0x120,0	

6003 Joker 4 Set 1 Ring spanner set

As the installation space becomes increasingly tight during screwdriving, it is necessary that tools enable users to work successfully even in such situations. Narrow spaces require additional placement points of the tool.

Can spanners be modified to increase the placement possibilities of the tool? The combination of the 7.5° pivoted mouth and the double hexagon geometry doubles the placement points.

A repeated 180° turn of the wrench around the longitudinal axis during screwdriving provides four placement possibilities, and bolts or screw heads can be engaged every 15°.

The Joker 6003 with its smart mouth geometry significantly expands the range of uses in confined spaces.

The Joker 6003 will automatically find the respective placement point after every turn. The slim yet robust ring side is angled by 15° to the tool axis.


The high-quality surface treatment achieves a high and long-lasting corrosion protection.

With Take it easy tool finder: Colour coding by size. The wear-free material of the clip guarantees easy removal and a secure hold of the spanners.

- Joker open-ended and combination wrenches and in a new clip for space-saving storage in the tool bag



6003 Joker 4 Set 1 Ring spanner set



Code	EAN		
05020228001	4013288 225665		1
		6003 Joker 1x 8x115; 1x 10x125; 1x 12x148; 1x 13x160	

6003 Joker 4 Set Imperial 1 Ring spanner set

- Joker open-ended and combination wrenches and in a new clip for space-saving storage in the tool bag

6003 Joker 4 Set Imperial 1 Ring spanner set



				
Code	EAN			
	4013288			
05020229001	225672			1
		6003 Joker Imperial		
		1x 5/16"x115; 1x 3/8"x125; 1x 7/16"x135; 1x 1/2"x160		

9640 Magnetic rail 6003 Joker 1 Ring spanner set

- 11-piece set
- With its strong magnet, the rail holds securely to metal surfaces. It can also be bolted to the wall
- The clips hold the tools perfectly

9640 Magnetic rail 6003 Joker 1 Ring spanner set




				
Code	EAN			
	4013288			
05020233001	228963			1
		6003 Joker 1x 8x115; 1x 10x125; 1x 11x135; 1x 12x148; 1x 13x160; 1x 14x167; 1x 15x174; 1x 16x182; 1x 17x190; 1x 18x210; 1x 19x230,0		
		9610 1x 30,0x370,0		

9641 Magnetic rail 6003 Joker 2 Ring spanner set

- 5-piece set

9641 Magnetic rail 6003 Joker 2 Ring spanner set



				
Code	EAN			
05020234001	4013288			
	229854			1
		6003 Joker 1x 8x115; 1x 10x125; 1x 13x160; 1x 17x190; 1x 19x230,0		
		9610 1x 30,0x370,0		

9642 Magnetic rail 6003 Joker Imperial 1 Ring spanner set

- Imperial sizes
- 8-piece set

9642 Magnetic rail 6003 Joker Imperial 1 Ring spanner set



				
Code	EAN			
05020235001	4013288	229878		1
			6003 Joker Imperial 1x ⁵ / ₁₆ "x115; 1x ³ / ₈ "x125; 1x ⁷ / ₁₆ "x135; 1x ¹ / ₂ "x160; 1x ⁹ / ₁₆ "x167; 1x ⁵ / ₈ "x182; 1x ¹¹ / ₁₆ "x210; 1x ³ / ₄ "x230,0	
			9610 1x 30 0x370 0	

6004 Joker self-setting spanner

Many users wish to have a universal screwdriving tool with the widest possible range of applications. It should be a single tool for multiple metric and imperial dimensions.

It should automatically adjust to the different screw sizes. It should be safe to grab without damaging anything and allow for a high working speed. The continuous and parallel jaws replace several single spanner dimensions.

The required size is automatically and continuously set when attaching the tool to the hexagon bolt or screw. The integrated lever mechanism securely clamps the hexagon screw or bolt between the jaws, which significantly reduces the risk of slipping or damage.

The ratchet function ensures fast and consistent screwdriving without removing the tool. Thanks to the corner-width rectangular prisms, a back-pivoting angle of only 30° can be realized.

The single-arm design in conjunction with the ratchet function and the corner-width prism make it possible to work even in confined spaces.

The adjustable Joker 6004 is the universal screwdriving tool. Self-setting. Gripping. Spanning.

- The adjustable Joker 6004 covers all metric and imperial dimensions in the respective field of application
- Automatic and continuous grip of hexagon screws and bolts
- Lever mechanism when gripping avoids slipping and damage
- Fast and consistent screwdriving without removing the wrench thanks to mechanical ratchet function
- Back-pivoting angle of only 30° through placement in the corner-width rectangular prisms in the mouth

6004 Joker XS self-setting spanner



Code	EAN	mm	mm	mm	mm			
05020099001	216892	7-10	1/4"-3/8"	117	7,7			3

6004 Joker S self-setting spanner



Code	EAN	mm	mm	mm	mm			
05020100001	211729	10-13	7/16"-1/2"	154	10			3

6004 Joker M self-setting spanner



Code	EAN	mm	mm	mm	mm			
05020103001	216908	13-16	1/2"-5/8"	188	12,4			3

6004 Joker L self-setting spanner



		EAN						
Code	4013288	mm		mm	mm			
05020101001	214706	16-19	5/8"-3/4"	224	14			3

6004 Joker XL self-setting spanner



		EAN						
Code	4013288	mm		mm	mm			
05020104001	216915	19-24	3/4"-15/16"	256	16			2

6004 Joker XXL self-setting spanner



		EAN						
Code	4013288	mm		mm	mm			
05020102001	214713	24-32	15/16"-1 1/4"	322	20			3

6004 Joker 6 Set 1 Self-setting spanner set

- For hexagon screw heads and bolts with sizes 7-32 or 1/4"-1 1/4" (imperial) and all intermediate sizes

6004 Joker 6 Set 1 Self-setting spanner set



				
Code	4013288			
05020111001	236555			1
		6004 Joker XS		
		1x 7-10 (1/4"-3/8")x117		
		6004 Joker S		
		1x 10-13 (7/16"-1/2")x154		
		6004 Joker M		
		1x 13-16 (1/2"-5/8")x188		
		6004 Joker L		
		1x 16-19 (5/8"-3/4")x224		
		6004 Joker XL		
		1x 19-24 (3/4"-15/16")x256		
		6004 Joker XXL		
		1x 24-32 (15/16"-1 1/4")x322		

6004 Joker 4 set 1 self-setting spanner set

- 4-piece set
- For hexagon screw heads and bolts with wrench sizes 7.0; 8.0; 9.0; 10.0; 11.0; 12.0; 13.0; 14.0; 15.0; 16.0; 17.0; 18.0; 19.0 (metric)
- For hexagon screw heads and bolts with wrench sizes $\frac{1}{4}$ "; $\frac{5}{16}$ "; $\frac{3}{8}$ "; $\frac{7}{16}$ "; $\frac{1}{2}$ "; $\frac{17}{32}$ "; $\frac{9}{16}$ "; $\frac{19}{32}$ "; $\frac{5}{8}$ "; $\frac{11}{16}$ "; $\frac{3}{4}$ " (imperial)

6004 Joker 4 set 1 self-setting spanner set



Code	EAN		
05020110001	217516		1
		6004 Joker XS 1x 7-10 ($\frac{1}{4}$ "- $\frac{3}{8}$ ")x117	
		6004 Joker S 1x 10-13 ($\frac{7}{16}$ "- $\frac{1}{2}$ ")x154	
		6004 Joker M 1x 13-16 ($\frac{1}{2}$ "- $\frac{5}{8}$ ")x188	
		6004 Joker L 1x 16-19 ($\frac{5}{8}$ "- $\frac{3}{4}$ ")x224	

6004 Joker 2 set 1 Self-setting spanner set

- 2 self-setting spanners with ratchet functionality
- For hexagon screw heads and bolts with sizes 19-32 (metric) and $\frac{3}{4}$ "-1 $\frac{1}{4}$ " (imperial) and all intermediate sizes with only 2 spanners

6004 Joker 2 set 1 Self-setting spanner set



Code	EAN		
05343820001	235176		1
		6004 Joker XL 1x 19-24 ($\frac{3}{4}$ "- $\frac{15}{16}$ ")x256	
		6004 Joker XXL 1x 24-32 ($\frac{5}{16}$ "-1 $\frac{1}{4}$ ")x322	

6005 Joker Double open-ended wrenches

- Double open-ended wrench
- Especially suitable for tight spaces
- The special mouth geometry expands the placement possibilities of the tool
- The low return angle in the mouth "takes" the screw every 15°
- With Take it easy tool finder: colour coding by size

6005 Joker Double open-ended wrenches



Code	EAN		mm	mm	mm	mm	mm	
05020310001	224873		6	16	7	17,7	4	3
05020311001	224880		8	19	9	21	4,5	3
05020312001	224897		10	23	11	25	5	3
05020313001	224903		12	26	13	27	5,5	3

6005 Joker 4 Set 1 Double open-ended wrench set

- Joker open-ended and combination wrenches and in a new clip for space-saving storage in the tool bag

6005 Joker 4 Set 1 Double open-ended wrench set



Code	EAN		
05020314001	224750		1
		6005 Joker Double 1x 6x7x111,8; 1x 8x9x122,2; 1x 10x11x137,3; 1x 12x13x166	

6006 Joker 2 Set 1 Self-setting double spanner

2-piece set. Self-setting double spanners for hexagon screw heads and bolts with wrench sizes 7-10, 10-13 (metric) or 1/4"-3/8", 7/16"-8/16" (imperial) and 13-16, 16-19 (metric) or 1/2"-5/8" and 5/8"-3/4" (imperial). With its continuous and parallel jaws, the tool replaces several single spanner sizes. The required size is automatically and continuously set when attaching the tool to the hexagon bolt or screw. The integrated lever mechanism securely clamps the hexagon screw or bolt between the jaws, which significantly reduces the risk of slippage or damage. The ratchet feature ensures fast and consistent screwdriving without removing the tool. By using the corner-width rectangular prisms, a return angle of only 30° can be achieved.

Ratchet feature and corner-width prism make it possible to work even in confined spaces.

The adjustable Joker 6006 double spanner with ratchet functionality is the universal screwdriving tool. Self-setting. Gripping. Spanning. In a robust pouch.

- Self-setting double spanners
- The self-setting Joker 6006 double spanners cover all metric and imperial dimensions in the respective field of application
- Automatically and continuously gripping hexagon screws and bolts
- Lever mechanism upon gripping prevents slipping and damage
- With mechanical ratchet functionality for fast and consistent screwdriving without removing the spanner
- Return angle of only 30° when using the corner-width rectangular prisms in the jaw
- In a robust folding pouch with Wera 2go compatibility

6006 Joker 2 Set 1 Self-setting double spanner



		EAN		
Code	4013288			
05020340001	233301			1
		6006 Joker XS/S 1x 7-10 (1/4"-3/8") / 10-13 (7/16"-1/2") x 161.0		
		6006 Joker M/L 1x 13-16 (1/2"-5/8") / 16-19 (5/8"-3/4") x 239.4		

6006 Joker XS/S Self-setting double spanner



		EAN						
Code	4013288	mm		mm		mm	mm	
05020330001	233288	7-10	1/4"-3/8"	10-13	7/16"-1/2"	8,0	10,0	1

6006 Joker S/L Self-setting double open-end spanner

- The screwdriving workshop "for the pocket"
- The most common wrench sizes in one tool
- For hexagon screw heads and bolts with sizes 10-13 and 16-19 (metric) or 7/16"-1/2" and 5/8"-3/4" (imperial) and all intermediate sizes

6006 Joker S/L Self-setting double open-end spanner



		EAN						
Code	4013288	mm	mm	mm		mm	mm	
05020332001	236463	10,0; 11,0; 12,0; 13,0	7/16"; 1/2"	16,0; 17,0; 18,0; 19,0	5/8"; 11/16"; 3/4"	10	14,0	1

6006 Joker M/L Self-setting double spanner



		EAN						
Code	4013288	mm	mm	mm		mm	mm	
05020331001	233295	13-16	1/2"-5/8"	16-19	5/8"-3/4"	12,4	14,0	1

6007 Joker 11 Set 1 Ratcheting combination spanner set

11-piece ratcheting combination spanner set. Brilliant combination of jaw end and ratchet mechanism at the ring end in a long design. For hexagon screw heads and bolts. The long lever allows for higher power transmission. The long design also improves accessibility at low-lying couplings. With holding function enabled by a metal plate in the mouth, which reduces the risk of losing screws and sockets. With its extra hard teeth, the exchangeable metal plate in the mouth secures screws and sockets and reduces the risk of slipping. The integrated end stop can prevent the screw head from slipping down and allows application of high torque transfer. The double hexagon geometry ensures a positive connection with the screw or bolt and thus reduces the risk of slipping.

A return angle of only 30° at the jaw end avoids time-consuming rotating of the tool whilst screwdriving. Ratchet mechanism at the ring side with exceptionally high fine toothing of 80 teeth for flexibility even in confined spaces. The specially engineered geometry allows high torque transmission and high bending stiffness. Made of high-performance chromium molybdenum steel with nickel-chromium coating for high corrosion protection.

With Take it easy tool finder: colour coding by size and extra laser-engraved size indication. In a robust roll pouch for easy transport and clean storage. 2 loops to hang up the roll pouch when closed or open.

- 11-piece set

6007 Joker 11 Set 1 Ratcheting combination spanner set



Code	EAN		
05020382001	4013288 236326		1
		6007 Joker 1x 8x180; 1x 10x209; 1x 11x220; 1x 12x245; 1x 13x245; 1x 14x265; 1x 15x265; 1x 16x304,5; 1x 17x304,5; 1x 18x334; 1x 19x334	

6007 Joker 5 Set 1 Ring ratchet spanner set



Code	EAN		
05020380001	4013288 233370		1
		6007 Joker 1x 8x180; 1x 10x209; 1x 13x245; 1x 17x304,5; 1x 19x334	

6007 Joker SB Ring ratchet spanner, long design

- Brilliant combination of jaw end and ratchet mechanism at the ring end in a long design
- Practical holding function thanks to the metal plate in the jaw
- Limit stop prevents any slipping
- The double-hex geometry reduces the risk of slipping
- Return angle of only 30°
- With Take it easy tool finder: colour coding by size

6007 Joker SB Ring ratchet spanner, long design



Code	EAN		mm	mm	mm	mm	mm	
05020350001	233318		8	180	21	6	18	3
05020351001	233325		10	209	24,2	6,3	21	3
05020355001	236180		11	220	26	7	23	3
05020356001	236197		12	245	29	8	26	3
05020352001	233349		13	245	29,4	8	26	3
05020357001	236203		14	265	34	8,5	29	3
05020358001	236210		15	265	34	8,5	29	3
05020359001	236227		16	304,5	39	9	33,5	3
05020353001	233356		17	304,5	39	9	33,5	3
05020360001	236234		18	334	43	10	36	3
05020354001	233332		19	334	43	14	36	3

6007 Joker Imperial 8 Set 1 Ratcheting combination spanner set, imperial

8-piece ratcheting combination spanner set. Imperial sizes. Brilliant combination of jaw end and ratchet mechanism at the ring end in a long design. For hexagon screw heads and bolts. The long lever allows for higher power transmission. The long design also improves accessibility at low-lying couplings.

With holding function enabled by a metal plate in the mouth, which reduces the risk of losing screws and sockets. With its extra hard teeth, the exchangeable metal plate in the mouth secures screws and sockets and reduces the risk of slipping. The integrated end stop can prevent the screw head from slipping down and allows application of high torque transfer. The double hexagon geometry ensures a positive connection with the screw or bolt and thus reduces the risk of slipping. A return angle of only 30° at the jaw end avoids time-consuming rotating of the tool whilst screwdriving.

Ratchet mechanism at the ring side with exceptionally high fine toothing of 80 teeth for flexibility even in confined spaces. The specially engineered geometry allows high torque transmission and high bending stiffness. Made of high-performance chromium molybdenum steel with nickel-chromium coating for high corrosion protection.

With Take it easy tool finder: colour coding by size and extra laser-engraved size indication. In a robust roll pouch for easy transport and clean storage. 2 loops to hang up the roll pouch when closed or open.

- 8-piece set
- Imperial sizes

6007 Joker Imperial 8 Set 1 Ratcheting combination spanner set, imperial



Code	EAN			
05020385001	4013288 236333			1
6007 Joker 1x 5/16"x180; 1x 3/8"x209; 1x 7/16"x220; 1x 1/2"x245; 1x 9/16"x265; 1x 5/8"x304,5; 1x 11/16"x334; 1x 3/4"x334				

6007 Joker Ratcheting combination spanner SB, long design, imperial

- Imperial sizes

6007 Joker Ratcheting combination spanner SB, long design, imperial




Code	EAN							
05020361001	236241		5/16"	180	21	6	18	1
05020362001	236258		3/8"	209	24,2	6,3	21	1
05020363001	236265		7/16"	220	26	7	23	1
05020364001	236272		1/2"	245	29,4	8	26	1
05020365001	236289		9/16"	265	34	8,5	29	1
05020366001	236296		5/8"	304,5	39	9	33,5	1
05020367001	236302		11/16"	334	43	10	36	1
05020368001	236319		3/4"	334	43	10	36	1

9610 Joker Magnetic rail, for up to 11 spanners, empty

- With its strong magnet, the rail holds securely to metal surfaces. It can also be bolted to the wall
- The clips hold the tools perfectly

9610 Joker Magnetic rail, for up to 11 spanners, empty




	EAN						
Code	4013288	mm	mm				
05136413001	228956	30,0	370,0				1




L-Keys



Hex-Plus - lets hexagon socket screws last longer



Kraftform Stainless - stainless steel to prevent rust



High quality L-key set out of stainless steel for hexagon socket screws by Wera. Stainless steel prevents the transfer of extraneous rust. The Hex-Plus profile offers a greater contact surface in the head of the screw.

The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. Come with hex ballpoint on the long arm: the ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling "round the corner" screwdriving. Take it easy Tool Finder: colour coding according to size. In an almost wear-free L-key clip fastener.

- Solution to the extraneous rust problem: fasten stainless screws with stainless tools
- Hex-Plus allows socket head screws to live longer
- Take it easy tool finder with colour coding according to sizes
- Wear-resistant clip material for enhanced durability
- Colour coded, easy-to-grip plastic sleeve, even at low temperatures

Big Pack Multicolour hexagonal socket screws Hex-Plus set 1, metric and imperial

- Textile box for L-keys, which stands upright when opened
- 18-piece L-key set for hexagonal socket screws (metric and imperial sizes)

Big Pack Multicolour hexagonal socket screws Hex-Plus set 1, metric and imperial



Code	EAN		
05133286001	4013288 238573		1
		950 SPKL Multicolour 1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224	
		950 SPKL Multicolour Imperial 1x 5/64"x101; 1x 3/32"x112; 1x 1/8"x123; 1x 3/32"x137; 1x 3/16"x154; 1x 7/32"x172; 1x 1/4"x185; 1x 5/16"x195; 1x 3/8"x224	
		9597 1x 130,0x40,0x260,0	

Big Pack Multicolour L-key hexagonal socket screws (metric) / TORX® set 1

- 9 L-keys for hexagonal socket screws (metric sizes) and 9 for TORX® screws

Big Pack Multicolour L-key hexagonal socket screws (metric) / TORX® set 1



Code	EAN		
05133287001	4013288 238566		1
		950 SPKL Multicolour 1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224	
		967 SXL TORX® Multicolour 1x TX 8x90; 1x TX 9x101; 1x TX 10x112	
		967 SPKXL TORX® Multicolour 1x TX 15x123; 1x TX 20x137; 1x TX 25x154; 1x TX 27x172; 1x TX 30x195; 1x TX 40x224	
		9598 1x 130,0x40,0x260,0	

3950/9 Hex-Plus Multicolour HF Stainless 1 L-key set, metric, stainless steel, with holding function

- From size 3.0, the holding function on the long arm will hold screws securely on the tool

3950/9 Hex-Plus Multicolour HF Stainless 1 L-key set, metric, stainless steel, with holding function




Code	EAN			
05022699001	4013288 224477			1
		○	3950 SPKL Multicolour 1x 1,5x90; 1x 2,0x101; 1x 2,5x112	
		○	3950 SPKL Multicolour HF 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224	

3950/9 Hex-Plus Multicolour Stainless 1 L-key set, metric, stainless




Code	EAN			
05022669001	4013288 185211			1
		○	3950 SPKL Multicolour 1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224	

3950/9 Hex-Plus Stainless 1 L-key set, metric, stainless



Code	EAN			
05022720001	4013288 111364			10
		○	3950 PKL 1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224	

3950/9 Hex-Plus Stainless 1 SB L-key set, metric, stainless



Code	EAN			
05073544001	4013288 180377	○	3950 PKL 1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224	1

3950/9 Hex-Plus Imperial Stainless 1 L-key set, Imperial, stainless

- In robust pouch

3950/9 Hex-Plus Imperial Stainless 1 L-key set, imperial, stainless



Code	EAN			
05022721001	4013288 117281	○	3950 PKL inch 1x 3/32"x112; 1x 7/64"x119; 1x 1/8"x123; 1x 9/64"x130; 1x 5/32"x137; 1x 3/16"x154; 1x 1/4"x185; 1x 5/16"x195; 1x 3/8"x224	1

950/9 Hex-Plus Multicolour HF 1 L-key set, metric, BlackLaser, with holding function

- L-keys with retaining function for hexagon socket screws
- Hexagonal ballpoint on the long arm
- Colour coded, easy-to-grip plastic sleeve, even at low temperatures

950/9 Hex-Plus Multicolour HF 1 L-key set, metric, BlackLaser, with holding function



Code	EAN		
05022210001	4013288 188403		1
		○	950 SPKL Multicolour 1x 1,5x90; 1x 2,0x101; 1x 2,5x112
		○	950 SPKL HF Multicolour 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224

950/9 Hex-Plus Multicolour 1 L-key set, metric, BlackLaser



Code	EAN		
05022089001	4013288 180841		5
		○	950 SPKL Multicolour 1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224

950/9 Hex-Plus Multicolour 1 SB L-key set, metric, BlackLaser



Code	EAN		
05073593001	4013288 165688	○	950 SPKL Multicolour 1x 1.5x90; 1x 2.0x101; 1x 2.5x112; 1x 3.0x123; 1x 4.0x137; 1x 5.0x154; 1x 6.0x172; 1x 8.0x195; 1x 10.0x224


L-keys in a two-component clip

L-keys fit securely into the clip

Solid rubber material for great durability

Sizes marked on the clip

Easy-to-use opening and closing mechanism



950/9 Hex-Plus Multicolour 2 L-key set, metric, BlackLaser



Code	EAN		
05133164001	4013288 207517	○	950 SPKS Multicolour 1x 1,5x50; 1x 2,0x56; 1x 2,5x63; 1x 3,0x71; 1x 4,0x80; 1x 5,0x90; 1x 6,0x100; 1x 8,0x112; 1x 10,0x125

950/9 Hex-Plus Multicolour 3 L-key set, metric, BlackLaser

9 L-keys with plastic sleeve (SPKL) made of circular, easy-grip material. The sleeve makes working comfortable even at low temperatures and is easy on the fingers.

All L-keys are easily accessible due to their colour coding and size markings. Convenient storage in the 9109 rack that can be set upright on the table or hung on the wall.

Clip 9539 integrated in the rack which can be removed for mobile use. On top of that, the rack includes a clever removable 9538 magnetiser that can be used to magnetise (and demagnetise) screws and tool tips; no more struggle to hold the screw with the second hand.

- Rack that can be set upright on the table or hung on the wall
- Integrated clip which can be removed for mobile use
- Removable magnet for magnetising and demagnetising tool tips
- L-keys for hexagonal socket screws
- Hex-Plus allows socket head screws to live longer
- Rubber sleeve for pleasant grip
- Hexagonal ballpoint on the long arm
- BlackLaser for high corrosion protection and long service life

950/9 Hex-Plus Multicolour 3 L-key set, metric, BlackLaser



Code	EAN		
05133165001	4013288 230294		1
		○	950 SPKL Multicolour 1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224
			9539
			9109
			9538

3950/9 Hex-Plus Multicolour Imperial Stainless 1, imperial, stainless steel

Premium L-key set made of stainless steel for imperial hexagonal socket screws by Wera. Stainless steel prevents transmission of extraneous rust.

The Hex-Plus profile offers larger contact surfaces in the screw head. The notch effect is reduced to a minimum and the destruction of the screw head is almost eliminated.

With hexagonal ball tip at the long arm: The ball-shaped tip profiles enable the tool shaft to be moved and pivoted relative to the screw axis which allows screwdriving "around the corner".

Take it easy tool finder with colour coding by size. In an almost wear-free L-key clip.

3950/9 Hex-Plus Multicolour Imperial Stainless 1, imperial, stainless steel



Code	EAN		
05022860001	4013288 221360		1
		○	3950 SPKL Multicolour Imperial 1x 5/64"x101; 1x 3/32"x112; 1x 1/8"x123; 1x 5/32"x137; 1x 3/16"x154; 1x 7/32"x172; 1x 1/4"x185; 1x 5/16"x195; 1x 3/8"x224

950/9 Hex-Plus Multicolour Imperial 1 L-key set, imperial, BlackLaser

- In robust pouch

950/9 Hex-Plus Multicolour Imperial 1 L-key set, imperial, BlackLaser



Code	EAN		
05022639001	4013288 182593		1
		○	950 SPKL inch 1x 5/64"x101; 1x 3/32"x112; 1x 1/8"x123; 1x 5/32"x137; 1x 3/16"x154; 1x 7/32"x172; 1x 1/4"x185; 1x 5/16"x195; 1x 3/8"x224

950/9 Hex-Plus Multicolour imperial 2 L-key set, imperial, BlackLaser



Code	EAN		
05022640001	4013288 219107		1
		950 SPKL inch 1x 5/64"x101; 1x 3/32"x112; 1x 1/8"x123; 1x 5/32"x137; 1x 3/16"x154; 1x 7/32"x172; 1x 1/4"x185; 1x 5/16"x195; 1x 3/8"x224	

950/9 Hex-Plus Multicolour Imperial 3 L-key set, imperial, BlackLaser

- Imperial

950/9 Hex-Plus Multicolour Imperial 3 L-key set, imperial, BlackLaser



Code	EAN		
05022641001	4013288 230188		1
		950 SPKS Multicolour, imperial 1x 5/64"x50; 1x 3/32"x56; 1x 1/8"x63; 1x 5/32"x71; 1x 3/16"x80; 1x 7/32"x90; 1x 1/4"x100; 1x 5/16"x112; 1x 3/8"x125	

950/7 Hex-Plus Multicolour Magnet 1 L-key set, metric, BlackLaser

- For recessed screws, it's often advantageous for the screw to be held on the L-key by magnetic force. The Wera clips with magnetiser/demagnetiser enable a magnetisation/demagnetisation of L-keys in a flash

950/7 Hex-Plus Multicolour Magnet 1 L-key set, metric, BlackLaser



Code	EAN		
05022534001	4013288 183750		5
		950 SPKL Multicolour 1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172	

950/9 L Hex-Plus HF 1 L-key set, metric, chrome-plated, with holding function

- The holding function on the long arm keeps screws securely on the tool
- High corrosion protection thanks to chrome-plating


950/9 L Hex-Plus HF 1 L-key set, metric, chrome-plated, with holding function



Code	EAN		
05022130001	4013288 207227		1
		950 L 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112	
		950 L HF 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180; 1x 8,0x200; 1x 10,0x219	

¹⁾Regular hexagon

950/9 Hex-Plus 1 L-key set, metric, chrome-plated



Code	EAN		
05022087001	4013288 104816		10
		950 PKL 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112; 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180; 1x 8,0x200; 1x 10,0x219	

¹⁾Regular hexagon

950/9 Hex-Plus 1 SB L-key set, metric, chrome-plated



Code	EAN		
05073391001	4013288 030160		1
		950 PKL 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112; 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180; 1x 8,0x200; 1x 10,0x219	

¹⁾Regular hexagon

950/9 Hex-Plus 2 L-key set, metric, chrome-plated




Code	EAN		
05021909001	4013288 111937		10
		950 L 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112; 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180; 1x 8,0x200; 1x 10,0x219	

¹⁾Regular hexagon

950/9 Hex-Plus 3 L-key set, metric, chrome-plated

- Short version
- Hexagonal ballpoint on the long arm

950/9 Hex-Plus 3 L-key set, metric, chrome-plated



Code	EAN		
05133163001	4013288 112255		10
		950 PKS 1x 1,5x50 ¹⁾ ; 1x 2,0x56; 1x 2,5x63; 1x 3,0x71; 1x 4,0x80; 1x 5,0x90; 1x 6,0x100; 1x 8,0x112; 1x 10,0x125	

¹⁾Regular hexagon

950/9 Hex-Plus 4 L-key set, metric, chrome-plated

- Extra-short arm for use on difficult-to-access screws
- Hexagonal ballpoint on the long arm

950/9 Hex-Plus 4 L-key set, metric, chrome-plated



Code	EAN		
05073594001	4013288 139177		1
		950 PKLS 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112; 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180; 1x 8,0x200; 1x 10,0x219	

¹⁾Regular hexagon

950/9 Hex-Plus 5 L-key set, metric, chrome-plated



Code	EAN		
05021406001	4013288 111890		10
		950 1x 1,5x45 ¹⁾ ; 1x 2,0x50; 1x 2,5x56; 1x 3,0x63; 1x 4,0x70; 1x 5,0x80; 1x 6,0x90; 1x 8,0x100; 1x 10,0x112	

¹⁾Regular hexagon.

950/9 Hex-Plus 6 L-key set, metric, BlackLaser

- BlackLaser for high corrosion protection and long service life

950/9 Hex-Plus 6 L-key set, metric, BlackLaser



Code	EAN			
05022086001	4013288 104809			10
		○	950 PKL BM 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112; 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180; 1x 8,0x200; 1x 10,0x219	

¹⁾Regular hexagon

950/9 Hex-Plus 6 SB L-key set, metric, BlackLaser



Code	EAN			
05073596001	4013288 106414	○	950 PKL BM 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112; 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180; 1x 8,0x200; 1x 10,0x219	1

¹⁾Regular hexagon

950/9 Hex-Plus 7 L-key set, metric, BlackLaser

- Short version

950/9 Hex-Plus 7 L-key set, metric, BlackLaser



Code	EAN			
05021737001	4013288 112286			10
		○	950 BM 1x 1,5x45 ¹⁾ ; 1x 2,0x50; 1x 2,5x56; 1x 3,0x63; 1x 4,0x70; 1x 5,0x80; 1x 6,0x90; 1x 8,0x100; 1x 10,0x112	

¹⁾Regular hexagon

950/9 Hex-Plus 8 L-key set, metric, chrome-plated

9 chrome-plated L-keys with Hex-Plus advantage to prevent rounded screws - a strong tool set for hexagonal socket screws.

Convenient storage in a rack that can be set upright on the table or hung on the wall.

Integrated clip which can be removed for mobile use. On top of that, the rack includes a clever removable magnetiser that can be used to magnetise (and demagnetise) screws and tool tips; no more struggle to hold the screw with the second hand.

- Rack that can be set upright on the table or hung on the wall
- Integrated clip which can be removed for mobile use
- Removable magnet for magnetising and demagnetising tool tips

950/9 Hex-Plus 8 L-key set, metric, chrome-plated



Code	EAN			
05022102001	4013288 230171			1
		○	950 PKL 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112; 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180; 1x 8,0x200; 1x 10,0x219	
			9109	
			9536	
			9538	

¹⁾Regular hexagon

950/7 Hex-Plus Magnet 1 Magnetic L-key set, metric, chrome-plated

- For recessed screws, it's often advantageous for the screw to be held on the L-key by magnetic force. The Wera clips with magnetiser/demagnetiser enable a magnetisation/demagnetisation of L-keys in a flash.

950/7 Hex-Plus Magnet 1 Magnetic L-key set, metric, chrome-plated




Code	EAN		
05022101001	4013288		10
		950 PKL 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112; 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180	

¹⁾Regular hexagon

950/13 Hex-Plus Imperial 1 L-key set, imperial, BlackLaser

- BlackLaser for high corrosion protection and long service life
- Hexagonal ballpoint on the long arm

950/13 Hex-Plus Imperial 1 L-key set, imperial, BlackLaser



Code	EAN		
05021728001	4013288		10
		950 PKL inch 1x 0,05"x83 ¹⁾ ; 1x 1/16"x91 ¹⁾ ; 1x 5/64"x100; 1x 3/32"x112; 1x 7/64"x119; 1x 1/8"x126; 1x 9/64"x132; 1x 5/32"x140; 1x 3/16"x160; 1x 7/32"x180; 1x 1/4"x190; 1x 5/16"x200; 1x 3/8"x212	

¹⁾Regular hexagon

950/7 Hex-Plus 1 L-key set, metric, chrome-plated

- Hexagonal ballpoint on the long arm

950/7 Hex-Plus 1 L-key set, metric, chrome-plated



Code	EAN		
05022181001	4013288		10
		950 PKL 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112; 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180	

¹⁾Regular hexagon

950/13 Hex-Plus Imperial 1 SB L-key set, imperial, BlackLaser

Premium L-key set made of stainless steel for imperial hexagonal socket screws in convenient clip made of wear-free material for a permanently secure hold of the L-keys while also being easily accessible. L-keys with Hex-Plus profile which offers larger contact surfaces in the screw head.

The notch effect is reduced to a minimum and the destruction of the screw head is almost eliminated. The ball at the long arm allows safe working even in difficult installation positions.

The BlackLaser surface treatment makes for excellent surface protection, even from corrosion, and for long durability.

Lasered and therefore abrasion-proof size marking on the L-keys for quick access.

950/13 Hex-Plus Imperial 1 SB L-key set, imperial, BlackLaser



Code	EAN		
05021721001	221315	950 PKL Emperyal 1x 0.05"x83 ¹⁾ ; 1x 1/16"x91 ¹⁾ ; 1x 5/64"x100; 1x 3/32"x112; 1x 7/64"x119; 1x 1/8"x126; 1x 9/64"x132; 1x 5/32"x140; 1x 3/16"x160; 1x 7/32"x180; 1x 1/4"x190; 1x 5/16"x200; 1x 3/8"x212	1

¹⁾Regular hexagon

950/9 Hex-Plus Imperial 1 L-key set, imperial, BlackLaser



Code	EAN		
05022171001	111975	950 PKL inch 1x 5/64"x100; 1x 3/32"x112; 1x 1/8"x126; 1x 5/32"x140; 1x 3/16"x160; 1x 7/32"x180; 1x 1/4"x190; 1x 5/16"x200; 1x 3/8"x212	10

950/9 Hex-Plus Imperial 1 SB L-key set, imperial, BlackLaser



Code	EAN		
05133180001	154118	950 PKL inch 1x 5/64"x100; 1x 3/32"x112; 1x 1/8"x126; 1x 5/32"x140; 1x 3/16"x160; 1x 7/32"x180; 1x 1/4"x190; 1x 5/16"x200; 1x 3/8"x212	1

Bicycle Set 4

L-keys made from circular material with plastic sleeve for use on bicycles. The plastic sleeve makes working comfortable even at low temperatures and is easy on the fingers.

All L-keys are easily accessible due to their colour coding and size markings. For hexagonal socket screws and TORX® screws. In a robust and lightweight folding pouch.

- In a practical, lightweight folding pouch for easy carrying

Bicycle Set 4



Code	EAN		
05004173001	211446	950 SPKL Multicolour 1x 2,0x101; 1x 2,5x112	1
		950 SPKL HF Multicolour 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195	
		967 SXL TORX® HF Multicolour 1x TX 10x112; 1x TX 25x154	
		Hook and loop fastener strip 70 1x 50,0x70,0	


3950 SPKL Multicolour HF L-key, metric, stainless steel, with holding function

High quality L-keys out of stainless steel for hexagonal socket screws by Wera. Stainless steel prevents the transfer of extraneous rust. The Hex-Plus profile offers a greater contact surface in the head of the screw.

The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. Come with hex ballpoint on the long arm: the ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling "round the corner" screwdriving. Take it easy Tool Finder: colour coding according to size.

- Solution to the extraneous rust problem: fasten stainless screws with stainless tools
- Stainless L-keys prevent extraneous rust on stainless screws
- Hex-Plus allows socket head screws to live longer
- With holding function (HF) on the long arm to securely hold the screw on the tool
- The ball head on the long arm also allows offset use
- With Take it easy tool finder: colour coding by size
- All L-keys have a colour-coded, easy-grip hose sleeve for ergonomic and comfortable operation even at low temperatures
- With Take it easy tool finder: colour coding by size

3950 SPKL Multicolour HF L-key, metric, stainless steel, with holding function



	EAN		⌀	L ₁	L ₂	L ₃	L ₄	
Code	4013288		mm	mm	mm			
05022693001	224415		3,0	123	21	4 7/8"	27/32"	10
05022694001	224422		4,0	137	24	5 3/8"	1"	10
05022695001	224439		5,0	154	27	6 1/16"	1 1/16"	10
05022696001	224446		6,0	172	31	6 3/4"	1 1/4"	10
05022697001	224453		8,0	195	37	7 11/16"	1 7/16"	10
05022698001	224460		10,0	224	42	9"	1 11/16"	10

3950 SPKL Multicolour L-key, metric, stainless

High quality L-keys out of stainless steel for hexagonal socket screws by Wera. Stainless steel prevents the transfer of extraneous rust. The Hex-Plus profile offers a greater contact surface in the head of the screw.

The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated.

Come with hex ballpoint on the long arm: the ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling "round the corner" screwdriving.

Take it easy Tool Finder: colour coding according to size. In an almost wear-free L-key clip fastener.

- Solution to the extraneous rust problem: fasten stainless screws with stainless tools
- Hex-Plus allows socket head screws to live longer
- Stainless L-keys prevent extraneous rust on stainless screws
- Take it easy tool finder with colour coding according to sizes
- Wear-resistant clip material for enhanced durability

3950 SPKL Multicolour L-key, metric, stainless



	EAN		⌀	L ₁	L ₂	L ₃	L ₄	
Code	4013288		mm	mm	mm			
05022660001	185792		1,5	90	14	3 1/2"	9/16"	10
05022661001	185808		2,0	101	16	4"	5/8"	10
05022662001	185815		2,5	112	19	4 7/16"	3/4"	10
05022663001	185822		3,0	123	21	4 7/8"	27/32"	10
05022664001	185839		4,0	137	24	5 3/8"	1"	10
05022665001	185846		5,0	154	27	6 1/16"	1 1/16"	10
05022666001	185860		6,0	172	31	6 3/4"	1 1/4"	10
05022667001	185877		8,0	195	37	7 11/16"	1 7/16"	10
05022668001	185884		10,0	224	42	9"	1 11/16"	10

3950 SPKL Multicolour L-keys, imperial, stainless



	EAN							
Code	4013288			mm	mm			
05022850001	221384		5/64"	101	16	4"	5/8"	10
05022851001	221469		3/32"	112	19	4 7/16"	3/4"	10
05022852001	221452		1/8"	123	21	4 7/8"	53/64"	10
05022853001	221445		5/32"	137	24	5 3/8"	5/16"	10
05022854001	221438		3/16"	154	27	6 1/16"	1 1/16"	10
05022855001	221377		7/32"	172	31	6 3/4"	1 7/32"	10
05022856001	221421		1/4"	185	34	7 1/4"	1 11/32"	10
05022857001	221414		5/16"	195	37	7 11/16"	1 29/64"	10
05022858001	221407		3/8"	224	42	9"	1 21/32"	10

3950 PKL L-key, metric, stainless



	EAN						
Code	4013288	mm	mm	mm			
05022700001	111265	1,5	90	14	3 1/2"	9/16"	10
05022701001	111272	2,0	101	16	4"	5/8"	10
05022702001	111289	2,5	112	19	4 7/16"	3/4"	10
05022703001	111296	3,0	123	21	4 7/8"	27/32"	10
05022704001	111302	4,0	137	24	5 3/8"	1"	10
05022705001	111319	5,0	154	27	6 1/16"	1 1/16"	10
05022706001	111326	6,0	172	31	6 3/4"	1 1/4"	10
05022708001	111340	8,0	195	37	7 11/16"	1 7/16"	10
05022709001	111357	10,0	224	42	9"	1 11/16"	10

3950 PKL L-key, imperial, stainless



	EAN						
Code	4013288		mm	mm			
05022710001	117151	3/32"	112	19	4 7/16"	3/4"	10
05022711001	117168	7/64"	119	20	4 3/4"	25/32"	10
05022712001	117175	1/8"	123	21	4 7/8"	27/32"	10
05022713001	117182	9/64"	130	22	5 3/16"	29/32"	10
05022714001	117199	5/32"	137	24	5 3/8"	1"	10
05022715001	117205	3/16"	154	27	6 1/16"	1 1/16"	10
05022716001	117212	1/4"	185	34	7 1/4"	1 5/16"	10
05022717001	117229	5/16"	195	37	7 11/16"	1 7/16"	10
05022718001	117236	3/8"	224	42	9"	1 11/16"	5

950 SPKL HF L-key Multicolour, metric, with holding function

- The holding function holds screws securely on the tool

950 SPKL HF L-key Multicolour, metric, with holding function



	EAN							
Code	4013288		mm	mm	mm			
05022200001	188342		3,0	123	21	4 7/8"	27/32"	10
05022201001	188359		4,0	137	24	5 3/8"	1"	10
05022202001	188366		5,0	154	27	6 1/16"	1 1/16"	10
05022203001	188373		6,0	172	31	6 3/4"	1 1/4"	10
05022204001	188380		8,0	195	37	7 11/16"	1 7/16"	10
05022205001	188397		10,0	224	42	9"	1 11/16"	10

950 SPKL L-key Multicolour, metric



	EAN							
Code	4013288		mm	mm	mm			
05022600001	167842		1,5	90	14	3 1/2"	9/16"	10
05022602001	167934		2,0	101	16	4"	5/8"	10
05022604001	167859		2,5	112	19	4 7/16"	3/4"	10
05022606001	167866		3,0	123	21	4 7/8"	27/32"	10
05022608001	167873		4,0	137	24	5 3/8"	1"	10
05022610001	167880		5,0	154	27	6 1/16"	1 1/16"	10
05022612001	167897		6,0	172	31	6 3/4"	1 1/4"	10
05022614001	167903		8,0	195	37	7 11/16"	1 7/16"	10
05022616001	167910		10,0	224	42	9"	1 11/16"	10

950 SPKL L-key Multicolour, imperial



	EAN							
Code	4013288		mm	mm				
05022630001	182500		5/64"	101	16	4"	5/8"	10
05022631001	182517		3/32"	112	19	4 7/16"	3/4"	10
05022632001	182524		1/8"	123	21	4 7/8"	27/32"	10
05022633001	182531		5/32"	137	24	5 3/8"	1"	10
05022634001	182548		3/16"	154	27	6 1/16"	1 1/16"	10
05022635001	182555		7/32"	172	31	6 3/4"	1 1/4"	10
05022636001	182562		1/4"	185	34	7 1/4"	1 5/16"	10
05022637001	182579		5/16"	195	37	7 11/16"	1 7/16"	10
05022638001	182586		3/8"	224	42	9"	1 11/16"	10

950 SPKS L-key Multicolour, metric

- Short version

950 SPKS L-key Multicolour, metric



	EAN							
Code	4013288		mm	mm	mm			
05022678001	211910		1,5	50	14	2"	9/16"	10
05022670001	211934		2,0	56	16	2 7/32"	5/8"	10
05022671001	211927		2,5	63	19	2 1/2"	3/4"	10
05022672001	211941		3,0	71	21	2 3/4"	27/32"	10
05022673001	211958		4,0	80	24	3 1/8"	1"	10
05022674001	211965		5,0	90	27	3 1/2"	1 1/16"	10
05022675001	211972		6,0	100	31	4"	1 1/4"	10
05022676001	211989		8,0	112	37	4 7/16"	1 7/16"	10
05022677001	211996		10,0	125	42	5"	1 11/16"	10

950 SPKS L-key Multicolour, imperial, BlackLaser

- Short version
- Imperial

950 SPKS L-key Multicolour, imperial, BlackLaser



	EAN							
Code	4013288		mm	mm				
05022651001	230201		5/64"	50	14	2"	9/16"	10
05022652001	230195		3/32"	56	16	2 7/32"	5/8"	10
05022653001	230218		1/8"	63	19	2 1/2"	3/4"	10
05022654001	230232		5/32"	71	21	2 3/4"	27/32"	10
05022655001	230249		3/16"	80	24	3 1/8"	1"	10
05022656001	230256		7/32"	90	27	3 1/2"	1 1/16"	10
05022657001	230263		1/4"	100	31	4"	1 1/4"	10
05022658001	230270		5/16"	112	37	4 7/16"	1 7/16"	10
05022659001	230287		3/8"	125	42	5"	1 11/16"	10

950 PKL L-key, metric, chrome-plated

- High corrosion protection thanks to chrome-plating
- Hexagonal ballpoint on the long arm

950 PKL L-key, metric, chrome-plated



	EAN						
Code	4013288	mm	mm	mm			
05022050001 ¹⁾	018779	1,5	90	14	3 1/2"	9/16"	10
05022052001	018786	2,0	100	16	4"	5/8"	10
05022054001	018793	2,5	112	18	4 7/16"	23/32"	10
05022056001	018809	3,0	126	20	5"	25/32"	10
05022058001	018816	4,0	140	25	5 1/2"	1"	10
05022060001	018823	5,0	160	28	6 5/16"	1 3/32"	10
05022062001	018830	6,0	180	32	7 1/16"	1 1/4"	10
05022063001	037718	7,0	190	34	7 1/2"	1 5/16"	10
05022064001	018847	8,0	200	36	8"	1 7/16"	10
05022066001	018854	10,0	219	40	8 11/16"	1 9/16"	10
05022067001	038708	12,0	248	45	10"	1 3/4"	5

¹⁾Regular hexagon

950 PKL BM L-key, metric, BlackLaser

- BlackLaser for high corrosion protection and long service life
- Hexagonal ballpoint on the long arm

950 PKL BM L-key, metric, BlackLaser



	EAN						
Code	4013288	mm	mm	mm			
05027101001 ¹⁾	094988	1,5	90	14	3 1/2"	9/16"	10
05027102001	094995	2,0	100	16	4"	5/8"	10
05027103001	095008	2,5	112	18	4 7/16"	23/32"	10
05027104001	095015	3,0	126	19	5"	3/4"	10
05027105001	095022	4,0	140	25	5 1/2"	1"	10
05027106001	095039	5,0	160	28	6 5/16"	1 3/32"	10
05027107001	095046	6,0	180	32	7 1/16"	1 1/4"	10
05027110001	095053	7,0	190	34	7 1/2"	1 5/16"	10
05027108001	095060	8,0	200	36	8"	1 7/16"	10
05027109001	095077	10,0	219	40	8 11/16"	1 9/16"	10
05027111001	095084	12,0	248	45	10"	1 3/4"	5

¹⁾Regular hexagon

950 PKL L-key, imperial, BlackLaser



	EAN						
Code	4013288	mm	mm				
05022079001 ¹⁾	041203	0,05"	83	14	3 1/4"	9/16"	10
05022081001 ¹⁾	041210	1/16"	91	15	3 1/2"	19/32"	10
05022068001	018861	5/64"	100	16	4"	5/8"	10
05022070001	018878	3/32"	112	18	4 7/16"	23/32"	10
05022071001	041227	7/64"	119	19	4 3/4"	3/4"	10
05022072001	018885	1/8"	126	20	5"	25/32"	10
05022073001	041234	9/64"	132	23	5 3/16"	29/32"	10
05022074001	018892	5/32"	140	25	5 1/2"	1"	10
05022076001	018908	3/16"	160	25	6 5/16"	1"	10
05022078001	018915	7/32"	180	27	7 1/16"	1 1/16"	10
05022080001	018922	1/4"	190	34	7 1/2"	1 5/16"	10
05022082001	018939	5/16"	200	36	8"	1 7/16"	10
05022095001	038739	3/8"	212	38	8 3/8"	1 1/2"	5
05022096001	038746	1/2"	224	40	9"	1 9/16"	5

¹⁾Regular hexagon

950 PKLS Long Arm Ballpoint Hex Key, metric, chrome plated

- Extra-short arm for use on difficult-to-access screws

950 PKLS Long Arm Ballpoint Hex Key, metric, chrome plated




	EAN						
Code	4013288	mm	mm	mm			
05022040001 ¹⁾	139429	1,5	90	4,5	3 1/2"	11/64"	10
05022041001	139283	2,0	100	5,5	4"	7/32"	10
05022042001	139290	2,5	112	6,5	4 7/16"	1/4"	10
05022043001	139306	3,0	126	7,5	5"	19/64"	10
05022044001	139313	4,0	140	10,0	5 1/2"	25/64"	10
05022045001	139320	5,0	160	12	6 5/16"	15/32"	10
05022046001	139337	6,0	180	15	7 1/16"	19/32"	10
05022047001	139344	8,0	200	19	8"	3/4"	10
05022048001	139351	10,0	219	22	8 5/8"	7/8"	10

¹⁾Regular hexagon

950 PKS L-key, metric, chrome-plated

- Short design for particularly confined screwdriving situations

950 PKS L-key, metric, chrome-plated



	EAN	Ø	L ¹	L	L ¹	L		
Code	4013288	mm	mm	mm				
05133150001 ¹⁾	098047	1,5	50	14	2"	9/16"		10
05133151001	098054	2,0	56	16	2 7/32"	5/8"		10
05133152001	098061	2,5	63	18	2 1/2"	23/32"		10
05133153001	098078	3,0	71	20	2 3/4"	25/32"		10
05133154001	098085	4,0	80	22	3"	29/32"		10
05133155001	098092	5,0	90	25	3 1/2"	1"		10
05133156001	098108	6,0	100	28	4"	1 3/32"		10
05133157001	098115	8,0	112	32	4 7/16"	1 1/4"		10
05133158001	098122	10,0	125	36	5"	1 5/16"		10

¹⁾Regular hexagon

950 L HF L-key, metric, chrome-plated, with holding function

- The holding function on the long arm keeps screws securely on the tool

950 L HF L-key, metric, chrome-plated, with holding function



	EAN	Ø	L ¹	L	L ¹	L		
Code	4013288	mm	mm	mm				
05022120001	207258	3,0	126	20	5"	25/32"		10
05022121001	207265	4,0	140	25	5 1/2"	1"		10
05022122001	207319	5,0	160	28	6 5/16"	1 3/32"		10
05022123001	207326	6,0	180	32	7 1/16"	1 1/4"		10
05022124001	207340	8,0	200	36	8"	1 7/16"		10
05022125001	207333	10,0	219	40	8 11/16"	1 9/16"		5

950 L-key, metric, chrome-plated



	EAN	Ø	L ¹	L	L ¹	L		
Code	4013288	mm	mm	mm				
05021600001 ¹⁾	038722	1,5	90	14	3 1/2"	9/16"		10
05021605001	018656	2,0	100	16	4"	5/8"		10
05021610001	018663	2,5	112	18	4 7/16"	23/32"		10
05021615001	018670	3,0	126	20	5"	25/32"		10
05021620001	018687	4,0	140	25	5 1/2"	1"		10
05021625001	018694	5,0	160	28	6 5/16"	1 3/32"		10
05021630001	018700	6,0	180	32	7 1/16"	1 1/4"		10
05021632001	037701	7,0	190	30	7 1/2"	1 1/4"		10
05021635001	018717	8,0	200	36	8"	1 7/16"		10
05021640001	018724	10,0	219	40	8 11/16"	1 9/16"		5
05021645001	018731	12,0	250	45	10"	1 3/4"		5

¹⁾Regular hexagon.

950 L-key, metric, chrome-plated



	EAN	Ø	L ¹	L	L ¹	L		
Code	4013288	mm	mm	mm				
05021005001 ¹⁾	018267	1,5	45	14	1 3/4"	9/16"		10
05021010001	018274	2,0	50	16	2"	5/8"		10
05021015001	018281	2,5	56	18	2 7/32"	23/32"		10
05021020001	018298	3,0	63	20	2 1/2"	25/32"		10
05021025001	018304	3,5	66	23	2 5/8"	29/32"		10
05021030001	018311	4,0	70	25	2 3/4"	1"		10
05021035001	018328	4,5	75	26	3"	1 1/32"		10
05021040001	018335	5,0	80	28	3 1/8"	1 3/32"		10
05021045001	018342	6,0	90	32	3 1/2"	1 1/4"		10
05021050001	018359	7,0	95	34	3 3/4"	1 5/16"		10
05021055001	018366	8,0	100	36	4"	1 7/16"		10
05021060001	018373	9,0	106	38	4 3/16"	1 1/2"		10
05021065001	018380	10,0	112	40	4 7/16"	1 9/16"		10
05021070001	018397	11,0	120	43	4 3/4"	1 11/16"		10
05021075001	018403	12,0	125	45	5"	1 3/4"		10
05021080001	018410	13,0	132	50	5 3/16"	2"		10
05021085001 ¹⁾	018427	14,0	140	56	5 1/2"	2 7/32"		10
05021090001 ¹⁾	018434	17,0	160	63	6 5/16"	2 1/2"		5
05021095001 ¹⁾	018441	19,0	180	70	7 1/16"	2 3/4"		5

¹⁾Regular hexagon.


950 BM L-key, metric, BlackLaser



	EAN	⌀	L ₁	L ₂	L ₃	L ₄		
Code	4013288	mm	mm	mm				
05027201001 ¹⁾	095381	1,5	45	14	1 3/4"	9/16"		10
05027202001	095398	2,0	50	16	2"	5/8"		10
05027203001	095541	2,5	56	18	2 7/32"	23/32"		10
05027204001	095404	3,0	63	20	2 1/2"	25/32"		10
05027205001	095411	3,5	66	23	2 5/8"	29/32"		10
05027206001	095428	4,0	70	25	2 3/4"	1"		10
05027207001	095435	4,5	75	26	3"	1 1/32"		10
05027208001	095442	5,0	80	28	3 1/8"	1 3/32"		10
05027209001	095459	6,0	90	32	3 1/2"	1 1/4"		10
05027210001	095466	7,0	95	34	3 3/4"	1 5/16"		10
05027211001	095473	8,0	100	36	4"	1 7/16"		10
05027213001	095480	9,0	106	38	4 11/64"	1 1/2"		10
05027212001	095497	10,0	112	40	4 7/16"	1 9/16"		10
05027214001	095503	11,0	120	43	4 23/32"	1 11/16"		10
05027215001	095510	12,0	125	45	5"	1 49/64"		10

¹⁾Regular hexagon

Kraftform Stainless - stainless steel to prevent rust



Set of high quality stainless steel L-keys for internal TORX® screws. Very corrosion-resistant due to ice-hardened stainless steel material of the L-key, avoiding the transmission of extraneous rust in stainless steel screw connections.

With holding function on the long arm: The clamping force resulting from the surface pressure between the output tip and the screw profile holds the screws securely on the tool.

With extra long arm for working in a low position.

The grip-friendly hose jacket facilitates screwdriving even at low temperatures. Take it easy tool finder with colour coding by size.

With a practical clip made of durable material for secure holding of the L-key while at the same time allowing easy removal.

- The holding function on the long arm keeps screws securely on the tool
- Extremely high corrosion protection thanks to ice-hardened stainless steel design
- Compact and easy to remove - stored in a 2-component plastic clip
- Handle-friendly hose jacket with tool finder Take it easy: Colour coding according to size

TORX® Tools with holding function



3967/9 TX SXL Multicolour HF Stainless 1 L-key set with holding function, stainless



Code	EAN		
05022689001	4013288 207128		1
		3967 SXL HF TORX® Multicolour 1x TX 8x90; 1x TX 9x101; 1x TX 10x112; 1x TX 15x123; 1x TX 20x137; 1x TX 25x154; 1x TX 27x172; 1x TX 30x195; 1x TX 40x224	

967/9 TX XL Multicolour HF 1 L-key set with holding function, long

- With holding function (HF) on the long arm to securely hold the screw on the tool
- Long version
- Take it easy tool finder with colour coding according to sizes

967/9 TX XL Multicolour HF 1 L-key set with holding function, long



Code	EAN		
05024470001	4013288 193537		1
		967 SXL TORX® HF Multicolour 1x TX 8x90; 1x TX 9x101; 1x TX 10x112; 1x TX 15x123; 1x TX 20x137; 1x TX 25x154; 1x TX 27x172; 1x TX 30x195; 1x TX 40x224	

967/9 TX Multicolour HF 1 L-key set with holding function

- With holding function (HF) on the long arm to securely hold the screw on the tool
- Take it easy tool finder with colour coding according to sizes

967/9 TX Multicolour HF 1 L-key set with holding function



Code	EAN		
05024179001	4013288 185228		1
		967 SL TORX® HF 1x TX 8x76; 1x TX 9x79; 1x TX 10x85; 1x TX 15x90; 1x TX 20x96; 1x TX 25x104; 1x TX 27x112; 1x TX 30x122; 1x TX 40x132	

967/9 TX XL HF 1 L-key set with holding function, long

- With holding function (HF) on the long arm to securely hold the screw on the tool
- Long version

967/9 TX XL HF 1 L-key set with holding function, long



Code	EAN		
05024450001	4013288 193513		1
		967 XL HF TORX® 1x TX 8x90; 1x TX 9x101; 1x TX 10x112; 1x TX 15x123; 1x TX 20x137; 1x TX 25x154; 1x TX 27x172; 1x TX 30x195; 1x TX 40x224	

967/9 TX HF 1 L-key set with holding function, BlackLaser

- With holding function (HF) on the long arm to securely hold the screw on the tool

967/9 TX HF 1 L-key set with holding function, BlackLaser



Code	EAN		
05024244001	4013288 104953		10
		967 L TORX® HF 1x TX 8x76; 1x TX 9x79; 1x TX 10x85; 1x TX 15x90; 1x TX 20x96; 1x TX 25x104; 1x TX 27x112; 1x TX 30x122; 1x TX 40x132	

967/9 TX XL Multicolour 1 Multicolour L-key set for TORX® screws, long



Code	EAN		
05024480001	4013288 193544		1
		967 SXL TORX® Multicolour 1x TX 8x90; 1x TX 9x101; 1x TX 10x112	
		967 SPKXL TORX® Multicolour 1x TX 15x123; 1x TX 20x137; 1x TX 25x154; 1x TX 27x172; 1x TX 30x195; 1x TX 40x224	

967/9 TX B0 Multicolour 1 L-key set for tamper-proof TORX® screws, BlackLaser

- L-keys for TORX® B0 screws to loosen safety connections

967/9 TX B0 Multicolour 1 L-key set for tamper-proof TORX® screws, BlackLaser



Code	EAN			
05024335001	180858			10
			967 SPKL TORX® B0 Multicolour 1x TX 8x76 ¹⁾ ; 1x TX 9x79 ¹⁾ ; 1x TX 10x85 ²⁾ ; 1x TX 15x90; 1x TX 20x96; 1x TX 25x104; 1x TX 27x112; 1x TX 30x122; 1x TX 40x132	

¹⁾Product without bore hole at the short and without ball-end at the long arm.

²⁾Product without ball-end at the long arm.

967/9 TX B0 Multicolour 1 SB L-key set for tamper-proof TORX® screws, BlackLaser



Code	EAN			
05073599001	170125		967 SPKL TORX® B0 Multicolour 1x TX 8x76 ¹⁾ ; 1x TX 9x79 ¹⁾ ; 1x TX 10x85 ²⁾ ; 1x TX 15x90; 1x TX 20x96; 1x TX 25x104; 1x TX 27x112; 1x TX 30x122; 1x TX 40x132;	1

¹⁾Product without bore hole at the short and without ball-end at the long arm.

²⁾Product without ball-end at the long arm.

967/9 TX XL 1 TORX® L-key set, long

- Long version

967/9 TX XL 1 TORX® L-key set, long



Code	EAN			
05024460001	193520			1
			967 XL TORX® 1x TX 8x90; 1x TX 9x101; 1x TX 10x112	
			967 PKXL TORX® 1x TX 15x123; 1x TX 20x137; 1x TX 25x154; 1x TX 27x172; 1x TX 30x195; 1x TX 40x224	

967/9 TX 1 L-key set, BlackLaser



Code	EAN			
05024242001	104946			10
			967 PKL TORX® 1x TX 8x76 ¹⁾ ; 1x TX 9x79 ¹⁾ ; 1x TX 10x85 ¹⁾ ; 1x TX 15x90; 1x TX 20x96; 1x TX 25x104; 1x TX 27x112; 1x TX 30x122; 1x TX 40x132	

¹⁾Product without ball-end at the long arm.

967/9 TX 1 SB L-key set, BlackLaser



Code	EAN			
05073598001	106438		967 PKL TORX® 1x TX 8x76 ¹⁾ ; 1x TX 9x79 ¹⁾ ; 1x TX 10x85 ¹⁾ ; 1x TX 15x90; 1x TX 20x96; 1x TX 25x104; 1x TX 27x112; 1x TX 30x122; 1x TX 40x132	1

¹⁾Product without ball-end at the long arm.

Kraftform Stainless - stainless steel to prevent rust



3967 SXL HF TORX® L-key Multicolour with holding function, long, stainless



	EAN							
Code	4013288			mm	mm			
05022680001	207135		TX 8	90	16	3 1/2"	5/8"	10
05022681001	207142		TX 9	101	16	4"	5/8"	10
05022682001	207159		TX 10	112	19	4 7/16"	3/4"	10
05022683001	207166		TX 15	123	21	4 7/8"	27/32"	10
05022684001	207173		TX 20	137	24	5 3/8"	1"	10
05022685001	207180		TX 25	154	27	6 1/16"	1 1/16"	10
05022686001	207197		TX 27	172	31	6 3/4"	1 1/4"	10
05022687001	207203		TX 30	195	37	7 11/16"	1 7/16"	10
05022688001	207210		TX 40	224	42	9"	1 11/16"	10

967 SXL HF TORX® L-key Multicolour with holding function, long

- With holding function (HF) on the long arm to securely hold the screw on the tool

967 SXL HF TORX® L-key Multicolour with holding function, long



	EAN							
Code	4013288			mm	mm			
05024471001	194145		TX 8	90	16	3 1/2"	5/8"	10
05024472001	194152		TX 9	101	16	4"	5/8"	10
05024473001	194169		TX 10	112	19	4 7/16"	3/4"	10
05024474001	194176		TX 15	123	21	4 7/8"	27/32"	10
05024475001	194183		TX 20	137	24	5 3/8"	1"	10
05024476001	194190		TX 25	154	27	6 1/16"	1 1/16"	10
05024477001	194206		TX 27	172	31	6 3/4"	1 1/4"	10
05024478001	194213		TX 30	195	37	7 11/16"	1 7/16"	10
05024479001	194220		TX 40	224	42	9"	1 11/16"	10

967 SPKXL TORX® L-key Multicolour, long

- Long design

967 SPKXL TORX® L-key Multicolour, long



	EAN							
Code	4013288			mm	mm			
05024484001	194305		TX 15	123	21	4 7/8"	27/32"	10
05024485001	194312		TX 20	137	24	5 3/8"	1"	10
05024486001	194329		TX 25	154	27	6 1/16"	1 1/16"	10
05024487001	194336		TX 27	172	31	6 3/4"	1 1/4"	10
05024488001	194343		TX 30	195	37	7 11/16"	1 7/16"	10
05024489001	194350		TX 40	224	42	9"	1 11/16"	10

967 SL TORX® HF L-key Multicolour with holding function

- With holding function (HF) on the long arm to securely hold the screw on the tool

967 SL TORX® HF L-key Multicolour with holding function



	EAN							
Code	4013288			mm	mm			
05024170001	185235		TX 8	76	16	3"	5/8"	5
05024171001	185242		TX 9	79	16	3 1/8"	5/8"	5
05024172001	185259		TX 10	85	17	3 1/4"	21/32"	5
05024173001	185266		TX 15	90	18	3 1/2"	23/32"	5
05024174001	185273		TX 20	96	19	3 3/4"	3/4"	5
05024175001	185280		TX 25	104	21	4 1/8"	27/32"	5
05024176001	185297		TX 27	112	22	4 7/16"	29/32"	5
05024177001	185303		TX 30	122	24	4 13/16"	1"	5
05024178001	185310		TX 40	132	27	5 3/16"	1 1/16"	5

967 SPKL TORX® B0 L-key Multicolour

- L-key for TORX® socket screws with safety pin

967 SPKL TORX® B0 L-key Multicolour



	EAN							
Code	4013288			mm	mm			
05024350001 ¹⁾	172679		TX 8	76	16	3"	5/8"	10
05024351001 ¹⁾	172686		TX 9	79	16	3 1/8"	5/8"	10
05024352001 ²⁾	172693		TX 10	85	17	3 3/8"	21/32"	10
05024353001	172709		TX 15	90	18	3 1/2"	23/32"	10
05024354001	172716		TX 20	96	19	3 3/4"	3/4"	10
05024355001	172723		TX 25	104	21	4 1/8"	27/32"	10
05024356001	172730		TX 27	112	22	4 7/16"	29/32"	10
05024357001	172747		TX 30	122	24	4 13/16"	1"	10
05024358001	172754		TX 40	132	27	5 3/16"	1 1/16"	10

¹⁾Product without bore hole at the short and without ball-end at the long arm.

²⁾Product without ball-end at the long arm.

967 SXL TORX® L-key Multicolour, long

- Long version

967 SXL TORX® L-key Multicolour, long



	EAN							
Code	4013288			mm	mm			
05024481001	194275		TX 8	90	16	3 1/2"	5/8"	10
05024482001	194282		TX 9	101	16	4"	5/8"	10
05024483001	194299		TX 10	112	19	4 7/16"	3/4"	10

967 XL HF TORX® L-key with holding function, long

- With holding function (HF) on the long arm to securely hold the screw on the tool

967 XL HF TORX® L-key with holding function, long



	EAN							
Code	4013288			mm	mm			
05024451001	193674	TX 8	90	16	3 1/2"	5/8"		10
05024452001	193681	TX 9	101	16	4"	5/8"		10
05024453001	193698	TX 10	112	19	4 7/16"	3/4"		10
05024454001	193704	TX 15	123	21	4 7/8"	27/32"		10
05024455001	193711	TX 20	137	24	5 3/8"	1"		10
05024456001	193728	TX 25	154	27	6 1/16"	1 1/16"		10
05024457001	193735	TX 27	172	31	6 3/4"	1 1/4"		10
05024458001	193742	TX 30	195	37	7 11/16"	1 7/16"		10
05024459001	193759	TX 40	224	42	9"	1 11/16"		10

967 PKXL TORX® L-key, long

- TORX® ballpoint on the long arm

967 PKXL TORX® L-key, long



	EAN							
Code	4013288			mm	mm			
05024464001	194084	TX 15	123	21	4 7/8"	27/32"		10
05024465001	194091	TX 20	137	24	5 3/8"	1"		10
05024466001	194107	TX 25	154	27	6 1/16"	1 1/16"		10
05024467001	194114	TX 27	172	31	6 3/4"	1 1/4"		10
05024468001	194121	TX 30	195	37	7 11/16"	1 7/16"		10
05024469001	194138	TX 40	224	42	9"	1 21/32"		10

967 XL TORX® L-key, long

- Long design

967 XL TORX® L-key, long



	EAN							
Code	4013288		mm	mm				
05024461001	194053	TX 8	90	16	3 1/2"	5/8"		10
05024462001	194060	TX 9	101	16	4"	5/8"		10
05024463001	194077	TX 10	112	19	4 7/16"	3/4"		10

967 PKL TORX® L-key, BlackLaser

- TORX® ballpoint on the long arm

967 PKL TORX® L-key, BlackLaser



	EAN							
Code	4013288		mm	mm				
05024199001 ¹⁾	104939	TX 8	76	16	3"	5/8"		5
05024100001 ¹⁾	035035	TX 9	79	16	3 1/8"	5/8"		5
05024105001 ¹⁾	019431	TX 10	85	17	3 3/8"	21/32"		5
05024200001	019547	TX 15	90	18	3 1/2"	23/32"		5
05024202001	019554	TX 20	96	19	3 3/4"	3/4"		5
05024204001	019561	TX 25	104	21	4 1/8"	27/32"		5
05024206001	019578	TX 27	112	22	4 7/16"	29/32"		5
05024208001	019585	TX 30	122	24	4 13/16"	1"		5
05024210001	019592	TX 40	132	27	5 3/16"	1 1/16"		5

¹⁾Product without ball-end at the long arm.

967 L TORX® HF L-key with holding function, BlackLaser

- With holding function (HF) on the long arm to securely hold the screw on the tool

967 L TORX® HF L-key with holding function, BlackLaser



	EAN							
Code	4013288		mm	mm				
05024160001	104847	TX 8	76	16	3"	5/8"		5
05024161001	104922	TX 9	79	16	3 1/8"	5/8"		5
05024162001	104854	TX 10	85	17	3 1/4"	21/32"		5
05024163001	104861	TX 15	90	18	3 1/2"	23/32"		5
05024164001	104878	TX 20	96	19	3 3/4"	3/4"		5
05024165001	104885	TX 25	104	21	4 1/8"	27/32"		5
05024166001	104892	TX 27	112	22	4 7/16"	29/32"		5
05024167001	104908	TX 30	122	24	4 13/16"	1"		5
05024168001	104915	TX 40	132	27	5 3/16"	1 1/16"		5

967 TORX® L-key, BlackLaser



	EAN							
Code	4013288		mm	mm				
05024001001	019257	TX 6	42	16	1 5/8"	5/8"		5
05024002001	019264	TX 7	48	16	1 7/8"	5/8"		5
05024003001	019271	TX 8	48	16	1 7/8"	5/8"		5
05024004001	019288	TX 9	48	16	1 7/8"	5/8"		5
05024005001	019295	TX 10	51	17	2"	21/32"		5
05024008001	019301	TX 15	54	18	2 1/8"	23/32"		5
05024010001	019318	TX 20	57	19	2 1/4"	3/4"		5
05024012001	019325	TX 25	60	20	2 3/8"	25/32"		5
05024013001	019332	TX 27	64	21	2 1/2"	27/32"		5
05024015001	019349	TX 30	70	24	2 3/4"	1"		5
05024020001	019356	TX 40	76	26	3"	1 1/32"		5



Kraftform Kompakt



Kraftform Kompakt 20 RA-R

Kraftform handle with magazine for 6 bits integrated in the handle; with telescopic blade; for 1/4" hex drive bits.

The ratchet with fine toothing integrated in the handle allows fast working. Switching the screwdriving direction is intuitive: Turn the ring switch clockwise for clockwise screwdriving, turn it counterclockwise for counterclockwise screwdriving. Use position 0 to deactivate the ratchet mechanism for precise working.

The telescopic blade with Rapidaptor quick-release chuck, which can be retracted into the handle, allows quick manual screwdriving even in confined working situations when the blade is retracted. The blade can be extended by simply pressing the locking sleeve. The tool can now be used as a fully-fledged screwdriver. The telescopic blade can be removed and used as a machine adapter, as well as returned to its original position.

The Rapidaptor technology of the bit holder makes for a quick bit change.

Includes 6 BiTorsion bits for long product life, tough, for universal use; stored in the bit magazine integrated in the handle.

The strong permanent magnet in the 1/4" bit mounting ensures a secure hold of the bit. The 2-component Kraftform handle with the combination of hard and soft zones allows for a firm grip and precise working. With a robust pouch.

- The ratchet with fine toothing integrated in the handle allows fast working
- The innovative ratchet mechanism also allows fast "spinning". A real problem solver when there is no resistance from the screw
- Intuitive switching: If I turn the switch clockwise - the ratchet turns clockwise, if I turn the switch counterclockwise - it goes counterclockwise
- Integrated bit magazine with 6x 25 mm bits
- BiTorsion Bits
- Take it easy tool finder: colour coding according to profile and size
- Innovative Rapidaptor technology for a quick bit change

Kraftform Kompakt 20 RA-R



Code	EAN		
05051513001	4013288 233981		1
		851/1 BTZ 1x PH 1x25; 1x PH 2x25	
		855/1 BTZ 1x PZ 2x25	
		867/1 TORX® BTZ 1x TX 20x25; 1x TX 25x25	
		800/1 BTZ 1x 0,8x5,5x25	

Kraftform Kompakt 20 RA-R with pouch

- In practical and robust belt pouch

Kraftform Kompakt 20 RA-R with pouch



Code	EAN		
05051514001	4013288 234001		1
		851/1 BTZ 1x PH 1x25; 1x PH 2x25	
		855/1 BTZ 1x PZ 2x25	
		867/1 TORX® BTZ 1x TX 20x25; 1x TX 25x25	
		800/1 BTZ 1x 1,0x5,5x25	

Kraftform Kompakt 25 RA-R with pouch

- In practical and robust belt pouch

Kraftform Kompakt 25 RA-R with pouch



Code	EAN			
05051515001	4013288 234018			1
		+	851/1 BTZ 1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		-	800/1 BTZ 1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25	

Kraftform Kompakt 26 RA-R with pouch

- In practical and robust belt pouch

Kraftform Kompakt 26 RA-R with pouch



Code	EAN			
05051516001	4013288 234025			1
		+	851/1 BTZ 1x PH 1x25; 1x PH 2x25	
		-	800/1 BTZ 1x 0,8x5,5x25; 1x 1,2x6,5x25	
		□	868/1 Z 1x # 1x25; 1x # 2x25	

Kraftform Kompakt 27 RA 1

Kraftform bitholding screwdriver for 1/4" hex drive bits.


The ratchet with fine toothing integrated in the handle allows fast working. Switching the screwdriving direction is intuitive: Turn the ring switch clockwise for clockwise screwdriving, turn it counterclockwise for counterclockwise screwdriving. Use position 0 to deactivate the ratchet mechanism for precise working.

Includes 6 BiTorsion bits for a long product life, tough, for universal use; stored in the bit magazine integrated in the handle.

The strong permanent magnet in the 1/4" bit mounting ensures secure holding of the bit. The 2-component Kraftform handle with the combination of hard and soft zones allows for a firm grip and precise working.

- The ratchet with fine toothing integrated in the handle allows fast working
- The innovative ratchet mechanism also allows fast "spinning". A real problem solver when there is no resistance from the screw
- Intuitive switching: If I turn the switch clockwise - the ratchet turns clockwise, if I turn the switch counterclockwise - it goes counterclockwise
- Integrated bit magazine with 6x 25 mm bits
- BiTorsion Bits
- Take it easy tool finder: colour coding according to profile and size
- Universal holder with stainless sleeve and strong permanent magnet

Kraftform Kompakt 27 RA 1




Code	EAN			
05051517001	4013288 233974			1
		+	851/1 BTZ 1x PH 1x25; 1x PH 2x25	
		+	855/1 BTZ 1x PZ 1x25; 1x PZ 2x25	
		-	800/1 BTZ 1x 1,0x5,5x25; 1x 1,2x6,5x25	

Kraftform Kompakt 27 RA 2

- Tough viscous bits for universal use

Kraftform Kompakt 27 RA 2



Code	EAN		
05051518001	4013288 233967		1
		+	851/1 Z 1x PH 1x25; 1x PH 2x25
		-	800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25
		□	868/1 Z 1x # 1x25; 1x # 2x25

Kraftform Kompakt 28 RA 1

- Universal holder with stainless sleeve and strong permanent magnet

Kraftform Kompakt 28 RA 1



Code	EAN		
05051519001	4013288 234032		1
		+	851/1 BTZ 1x PH 1x25; 1x PH 2x25
		+	855/1 BTZ 1x PZ 2x25
		✱	867/1 TORX® BTZ 1x TX 20x25; 1x TX 25x25
		-	800/1 BTZ 1x 0,8x5,5x25

Kraftform Kompakt 28 RA with pouch

- In practical and robust belt pouch

Kraftform Kompakt 28 RA with pouch



Code	EAN		
05051520001	4013288 234049		1
		+	851/1 BTZ 1x PH 1x25; 1x PH 2x25
		+	855/1 BTZ 1x PZ 2x25
		✱	867/1 TORX® BTZ 1x TX 20x25; 1x TX 25x25
		-	800/1 BTZ 1x 0,8x5,5x25

Kraftform Kompakt 60 RA-R 1

17-piece set with 89 mm long bits in a practical folding pouch.


Includes one 838 RA-R L bitholding screwdriver with ratchet functionality. The ratchet with fine toothing integrated in the handle allows fast working. The innovative ratchet mechanism allows "spinning" when the screw offers little resistance. Switching the screwdriving direction is intuitive: Turn the ring switch clockwise for clockwise screwdriving, turn it counterclockwise for counterclockwise screwdriving. Use position 0 to deactivate the ratchet mechanism for precise working.

The Rapidaptor quick-release chuck (suitable for bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173)) allows for lightning-fast bit changes without any extra tools.

16 bits (89 mm), tough, for universal use.

- The ratchet with fine toothing integrated in the handle allows fast working
- The innovative ratchet mechanism also allows fast "spinning". A real problem solver when there is no resistance from the screw
- Intuitive switching: If I turn the switch clockwise - the ratchet turns clockwise, if I turn the switch counterclockwise - it goes counterclockwise
- Use position 0 to deactivate the ratchet mechanism for precise working
- In a robust folding pouch with Wera 2go compatibility

Kraftform Kompakt 60 RA-R 1



Code	EAN		
05051530001	4013288 234056		1
		838 RA-R L 1x 1/4"x140	
		851/4 Z 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 ¹⁾	
		855/4 Z 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89 ¹⁾	
		867/4 Z TORX® B0 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
		840/4 Z 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89 ¹⁾	
		800/4 Z 1x 1,0x5,5x89	

¹⁾ Hexagonal blade

Kraftform Kompakt 60 RA-R Imperial 1

- 16 bits, 89 mm long, for Phillips, TORX® B0, hexagonal socket, square head and slotted

Kraftform Kompakt 60 RA-R Imperial 1



Code	EAN			
05051531001	4013288 234063			1
		●	838 RA-R L 1x 1/4"x140	
		+	851/4 Z 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 ¹⁾	
		✱	867/4 Z TORX® B0 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
		○	840/4 Z 1x 3/32"x89; 1x 1/8"x89; 1x 5/32"x89; 1x 3/16"x89	
		□	868/4 1x # 1x89; 1x # 2x89; 1x # 3x89	
		—	800/4 Z 1x 1,0x5,5x89	

¹⁾Hexagonal blade

Kraftform Kompakt 400 RA Set 1

17-piece set in a robust textile box. One 416 RA T-handle bitholding screwdriver with ratchet function and Rapidaptor quick-release chuck for 1/4" bits. The integrated ratchet with fine toothing (80 teeth/return angle 4.5°) eases and accelerates screwdriving without having to reposition the tool. The ratchet mechanism completely embedded in the handle ensures very handy and comfortable work.

With reversing lever for comfortable clockwise/counterclockwise direction change in one-hand operation. The ergonomic shape of the handle fills the ball of the hand well, the fingers lie securely in the softly rounded recessed grips. The whole hand comes into contact with the handle, friction loss between hand and handle is avoided.

Bit holder for bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3. With Rapidaptor technology for lightning-fast bit changes. 16 tough bits, 1/4", 89 mm long, for universal use.

- The integrated ratchet with fine toothing ensures fast and safe working
- Convenient working thanks to the ratchet mechanism fully embedded in the handle
- Rapidaptor bitholding screwdriver with fast-rotating sleeve for lightning-fast bit changes and high working speeds
- Fast-rotating sleeve for extremely high working speed
- Ergonomic 2-component handle with finger handle recesses and pleasant surface feel for very high power transmission and fatigue-free working
- For bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3

Kraftform Kompakt 400 RA Set 1



Code	EAN			
05023471001	4013288 222879			1
		●	416 RA 1x 1/4"x45	
		+	851/4 Z 1x PH 2x89; 1x PH 3x89 ¹⁾	
		✱	855/4 Z 1x PZ 2x89; 1x PZ 3x89 ¹⁾	
		✱	867/4 Z TORX® 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89; 1x TX 40x89	
		○	840/4 Z 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89 ¹⁾ ; 1x 8,0x89 ¹⁾	
		—	800/4 Z 1x 1,0x5,5x89	
			Hook and Loop Fastener Strip 120 1x 50,0x120,0	

¹⁾Hexagonal blade

¹⁾Hexagonal blade

9-piece set in a robust textile box. One 411 A RA T-handle adapter screwdriver with ratchet function for 1/4" sockets.

With reversing lever for comfortable clockwise/counterclockwise direction change in one-hand operation. The ergonomic shape of the handle fills the ball of the hand well, the fingers lie securely in the softly rounded recessed grips.

The whole hand comes into contact with the handle, friction loss between hand and handle is avoided. For 1/4" sockets as well as 1/4" connectors with square head drive, with ball lock. 8 Zyklop sockets with 1/4" drive.

- Ergonomic 2-component handle with finger handle recesses and pleasant surface feel for very high power transmission and fatigue-free working
- The integrated ratchet with fine toothing ensures fast and safe working
- Reversing lever for comfortable clockwise/counterclockwise direction change
- Convenient working thanks to the ratchet mechanism fully embedded in the handle
- Fast-rotating sleeve for extremely high working speed
- 1/4" socket mounting with secure ball lock
- With Take it easy tool finder: colour coding by size

249

Kraftform Kompakt 400 RA SHK Set 1

- Set especially for HVAC applications

Kraftform Kompakt 400 RA SHK Set 1



Code		EAN			
05136072001		4013288	228369		1
				416 RA 1x 1/4"x45	
				816 R 1x 1/4"x119	
				851/4 Z 1x PH 2x89	
				855/4 Z 1x PZ 2x89	
				855/4 PZ/S 1x # 1x70; 1x # 2x70	
				867/4 Z TORX® 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
				840/4 Z 1x 2,0x89; 1x 2,5x89; 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89 ¹⁾	
				869/4 M 1x 8,0x50,0; 1x 10,0x50,0	
				Hook and Loop Fastener Strip 120 1x 50,0x120,0	

¹⁾Hexagonal blade

Kraftform Kompakt 838 RA S Set 1

14-piece ratchet screwdriver set. Bitholding screwdriver with intuitive ratchet functionality. Turning the tool speeds up work. The ratchet mechanism completely embedded in the handle ensures very handy and effortless work. Ergonomic switching to clockwise/counterclockwise or position 0. Kraftform Plus handle for ergonomic screwdriving, avoiding blisters and calluses. Magnetic bitholding screwdriver for bits with 1/4" external hexagon drive.

13 tough bits for universal use (Phillips-head Phillips and Pozidriv, TORX®, hexagonal socket and slotted), 50 mm length; chemically nickel-plated, with Take it easy Tool finder: With size stamping and colour coding by output to help you find the required bit easily.

- Extremely small bitholding screwdriver for bits with 1/4" external hexagon drive
- Ratchet mechanism integrated in the handle
- The integrated ratchet with fine toothing ensures fast and safe working
- High working speed: The ratchet mechanism allows to "spin" when screwdriving
- Ergonomic intuitive switching to clockwise/counterclockwise or position 0
- Strong permanent magnet in the bit mounting holds the bits firmly
- Take it easy tool finder: colour coding according to profile and size
- Suitable for docking with the Wera 2go system

Kraftform Kompakt 838 RA S Set 1



Code	EAN		
05051060001	4013288 229755		1
		● 838 RA S 1x 1/4"x102	
		⊕ 851/4 BTZ 1x PH 1x50; 1x PH 2x50	
		⊕ 855/4 BTZ 1x PZ 1x50; 1x PZ 2x50	
		⊕ 867/4 TORX® BTZ 1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50	
		○ 840/4 BTZ 1x 2,5x50; 1x 3,0x50; 1x 4,0x50; 1x 5,0x50	
		● 800/4 BTZ 1x 0,8x5,5x50	
		Hook and Loop Fastener Strip 70 1x 50,0x70,0	

Kraftform Kompakt 838 RA S Imperial Set 1



Code	EAN		
05051065001	4013288 229816		1
		● 838 RA S 1x 1/4"x102	
		⊕ 851/4 BTZ 1x PH 1x50; 1x PH 2x50	
		⊕ 867/4 TORX® BTZ 1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50	
		○ 840/4 Z 1x 9/64"x50; 1x 5/32"x50; 1x 3/16"x50; 1x 7/32"x50	
		● 800/4 BTZ 1x 0,8x5,5x50	
		□ 868/4 1x # 1x50; 1x # 2x50	
		Hook and Loop Fastener Strip 70 1x 50,0x70,0	

Kraftform Kompakt 838 RA-R M Set 1

15-piece ratchet screwdriver set. Bitholding screwdriver with intuitive ratchet functionality. The ratchet mechanism with fine toothing integrated in the handle (36 teeth/return angle 10°) eases and accelerates screwdriving without having to reposition the tool. Spinning the tool is also possible. The ratchet mechanism completely embedded in the handle ensures very handy and comfortable work. Ergonomic switching to clockwise/counter-clockwise or position 0.

Kraftform Plus handle for comfortable ergonomic screwdriving, avoiding blisters and calluses. Magnetic bitholding screwdriver for bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

The Rapidaptor quick-release chuck allows lightning-fast bit changes without any extra tools. The strong permanent magnet holds the bits firmly. 13 tough bits for universal use (Phillips-head Phillips and Pozidriv, TORX®, slotted and hexagonal socket), 89 mm length; chemically nickel-plated.

- Bitholding screwdriver with Rapidaptor quick-release chuck for bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 and Wera series 1 and 4
- Rapidaptor holder for rapid bit change
- In robust folding pouch with Wera 2go compatibility

Kraftform Kompakt 838 RA-R M Set 1



Code	EAN		
05051061001	4013288 229779		1
		●	838 RA-R M 1x 1/4"x123,5
		+	851/4 Z 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 ¹⁾
		✦	855/4 Z 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89 ¹⁾
		✳	867/4 Z TORX® 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89
		○	840/4 Z 1x 3,0x89; 1x 4,0x89; 1x 5,0x89
		◐	800/4 Z 1x 1,0x5,5x89
			Hook and Loop Fastener Strip 70 1x 50,0x70,0

¹⁾Hexagonal blade

Kraftform Kompakt 838 RA-R M Imperial Set 1



Code	EAN		
05051066001	4013288 229823		1
		●	838 RA-R M 1x 1/4"x123,5
		+	851/4 Z 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 ¹⁾
		✦	867/4 Z TORX® 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89
		○	840/4 Z 1x 1/8"x89; 1x 5/32"x89; 1x 3/16"x89
		◐	800/4 Z 1x 1,0x5,5x89
		◑	868/4 1x # 1x89; 1x # 2x89; 1x # 3x89
			Hook and Loop Fastener Strip 70 1x 50,0x70,0

¹⁾Hexagonal blade

Kraftform Kompakt Pistol RA-R 1

Kraftform pistol handle for 1/4" hex drive bits.

The ratchet with fine toothing integrated in the handle allows fast working. Switching the screwdriving direction is intuitive: Turn the ring switch clockwise for clockwise screwdriving, turn it counterclockwise for counterclockwise screwdriving. Use position 0 to deactivate the ratchet mechanism for precise working.

The Rapidaptor technology of the bitholding screwdriver makes for a quick bit change.

Includes 6 BiTorsion bits for a long product life, tough, for universal use; stored in the bit magazine integrated in the handle.

The strong permanent magnet in the 1/4" bit mounting ensures secure holding of the bit. The 2-component Kraftform pistol handle allows for high leverage. The robust holster can be attached to the belt.

- The ratchet with fine toothing integrated in the handle allows fast working
- The innovative ratchet mechanism also allows fast "spinning".
A real problem solver when there is no resistance from the screw
- Intuitive switching: If I turn the switch clockwise - the ratchet turns clockwise, if I turn the switch counterclockwise - it goes counterclockwise
- Integrated bit magazine with 6x 25 mm bits
- BiTorsion Bits
- Take it easy tool finder: colour coding according to profile and size
- Innovative Rapidaptor technology for a quick bit change
- The robust holster can be attached to the belt

Kraftform Kompakt Pistol RA-R 1



			
Code	EAN		
05051535001	4013288 234087		1
		851/1 BTZ 1x PH 1x25; 1x PH 2x25	
		855/1 BTZ 1x PZ 1x25; 1x PZ 2x25	
		867/1 TORX® BTZ 1x TX 20x25; 1x TX 25x25	
		814 RA-R 1x 1/4"	



Kraftform Kompakt Pistol RA-R 2

- 6x25mm bits with Take it easy tool finder: colour coding by profile and size stamping
- 6x89mm bits, tough viscous bits for universal use

Kraftform Kompakt Pistol RA-R 2



Code	EAN			
05051536001	4013288 234094			1
		+	851/1 BTZ 1x PH 1x25; 1x PH 2x25	
		+	855/1 BTZ 1x PZ 1x25; 1x PZ 2x25	
		+	867/1 TORX® BTZ 1x TX 20x25; 1x TX 25x25	
		+	851/4 Z 1x PH 1x89; 1x PH 2x89	
		+	855/4 Z 1x PZ 1x89; 1x PZ 2x89	
		+	867/4 Z TORX® 1x TX 20x89; 1x TX 25x89	
			814 RA-R 1x 1/4"	

Kraftform Kompakt Stubby magazine RA 1

Particularly small bit holder with short bit mounting for hard-to-reach areas.

The ratchet with fine toothing integrated in the handle allows fast working. Switching the screwdriving direction is intuitive: Turn the ring switch clockwise for clockwise screwdriving, turn it counterclockwise for counterclockwise screwdriving. Use position 0 to deactivate the ratchet mechanism for precise working.

Includes 6 BiTorsion bits for a long product life, tough, for universal use. With Take it easy tool finder: with size stamping and colour coding by output to help you find the required bit easily.

The strong permanent magnet in the bit mounting ensures secure holding of the bit. The 2-component Kraftform handle with the practical combination of hard and soft zones allows for a firm grip and precise working.

- The ratchet with fine toothing integrated in the handle allows fast working
- The innovative ratchet mechanism also allows fast "spinning". A real problem solver when there is no resistance from the screw
- With 6 BiTorsion bits in the magazine: Phillips, TORX® and slotted; tough
- Take it easy tool finder: colour coding according to profile and size

Kraftform Kompakt Stubby magazine RA 1



Code	EAN			
05008891001	4013288 233936			1
		+	851/1 BTZ 1x PH 1x25; 1x PH 2x25	
		+	867/1 TORX® BTZ 1x TX 15x25; 1x TX 20x25; 1x TX 25x25	
		+	800/1 BTZ 1x 0,8x5,5x25	

Kraftform Kompakt Stubby magazine RA 2

- With 6 BiTorsion bits in the magazine: Phillips and Pozidriv, TORX® and slotted; tough

Kraftform Kompakt Stubby magazine RA 2



Code	EAN			
05008892001	4013288 233943			1
		+	851/1 BTZ 1x PH 1x25; 1x PH 2x25	
		+	855/1 BTZ 1x PZ 1x25; 1x PZ 2x25	
		+	867/1 TORX® BTZ 1x TX 25x25	
		—	800/1 BTZ 1x 0,8x5,5x25	

Kraftform Kompakt Stubby magazine RA 4

- With 6 bits in the magazine: cross recess Phillips, slotted and square head (Robertson); tough

Kraftform Kompakt Stubby magazine RA 4



Code	EAN			
05008893001	4013288 233950			1
		+	851/1 Z 1x PH 1x25; 1x PH 2x25	
		□	868/1 Z 1x # 1x25; 1x # 2x25	
		—	800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25	

Bicycle Set 5

- Stainless Steel Bits
- Take it easy tool finder: colour coding according to profile and size
- Bicycle tool set

Bicycle Set 5



Code	EAN			
05004186001	4013288 233929			1
		+	3851/1 TS PH 1x PH 1x25	
		+	3867/1 TS TORX® 1x TX 10x25; 1x TX 25x25	
		○	3840/1 TS 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25	

Kraftform Kompakt Vario RA

7-piece blade set.

One Kraftform bitholding screwdriver with 6 mm hexagonal blade mounting for combination blades (double blades) from the Wera Vario range.

The ratchet with fine toothing integrated in the handle allows fast working. Switching the screwdriving direction is intuitive: Turn the ring switch clockwise for clockwise screwdriving, turn it counterclockwise for counterclockwise screwdriving. Use position 0 to deactivate the ratchet mechanism for precise working.

The 2-component Kraftform handle with the combination of hard and soft zones allows for a firm grip and precise working.

6 Wera Vario double blades (= 12 different profiles), 175 mm long, 6 mm hexagonal.

In a robust folding pouch.

- Kraftform bitholding screwdriver with 6 mm hexagonal blade mounting for combination blades (double blades) from the Wera Vario range
- The ratchet with fine toothing integrated in the handle allows fast working
- Intuitive switching: If I turn the switch clockwise - the ratchet turns clockwise, if I turn the switch counterclockwise - it goes counterclockwise
- Use position 0 to deactivate the ratchet mechanism for precise working
- Includes 6 Vario double-end blades
- In a robust folding pouch with Wera 2go compatibility

Kraftform Kompakt Vario RA



	Code	EAN			
	05051540001	234070			1
			80 RA		
			1x 6x113,5		
			85		
			1x PH 1xPH 2x175		
			86		
			1x PZ 1xPZ 2x175		
			84		
			1x 4x5x175 ¹⁾		
			87		
			1x TX 10xTX 15x175; 1x TX 20xTX 25x175		
			81		
			1x 0,6x4,0x1,0x6,0x175		

¹⁾without ball-end

838 RA-R Bitholding screwdriver with ratchet functionality, 1/4"

Premium bitholding screwdriver. Kraftform Plus handle for comfortable ergonomic screwdriving, avoiding blisters and calluses. Hard handle zones for high working speeds, while soft handle zones guarantee a high torque transfer.

Suitable for bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3.

- Bitholding screwdriver with Rapidaptor quick-release chuck for bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 and Wera series 1 and 4
- Ratchet mechanism integrated in the handle
- The integrated ratchet with fine toothing ensures fast and safe working
- High working speed: The ratchet mechanism allows to "spin" when screwdriving
- Ergonomic intuitive switching to clockwise/counterclockwise or position 0
- Rapidaptor holder for rapid bit change
- For bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3
- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Hexagonal anti-roll feature against rolling away
- Magnetic

838 RA-R L Bitholding screwdriver with ratchet functionality, 1/4"



	EAN							
Code	4013288		mm	mm				
05051494001	233608	1/4"	140	111				1

838 RA-R M Bitholding screwdriver with ratchet functionality, 1/4"



		EAN							
Code		4013288		mm	mm				
05051493001		229748	1/4"	123,5	98				1

838 RA S Bitholding screwdriver with ratchet functionality, 1/4"

- Extremely small bitholding screwdriver for bits with 1/4" external hexagon drive
- Strong permanent magnet in the bit mounting holds the bits firmly
- Universal holder for the take-up of bits with 1/4" hexagon head drive

838 RA S Bitholding screwdriver with ratchet functionality, 1/4"



		EAN							
Code		4013288		mm	mm				
05051492001		229731	1/4"	102	84				1

80 RA Vario blade holding handle with ratchet functionality

- Kraftform bitholding screwdriver with 6 mm hexagonal blade mounting for combination blades (double blades) from the Wera Vario range
- Not suitable for bits with 1/4" hex drive
- The ratchet with fine toothing integrated in the handle allows fast working
- Intuitive switching: If I turn the switch clockwise - the ratchet turns clockwise, if I turn the switch counterclockwise - it goes counterclockwise
- Use position 0 to deactivate the ratchet mechanism for precise working
- Ergonomic Kraftform handle for low-fatigue working

80 RA Vario blade holding handle with ratchet functionality



	EAN							
Code	4013288	mm	mm					
05051495001	233998	6	113,5					1

Kraftform Kompakt Turbo 1

Many users would like to be able to carry out screwdriving processes faster without compromise. With a screwdriver that is precise, allows powerful screwdriving, and is much faster than a conventional screwdriver.

A part-time universal gear is the solution: Integrated in the screwdriver handle, it quadruples the working speed with smooth couplings - purely mechanically.

One hand holds the front part of the handle, the other hand turns the rear part of the handle. The turbo function can be switched on or off at the push of a button.

Turning it off is recommended for tightening and loosening with high torque, e.g. for screw connections in wood, as well as for fine adjustments. Robust, maintenance-free gear made of steel with a maximum torque of 14Nm when the turbo function is deactivated.

Thanks to the Rapidaptor bit holder, the Kraftform Turbo can be used with all conventional 1/4" hexagon bits for a wide variety of screw profiles.

With the Rapidaptor function the bits can be inserted directly and can be easily removed by pushing the sleeve forward.

- 4 times the screwdriving speed thanks to the turbo function (purely mechanical - without battery)
- Activate and deactivate the turbo function by a simple push of a button
- Turbo function especially for smooth couplings
- Can be used without the turbo function like a normal screwdriver, e.g. for timber couplings with steadily increasing torque
- Robust, maintenance-free gear made of steel

Kraftform Kompakt Turbo 1



Code	EAN		
05057482001	214614		1
		826 T Kraftform Turbo 1x 1/4"x146	
		851/4 Z 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 ¹⁾	
		855/4 Z 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89 ¹⁾	
		867/4 Z TORX® 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
		840/4 Z 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89 ¹⁾	
		800/4 Z 1x 0,8x4,0x89; 1x 1,0x5,5x89; 1x 1,2x6,5x89	
		Hook and Loop Fastener Strip 120 1x 50,0x120,0	

¹⁾Hexagonal blade

Kraftform Kompakt Turbo Imperial 1



Code	EAN		
05057483001	214621		1
		826 T Kraftform Turbo 1x 1/4"x146	
		851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 ¹⁾	
		867/4 Z TORX® 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
		840/4 Z Hex-Plus 1x 3/32"x89; 1x 1/8"x89; 1x 5/32"x89; 1x 3/16"x89	
		868/4 Square-Plus 1x # 1x89; 1x # 2x89; 1x # 3x89	
		800/4 Z 1x 0,8x4,0x89; 1x 1,0x5,5x89; 1x 1,2x6,5x89	
		Hook and Loop Fastener Strip 120 1x 50,0x120,0	

¹⁾Hexagonal blade

826 T Kraftform Turbo bits handholder with Rapidaptor quick-release chuck

- 4 times the screwdriving speed thanks to the turbo function (purely mechanical - without battery)
- Activate and deactivate the turbo function by a simple push of a button
- Turbo function especially for smooth couplings
- Can be used without the turbo function like a normal screwdriver, e.g. for timber couplings with steadily increasing torque
- Robust, maintenance-free gear made of steel

826 T Kraftform Turbo bits handholder with Rapidaptor quick-release chuck



Code	EAN	mm	mm	mm	mm	mm	mm	mm
05057480001	214591	1/4"	146					1

Kraftform Kompakt 10, 12

9 tough viscous Wera bits for universal use. Torsion design to combat premature wear.

1 holder 813 R Kraftform with Rapidaptor quick-release chuck; multi-component for high working speeds and particularly ergonomic screwdriving.

- Kraftform holder with Rapidaptor quick-release chuck
- Torsion design of the bits against premature wear
- Tough viscous bits for universal use
- Convenient and robust storage

Kraftform Kompakt 10



Code	EAN			
05056653001	041647			1
		813 R		
		1x 1/4"x90		
		851/1 TZ PH		
		1x PH 1x25; 1x PH 2x25		
		855/1 TZ PZ		
		1x PZ 1x25; 1x PZ 2x25		
		867/1 TZ TORX®		
		1x TX 10x25; 1x TX 15x25; 1x TX 20x25		
		800/1 TZ		
		1x 0,5x4,0x25; 1x 1,0x5,5x25		

Kraftform Kompakt 12




Code	EAN			
05135942001	155887			1
		813 R		
		1x 1/4"x90		
		851/1 J		
		1x PH 00x25x2,0 ¹⁾ ; 1x PH 0x25x2,5 ²⁾ ; 1x PH 1x25x3,0		
		851/1 TZ PH		
		1x PH 2x25		
		867/1 TZ TORX®		
		1x TX 5x25; 1x TX 6x25; 1x TX 7x25; 1x TX 8x25; 1x TX 9x25		

¹⁾Size 00 modified according to JCIS 00 (Japanese Camera Industrial Standard)

²⁾Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

Kraftform Kompakt 20 - the right tool for machine or hand



Wera compact tools enable the simultaneous use for the two types of fastening “manual” and “power tool”. The handle/inter-changeable system in a compact design with various blade tips in a minimum of space make the user mobile and flexible.

Suitable for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 und E 6.3 (ISO 1173) and Wera connecting series 1 and 4. Comes with an extension, bayonet, Rapidaptor technology.

Kraftform handle with non-roll feature, multi-component for particularly ergonomic screwdriving. Integrated magazine for the storage of the bits. In this way, this set replaces a 6-piece screw-driver set and reduces the equipment required to a minimum.

The profile and size of the bits are easy to recognise thanks to the Wera Take it easy Tool Finder with its colour coding and clearly visible imprint.

- Kraftform holder with bayonet blade and Rapidaptor quick-release chuck
- Kraftform handle with anti-roll feature, multi-component and integrated magazine
- Retractable bayonet blade
- Take it easy tool finder: colour coding according to profile and size
- In robust pouch

Take it easy tool finder with color markings - for quick tool identification



Kraftform Kompakt 20 Tool Finder 1 with pouch



Code	EAN		
05051016001	4013288	185327	1
		889/4 R	1x 1/4"x100
		851/1 BTZ	1x PH 1x25; 1x PH 2x25
		855/1 BTZ	1x PZ 1x25; 1x PZ 2x25
		867/1 TORX® BTZ	1x TX 25x25
		800/1 BTZ	1x 0,8x5,5x25
		Hook and Loop Fastener Strip 70	1x 50,0x70,0

Kraftform Kompakt 20 Tool Finder 2 with pouch

13-piece Kraftform Kompakt set with 6x 25 mm long and 6x 89 mm long bits. Wera's compact tools allow the simultaneous use of both types of screw connections; "hand" or "machine".

The handle blade-change system in a compact design with different compact blade tips makes the user mobile and flexible. Suitable for bits with 1/4" hexagonal drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173) and Wera connection series 1 and 4.

With connecting adapter, bayonet, Rapidaptor technology, Kraftform handle with anti-roll protection, multi-components allow for particularly ergonomic screwdriving. Integrated magazine for storing 25 mm long bits.

This set replaces a 12-piece screwdriver set and reduces the necessary equipment to a minimum.

Profile and size of the bits are easily recognizable due to the Wera Take it easy tool finder with its colour coding and easily visible labels.

- 6x25mm bits with Take it easy tool finder: colour coding by profile and size stamping and 6x89mm bits

Kraftform Kompakt 20 with pouch



Code				EAN			
				4013288			
05051021001				098917			1
			889/4 R				
			1x 1/4"x100				
			851/1 Z				
			1x PH 1x25; 1x PH 2x25				
			855/1 Z				
			1x PZ 1x25; 1x PZ 2x25				
			800/1 Z				
			1x 1,0x5,5x25; 1x 1,2x6,5x25				
			Hook and Loop Fastener Strip 70				
			1x 50,0x70,0				

Kraftform Kompakt 20 Tool Finder 2 with pouch



Code				EAN			
				4013288			
05051017001				211224			1
			889/4 R				
			1x 1/4"x100				
			851/1 BTZ				
			1x PH 1x25; 1x PH 2x25				
			855/1 BTZ				
			1x PZ 1x25; 1x PZ 2x25				
			867/1 TORX® BTZ				
			1x TX 20x25; 1x TX 25x25				
			851/4 Z				
			1x PH 1x89; 1x PH 2x89				
			855/4 Z				
			1x PZ 1x89; 1x PZ 2x89				
			867/4 Z TORX®				
			1x TX 20x89; 1x TX 25x89				
			Hook and Loop Fastener Strip 70				
			1x 50,0x70,0				

Kraftform Kompakt 25 with pouch



Code	EAN			
05051024001	4013288 098931			1
		889/4 R	1x 1/4"x100	
		851/1 Z	1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		800/1 Z	1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25	
		Hook and Loop Fastener Strip 70		
		1x 50,0x70,0		

Kraftform Kompakt 26 with pouch



Code	EAN			
05051025001	4013288 098948			1
		889/4 R	1x 1/4"x100	
		851/1 Z	1x PH 1x25; 1x PH 2x25	
		800/1 Z	1x 1,0x5,5x25; 1x 1,2x6,5x25	
		868/1 Z	1x # 1x25; 1x # 2x25	
		Hook and Loop Fastener Strip 70		
		1x 50,0x70,0		

Kraftform Kompakt 27 XL Universal 1

Bit set for universal use. Bit holding screwdriver with 300 mm long blade and very slim, lockable bit mounting to reach areas which are difficult to access.

Thanks to the particularly slim design, even screws in very tight installation spaces can be operated. Multi-component Kraftform handle for high working speeds and particularly ergonomic screwdriving. Magazine integrated in the handle for bit storage.

6 tough, 25 mm length bits (Phillips-head Phillips and Pozidriv and TORX®). This set replaces a 6-piece screwdriver set and reduces the necessary equipment to a minimum. With hexagon anti-roll protection against rolling away.

- For universal use
- 300 mm long rigid blade
- Bit holder with very slim design for work in confined spaces
- Secure bit holding feature due to locking mechanism. With strong permanent magnet.
- Compact stainless steel holder for bits with 1/4" - external hexagon drive as per DIN 3126, ISO 1173 Form C 6.3 and E 6,3
- 6 tough bits, for universal use

Kraftform Kompakt 27 XL Universal 1



Code	EAN			
05051028001	4013288 229588			1
		851/1 BTZ	1x PH 1x25; 1x PH 2x25	
		855/1 BTZ	1x PZ 2x25	
		867/1 TORX® BTZ	1x TX 15x25; 1x TX 20x25; 1x TX 25x25	
		394 S	1x 1/4"x300	

Kraftform Kompakt 27 XL Universal Imperial Set 1

- With 6 bits in the magazine: Phillips-head Phillips, slotted and square head (Robertson); tough

Kraftform Kompakt 27 XL Universal Imperial Set 1



Code	EAN			
05051032001	229724			1
		+	851/1 Z 1x PH 1x25; 1x PH 2x25	
		—	800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25	
		□	868/1 Z 1x # 1x25; 1x # 2x25	
		●	394 S 1x 1/4"x300	

Kraftform Kompakt 27 XL SHK 1

- Particularly suitable for applications in plumbing, heating and air conditioning

Kraftform Kompakt 27 XL SHK 1



Code	EAN			
05136075001	228994			1
		+	851/1 Z 1x PH 2x25	
		✱	867/1 TORX® 1x TX 15x25; 1x TX 20x25; 1x TX 25x25	
		○	840/1 Z 1x 5,0x25; 1x 6,0x25	
		●	394 S 1x 1/4"x300	

Kraftform Kompakt 27 Set 1

Wera compact tools with multi-component Kraftform handle for high working speeds and particularly ergonomic screwdriving. Bit magazine integrated in the handle, 6 bits with Torsion zone to prevent the bit tip from twisting at high loads. This significantly increases product life.

With Take it easy tool finder: Colour coding by profile and size stamping. Bit holder with strong permanent magnet for secure seating of the bit.

- Bit-holding handle with bit magazine
- Bit holder with strong permanent magnet which holds bits firmly
- With 6 BiTorsion bits in the magazine: Phillips-head Phillips and Pozidriv, TORX® and slotted; tough
- Take it easy tool finder: colour coding according to profile and size

Kraftform Kompakt 27 Set 1



Code	EAN			
05051510001	226556			1
		●	828/1 1x 1/4"	
		+	851/1 BTZ 1x PH 1x25; 1x PH 2x25	
		✱	855/1 BTZ 1x PZ 2x25	
		✱	867/1 TORX® BTZ 1x TX 20x25; 1x TX 25x25	
		—	800/1 BTZ 1x 0,8x5,5x25	

Kraftform Kompakt 27 Set 2

- With 6 bits in the magazine: Phillips-head Phillips and slotted; tough

Kraftform Kompakt 27 Set 2



Code	EAN			
05051511001	4013288 226587			1
		828/1 1x 1/4"		
		851/1 Z 1x PH 1x25; 1x PH 2x25; 1x PH 3x25		
		800/1 Z 1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25		

Kraftform Kompakt 27 Imperial Set 1

- With 6 bits in the magazine: Phillips-head Phillips, slotted and square head (Robertson); tough

Kraftform Kompakt 27 Imperial Set 1



Code	EAN			
05051512001	4013288 226594			1
		828/1 1x 1/4"		
		851/1 Z 1x PH 1x25; 1x PH 2x25		
		800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25		
		868/1 Z 1x # 1x25; 1x # 2x25		


Kraftform Kompakt 28 SB

Wera compact tool with multi-component Kraftform handle for high working speeds and particularly ergonomic screwdriving. Integrated bit magazine in the handle for the storage of 6 bits.

The bayonet blade can be lowered into the handle in confined screwdriving situations; it can be removed for insertion in a power tool. The retaining ring and the strong permanent magnet ensure a secure fit of the bit.


- Adaptor bayonet with stainless sleeve, retaining ring and strong permanent magnet
- Tough viscous bits for universal use

Kraftform Kompakt 28 SB



Code	EAN			
05073240001	4013288 138927			1
		851/1 Z PH 1x PH 1x25; 1x PH 2x25		
		855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25		
		800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25		

Kraftform Kompakt 28 Imperial 1



Code	EAN			
05073241001	4013288 214676			1
		851/1 Z PH 1x PH 1x25; 1x PH 2x25		
		868/1 Z 1x # 1x25; 1x # 2x25		
		800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25		

Kraftform Kompakt 28 with pouch



Code	EAN			
05134491001	4013288			1
	175373			
		+	851/1 Z	
			1x PH 1x25; 1x PH 2x25	
		+	855/1 Z	
			1x PZ 1x25; 1x PZ 2x25	
		+	800/1 Z	
			1x 1,0x5,5x25; 1x 1,2x6,5x25	
			Hook and Loop Fastener Strip 70	
			1x 50,0x70,0	

Kraftform Kompakt 40 and 41

- Pouch with 89 mm-long bits
- Kraftform holder with Rapidaptor quick-release chuck
- Rapidaptor quick-release chuck allows rapid bit change
- Tough viscous bits for universal use
- Ergonomic Kraftform handle for low-fatigue working

Kraftform Kompakt 40



Code	EAN			
05059298001	4013288			1
	096319			
		●	816 R	
			1x 1/4"x119	
		+	851/4 Z	
			1x PH 1x89; 1x PH 2x89	
		+	855/4 Z	
			1x PZ 1x89; 1x PZ 2x89	
		+	800/4 Z	
			1x 1,0x5,5x89; 1x 1,2x6,5x89	
			Hook and Loop Fastener Strip 70	
			1x 50,0x70,0	

Kraftform Kompakt 41



Code	EAN			
05059299001	4013288			1
	096326			
		●	816 R	
			1x 1/4"x119	
		+	851/4 Z	
			1x PH 1x89; 1x PH 2x89; 1x PH 3x89 ¹⁾	
		+	855/4 Z	
			1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89 ¹⁾	
		+	867/4 Z TORX® B0	
			1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
			Hook and Loop Fastener Strip 70	
			1x 50,0x70,0	

¹⁾Hexagonal blade

Kraftform Kompakt 60 Torque 1.2 - 3.0 Nm

Pouch with bits in a length of 89 mm. Includes torque screwdriver 7441 with Rapidaptor quick-release chuck and multi-component Kraftform handle for low-fatigue working. Suitable for manual and power tool operations. 17-piece; compact handle/interchangeable blade system for torque-controlled tightening. Includes torque holder 7441, settings from 1.2 to 3.0 Nm. Adjustable in 0.10 Nm steps.

Simple setting of the required torque value without any special tools. Easy-to-read scale value. Rapidaptor quick-release technology for rapid bit change. Unlimited torque to loosen seized screws.

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand. Includes 16 bits with a length of 89 mm and a practical pouch for tidy storage.

- Adjustable Kraftform torque screwdriver with Rapidaptor quick-release chuck
- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Rapidaptor technology for rapid bit change
- Suitable for manual and power tool operations
- Practical pouch for tidy storage


Kraftform Kompakt 60 Torque 1.2 - 3.0 Nm



Code	EAN		
05059293001	169624		1
		7400 1x 7441, 1/4", 1,2-3,0 Nm	
		851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 ¹⁾	
		855/4 Z PZ 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89 ¹⁾	
		867/4 Z TORX® B0 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
		800/4 Z 1x 1,0x5,5x89	
		840/4 Z Hex-Plus 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89 ¹⁾	


¹⁾Hexagonal blade

Kraftform Stainless - stainless steel to prevent rust



Pouch with bits in a length of 89 mm. Includes Kraftform holder 3816 R with Rapidaptor quick-release chuck and multi-component Kraftform handle for low-fatigue working. Stainless design to prevent the formation of extraneous rust.

Kraftform Kompakt 60, stainless



Code	EAN		
05071116001	115713		1
		3816 R 1x 1/4"x119	
		3851/4 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 ¹⁾	
		3855/4 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89 ¹⁾	
		3867/4 TORX® B0 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
		3800/4 1x 1,0x5,5x89	
		3840/4 Hex-Plus 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89	

¹⁾Hexagonal blade

Kraftform Kompakt 60, imperial, stainless



Code	EAN			
05071117001	4013288 115720			1
		●	3816 R 1x 1/4"x119	
		+	3851/4 PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 ¹⁾	
		✳	3867/4 TORX® B0 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
		◐	3800/4 1x 1,0x5,5x89	
		○	3840/4 Hex-Plus 1x 3/32"x89; 1x 1/8"x89; 1x 5/32"x89; 1x 3/16"x89	
		◻	3868/4 Square-Plus 1x # 1x89; 1x # 2x89; 1x # 3x89	

¹⁾Hexagonal blade

Kraftform Kompakt 60

Pouch with 89-mm long bits. Includes 816 R Kraftform holder with Rapidaptor quick-release chuck and multi-component Kraftform handle for low-fatigue working.

Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. Suitable for manual and power tool operations; 17-piece.



Code	EAN			
05059295001	4013288 096289			1
		●	816 R 1x 1/4"x119	
		+	851/4 Z 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 ¹⁾	
		✳	855/4 Z 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89 ¹⁾	
		✳	867/4 Z TORX® B0 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
		◐	800/4 Z 1x 1,0x5,5x89	
		○	840/4 Z 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89 ¹⁾	
			Hook and Loop Fastener Strip 70 1x 50,0x70,0	

¹⁾Hexagonal blade

Kraftform Kompakt 60 imperial



Code	EAN			
05051042001	156037			1
		816 R	1x 1/4"x119	
		851/4 Z	1x PH 1x89; 1x PH 2x89; 1x PH 3x89 ¹⁾	
		867/4 Z TORX® B0	1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
		800/4 Z	1x 1,0x5,5x89	
		840/4 Z	1x 3/32"x89; 1x 1/8"x89; 1x 5/32"x89; 1x 3/16"x89	
		868/4	1x # 1x89; 1x # 2x89; 1x # 3x89	
		Hook and Loop Fastener Strip 70		
		1x 50,0x70,0		

¹⁾Hexagonal blade

Kraftform Kompakt 60 KK

- Ballpoint bits allow a swivelling of the tool axis


Kraftform Kompakt 60 KK



Code	EAN			
05059294001	165503			1
		816 R	1x 1/4"x119	
		851/4 Z	1x PH 1x89; 1x PH 2x89; 1x PH 3x89 ¹⁾	
		855/4 Z	1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89 ¹⁾	
		867/4 TORX® KK	1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89; 1x TX 40x89 ¹⁾	
		842/4	1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89	
		Hook and Loop Fastener Strip 70		
		1x 50,0x70,0		

¹⁾Hexagonal blade

Kraftform Kompakt 62




Code	EAN		
05059297001	4013288 096302		1
		816 R 1x 1/4"x119	
		851/4 Z 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 ¹⁾	
		855/4 Z 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89 ¹⁾	
		867/4 Z TORX® B0 1x TX 8x89; 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 27x89; 1x TX 30x89; 1x TX 40x89	
		840/4 Z B0 1x 2,0x89; 1x 2,5x89; 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89	
		800/4 Z 1x 1,2x6,5x89	
		871/4 TORQ-SET® Mplus 1x 6x89; 1x 8x89; 1x 10x89	
		875/4 TRI-WING® 1x 1x89; 1x 2x89; 1x 3x89; 1x 4x89	
		857/4 Z 1x 4x89; 1x 6x89; 1x 8x89; 1x 10x89	
		Hook and Loop Fastener Strip 70 1x 50,0x70,0	

¹⁾Hexagonal blade

Bicycle Set 2

Bicycle tool set in practical pouch with 89 mm long bits. Including 816 R Kraftform bit hand-holder with Rapidaptor quick-release chuck and multi-component Kraftform handle for fatigue-free working.

Bicycle Set 2



Code	EAN		
05004171001	4013288 211439		1
		816 R 1x 1/4"x119	
		851/4 Z 1x PH 1x89; 1x PH 2x89	
		867/4 Z TORX® 1x TX 10x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
		840/4 Z 1x 2,0x89; 1x 2,5x89; 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89 ¹⁾	
		Hook and Loop Fastener Strip 70 1x 50,0x70,0	

¹⁾Hexagonal blade

Kraftform Kompakt 70 Universal

32-piece set with 816 R Kraftform bitholding screwdriver with Rapidaptor quick-release chuck and multi-component Kraftform handle for fatigue-free working.

Rapidaptor universal holder with strong permanent magnet, which even holds big and heavy screws. Throw in the 30 bits and the user is equipped for almost every application. In a robust textile box; suitable for Wera 2go.

- Assortment in robust textile box with low weight for easy transport
- Suitable for docking with the Wera 2go system

Kraftform Kompakt 70 Universal



Code	EAN			
05057113001	4013288 228345			1
		816 R	1x 1/4"x119	
		889/4/1 K	1x 1/4"x50	
		851/1 TZ	3x PH 1x25; 3x PH 2x25; 3x PH 3x25	
		855/1 TZ	3x PZ 1x25; 3x PZ 2x25; 3x PZ 3x25	
		867/1 Z TORX® B0	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		840/1 Z	1x 4,0x25; 1x 5,0x25; 1x 6,0x25	
		800/1 TZ	1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25	
		9478	1x 160,0x95,0x65,0	
		Hook and Loop Fastener Strip 120	1x 50,0x120,0	

Kraftform Kompakt 71 Security

- Assortment in robust textile box with low weight for easy transport
- Suitable for docking with the Wera 2go system

Kraftform Kompakt 71 Security



Code	EAN			
05057114001	4013288 228352			1
		816 R	1x 1/4"x119	
		889/4/1 K	1x 1/4"x50	
		867/1 Z TORX® B0	1x TX 7x25; 1x TX 8x25; 1x TX 9x25; 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		840/1 Z B0	1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	
		868/1 Z	1x # 0x25; 1x # 1x25; 1x # 2x25; 1x # 3x25	
		871/1 TORQ-SET® Mplus 25 mm	1x 6x25; 1x 8x25; 1x 10x25; 1x 1/4"x25	
		875/1 TRI-WING® 25 mm	1x 1x25; 1x 2x25; 1x 3x25	
		857/1 Z	1x 4x25; 1x 6x25; 1x 8x25; 1x 10x25	
		9478	1x 160,0x95,0x65,0	
		Hook and Loop Fastener Strip 120	1x 50,0x120,0	

Kraftform Kompakt 100

52-piece; in surface-protecting, compact textile box which is extremely robust. Low volume and weight for simplified mobility. Compact tool set with 52 screwdriving tools.

1 bit holder Rapidaptor with quick-release chuck; 1 B bit holder Rapidaptor with quick-release chuck for take-up in the power screwdriver or use in the chuck of the power drill; 30 BiTorsion bits with a length of 25 mm for long service life, tough-absorbing (BTZ), for universal use, extra hard (BTH), 12 Impaktor bits with a length of 50 mm for particularly demanding jobs, 8 L-keys with Hex-Plus profile (prevents the rounding of socket head screws) and hexagonal ballpoint on the long arm for working at angles; textile box that is very robust and durable; can be positioned upright for tidy storage on the workshop shelf; additional surface protection thanks to the outer textile material.

- Robust surface-protecting, compact, textile box
- Rapidaptor technology for rapid bit change
- BiTorsion bits in a length of 25 mm for long service life
- Impaktor bits in a length of 50 mm for particularly demanding jobs
- L-keys with Hex-Plus profile (prevents the rounding of hexagon socket screws)

Hex-Plus - lets hexagon socket screws last longer

Deformation of the screws is reduced

Above-average service life



Kraftform Kompakt 100



Code	EAN		
05057460001	4013288 179968		1
		813 R 1x 1/4"x90	
		889/4/1 K 1x 1/4"x50	
		851/1 BTZ 2x PH 1x25; 4x PH 2x25; 2x PH 3x25	
		851/4 Impaktor DC 2x PH 2x50; 1x PH 3x50	
		855/1 BTH 2x PZ 1x25; 4x PZ 2x25; 2x PZ 3x25	
		855/4 Impaktor DC 2x PZ 2x50; 1x PZ 3x50	
		867/1 TORX® BTZ 2x TX 10x25; 2x TX 15x25; 3x TX 20x25; 2x TX 25x25; 2x TX 30x25; 1x TX 40x25	
		867/4 TORX® Impaktor DC 1x TX 25x50; 1x TX 30x50; 1x TX 40x50	
		800/1 BTZ 1x 0,8x5,5x25; 1x 1,0x5,5x25	
		840/4 Impaktor DC 1x 4,0x50; 1x 5,0x50; 1x 6,0x50	
		950 PKS 1x 1,5x50 ¹⁾ ; 1x 2,0x56; 1x 2,5x63; 1x 3,0x71; 1x 4,0x80; 1x 5,0x90; 1x 6,0x100; 1x 8,0x112	
		Hook and Loop Fastener Strip 120 1x 50,0x120,0	

¹⁾Regular hexagon


Kraftform Kompakt 400

T-handle screwdriver: The ideal handle shape to allow high torque transmission in difficult tightening and loosening situations. The ergonomic shape of the handle fills the palm of the hand well, the fingers lie safely in the soft rounded handle recesses.

The whole hand makes contact with the handle and friction losses between the hand and the handle are avoided. Special surface treatment of the blades for high corrosion protection and an optimum fit in the screw head.

- T-handle screwdriver for the transmission of particularly high tightening and loosening moments
- Ergonomic 2-component handle with finger handle recesses and pleasant surface feel for very high power transmission and fatigue-free working.
- With Rapidaptor technology for lightning-fast bit changes
- Bitholders, magnetic, for easier application of the screw
- For bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3

Kraftform Kompakt 400



Code	EAN		
05057470001	4013288 214546		1
		416 R 1x 1/4"x45	
		851/4 Z 1x PH 2x89; 1x PH 3x89 ¹⁾	
		855/4 Z 1x PZ 2x89; 1x PZ 3x89 ¹⁾	
		867/4 Z TORX® 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89; 1x TX 40x89	
		840/4 Z 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89; 1x 8,0x89 ¹⁾	
		800/4 Z 1x 1,0x5,5x89	
		Hook and Loop Fastener Strip 120 1x 50,0x120,0	

¹⁾Hexagonal blade

Kraftform Kompakt Stubby magazine


Particularly small bitholding screwdriver with short bit mounting for hard to reach areas. Includes 6 bits, which are located in a magazine in the handle.

With only 65mm total length, the Kraftform Kompakt Stubby is a real mini screwdriving workshop. The strong permanent magnet in the bit mounting ensures secure holding of the bit.

The 2-component handle with the practical combination of hard and soft zones allows for a firm grip and precise working. Take it easy tool finder: With size stamping and colour coding by output to find the required bit easily.


- Short, compact Stubby shape for working in tight installation spaces, with 6 bits in the integrated magazine
- Ergonomic 2-component Kraftform handle for precise work
- 1/4" bit mounting with strong permanent magnet
- Captive and swiveling bit magazine for easy removal and safe storage of bits
- Take it easy tool finder: colour coding according to profile and size

Kraftform Kompakt Stubby magazine 1



Code	EAN		
05008873001	4013288 217769		1
		851/1 BTZ PH 1x PH 1x25; 1x PH 2x25	
		867/1 TORX® BTZ 1x TX 15x25; 1x TX 20x25; 1x TX 25x25	
		800/1 BTZ 1x 0,8x5,5x25	

Kraftform Kompakt Stubby magazine 2



Code	EAN		
05008874001	4013288 217776		1
		800/1 BTZ 1x 0,8x5,5x25; 1x 1,2x6,5x25	
		851/1 BTZ PH 1x PH 1x25; 1x PH 2x25	
		855/1 BTZ PZ 1x PZ 1x25; 1x PZ 2x25	



Code	EAN			
	4013288			
05008875001	217783			1
			867/1 TORX® BTZ 1x TX 15x25; 1x TX 20x25; 1x TX 25x25	
			840/1 BTZ Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25	




				
Code	EAN 4013288			
05008877001	219800			1
			851/1 Z PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
			800/1 Z 1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25	

Handle/interchangeable blade system for lightning fast replacement of the required blade. Especially small bit-holding Stubby screwdriver handle with short blade for hard to reach areas. Suitable for the mounting of bits with 1/4" hexagon drive as per DIN ISO 1173-C 6.3 and Wera connection series 1.

With strong permanent magnet, which also holds large and heavy screws. The 2-component Kraftform handle with its practical combination of hard and soft zones allows for a firm grip and precise working.

High-quality BiTorsion bits with BiTorsion zone to prevent twisting of the bit tip under high loads. This significantly increases product life. Compact, textile box with high robustness, low weight and volume. Suitable for docking with the Wera 2go system.

- Handle/Interchangeable blade system for rapid exchange of the blade
- Stubby bit hand holder: short compact shape for working in confined spaces
- Ergonomic 2-component Kraftform handle for precise work
- Bits with BiTorsion zone to cushion load peaks
- Take it easy tool finder: colour coding according to profile and size



					
Code	EAN				
05057471001	4013288 214553				1
			811/1 Stubby 1x 1/4"		
			851/1 BTZ 1x PH 1x25; 1x PH 2x25		
			855/1 BTZ 1x PZ 1x25; 1x PZ 2x25		
			867/1 TORX® BTZ 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25		
			840/1 BTZ 1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 5,5x25		
			800/1 BTZ 1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25		
			Hook and Loop Fastener Strip 70 1x 50.0x70.0		

Bicycle set 11

Stubby magazine for quick operations on the bike. Particularly small bit hand-holder with short bit mounting for hard to reach areas. Includes 7 stainless steel bits, 6 of which are located in a magazine in the handle and one in the bit holder.

The 2-component Kraftform handle with the practical combination of hard and soft zones allows for a firm grip and precise working.

Take it easy tool finder: With size stamping and colour coding by output to help you find the required bit easily.

- Short compact Stubby shape for working in tight installation spaces with 7 included bits
- Ergonomic 2-component Kraftform handle for precise work
- Stainless Steel Bits
- Captive and swiveling bit magazine for easy removal and safe storage of bits
- Take it easy tool finder: colour coding according to profile and size

Bicycle set 11



Code	EAN		
05004179001	4013288	220714	1
		+	3851/1 TS PH 1x PH 1x25
		✦	3867/1 TS TORX® 1x TX 10x25; 1x TX 25x25
		○	3840/1 TS 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25

88/1 Vario set

11-piece Vario set with handle and blades. In a practical belt pouch, enabling the tools to be safely and securely stored and to always be at hand. The Kraftform grip on the handle stands for pleasant, ergonomic working and makes blisters and calluses a thing of the past.

Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. The hexagonal non-roll feature prevents any annoying rolling away at the workplace. The integrated hex bolster allows higher torque to be applied with an open-end or ring spanner.

The double blades are out of high quality bit material and are therefore particularly durable. The Wera Black Point tip on the blade offers a perfect fit and optimised corrosion protection.

- Vario set with handle and 10 combination blades
- Smooth hard zones for high speed turning, soft grip zones for high torque transfer
- Chrome-plated hexagonal blade material, 6 mm
- Black Point tip offers a perfect fit with optimised corrosion protection
- In a robust belt pouch

88/1 Vario set



Code	EAN		
05002990001	4013288	000675	1
		●	80 1x 6x98
		✦✦	85 1x PH 1xPH 2x175
		✦✦✦	86 1x PZ 1xPZ 2x175
		✦✦✦✦	87 1x TX 10xTX 15x175; 1x TX 20xTX 25x175; 1x TX 30xTX 40x175
		●●	81 1x 0,6x4,0x1,0x6,0x175; 1x 0,8x5,0x1,2x7,0x175
		○●	84 1x 4x4x175; 1x 5x5x175; 1x 6x6x175

80 Vario handle

- Kraftform handle with 10 mm hex bolster
- Suitable for insertion of 6 mm Vario blades or a Vario adaptor

80 Vario handle



	EAN							
Code	4013288	mm	mm	mm				
05002900001	000460	6	10	98				5

95 Vario T-handle hand holder for Vario blades

T-handle screwdriver: The ideal handle shape to allow high torque transmission in difficult tightening and loosening situations. The ergonomic shape of the handle fills the palm of the hand well, the fingers lie safely in the soft rounded handle recesses.

The whole hand makes contact with the handle and friction losses between the hand and the handle are avoided. Bit holder for bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 in magnetic design for easier placement of the screws.

- T-handle screwdriver for the transmission of particularly high tightening and loosening moments
- Ergonomic 2-component handle with finger handle recesses and pleasant surface feel for very high power transmission and fatigue-free working.
- Vario T-handle for 6 mm Vario blades and adaptor

95 Vario T-handle hand holder for Vario blades



	EAN							
Code	4013288	mm	mm	mm	mm			
05023400001	208446	6	60	44	100	2 23/64"		2

830 Vario bit holder adaptor

- Vario adaptor blade with quick-release chuck for Vario holder
- Suitable for take-up of bits with 1/4" hexagon head drive
- 1/4" quick-release chuck with strong permanent magnet

830 Vario bit holder adaptor



	EAN							
Code	4013288	mm	mm	mm				
05051835001	012425	1/4"	6	165	6 9/16"			2

91 Vario extension

- Vario extension for Vario blades and adaptor
- Chrome-plated hexagonal material, 6 mm

91 Vario extension



	EAN							
Code	4013288	mm	mm	mm				
05003210001	000804	6	6	175	7"			2

712 Vario socket adaptor

- For sockets

712 Vario socket adaptor



	EAN							
Code	4013288		mm	mm				
05040001001	006165	1/4"	6	175	7"			2

Combination blades

Combination blade for Vario handles. The double-ended blades are made out of high quality bit material and are therefore particularly durable. The Wera Black Point tip offers a perfect fit and optimised corrosion protection.

81 Combination blade for slotted screws

	EAN							
Code	4013288	mm	mm	mm	mm	mm	mm	
05002910001	000477	0,6	4,0	1,0	6,0	6	175	5
05002913001	000484	0,8	5,0	1,2	7,0	6	175	5

82 Combination blade for slotted/Phillips screws





	EAN							
Code	4013288		mm	mm	mm	mm		
05002920001	000491	PH 1	0,6	4,0	6	175	7"	5
05002923001	000507	PH 2	1,0	6,0	6	175	7"	5
05002926001	000514	PH 3	1,2	7,0	6	175	7"	5

83 Combination blade for Phillips/Pozidriv screws

	EAN						
Code	4013288			mm	mm		
05002930001	000521	PH 1	PZ 1	6	175	7"	5
05002933001	000538	PH 2	PZ 2	6	175	7"	5

84 Combination blade for hexagon socket screws

	EAN						
Code	4013288			mm	mm		
05002936001	000545	2,5	2,5	6	175	7"	5
05002938001	000552	3	3	6	175	7"	5
05002940001	000569	4	4	6	175	7"	5
05002943001	000576	5	5	6	175	7"	5
05002948001 ¹⁾	155436	4	5	6	175	7"	5
05002946001	000583	6	6	6	175	7"	5

¹⁾without ball-end

85 Combination blade for Phillips screws

	EAN						
Code	4013288			mm	mm		
05002950001	000590	PH 1	PH 2	6	175	7"	5

86 Combination blade for Pozidriv screws

	EAN						
Code	4013288			mm	mm		
05002960001	000606	PZ 1	PZ 2	6	175	7"	5
05140310001	000613	PZ 2	PZ 3	6	175	7"	5

87 Combination blade for TORX® screws

	EAN						
Code	4013288			mm	mm		
05002966001	000620	TX 6	TX 8	6	175	7"	5
05002968001	000637	TX 7	TX 9	6	175	7"	5
05002970001	000644	TX 10	TX 15	6	175	7"	5
05002973001	000651	TX 20	TX 25	6	175	7"	5
05002976001	000668	TX 30	TX 40	6	175	7"	5

68 Combination blade for square socket head screws

	EAN						
Code	4013288			mm	mm		
05002980001	100061	#1	#2	6	175	7"	5

Kraftform Kompakt 900 Set 1

The impact screwdriver 921 combines the advantages of manual impact wrenches, compact tools and screwdrivers with pound-thru blade. The impact wrench function offers a loosening moment of up to 25 Nm.

The robust bit holder allows the mounting of different specialised bits for various screw profiles. The pound-thru blade ensures complete power transmission (zero loss). The impact wrench function and screwdriver function can be switched as required.

- Compact and robust blade screwdriver set with manually activatable impact wrench function
- For loosening stubborn screw connections
- Hammer blow impulse is converted into a rotary movement with a loosening torque of approx. 25 Nm – without loss via a pound-thru blade
- Reversible functions: impact wrench and screwdriver
- Specially hardened and extra tough bits with 1/4" external hexagon drive
- Combines the advantages of manual impact wrenches, compact tools and screwdrivers with pound-thru blade

Kraftform Kompakt 900 Set 1



Code	EAN			
05018110001	4013288 222176			1
		●	921 1x 1/4"x163,5	
		+	851 S 1x PH 1x70; 1x PH 2x70; 1x PH 3x70	
		+	855 S 1x PZ 1x70; 1x PZ 2x70; 1x PZ 3x70	
		✳	867 S TORX® 1x TX 15x70; 1x TX 20x70; 1x TX 25x70; 1x TX 30x70; 1x TX 40x70	
		○	840 S Hex-Plus 1x 3,0x70; 1x 4,0x70; 1x 5,0x70; 1x 6,0x70	
		◐	800 S 1x 0,8x4,0x70; 1x 1,0x5,5x70; 1x 1,2x6,5x70	
			Hook and Loop Fastener Strip 120 1x 50,0x120,0	

Kraftform Kompakt 900 Imperial Set 1



Code	EAN			
05018111001	4013288 222312			1
		●	921 1x 1/4"x163,5	
		+	851 S 1x PH 1x70; 1x PH 2x70; 1x PH 3x70	
		✳	867 S TORX® 1x TX 15x70; 1x TX 20x70; 1x TX 25x70; 1x TX 30x70; 1x TX 40x70	
		○	840 S Hex-Plus 1x 1/8"x70; 1x 5/32"x70; 1x 3/16"x70; 1x 1/4"x70	
		○	868 S 1x # 1x70; 1x # 2x70; 1x # 3x70	
		◐	800 S 1x 0,8x4,0x70; 1x 1,0x5,5x70; 1x 1,2x6,5x70	
			Hook and Loop Fastener Strip 120 1x 50,0x120,0	

921 Kraftform Plus impact screwdriver - series 900

The impact screwdriver 921 combines the advantages of manual impact wrenches, compact tools and screwdrivers with pound-thru blade. The impact wrench function offers a loosening moment of up to 25 Nm.

The robust bit holder allows the mounting of different specialised bits for various screw profiles. The pound-thru blade ensures complete power transmission (zero loss). The impact wrench function and screwdriver function can be switched as required.

- For loosening stubborn screw connections
- Manual impact wrench function can be switched on and off
- Hammer blow impulse is converted into a rotary movement with a loosening torque of approx. 25 Nm – without loss via a pound-thru blade
- Reversible functions: impact wrench and screwdriver

921 Kraftform Plus impact screwdriver - series 900



	EAN						
Code	4013288		mm				
05018100001	221698	1/4"	163,5	6 7/16"			1

851 S Phillips bits for impact screwdrivers

Extra tough bit for Phillips-head screws Phillips-Recess. This prevents the bit from breaking prematurely and extends its service life.

Suitable for use with Wera impact screwdriver 921.
With 1/4" hexagonal drive.

- For Phillips screws
- Extra tough for long durability
- 1/4" hexagon drive
- For use with Wera impact screwdriver 921

851 S Phillips bits for impact screwdrivers



	EAN						
Code	4013288		mm				
05018160001	222510	PH 1	70	2 3/4"			5
05018161001	222527	PH 2	70	2 3/4"			5
05018162001	222534	PH 3	70	2 3/4"			5

855 S Pozidriv bits for impact screwdrivers

Extra tough bit suitable for Pozidriv screws. This prevents the bit from breaking prematurely and extends its service life.

Suitable for use with Wera impact screwdriver 921.

With 1/4" hexagonal drive.

- Suitable for Pozidriv screws
- Extra tough for long durability
- 1/4" hexagon drive
- For use with Wera impact screwdriver 921

855 S Pozidriv bits for impact screwdrivers



	EAN						
Code	4013288		mm				
05018163001	222541	PZ 1	70	2 3/4"			5
05018164001	222558	PZ 2	70	2 3/4"			5
05018165001	222565	PZ 3	70	2 3/4"			5

867 S TORX® bits for impact screwdrivers


Extra tough bit for TORX® socket screws. This prevents the bit from breaking prematurely and extends its service life.

Suitable for use with Wera impact screwdriver 921.

With 1/4" hexagonal drive.

- For recessed TORX® screws
- Extra tough for long durability
- 1/4" hexagon drive
- For use with Wera impact screwdriver 921

867 S TORX® bits for impact screwdrivers



	EAN						
Code	4013288		mm				
05018166001	222572	TX 15	70	2 3/4"			5
05018167001	222589	TX 20	70	2 3/4"			5
05018168001	222596	TX 25	70	2 3/4"			5
05018169001	222602	TX 30	70	2 3/4"			5
05018170001	222619	TX 40	70	2 3/4"			5

Hex-Plus - lets hexagon socket screws last longer

Deformation of the screws is reduced

Above-average service life



Extra tough bit for hexagonal socket screws. This prevents the bit from breaking prematurely and extends its service life.

Suitable for use with Wera impact screwdrivers 921.
With 1/4" hexagonal drive.

- For socket head screws
- Extra tough for long durability
- Hex-Plus allows socket head screws to live longer
- 1/4" hexagon drive
- For use with Wera impact screwdriver 921

840 S Hex-Plus bits for impact screwdrivers



	EAN							
Code	4013288	mm		mm				
05018150001	222428	3,0		70	2 3/4"			5
05018151001	222435	4,0		70	2 3/4"			5
05018152001	222442	5,0		70	2 3/4"			5
05018153001	222459	6,0		70	2 3/4"			5
05018154001	222466		1/8"	70	2 3/4"			5
05018155001	222473		5/32"	70	2 3/4"			5
05018156001	222480		3/16"	70	2 3/4"			5
05018157001	222497		1/4"	70	2 3/4"			5

800 S Slotted bits for impact screwdrivers

Extra tough bit for slotted screws. This prevents the bit from breaking prematurely and extends its service life.

Suitable for use with Wera impact screwdriver 921.
With 1/4" hexagonal drive.

- For slotted screws
- Extra tough for long durability
- 1/4" hexagon drive
- For use with Wera impact screwdriver 921

800 S Slotted bits for impact screwdrivers



	EAN							
Code	4013288	mm	mm	mm				
05018140001	222398	0,8	4,0	70	2 3/4"			5
05018141001	222404	1,0	5,5	70	2 3/4"			5
05018142001	222411	1,2	6,5	70	2 3/4"			5

868 S Square head socket bits for impact screwdrivers

Extra tough bit for square head socket screws. This prevents the bit from breaking prematurely and extends its service life.

Suitable for use with Wera impact screwdriver 921.
With 1/4" hexagonal drive.

- Suitable for square head socket screws
- Extra tough for long durability
- 1/4" hexagon drive
- For use with Wera impact screwdriver 921

868 S Square head socket bits for impact screwdrivers



	EAN							
Code	4013288		mm					
05018171001	222626	# 1	70	2 3/4"				5
05018172001	222633	# 2	70	2 3/4"				5
05018173001	222640	# 3	70	2 3/4"				5

Kraftform Kompakt W 1 Maintenance

Compact tool set with the 35 most important screwdriving tools for maintenance work both indoors as well as outdoors.

Includes VDE holder with 12 VDE blades; 1 Joker double open-end wrench with holding function, limit stop, small return angle and extremely gripping teeth; the incredibly fast 1/4" Zyklop Speed ratchet and accessories; 8 manual and power tool sockets, sizes 5.5-13,

1 universal bit holder; 7 bits in a length of 25 mm; 1 screw gripper for firmly holding screws; 1 single-pole phase tester 247; textile box, very robust and durable; can be positioned upright in the workshop shelf for convenient storage; additional surface protection thanks to the textile outer material; low weight and volume for simplified mobility.

- Incredibly fast 1/4" Zyklop Speed ratchet with pivoting ratchet head and 5 predefined locking positions
- Manual and power tool sockets (non-impact) with ball-stop groove and knurling at lower end for more grip
- Joker double open-end wrench with holding function, limit stop, small return angle and extremely gripping teeth
- VDE-insulated Kraftform holder and interchangeable blades
- VDE blades (157 mm length) with practical spinning function, anti-roll protection and Take it easy Tool finder: Colour coding by profile and laser-engraved size indication
- Set in robust textile box

Kraftform Kompakt W 1 Maintenance



Code	EAN		
05135926001	4013288 178336		1
		817 VDE 1x 9x98	
		Kraftform Kompakt VDE 60 i Take it easy 1x 0,4x2,5x157	
		Kraftform Kompakt VDE 60 iS Take it easy 1x 0,6x3,5x157; 1x 0,8x4,0x157; 1x 1,0x5,5x157	
		Kraftform Kompakt VDE 62 iS Take it easy 1x PH 1x157; 1x PH 2x157	
		Kraftform Kompakt VDE 65 iS Take it easy 1x PZ 1x157; 1x PZ 2x157	
		Kraftform Kompakt VDE 67 i TORX® Take it easy 1x TX 10x157	
		Kraftform Kompakt VDE 67 iS TORX® Take it easy 1x TX 15x157; 1x TX 20x157; 1x TX 25x157	
		1440 1x 4,5-6,0x41,0	
		247 1x 0,5x3,0x70	
		6002 Joker Double 1x 10x13x167	
		8000 A 1x 1/4"x152,0	
		8784 A1 1x 1/4"x1/4"x37,0	
		8794 SA 1x 1/4"x75,0	
		8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	
		893/4/1 K 1x 1/4"x50	
		855/1 Z 1x PZ 1x25; 1x PZ 2x25	
		840/1 Z 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	
		867/1 TORX® 1x TX 25x25	
		Hook and Loop Fastener Strip 240 1x 50,0x240,0	

TMProduct not available in the USA and Canada.

Kraftform Kompakt W 2 Maintenance



Code	EAN			
05135870001	4013288			1
	209542			
		817 VDE		
		1x 9x98		
		Kraftform Kompakt VDE 60 i Take it easy		
		1x 0,4x2,5x157		
		Kraftform Kompakt VDE 60 iS Take it easy		
		1x 0,6x3,5x157; 1x 0,8x4,0x157;		
		1x 1,0x5,5x157		
		Kraftform Kompakt VDE 62 iS Take it easy		
		1x PH 1x157; 1x PH 2x157		
		Kraftform Kompakt VDE 67 i TORX®		
		Take it easy		
		1x TX 10x157		
		Kraftform Kompakt VDE 67 iS TORX®		
		Take it easy		
		1x TX 15x157; 1x TX 20x157; 1x TX 25x157		
		Kraftform Kompakt VDE 65 iS Take it easy		
		1x PZ 1x157; 1x PZ 2x157		
		1440		
		1x 4,5-6,0x41,0		
		335		
		1x 0,4x2,5x60 ¹⁾		
		6002 Joker Double		
		1x 10x13x167		
		8000 A		
		1x 1/4"x152,0		
		8784 A1		
		1x 1/4"x1/4"x37,0		
		8794 SA		
		1x 1/4"x75,0		
		8790 HMA		
		1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0;		
		1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0;		
		1x 12,0x23,0; 1x 13,0x23,0		
		893/4/1 K		
		1x 1/4"x50		
		851/1 Z		
		1x PH 1x25; 1x PH 2x25		
		840/1 Z		
		1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25		
		867/1 TORX®		
		1x TX 25x25		
		Hook and Loop Fastener Strip 240		
		1x 50,0x240,0		

¹⁾ without Lasertip

Kraftform Kompakt W Imperial 1 Maintenance



Code	EAN			
05135871001	4013288			1
	209559			
		817 VDE		
		1x 9x98		
		Kraftform Kompakt VDE 60 i Take it easy		
		1x 0,4x2,5x157		
		Kraftform Kompakt VDE 60 iS Take it easy		
		1x 0,6x3,5x157; 1x 0,8x4,0x157;		
		1x 1,0x5,5x157		
		Kraftform Kompakt VDE 62 iS Take it easy		
		1x PH 1x157; 1x PH 2x157		
		Kraftform Kompakt VDE 67 i TORX®		
		Take it easy		
		1x TX 10x157		
		Kraftform Kompakt VDE 67 iS TORX®		
		Take it easy		
		1x TX 15x157; 1x TX 20x157; 1x TX 25x157		
		Kraftform Kompakt VDE 68 iS Take it easy		
		1x # 1x157; 1x # 2x157		
		335		
		1x 0,4x2,5x60 ¹⁾		
		1440		
		1x 4,5-6,0x41,0		
		6000 Joker Imperial		
		1x 1/2"x177		
		8000 A		
		1x 1/4"x152,0		
		8790 HMA		
		1x 7/32"x23,0; 1x 1/4"x23,0; 1x 9/32"x23,0;		
		1x 5/16"x23,0; 1x 3/8"x23,0; 1x 7/16"x23,0;		
		1x 1/2"x23,0; 1x 9/16"x23,0		
		8784 A1		
		1x 1/4"x1/4"x37,0		
		8794 SA		
		1x 1/4"x75,0		
		893/4/1 K		
		1x 1/4"x50		
		851/1 Z		
		1x PH 1x25; 1x PH 2x25		
		840/1 Z		
		1x 1/8"x25; 1x 5/32"x25; 1x 7/32"x25;		
		1x 1/4"x25		
		867/1 TORX®		
		1x TX 25x25		
		Hook and Loop Fastener Strip 240		
		1x 50,0x240,0		

¹⁾ without Lasertip

Kraftform Kompakt H 1 Woodcraft

Compact tool set with the 41 most important screwdriving tools for applications involving wood. Includes the bit ratchet Zyklop Mini with extension and socket adaptor; 8 manual and power tool sockets, sizes 5.5-13, 1 ratchet holder 838 RA-R L with ratcheting function, fine-pitched teeth for small return angle, switchover ring (right, fixed, left), maximum torque 50 Nm and bit take-up with the Rapidaptor technology; 1 universal bit holder; 6 bits in a length of 25 mm; 16 bits of a length of 89 mm; 5 wood twist drill bits with a diameter of 3-8 mm; 1 screw gripper for firmly holding screws; 1 single-pole phase tester 247; textile box, very robust and durable; can be positioned upright in the workshop shelf for convenient storage; additional surface protection thanks to the textile outer material; low weight and volume for simplified mobility.

- Robust Zyklop Mini ratchet suitable for take-up of bits and sockets
- Torque of over 65 Nm thanks to fine-pitched ratchet mechanism and small return angle of 6°
- Ratcheting screwdriver with Rapidaptor technology for rapid bit change
- High quality wood twist drill bits for drilling soft wood, hard wood and laminated panel material
- Set in robust textile box

Kraftform Kompakt H 1 Woodcraft



Code	EAN		
05135939001	4013288 178350		1
		838 RA-R L 1x 1/4"x140,0	
		8001 A 1x 1/4"x87,0	
		870/1 1x 1/4"x25 ¹⁾	
		8794 SA 1x 1/4"x75,0	
		8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	
		893/4/1 K 1x 1/4"x50	
		851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 ²⁾	
		855/4 Z PZ 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89 ²⁾	
		855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25	
		867/4 Z TORX® B0 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
		867/1 TORX® 1x TX 20x25; 1x TX 25x25	
		840/4 Z Hex-Plus 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89 ²⁾	
		800/4 Z 1x 1,0x5,5x89	
		800/1 Z 1x 1,0x5,5x25	
		849 HSS 1x 3,0x70,0; 1x 4,0x74,0; 1x 5,0x85,0; 1x 6,0x95,0; 1x 8,0x110,0	
		247 1x 0,5x3,0x70	
		1441 1x 4,5 - 6,0x41,0	

¹⁾ With friction ball; for manual nut spinner sockets

²⁾ Hexagonal blade

³⁾ Product not available in the USA and Canada.

Kraftform Kompakt M 1 Metal

Compact tool set with the 39 most important screwdriving tools for jobs on metal. Includes the incredibly fast 1/4" Zyklop Speed ratchet and accessories; 7 manual and power tool sockets, sizes 5.5-13, 1 universal bit holder;

13 bits in a length of 89 mm; 6 metal twist drill bits with diameter of 3-10 mm; 1 screw gripper for firmly holding screws; 1 single-pole phase tester 247; textile box, very robust and durable; can be positioned upright in the workshop shelf for convenient storage; additional surface protection thanks to the textile outer material; low weight and volume for simplified mobility.

Kraftform Kompakt M 1 Metal



Code		EAN		
		4013288		
05135928001	178367			1
			8000 A 1x 1/4"x152,0	
			8794 LA 1x 1/4"x150,0	
			8794 A 1x 1/4"x56,0	
			8784 A1 1x 1/4"x1/4"x37,0	
			816 R 1x 1/4"x119	
			8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	
			851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 ¹⁾	
			840/4 Z Hex-Plus 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89 ¹⁾	
			867/4 Z TORX® 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
			800/4 Z 1x 1,0x5,5x89	
			847 HSS 1x 2,5x36,0; 1x 3,3x39,0; 1x 4,2x41,0; 1x 5,0x44,0; 1x 6,8x51,0; 1x 8,5x59,0	
			848 HSS 1x 3,0x38,0; 1x 4,0x44,0; 1x 5,0x50,0; 1x 6,0x50,0; 1x 8,0x51,0; 1x 10,0x54,0	
			1441 1x 4,5 - 6,0x41,0	
			247 1x 0,5x3,0x70	

¹⁾ Hexagonal blade

²⁾ Product not available in the USA and Canada.

Kraftform Kompakt SH 1 PlumbKit

Compact tool set with the 25 most important screwdriving tools for plumbing and heating applications. Includes 2 Joker open-end wrenches, the 1/4" Zyklop ratchet and accessories, 6 x 89 mm bits, 5 multi-component Kraftform Plus screwdrivers and single-pole phase tester. Two Joker combination ratcheting wrenches with special holding plate against slipping/loss of the screw and more torque transfer; 1 Zyklop ratchet 8000 A (1/4") for fast, powerful working; 3 Zyklop sockets 8790 HMA for manual and power tools usage; 1 Zyklop adaptor 8784 A1 for bits; 6 TORX® HF bits 867/4 with holding function for TORX® screws for secure carry without any loss of the screws;

1 single-pole phase tester 247; 2 Kraftform series 100 slotted screwdrivers 160 i and 160 iS for safe work up to 1,000 volts (160 iS with reduced shaft diameter and integrated insulation protection for reaching and actuating low-lying screws and spring elements);

1 Kraftform Chiseldriver 932 A (slotted) with hex blade extending right through the handle and integrated impact cap for screwdriving and simpler chiselling work; 2 nutsetters 395 HO with hollow shaft for the tightening or loosening of screws on long bolts as well as seized screws.

Take it easy tool finder with colour coding according to profiles and size stamp – for simple and rapid accessing of the required tool.

- Joker combination ratcheting wrench with special holding plate against slipping/loss of the screw
- Zyklop Speed ratchet for fast and powerful working
- Insulated Kraftform VDE slotted screwdriver for safe work at 1,000 volts
- Kraftform Chiseldriver with hex blade extending through handle and integrated impact cap
- Hollow shaft nutspinner for nuts on protruding threaded rods

Kraftform Kompakt SH 1 PlumbKit



Code	EAN		
05135927001	4013288 170132		1
		6000 Joker 1x 10x159; 1x 13x177	
		8000 A 1x 1/4"x152,0	
		8790 HMA 1x 7,0x23,0; 1x 10,0x23,0; 1x 13,0x23,0	
		8784 A1 1x 1/4"x1/4"x37,0	
		867/4 TORX® HF 2x TX 20x50; 2x TX 25x50; 1x TX 30x50; 1x TX 40x50 ¹⁾	
		851/4 Z PH 1x PH 1x89; 1x PH 2x89	
		840/4 Z Hex-Plus 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89 ²⁾	
		247 1x 0,5x3,0x70	
		160 iS 1x 0,6x3,5x100	
		160 i VDE 1x 1,0x5,5x125	
		932 A 1x 1,2x7,0x125	
		395 HO 1x 10,0x90; 1x 13,0x90	

¹⁾ Product not available in the USA and Canada.

¹⁾ Pound-thru hexagonal; no Take it easy.

²⁾ Hexagonal blade

Kraftform Kompakt SH 2 PlumbKit

- 15 screwdriving tools for sanitary or heating applications in compact and robust Wera textile box
- Joker combination ratcheting wrench with special holding plate against slipping/loss of the screw
- Insulated Kraftform VDE slotted screwdriver for safe work at 1,000 volts
- Kraftform Chiseldriver with hex blade extending through handle and integrated impact cap
- Hollow shaft nutspinner for nuts on protruding threaded rods
- VDE-insulated Kraftform holder and interchangeable blades
- VDE blades (157 mm length) with practical spinning function, anti-roll protection and Take it easy Tool finder: Colour coding by profile and laser-engraved size indication

Kraftform Kompakt SH 2 PlumbKit



Code	EAN			
05136026001	204387			1
		●	395 H0 1x 10,0x90; 1x 13,0x90	
		●	932 A 1x 1,2x7,0x125	
			6001 Joker Switch 1x 10x159; 1x 13x179	
		○	950 SPKL HF Multicolour 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172	
		●	817 VDE 1x 9x98	
		+	Kraftform Kompakt VDE 62 iS Take it easy 1x PH 1x157; 1x PH 2x157	
		—	Kraftform Kompakt VDE 60 iS Take it easy 1x 0,6x3,5x157; 1x 1,0x5,5x157	
		●	247 1x 0,5x3,0x70	
			Hook and Loop Fastener Strip 240 1x 50,0x240,0	

¹⁾ Product not available in the USA and Canada.

Kraftform Kompakt F 1 screwdriving tool set for window installation

Compact Wera screwdriving tool set with the 36 most important tools for window construction

- Premium 36-piece universal tool set for the professional window builder
- 393 S extra slim bit hand holder with flexible shaft for applications in hard-to-reach work spaces
- Socket wrench and bit assortment in premium Wera quality, attuned to universal window construction applications
- Compact and solid textile tool box with Wera 2go compatibility

Kraftform Kompakt F 1 screwdriving tool set for window installation



Code	EAN			
05134013001	217721			1
		●	393 S 1x 1/4"x173,5	
		●	813 1x 1/4"x78	
		○	8001 A 1x 1/4"x87,0	
		○	870/1 1x 1/4"x25 ¹⁾	
		●	8794 SA 1x 1/4"x75,0	
		●	8790 HMA 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 13,0x23,0	
		+	851/4 TZ PH 1x PH 1x50; 1x PH 2x50; 1x PH 3x50	
		+	867/4 Z TORX® 1x TX 8x50; 1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 30x50	
		○	840/4 Z Hex-Plus 1x 2,0x50; 1x 2,5x50; 1x 3,0x50; 1x 4,0x50; 1x 5,0x50; 1x 6,0x89 ²⁾	
		○	950 SPKL Multicolour 1x 2,0x101; 1x 2,5x112	
		○	950 SPKL HF Multicolour 1x 3,0x123; 1x 4,0x137; 1x 5,0x154	
		+	967 SXL HF TORX® Multicolour 1x TX 8x90; 1x TX 10x112; 1x TX 15x123; 1x TX 20x137; 1x TX 25x154; 1x TX 30x195	
			6004 Joker S 1x 10-13 (7/16"-1/2")x154	

¹⁾ With friction ball; for manual nut spinner sockets

²⁾ Hexagonal blade

9532 Chain riveter set for workshops

18-piece tool set for the bike workshop. With the Zyklop Mini bit ratchet and the bitholding screwdriver and the 89 mm and 25 mm length bits, hexagonal socket, TORX® and Phillips-head Phillips screws can be operated.

With the included chain riveter and chain fastener with exchangeable rivet pin, bicycle chains can be opened and closed (suitable for single-speed chains, up to 12-speed). The chain lock tool makes it easier to open and close chains with a chain lock.

- Tool set for the bike workshop
- With Wera Zyklop Mini 1 bit ratchet, 816 R bitholding screwdriver, one chain riveter, one chain fastener, spare parts set chain riveter pin, one chain lock tool, 10 bits with 89 mm length, 2 bits with 25 mm length
- With chain riveter and chain fastener with exchangeable rivet pin for opening and closing bicycle chains. Suitable for single-speed chains, up to 12-speed
- Quick-release bike chain tool for opening and closing chains with a chain lock
- In robust pouch

9532 Chain riveter set for workshops



Code	EAN			
05136042001	229571			1
		●	8001 A 1x 1/4"x87,0	
		●	816 R 1x 1/4"x119	
		+	851/4 Z 1x PH 1x89; 1x PH 2x89	
		✱	867/4 Z TORX® 1x TX 10x89; 1x TX 25x89	
		○	840/4 Z 1x 2,0x89; 1x 2,5x89; 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89 ¹⁾	
		○	840/1 Z 1x 5,0x25; 1x 8,0x25	
			9512 Chain-Hook	
			9513 Chain Tool	
			9533 Quick-release bike chain tool 1x 167,5	
			9534 3x 15,0	


¹⁾Hexagonal blade

9100 guitar tool set

Guitar tool set: The set contains all the tools necessary for adjustment and maintenance repair work. Wera stainless steel angle wrench with Hex-Plus profile (sizes: 1.5, 2.0, 2.5, 5.0 and in the inch sizes 1/8", 5/32", 3/16").

Wera 89 mm long stainless steel bits for hexagon socket screws (sizes: 1.5, 2.0, 2.5), Kraftform handle for 1/4" bits, 1/4" stainless steel bits for slot (sizes: 1.8x12x41 mm, 0.6x3.5x89 mm, 1.2x8.0x89 mm), Phillips screws (sizes: PH 1x89 mm, PH 2x89 mm) and hexagon socket screws (size: 0.05"x25 mm), Wera adapter for handle (1/4" hex socket of the handle on 1/4" square of sockets), Wera Zyklop sockets (sizes 10 and 1/2"), string crank with 1/4" hex for use in the handle, Knipex® string cutter, feeler gauge, input jacker, 2 picks.

9100 guitar tool set



Code	EAN			
05134015001	211675			1
		●	815 R 1x 1/4"x119	
		+	3851/4 1x PH 1x89; 1x PH 2x89	
		●	3800/1 TS 1x 1,8x12,0x41	
		●	3800/4 1x 0,6x3,5x89; 1x 1,2x8,0x89	
		○	3840/1 TS 1x 0,05"x25	
		○	3950 PKL 1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154	
		○	3950 PKL Imperial 1x 1/8"x123; 1x 5/32"x137; 1x 3/16"x154	
		○	870/1 1x 1/4"x25 ¹⁾	
		●	8790 HMA 1x 10,0x23,0; 1x 7/16"x23,0	
		●	8790 HMA Deep 1x 1/2"x50,0	
			9103 stringer	
			9105 slip gauge 0,05 - 1,00mm, 13 blades	
			9104 Input-Jacker	
			9101 plectrum Wera	
			9102 plectrum Tool Rebel	
			9110 box with lid Wera	
			KNIPLEX® 74 01 140	
			Hook and Loop Fastener Strip 120 1x 50,0x120,0	

¹⁾With friction ball; for manual nut spinner sockets

Radidaptor - the amazing compact multifunction tool




High quality holder for stainless steel bits so as to avoid the formation of extraneous rust. The Radidaptor quick-release chuck enables rapid bit change without needing any special tools.

Kraftform Plus handle for pleasant, ergonomic working that makes blisters and calluses a thing of the past. Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer.

Suitable for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

- Solution to the extraneous rust problem: fasten stainless screws with stainless tools
- Bit handholder with Radidaptor quick-release chuck, stainless
- Secure clamping of bits
- Fast bit change
- Free-turning sleeve for guiding the power tool

Kraftform Stainless - stainless steel to prevent rust



3816 R Bit-holding screwdriver with Radidaptor quick-release chuck, stainless



	EAN						
Code	4013288		mm				
05051465001	127570	1/4"	119				5

817 R Bitholding screwdriver with Radidaptor quick-release chuck

High quality bit holder. The telescopic bayonet blade, which can be lowered into the handle, together with the quick-release chuck allows fast manual work even in confined installation situations. The Radidaptor quick-release chuck enables rapid bit change without needing any special tools.

The strong permanent magnet holds the bits absolutely securely. Kraftform Plus handle for pleasant, ergonomic working that makes blisters and calluses a thing of the past. Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. Suitable for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).


- Retractable bayonet blade

817 R Bitholding screwdriver with Radidaptor quick-release chuck



	EAN						
Code	4013288		mm				
05051482001	103130	1/4"	133				2

817 R SB Bitholding screwdriver with Radidaptor quick-release chuck




	EAN						
Code	4013288						
05073541001	106025	817 R 1x 1/4"x133					1

816 R Bitholding screwdriver with Rapidaptor quick-release chuck



	EAN								
Code	4013288		mm						
05051462001	099617	1/4"	119						5

816 R SB Bitholding screwdriver with Rapidaptor quick-release chuck



Code	EAN								
05073540001	106032		816 R 1x 1/4"x119						1

813 R Bitholding screwdriver with Rapidaptor quick-release chuck



	EAN								
Code	4013288		mm						
05051272001	103123	1/4"	90						2

393 S Bitholding screwdriver extra slim with flexible shaft

Screwdriver with bendable shaft to reach hard-to-reach areas. Thanks to the construction with a particularly slim bit holder, different screw profiles can be operated, even in very narrow work spaces. Multi-component Kraftform handle for high work speed and especially ergonomic screwdriving. With hexagon anti-roll protection to avoid rolling away.

- Flexible, bendable shaft
- Secure bit holding feature due to locking mechanism. With strong permanent magnet.
- Compact stainless steel holder for bits with 1/4"- external hexagon drive as per DIN 3126, ISO 1173 Form C 6.3 and E 6,3
- Multi-component Kraftform handle for fast and ergonomic screw-driving

393 S Bitholding screwdriver extra slim with flexible shaft



	EAN								
Code	4013288		mm	mm					
05028161001	217660	1/4"	173,5	98	6 53/64"				5

392 Bitholding screwdriver with flexible shaft

High quality bit holder with flexible shaft by Wera. Multi-component Kraftform handle for high working speeds and particularly ergonomic screwdriving.

Kraftform Plus: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. Comes with quick-release chuck for rapid bit change and hexagonal anti-roll feature that prevents any rolling away. Suitable for the insertion of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3.

- Bit holder with flexible shaft and quick-release chuck
- Flexible, circular blade

392 Bitholding screwdriver with flexible shaft



	EAN								
Code	4013288		mm	mm					
05028160001	041418	1/4"	177	98	7"				5

815/1 Bitholding screwdriver, 1/4"

- For 1/4" hex drive bits
- Magnetic

815/1 Bitholding screwdriver, 1/4"



	EAN					
Code	4013288		mm	mm		
0514510001	234308	1/4"	78	68		3

813 Bitholding screwdriver

- Bit holder for bits with 1/4" hexagon drive
- Magnetic

813 Bitholding screwdriver



	EAN					
Code	4013288		mm	mm		
05051274001	175656	1/4"	78	68		3

812/1 Bitholding screwdriver with strong permanent magnet

- Hexagonal blade, chrome-plated
- Stainless sleeve with strong permanent magnet for secure fit of the bit

812/1 Bitholding screwdriver with strong permanent magnet



	EAN						
Code	4013288		mm	mm	mm		
05051205001	012272	1/4"	120	112	10,5	4 3/4"	2

811/1 Stubby bits hand holder, magnetic

Especially small bit-holding Stubby screwdriver handle with short blade for hard to reach areas. Suitable for the mounting of bits with 1/4" hexagon drive as per DIN ISO 1173-C 6.3 and Wera connection series 1. With strong permanent magnet, which also holds large and heavy screws.

The 2-component Kraftform handle with its practical combination of hard and soft zones allows for a firm grip and precise working.

The hexagon anti-roll protection prevents annoying rolling away of bits in the workplace.

- Short compact shape for working in confined spaces
- Ergonomic 2-component Kraftform handle for precise work
- Hexagonal anti-roll feature against rolling away
- Magnetic bits hand holder for easier placement of the screws
- For 1/4" bits as per DIN ISO 1173-C 6.3

811/1 Stubby bits hand holder, magnetic



	EAN					
Code	4013288		mm	mm		
05008880001	212375	1/4"	10	54	3/8"	2

810/1 Bitholding screwdriver with retaining ring

- Bit holder with retaining ring for bits with 1/4" hexagon drive

810/1 Bitholding screwdriver with retaining ring



	EAN						
Code	4013288		mm	mm	mm		
05051005001	012258	1/4"	120	112	10,5	4 3/4"	2



Roller cabinets and foam inserts



9700 Tool Rebel Roller Cabinet 1

Exclusive roller cabinet in the Tool Rebel design. Five shallow and two deep drawers ensure efficient, mobile organization of tools and materials.

Extremely robust thanks to a double-walled design and the completely welded construction of the entire body. For daily hard work in the workshop.

Equipped with four Wera foam inserts: 9710 foam insert screwdriver set 1, 9720 foam insert 8000 A Zyklop ratchet set 1, 9731 foam insert 6003 Joker ring spanner set 1, 9740 foam insert L-key set 1.

- Exclusive roller cabinet in the Tool Rebel design
- Extremely robust design thanks to a double-walled design
- With 7 drawers (5 shallow, 2 deep) – of which 2 shallow drawers are equipped with foam inserts and tools (e.g. with Zyklop Speed ratchet and accessories, Joker spanners, Kraftform screwdrivers, L-keys)
- Dimensions shallow drawers (width x height x depth): 522 x 81 x 398 mm
- Dimensions deep drawers (width x height x depth): 522 x 166 x 398 mm
- 100 % drawer pull-out with ball bearing telescopic slides, self-closing
- All drawers are elaborately and individually layered
- Minimum risk of tilting over thanks to the drawer stop – only one drawer can be opened, no simultaneous pull-out of multiple drawers
- Both sides with square head boring
- High-quality, durable foam inserts without chemical vapours
- Optimum fit for the best possible removal of the tools from the foam inserts

9700 Tool Rebel Roller Cabinet 1



Code	EAN		
	4013288		
05150130001	225085		1
1x 9710 Foam insert screwdriver set 1			
1x 9720 Foam insert 8000 A Zyklop 1/4" ratchet set 1			
1x 9731 Foam insert 6003 Joker set 1			
1x 9740 Foam insert L-key set 1			

9701 Tool Rebel roller cabinet Stainless XXL 1

Exclusive roller cabinet in the Tool Rebel design. Large storage and work surface in stainless steel; completely sealed to protect the inside of the cabinet, e.g. from leaking liquids.

Five shallow and two deep drawers ensure efficient, mobile organization of tools and materials. Extremely robust thanks to a double-walled design and the completely welded construction of the entire body. Edge protection with cushioning effect at all four corners for optimal impact protection. For daily hard work in the workshop.

Equipped with 7 Wera foam inserts: 9710 foam insert screwdriver set 1, 9720 foam insert 8000 A Zyklop ratchet set 1 (1/4"), 9722 foam insert 8000 C Zyklop ratchet set 1 (1/2"), 9730 foam insert 6000 Joker ratcheting combination wrench set 1, 9731 foam insert 6003 Joker combination wrench set 1, 9740 foam insert L-key set 1, 9750 foam insert Kraftform Kompakt and Tool-Check PLUS set 1.

- XXL roller cabinet in the exclusive Tool Rebel design
- Width x height x depth: 1133 x 1020 x 518 mm
- Extremely robust thanks to a double-walled design
- Large storage and work surface in stainless steel; completely sealed to protect the inside of the cabinet, e.g. from leaking liquids
- With 7 drawers (5 shallow, 2 deep) - of which 2 shallow drawers are equipped with foam inserts and tools (e.g. with Zyklop Speed ratchets and accessories (1/4" and 1/2"), Joker ratcheting combination wrenches and combination wrenches, Kraftform screwdrivers, L-keys, Kraftform Kompakt 60 and Tool-Check PLUS)
- Dimensions shallow drawers (width x height x depth): 870 x 81 x 398 mm
- Dimensions deep drawers (width x height x depth): 870 x 166 x 398 mm
- 100 % drawer pull-out with ball bearing telescopic slides, self-closing
- Minimum risk of tilting over thanks to the drawer stop - only one drawer can be opened, no simultaneous pull-out of multiple drawers
- Both sides with square head boring
- High-quality, durable foam inserts without chemical vapours

9701 Tool Rebel roller cabinet Stainless XXL 1



Code	EAN		
	4013288		
05150131001	237378		1
1x 9710 Foam insert screwdriver set 1			
1x 9720 Foam insert 8000 A Zyklop 1/4" ratchet set 1			
1x 9722 Foam insert 8000 C Zyklop 1/2" ratchet set 1			
1x 9730 Foam insert 6000 Joker set 1			
1x 9731 Foam insert 6003 Joker set 1			
1x 9740 Foam insert L-key set 1			
1x 9750 Foam insert Kraftform Kompakt and Tool-Check PLUS set 1			



9702 Tool Rebel roller cabinet Stainless XXL 2

- With 7 drawers (5 shallow, 2 deep) - of which 2 shallow drawers are equipped with foam inserts and tools (e.g. with Zyklop Speed ratchets and accessories (1/4" and 3/8"), Joker ratcheting combination wrenches and combination wrenches, Kraftform screwdrivers, L-keys, Kraftform Kompakt 60 and Tool-Check PLUS)

9702 Tool Rebel roller cabinet Stainless XXL 2



Code	EAN		
05150132001	4013288 237385		1
1x 9710 Foam insert screwdriver set 1			
1x 9720 Foam insert 8000 A Zyklop 1/4" ratchet set 1			
1x 9721 Foam insert 8000 B Zyklop 3/8" ratchet set 1			
1x 9723 Foam insert Zyklop B 3/8" bit socket set 1			
1x 9730 Foam insert 6000 Joker set 1			
1x 9731 Foam insert 6003 Joker set 1			
1x 9740 Foam insert L-key set 1			
1x 9750 Foam insert Kraftform Kompakt and Tool-Check PLUS set 1			

9705 Tool Rebel roller cabinet Stainless 1

- Width x height x depth: 785 x 1020 x 518 mm
- With 7 drawers (5 shallow, 2 deep) - of which 3 shallow drawers are equipped with foam inserts and tools (e.g. with Zyklop Speed ratchets and accessories (1/4" and 1/2"), Joker combination wrenches, Kraftform screwdrivers, L-keys, Kraftform Kompakt 60 and Tool-Check PLUS)

9705 Tool Rebel roller cabinet Stainless 1



Code	EAN		
05150135001	4013288 237392		1
1x 9710 Foam insert screwdriver set 1			
1x 9720 Foam insert 8000 A Zyklop 1/4" ratchet set 1			
1x 9722 Foam insert 8000 C Zyklop 1/2" ratchet set 1			
1x 9731 Foam insert 6003 Joker set 1			
1x 9740 Foam insert L-key set 1			
1x 9750 Foam insert Kraftform Kompakt and Tool-Check PLUS set 1			

9706 Tool Rebel roller cabinet Stainless 2

- With 7 drawers (5 shallow, 2 deep) - of which 3 shallow drawers are equipped with foam inserts and tools (e.g. with Zyklop Speed ratchets and accessories ($\frac{3}{8}$ " and $\frac{1}{2}$ "), Joker combination wrenches, Kraftform screwdrivers, L-keys, Kraftform Kompakt 60 and Tool-Check PLUS)

9706 Tool Rebel roller cabinet Stainless 2



Code	EAN		
05150136001	4013288 237408		1

1x 9710

Foam insert screwdriver set 1

1x 9720

Foam insert 8000 A Zyklop $\frac{1}{4}$ " ratchet set 1

1x 9721

Foam insert 8000 B Zyklop $\frac{3}{8}$ " ratchet set 1

1x 9723

Foam insert Zyklop B $\frac{3}{8}$ " bit socket set 1

1x 9731

Foam insert 6003 Joker set 1

1x 9740

Foam insert L-key set 1

1x 9750

Foam insert Kraftform Kompakt and Tool-Check PLUS set 1

9800 Tool Rebel roller cabinet, without tools

- Exclusive roller cabinet in the Tool Rebel design
- Without tools
- Width x height x depth: 785 x 1020 x 518 mm
- 7 drawers (5 shallow, 2 deep)
- Dimensions shallow drawers (width x height x depth): 522 x 81 x 398 mm
- Dimensions deep drawers (width x height x depth): 522 x 166 x 398 mm

9800 Tool Rebel roller cabinet, without tools



Code	EAN							
05305851001	4013288 234704	mm	mm	mm	785,0	518,0	1020,0	1



9801 Tool Rebel roller cabinet Stainless XXL, without tools

- Large storage and work surface in stainless steel; completely sealed to protect the inside of the cabinet, e.g. from leaking liquids
- Width x height x depth: 1133 x 1020 x 518 mm
- 7 drawers (5 shallow, 2 deep)
- Dimensions shallow drawers (width x height x depth): 870 x 81 x 398 mm
- Dimensions deep drawers (width x height x depth): 870 x 166 x 398 mm

9801 Tool Rebel roller cabinet Stainless XXL, without tools



	EAN							
Code	4013288	mm	mm	mm				
05501881001	238450	1133,0	588,0	1020,0				1

9805 Tool Rebel roller cabinet Stainless, without tools

- Storage and work surface in stainless steel; completely sealed to protect the inside of the cabinet, e.g. from leaking liquids
- Width x height x depth: 785 x 1020 x 518 mm
- 7 drawers (5 shallow, 2 deep)
- Dimensions shallow drawers (width x height x depth): 522 x 81 x 398 mm
- Dimensions deep drawers (width x height x depth): 522 x 166 x 398 mm

9805 Tool Rebel roller cabinet Stainless, without tools



	EAN							
Code	4013288	mm	mm	mm				
05501880001	238443	785,0	518,0	1020,0				1

9710 Foam insert screwdriver set 1

Durable foam insert; two-coloured for quick identification of missing parts; suitable for the Tool Rebel roller cabinet, equipped with 16 Wera Kraftform screwdrivers (workshop, VDE, chiseldriver, Micro) as well as 2 screw grippers.

- Durable foam insert, each tool has its own place; two-coloured, missing tools will quickly be noticed
- High-quality, durable foam insert without chemical vapours
- Optimum fit for the best possible removal of the tools from the foam insert
- Water- and oil-repellent, low maintenance and easy to clean
- Protection of the tool from dirt and impact
- 8 Kraftform Plus screwdrivers with hard zones for high working speeds and soft handle zones for a high torque transfer
- 2 Kraftform Plus VDE screwdrivers with insulated blades for safe working up to 1,000 volt
- 2 Kraftform Micro screwdrivers with a rotating cap for fast turning
- 2 Stubby screwdrivers with short blade for hard-to-reach areas
- Two screw grippers (attachment tools with gripping function for screws)
- Width x height x depth: without tools 344 x 30 x 392 mm, with tools 344 x 47 x 392 mm

9710 Foam insert screwdriver set 1



Code	EAN			
05150101001	225122			1
		932 A	1x 1,0x5,5x100; 1x 1,2x7,0x125	
		350	1x PH 1x80; 1x PH 2x100; 1x PH 3x150	
		350 PH Stubby/carburetor screwdriver	1x PH 2x25	
		355	1x PZ 1x80; 1x PZ 2x100	
		335	1x 0,8x4,0x100; 1x 1,0x5,5x125	
		334	1x 1,2x6,5x150	
		335 Stubby/carburetor screwdriver	1x 1,0x5,5x24,5	
		2050 Micro	1x PH 0x40 ¹⁾	
		2035 Micro	1x 0,40x2,5x80	
		160 i VDE	1x 0,4x2,5x80 ²⁾ ; 1x 0,6x3,5x100 ²⁾	
		1441	1x 4,5-6,0x41,0	
		1442	1x 6,0-8,5x41,0	
		9810	1x 344,0x30,0x392,0 ³⁾	

¹⁾ Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

²⁾ without Lasertip

³⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9711 Foam insert VDE screwdriver set 1

- Screwdriver with insulated blades for safe working up to 1,000 volt, five of which with reduced blade diameter for lower-lying screws
- Two screw grippers (attachment tools with gripping function for screws)
- Width x height x depth: without tools 344 x 30 x 392 mm, with tools 344 x 46 x 392 mm

9711 Foam insert VDE screwdriver set 1



Code	EAN			
05150102001	225320			1
		162 iS PH VDE	1x PH 1x80; 1x PH 2x100	
		165 iS PZ VDE	1x PZ 1x80; 1x PZ 2x100	
		165 i PZ/S VDE	1x # 2x100	
		160 i VDE	1x 0,4x2,5x80 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125	
		160 iS VDE	1x 0,6x3,5x100	
		167 i TORX® VDE	1x TX 10x80; 1x TX 15x80; 1x TX 20x80; 1x TX 25x100; 1x TX 30x100	
		1440	1x 4,5-6,0x41,0	
		1442	1x 6,0-8,5x41,0	
		9811	1x 344,0x30,0x392,0 ²⁾	

¹⁾ without Lasertip

²⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.



97110 Foam insert Kraftform series 100 VDE screwdriver set 1

- Screwdriver for slotted and cross-recess screws, Phillips
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 48 x 392 mm

97110 Foam insert Kraftform series 100 VDE screwdriver set 1



Code	EAN			
05150133001	4013288 238412			1
		+	162 i VDE PH 1x PH 1x80; 1x PH 2x100	
		-	160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125	
			98110 1x 172,0x30,0x392,0	

¹⁾ Without Lasertip

^{**)} Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

97111 Foam insert Kraftform series 100 VDE screwdriver set 2

- Screwdrivers for Phillips, Robertson (square head) and slotted screws
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 48 x 392 mm

97111 Foam insert Kraftform series 100 VDE screwdriver set 2



Code	EAN			
05150134001	4013288 238481			1
		+	162 i VDE PH 1x PH 1x80; 1x PH 2x100	
		-	160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100 ¹⁾ ; 1x 1,0x5,5x125	
		□	168 i VDE 1x # 2x100	
			98111 1x 172,0x30,0x392,0	


¹⁾ Without Lasertip

^{**)} Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9712 Foam insert TORX® HF screwdriver set 1

- 6 Kraftform Plus screwdrivers with hard zones for high working speeds and soft handle zones for a high torque transfer
- 4 Kraftform Micro screwdrivers with a rotating cap for fast turning
- 4 T-handle screwdrivers for the transmission of particularly high tightening and loosening moments
- Width x height x depth: without tools 344 x 30 x 392 mm, with tools 344 x 45 x 392 mm

9712 Foam insert TORX® HF screwdriver set 1




Code	EAN		
05150103001	4013288 225283		1
			367 TORX® HF 1x TX 8x60; 1x TX 9x60; 1x TX 10x80; 1x TX 15x80; 1x TX 20x100; 1x TX 25x100
			2067 TORX® HF Micro 1x TX 4x40; 1x TX 5x40; 1x TX 6x40; 1x TX 7x60
			467 TORX® HF 1x TX 20x100; 1x TX 25x100; 1x TX 30x200; 1x TX 40x200
			9812 1x 344,0x30,0x392,0 ¹⁾

¹⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9713 Foam insert Hex screwdriver set 1

- 4 Kraftform Plus screwdrivers with hard zones for high working speeds and soft handle zones for a high torque transfer, two of which with hollow shaft for protruding thread rods
- 3 Kraftform Micro screwdrivers with a rotating cap for fast turning
- 5 T-handle screwdrivers for the transmission of particularly high tightening and loosening moments, with holding function for hexagonal socket screws
- With Hex-Plus profile (prevents hexagonal socket screws from cylindrical turning)
- Width x height x depth: without tools 344 x 30 x 392 mm, with tools 344 x 45 x 392 mm

9713 Foam insert Hex screwdriver set 1



Code	EAN		
05150104001	4013288 225290		1
			354 1x 3,0x75; 1x 4,0x75
			2054 Micro 1x 1,5x60; 1x 2x60; 1x 2,5x60
			454 HF 1x 4x100; 1x 5x100; 1x 6x150; 1x 8x200; 1x 10x200
			395 H0 1x 10,0x90; 1x 13,0x90
			9813 1x 344,0x30,0x392,0 ¹⁾


¹⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.



9717 Foam insert Kraftform series 300 screwdriver set 1

- Screwdriver for slotted and cross-recess screws, Phillips
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 48 x 392 mm

9717 Foam insert Kraftform series 300 screwdriver set 1



Code	EAN			
05150127001	4013288 238429			1
		+	350 PH 1x PH 1x80; 1x PH 2x100	
		—	334 1x 1,2x6,5x150	
		●	335 1x 0,5x3,0x80 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125	
			9817 1x 172,0x30,0x392,0	


¹⁾ Without Lasertip

^{**)} Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9718 Foam insert Kraftform series 300 screwdriver set 2

- Screwdrivers for slotted and Pozidriv screws
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 48 x 392 mm

9718 Foam insert Kraftform series 300 screwdriver set 2



Code	EAN			
05150128001	4013288 238498			1
		+	355 PZ 1x PZ 1x80; 1x PZ 2x100	
		—	334 1x 1,2x6,5x150	
		●	335 1x 0,5x3,0x80 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125	
			9817 1x 172,0x30,0x392,0	

¹⁾ Without Lasertip

^{**)} Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9719 Foam insert Kraftform series 300 screwdriver set 3

- Screwdrivers for Phillips, Robertson (square head) and slotted screws
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 48 x 392 mm



Code	EAN			
05150129001	4013288 238504			1
		+	350 PH 1x PH 1x80; 1x PH 2x100	
		◻	335 1x 0,8x4,0x100; 1x 1,0x5,5x125	
		◻	368 1x # 1x80; 1x # 2x100	
			9819 1x 172,0x30,0x392,0	

⚠ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9714 Foam insert The Chiseldriver screwdriver set 1

- 13 chiseldrivers for screwdriving, chiseling, mortising
- Hexagonal blade extending through the handle
- Impact cap and bolster for the transfer of higher torque
- Width x height x depth: without tools 344 x 30 x 392 mm, with tools 344 x 46 x 392 mm



Code	EAN			
05150105001	4013288 232540			1
		+	917 SPH 1x PH 1x80; 1x PH 2x100; 1x PH 3x150	
		+	918 SPZ 1x PZ 1x80; 1x PZ 2x100; 1x PZ 3x150	
		◻	932 A 1x 0,6x3,5x80 ¹⁾ ; 1x 0,8x4,5x90; 1x 1,0x5,5x100; 1x 1,2x7,0x125; 1x 1,6x9,0x150	
		✳	977 TORX® 1x TX 20x90; 1x TX 25x100	
			9814 1x 344,0x30,0x392,0	

¹⁾ No throughout blade, no impact cap and no hexagon bolster

⚠ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.



97112 Foam insert Kraftform series 900 chiseldriver set 1

- Chiseldriver for slotted and Phillips screws
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 48 x 392 mm

97112 Foam insert Kraftform series 900 chiseldriver set 1



Code	EAN			
05150170001	4013288 238511			1
		+	917 SPH 1x PH 1x80; 1x PH 2x100	
		●	932 A 1x 0,6x3,5x80 ¹⁾ 2) 3); 1x 0,8x4,5x90; 1x 1,0x5,5x100; 1x 1,2x7,0x125	
			98112 1x 172,0x30,0x392,0	

- ¹⁾ No pound-thru blade
²⁾ No impact cap
³⁾ No hexagon bolster
^{*)} Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

97113 Foam insert Kraftform series 900 chiseldriver set 2

- Chiseldriver for slotted and Pozidriv
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 48 x 392 mm

97113 Foam insert Kraftform series 900 chiseldriver set 2




Code	EAN			
05150171001	4013288 238528			1
		+	918 SPZ 1x PZ 1x80; 1x PZ 2x100	
		●	932 A 1x 0,6x3,5x80 ¹⁾ 2) 3); 1x 0,8x4,5x90; 1x 1,0x5,5x100; 1x 1,2x7,0x125	
			98113 1x 172,0x30,0x392,0	

- ¹⁾ No pound-thru blade
²⁾ No impact cap
³⁾ No hexagon bolster
^{*)} Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9715 Foam insert Kraftform Micro screwdriver set 1

- Kraftform Micro screwdriver
- Multi-component Kraftform Micro handle for fast and ergonomic screwdriving
- Anti-roll feature and swivel cap for rapid twisting
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- "Take it easy" tool finder: colour coding according to profile and size
- Width x height x depth: without tools 344 x 30 x 392 mm, with tools 344 x 38 x 392 mm

9715 Foam insert Kraftform Micro screwdriver set 1



Code	EAN			
05150106001	232557			1
		+	2050 Micro 1x PH 000x40 ^{1) 2)} ; 1x PH 00x40 ^{1) 2)} ; 1x PH 0x40 ³⁾	
		✱	2067 TORX® HF 1x TX 5x40; 1x TX 6x40; 1x TX 7x60; 1x TX 8x60; 1x TX 10x60	
		✱	2067 TORX PLUS® IPR Micro 1x 1 IPRx40 ⁴⁾	
		⬤	2072 Micro 1x mx40	
		○	2054 Micro 1x 0,7x40; 1x 0,9x40; 1x 1,3x40; 1x 1,5x60; 1x 2x60	
		◐	2035 Micro 1x 0,23x1,5x40; 1x 0,30x1,8x60; 1x 0,35x2,5x40; 1x 0,40x2,0x60; 1x 0,40x2,5x80; 1x 0,50x3,0x80	
		●	2069 Micro 1x 4,0x60; 1x 5,5x60	
		●	1429 1x 1,0x3,5x50	
			9815 1x 344,0x30,0x392,0	

¹⁾ Optimised for Asian PH screws

²⁾ On the output side, the blade is turned to a nominal length of 10 mm

³⁾ Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

⁴⁾ Without bore hole

⁷⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9716 Foam insert Kraftform Micro screwdriver set 2

- Kraftform Micro screwdrivers
- Multi-component Kraftform Micro handle for fast and ergonomic screwdriving
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- Take it easy tool finder: colour coding according to profile and size
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 37 x 392 mm

9716 Foam insert Kraftform Micro screwdriver set 2



Code	EAN			
05150107001	237477			1
		+	2050 PH 1x PH 00x60 ¹⁾ ; 1x PH 0x60 ²⁾	
		✱	2067 TORX® 1x TX 5x40; 1x TX 6x40	
		○	2054 1x 0,9x40; 1x 1,5x60; 1x 2x60	
		◐	2035 1x 0,23x1,5x40; 1x 0,30x1,8x60; 1x 0,40x2,0x60; 1x 0,40x2,5x80; 1x 0,50x3,0x80	
			9816 1x 172,0x30,0x392,0	

¹⁾ Optimised for Asian PH screws

²⁾ Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.



9720 Foam insert 8000 A Zyklop 1/4" ratchet set 1

- The Zyklop Speed ratchet combines five ratchet types in one
- With flywheel design and slip-proof fast-rotating sleeve for extremely high working speed
- Freely pivoting ratchet head, push button release and left/right switchover
- Fine-tooth design allows a small return angle of 5°
- Can also be used as a screwdriver
- Set including sockets, bit sockets, extensions and universal joint
- 14 sockets, 9 bit sockets with holding function for TORX® screws, 9 bit sockets with holding function for hexagonal socket screws
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 40 x 392 mm

9720 Foam insert 8000 A Zyklop 1/4" ratchet set 1



Code	EAN			
05150110001	4013288 225139			1
		8000 A	1x 1/4"x152,0	
		8794 LA	1x 1/4"x150,0	
		8794 SA	1x 1/4"x75,0	
		8795 A	1x 1/4"x35,5	
		8794 A	1x 1/4"x56,0	
		8790 HMA	1x 4,0x23,0; 1x 4,5x23,0; 1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 9,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0; 1x 14,0x23,0; 1x 15,0x23,0	
		8767 A HF	1x TX 8x28,0; 1x TX 9x28,0; 1x TX 10x28,0; 1x TX 15x28,0; 1x TX 20x28,0; 1x TX 25x28,0; 1x TX 27x28,0; 1x TX 30x28,0; 1x TX 40x28,0	
		8740 A HF	1x 3,0x28,0; 1x 4,0x28,0; 1x 4,0x100,0; 1x 5,0x28,0; 1x 5,0x100,0; 1x 6,0x28,0; 1x 6,0x100,0; 1x 8,0x28,0; 1x 8,0x100,0	
		9820	1x 172,0x30,0x392,0 ¹⁾	

¹⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9721 Foam insert 8000 B Zyklop 3/8" ratchet set 1

- The Zyklop Speed ratchet combines five ratchet types in one
- With flywheel design and slip-proof fast-rotating sleeve for extremely high working speed
- Freely pivoting ratchet head, push button release and left/right switchover
- Fine-tooth design allows a small return angle of 5°
- Can also be used as a screwdriver
- Set including sockets, extensions and universal joint
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 45 x 392 mm

9721 Foam insert 8000 B Zyklop 3/8" ratchet set 1



Code	EAN			
05150111001	4013288 225306			1
		8000 B	1x 3/8"x199,0	
		8794 SB	1x 3/8"x125,0	
		8794 LB	1x 3/8"x200,0	
		8795 B	1x 3/8"x50,0	
		8794 B	1x 3/8"x76,0	
		8790 HMB	1x 6,0x29,0; 1x 7,0x29,0; 1x 8,0x29,0; 1x 9,0x29,0; 1x 10,0x29,0; 1x 11,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 14,0x29,0; 1x 15,0x29,0; 1x 16,0x30,0; 1x 17,0x30,0; 1x 18,0x30,0; 1x 19,0x30,0; 1x 20,0x30,0; 1x 21,0x30,0; 1x 22,0x30,0; 1x 24,0x32,0	
		9821	1x 172,0x30,0x392,0 ¹⁾	

¹⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9722 Foam insert 8000 C Zyklop 1/2" ratchet set 1

- The Zyklop Speed ratchet combines five ratchet types in one
- Freely pivoting ratchet head, push button release and left/right switchover
- Fine-tooth design allows a small return angle of 5°
- Set including sockets, extensions and universal joint
- 17 sockets, 9 bit sockets with holding function for hexagonal socket screws
- Width x height x depth: without tools 344 x 30 x 392 mm, with tools 344 x 51 x 392 mm

9722 Foam insert 8000 C Zyklop 1/2" ratchet set 1



Code	EAN			
05150112001	225207			1
		8000 C	1x 1/2"x277,0	
		8794 LC	1x 1/2"x250,0	
		8794 SC	1x 1/2"x125,0	
		8795 C	1x 1/2"x69,0	
		8794 C	1x 1/2"x52,0	
		8790 HMC	1x 10,0x37,0; 1x 11,0x37,0; 1x 12,0x37,0; 1x 13,0x37,0; 1x 14,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 18,0x37,0; 1x 19,0x37,0; 1x 20,0x37,0; 1x 21,0x37,0; 1x 22,0x37,0; 1x 24,0x37,0; 1x 27,0x40,0; 1x 30,0x42,0; 1x 32,0x42,0	
		8740 C HF	1x 4,0x60,0; 1x 4,0x140,0; 1x 5,0x60,0; 1x 5,0x140,0; 1x 6,0x60,0; 1x 6,0x140,0; 1x 7,0x60,0; 1x 8,0x60,0; 1x 10,0x60,0	
		9822	1x 344,0x30,0x392,0 ¹⁾	

¹⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9723 Foam insert Zyklop B 3/8" bit socket set 1

- Bit socket (non-impact) for manual or power tool operations
- 10 bit sockets with holding function for TORX® screws, 11 bit sockets with holding function for hexagonal socket screws, one Zyklop connector with quick-release chuck for 1/4" bits
- With Take it easy tool finder: colour coding by size
- Knurling on lower end for more grip when used manually
- Chrome-vanadium makes for hardness and strength
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 39 x 392 mm

9723 Foam insert Zyklop B 3/8" bit socket set 1



Code	EAN		
05150113001	225313		1
		8784 B1	1x 1/4"x3/8"x44,0
		8767 B HF	1x TX 15x35,0; 1x TX 20x35,0; 1x TX 25x35,0; 1x TX 25x107,0; 1x TX 27x35,0; 1x TX 27x107,0; 1x TX 30x35,0; 1x TX 30x107,0; 1x TX 40x35,0; 1x TX 40x107,0
		8740 B HF	1x 4,0x35,0; 1x 4,0x107,0; 1x 5,0x35,0; 1x 5,0x107,0; 1x 6,0x35,0; 1x 6,0x107,0; 1x 7,0x38,5; 1x 8,0x38,5; 1x 8,0x100,0; 1x 10,0x38,5; 1x 10,0x100,0
		9823	1x 172,0x30,0x392,0 ¹⁾

¹⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.



9724 Foam insert 8010 B Zyklop Comfort ratchet set 1, 3/8"

- One Zyklop Comfort ratchet, 14x 8790 B Impaktor sockets, one 8798 B Zyklop extension; 3/8"
- Zyklop Comfort ratchet with pleasant feel thanks to the plastic sleeve
- Plastic coating protects surfaces from damage
- Fine toothing with 80 teeth for a short return angle of only 4.5°
- Extremely slim design with a soft, ergonomic grip zone for easy work even in very confined spaces
- Safe socket lock via push button, convenient direction change thanks to the reversing lever
- 8790 B Impaktor sockets also for use with electric or pneumatic wrenches, 3/8"
- Sockets with Impaktor technology for higher-than-average service life
- Sockets with "Take it easy" tool finder: Colour coding by size
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 48 x 392 mm

9724 Foam insert 8010 B Zyklop Comfort ratchet set 1, 3/8"



Code	EAN			
	4013288			
05150114001	232564			1
			8010 B 1x 3/8"x230,0	
			8790 B Impaktor 1x 8,0x30,0; 1x 10,0x30,0; 1x 11,0x30,0; 1x 12,0x30,0; 1x 13,0x30,0; 1x 14,0x30,0; 1x 15,0x30,0; 1x 16,0x30,0; 1x 17,0x30,0; 1x 18,0x30,0; 1x 19,0x30,0; 1x 21,0x32,0; 1x 22,0x32,0; 1x 24,0x32,0	
			8798 B 1x 3/8"x152,4	
			9824 1x 172,0x30,0x392,0	

⚠ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9725 Foam insert Zyklop C, 1/2", Impaktor Deep socket set 1

- Robust Impaktor socket wrench inserts for extremely high stress; for use with electric or pneumatic wrenches with 12.5 mm = 1/2" drive
- Long socket wrenches for low-lying couplings, also suitable for fitting, protruding thread rods in confined spaces
- Hexagon profile for precise and profile-friendly screwdriving at a high power transmission
- With cross-bore and ring socket for securing locking pin and locking ring of machine-operated tools
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 48 x 392 mm

9725 Foam insert Zyklop C, 1/2", Impaktor Deep socket set 1




Code	EAN			
	4013288			
05150115001	232571			1
			8790 C Impaktor Deep 1x 13,0x83,0; 1x 14,0x83,0; 1x 15,0x83,0; 1x 16,0x83,0; 1x 17,0x83,0; 1x 18,0x83,0; 1x 19,0x83,0; 1x 21,0x83,0; 1x 22,0x83,0; 1x 24,0x83,0; 1x 27,0x83,0	
			9825 1x 172,0x30,0x392,0	

⚠ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9726 Foam insert 8007 B VDE Zyklus VDE ratchet set 1, 3/8"

- Insulated and 100% individually tested Zyklus 8007 B ratchet for safe working up to 1,000 volt
- Fine-toothed ratchet with 80 teeth for a return angle of only 4.5°
- Extremely slim design with a soft, ergonomic grip zone for easy work even in very confined spaces
- Plastic coating protects surfaces from damage
- Sockets, bit sockets and extensions with increased safety thanks to a 2-component insulation with yellow insulation core under red outer insulation layer
- 8767 B VDE HF bit sockets with holding function for TORX® screws as per the specification Camcar Innovations, Michigan, USA
- 8740 B VDE HF bit sockets with holding function for hexagonal socket screws
- Width x height x depth: without tools 344 x 30 x 392 mm, with tools 344 x 45 x 392 mm

9726 Foam insert 8007 B VDE Zyklus VDE ratchet set 1, 3/8"




Code	EAN			
	4013288			
05150116001	232519			1
		8007 B VDE		
		1x 3/8"x222,0		
		410 i VDE B		
		1x 3/8"x130		
		8790 B VDE		
		1x 6,0x46,0; 1x 7,0x46,0; 1x 8,0x46,0; 1x 9,0x46,0; 1x 10,0x46,0; 1x 11,0x46,0; 1x 12,0x46,0; 1x 13,0x46,0; 1x 14,0x46,0; 1x 15,0x46,0; 1x 16,0x46,0; 1x 17,0x46,0; 1x 18,0x46,0; 1x 19,0x46,0		
		8767 B VDE HF		
		1x TX 20x55,0; 1x TX 25x55,0; 1x TX 27x55,0; 1x TX 30x55,0; 1x TX 40x55,0; 1x TX 45x59,0		
		8740 B VDE HF		
		1x 4,0x55,0; 1x 5,0x55,0; 1x 6,0x55,0; 1x 8,0x59,0		
		8794 SB VDE		
		1x 3/8"x91,0		
		8794 LB VDE		
		1x 3/8"x166,0		
		9826		
		1x 344,0x30,0x392,0		

⚠ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9727 Foam insert 8007 A VDE Zyklus VDE ratchet set 1, 1/4"

- Individually tested tools as per IEC 60900 at 10,000 V for safe working up to 1,000 volt
- Includes one Zyklus VDE ratchet, 12 sockets, 7 bit sockets with holding function for TORX® screws, 5 bit sockets with holding function for hexagonal socket screws, 2 extensions (75 mm and 150 mm long), one handle for Kraftform Kompakt VDE blades, one adapter blade (1/4" external hexagon to 9 mm external hexagon)
- Ratchet in extremely slim design; fine toothing with 80 teeth, short return angle of only 4.5° for easy working even in very confined spaces
- Sockets, bit sockets and extensions with increased safety thanks to a 2-component insulation with yellow insulation core under red outer insulation layer
- Plastic sleeve protects surfaces from damage
- 817 VDE handle for Kraftform Kompakt interchangeable blades
- One Kraftform Kompakt A VDE 712 i adapter blade (1/4" external hexagon to 9 mm external hexagon) for 1/4" sockets and bit sockets
- Width x height x depth: without tools 344 x 30 x 392 mm, with tools 344 x 52 x 392 mm

9727 Foam insert 8007 A VDE Zyklus VDE ratchet set 1, 1/4"



Code	EAN			
	4013288			
05150117001	236777			1
		8007 A VDE		
		1x 1/4"x144,0		
		8790 A VDE		
		1x 4,0x41,0; 1x 4,5x41,0; 1x 5,0x41,0; 1x 5,5x41,0; 1x 6,0x41,0; 1x 7,0x41,0; 1x 8,0x41,0; 1x 10,0x41,0; 1x 11,0x41,0; 1x 12,0x41,0; 1x 13,0x41,0; 1x 14,0x41,0		
		8767 A VDE HF		
		1x TX 10x46,0; 1x TX 15x46,0; 1x TX 20x46,0; 1x TX 25x46,0; 1x TX 27x46,0; 1x TX 30x46,0; 1x TX 40x46,0		
		8740 A VDE HF		
		1x 3,0x46,0; 1x 4,0x46,0; 1x 5,0x46,0; 1x 6,0x46,0; 1x 8,0x47,0		
		8794 LA VDE		
		1x 1/4"x150,0		
		8794 SA VDE		
		1x 1/4"x91,0		
		817 VDE		
		1x 9x98		
		Kraftform Kompakt A VDE 712 i		
		1x 1/4"x154		
		9827		
		1x 172,0x30,0x392,0		

⚠ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.



9728 Foam insert Zyklop B 3/8" Impaktor Deep socket set 1

- For use with electric or pneumatic wrenches with 3/8" drive
- Impaktor technology for above-average service life
- Hexagon profile allows precise and profile-friendly screwdriving with high power transmission
- With cross hole and ring socket to attach the safety pin and safety ring of machine operated tools
- With Take it easy tool finder: colour coding by size
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 47 x 392 mm

9728 Foam insert Zyklop B 3/8" Impaktor Deep socket set 1



Code	EAN		
	4013288		
05150118001	236937		1
		8790 B Impaktor Deep 1x 8,0x63,0; 1x 10,0x63,0; 1x 11,0x63,0; 1x 12,0x63,0; 1x 13,0x63,0; 1x 14,0x63,0; 1x 15,0x63,0; 1x 16,0x63,0; 1x 17,0x63,0; 1x 18,0x63,0; 1x 19,0x63,0; 1x 21,0x63,0; 1x 22,0x63,0; 1x 24,0x63,0	
		9828 1x 172,0x30,0x392,0	

Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9730 Foam insert 6000 Joker set 1

- Ring ratchet spanner with useful holding function by a metal plate in the mouth
- No slipping down thanks to the end stop
- Double hexagon geometry reduces the risk of slipping to the side
- Return angle of only 30°
- With Take it easy tool finder: colour coding by size
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 47 x 392 mm

9730 Foam insert 6000 Joker set 1



Code	EAN		
	4013288		
05150120001	225214		1
		6000 Joker 1x 8x144; 1x 10x159; 1x 11x165; 1x 12x170,7; 1x 13x177; 1x 14x188; 1x 15x200; 1x 16x212; 1x 17x224; 1x 18x235; 1x 19x246	
		9830 1x 172,0x30,0x392,0 ¹⁾	

¹⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9731 Foam insert 6003 Joker set 1

- Ring spanner, perfect for small spaces
- The special mouth geometry expands the placement possibilities of the tool
- The low return angle in the mouth "takes" the screw every 15°
- Slim ring side with 15° crank
- With Take it easy tool finder: colour coding by size
- Iconic bottle opener with original Kraftform Plus handle
- Width x height x depth: without tools 344 x 30 x 392 mm, with tools 344 x 58 x 392 mm

9731 Foam insert 6003 Joker set 1




Code	EAN		
	4013288		
05150121001	225115		1
		6003 Joker 1x 6x105; 1x 7x110; 1x 8x115; 1x 9x120; 1x 10x125; 1x 11x135; 1x 12x148; 1x 13x160; 1x 14x167; 1x 15x174; 1x 16x182; 1x 17x190; 1x 18x210; 1x 19x230; 1x 20x230; 1x 21x260; 1x 22x260; 1x 24x280	
		Bottle opener 1x 145	
		9831 1x 344,0x30,0x392,0 ¹⁾	

¹⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9732 Foam insert 6004 Joker set 1

- The adjustable Joker 6004 covers all metric and imperial dimensions in the respective field of application
- Automatic and continuous gripping of the hexagon screw or bolt
- Lever mechanism when gripping avoids slippage and damage
- Fast and consistent screwdriving without removing the wrench thanks to mechanical ratchet function
- Return angle of only 30° through placement in the corner-width rectangular prisms in the mouth
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 35 x 392 mm

9732 Foam insert 6004 Joker set 1



Code	EAN		
	4013288		
05150122001	225337		1
		6004 Joker XS 1x 7-10 ($\frac{1}{4}''$ - $\frac{3}{8}''$)x117	
		6004 Joker S 1x 10-13 ($\frac{7}{16}''$ - $\frac{1}{2}''$)x154	
		6004 Joker M 1x 13-16 ($\frac{1}{2}''$ - $\frac{5}{8}''$)x188	
		6004 Joker L 1x 16-19 ($\frac{5}{8}''$ - $\frac{3}{4}''$)x224	
		6004 Joker XL 1x 19-24 ($\frac{3}{4}''$ - $\frac{15}{16}''$)x256	
		9832 1x 172,0x30,0x392,0 ¹⁾	

¹⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.



9733 Foam insert 6001 Joker Switch set 1

- Reversible 6001 Joker Switch ratcheting combination wrench
- Ratchet end tilted by 15°
- Practical holding function thanks to the metal plate in the jaw
- Limit stop prevents any slipping
- Very fine toothing and robust locking element
- With Take it easy tool finder: colour coding by size
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 48 x 392 mm

9733 Foam insert 6001 Joker Switch set 1



Code	EAN		
05150123001	4013288 232496		1
		6001 Joker Switch 1x 8x144; 1x 10x159; 1x 11x165; 1x 12x171; 1x 13x179; 1x 14x187; 1x 15x199; 1x 16x213; 1x 17x225; 1x 18x234; 1x 19x246	
		9833 1x 172,0x30,0x392,0	
") Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.			

9734 Foam insert 6004 Joker VDE set 1

- 6004 Joker VDE XS for wrench size 7-10 (metric) or 1/4"-3/8" (imperial); 6004 Joker VDE S for wrench size 10-13 (metric) or 7/16"-1/2" (imperial); 6004 Joker VDE M for wrench size 13-16 (metric) or 1/2"-5/8" (imperial); 6004 Joker VDE L for wrench size 16-19 (metric) or 5/8"-3/4" (imperial)
- Individually tested tools with insulated handles for safe working up to 1,000 volt, with anti-slip protection and sliding function for contactless and safe opening of the non-insulated jaws
- Automatic and continuous grip of hexagon screws and bolts
- Lever mechanism when gripping avoids slippage and damage
- Fast and consistent screwdriving without removing the wrench thanks to mechanical ratchet functionality
- Return angle of only 30° through placement in the corner-width rectangular prisms in the open end
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 40 x 392 mm

9734 Foam insert 6004 Joker VDE set 1



Code	EAN		
05150124001	4013288 232502		1
		6004 Joker VDE XS 1x 7-10 (1/4"-3/8")x119	
		6004 Joker VDE S 1x 10-13 (7/16"-1/2")x155	
		6004 Joker VDE M 1x 13-16 (1/2"-5/8")x190	
		6004 Joker VDE L 1x 16-19 (5/8"-3/4")x226	
		9834 1x 172,0x30,0x392,0	

") Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9735 Foam insert 6007 Joker set 1

- Brilliant combination of jaw end and ratchet mechanism at the ring end in a long design
- The long lever allows for higher power transmission and better accessibility at low-lying couplings
- Limit stop prevents any slipping
- With practical holding function by a metal plate in the mouth
- Extremely robust ring ratchet
- Take it easy tool finder: colour coding by size and extra laser-engraved size indication
- Width x height x depth: without tools 344 x 30 x 392 mm, with tools 344 x 47 x 392 mm

9735 Foam insert 6007 Joker set 1



Code	EAN		
05150125001	4013288		1
	236951		
		6007 Joker 1x 8x180; 1x 10x209; 1x 11x220; 1x 12x245; 1x 13x245; 1x 14x265; 1x 15x265; 1x 16x304,5; 1x 17x304,5; 1x 18x334; 1x 19x334	
		9835 1x 172,0x30,0x392,0 ¹⁾	

¹⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9740 Foam insert L-key set 1

- Thanks to their Hex-Plus profile, the 950 L-keys let hexagonal socket screws live longer
- All L-keys with Take it easy tool finder: Colour coding by size
- All L-keys have a colour-coded, easy-grip hose sleeve for ergonomic and comfortable operation even at low temperatures
- Magnetiser 9500 for magnetising and demagnetising tool tips so that screws can be held on the tool by magnetic force
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 44 x 392 mm

9740 Foam insert L-key set 1



Code	EAN		
05150140001	4013288		1
	225108		
		1x 950/9 Hex-Plus Multicolour 1	
		950 SPKL Multicolour 1x 1.5x90; 1x 2.0x101; 1x 2.5x112; 1x 3.0x123; 1x 4.0x137; 1x 5.0x154; 1x 6.0x172; 1x 8.0x195; 1x 10.0x224	
		1x 967/9 TX XL Multicolour 1	
		967 SXL TORX® Multicolour 1x TX 8x90; 1x TX 9x101; 1x TX 10x112	
		967 SPKXL TORX® Multicolour 1x TX 15x123; 1x TX 20x137; 1x TX 25x154; 1x TX 27x172; 1x TX 30x195; 1x TX 40x224	
		1x 9500	
		1x 48.0	
		1x STABILA®	
		1x STABILA® BM 100 Pocket tape, metric scale, 3 m, item 19570	
		1x 9840	
		1x 172,0x30,0x392,0 ¹⁾	


¹⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.



9750 Foam insert Kraftform Kompakt and Tool-Check PLUS set 1

- Kraftform Kompakt 60: Folding pouch with 89 mm long bits and 816 R bitholding screwdriver with Rapidaptor quick-release chuck and multi-component Kraftform handle for fatigue-free working
- Tool-Check PLUS: 39-piece tool combination of ratchet, sockets and one bitholding screwdriver
- Bitholding screwdriver extra slim with flexible shaft and very slim design for working in confined spaces
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 59 x 392 mm

9750 Foam insert Kraftform Kompakt and Tool-Check PLUS set 1



Code	EAN			
05150150001	4013288 225344			1
1x Tool-Check PLUS				
		●	8001 A 1x 1/4"x87.0	
		●	813 1x 1/4"x78	
		●	889/4/1 K 1x 1/4"x50	
		●	870/1 1x 1/4"x25 ¹⁾	
		●	8790 HMA 1x 5.5x23.0; 1x 6.0x23.0; 1x 7.0x23.0; 1x 8.0x23.0; 1x 10.0x23.0; 1x 12.0x23.0; 1x 13.0x23.0	
		+	851/1 TZ 2x PH 1x25; 3x PH 2x25; 1x PH 3x25	
		+	855/1 TH 1x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25	
		+	867/1 TZ TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		+	867/1 Z TORX® B0 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	
		○	840/1 Z 1x 3.0x25; 1x 4.0x25; 1x 5.0x25; 1x 6.0x25; 1x 8.0x25	
		○	800/1 TZ 1x 1.0x5.5x25	
1x Kraftform Kompakt 60				
		●	816 R 1x 1/4"x119	
		+	851/4 Z 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 ²⁾	
		+	855/4 Z 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89 ²⁾	
		+	867/4 Z TORX® B0 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
		○	800/4 Z 1x 1.0x5.5x89	
		○	840/4 Z 1x 3.0x89; 1x 4.0x89; 1x 5.0x89; 1x 6.0x89 ²⁾	
			Hook and Loop Fastener Strip 70 1x 50.0x70.0	
1x 393 S Bitholding screwdriver extra slim with flexible shaft				
		●	1x 1/4"x173,5	
1x 9850				
			1x 172,0x30,0x392,0 ³⁾	

¹⁾ With friction ball; for manual nut spinner sockets


²⁾ Hexagonal blade

³⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9751 Foam insert Kraftform Kompakt VDE set 1

- 837 i RA VDE handle with ratchet functionality; for Kraftform Kompakt
- 817 VDE handle for Kraftform Kompakt interchangeable blades
- VDE blades (157 mm length) with practical spinning function, anti-roll protection and "Take it easy" Tool finder: Colour coding by profile and laser-engraved size indication
- 14 interchangeable blades with reduced blade diameter and integrated protective insulation (iS)
- interchangeable blades with "Take it easy" Tool finder: Colour coding by profile and laser-engraved size indication
- Width x height x depth: without tools 344 x 30 x 392 mm, with tools 344 x 46 x 392 mm

9751 Foam insert Kraftform Kompakt VDE set 1



Code	EAN		
	4013288		
05150151001	232526		1
			837 i RA 1x 9x115
			817 VDE 1x 9x98
			Kraftform Kompakt VDE 62 iS Take it easy 1x PH 1x157; 1x PH 2x157
			Kraftform Kompakt VDE 65 iS Take it easy 1x PZ 1x157; 1x PZ 2x157
			Kraftform Kompakt VDE 62 iS PH/S Take it easy 1x # 1x157; 1x # 2x157
			Kraftform Kompakt VDE 65 iS PZ/S Take it easy 1x # 1x157; 1x # 2x157
			Kraftform Kompakt VDE 67 i Take it easy 1x TX 8x157; 1x TX 9x157; 1x TX 10x157; 1x TX 27x157; 1x TX 30x157
			Kraftform Kompakt VDE 67 iS Take it easy 1x TX 15x157; 1x TX 20x157; 1x TX 25x157
			Kraftform Kompakt VDE 64 i Take it easy 1x 2,5x157; 1x 3,0x157; 1x 4,0x157; 1x 5,0x157; 1x 6,0x157
			Kraftform Kompakt VDE 60 iS Take it easy 1x 0,6x3,5x157; 1x 0,8x4,0x157; 1x 1,0x5,5x157
			Kraftform Kompakt VDE 60 i Take it easy 1x 0,4x2,5x157; 1x 1,2x6,5x157
			9851 1x 344,0x30,0x392,0


^{*)} Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.



9752 Foam insert Kraftform Kompakt with ratchet functionality set 1

- 838 RA-R M bitholding screwdriver with integrated ratchet functionality (fine toothing, 36 teeth, return angle 10°) for 1/4" bits
- 416 RA T-handle bitholding screwdriver with integrated ratchet (fine toothing, 80 teeth, return angle 4,5°) for 1/4" bits
- Ergonomic 2-component T-handle
- 816 R bitholding screwdriver with ergonomic Kraftform handle and Rapidaptor quick-release chuck for 1/4" bits
- Rapidaptor quick-release chuck for lightning-fast bit changes; with strong permanent magnet
- Zyklop 8001 A Mini bit ratchet (60 teeth, return angle 6°), drop-forged solid steel design; for 1/4" bits and with adapter for 1/4" sockets
- 870/1 connection part for manually operated sockets; adapts from 1/4" external hexagon to 1/4" external square head
- Magnetiser 9500 for magnetising and demagnetising tool tips
- Tough bits for universal use
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 42 x 392 mm

9752 Foam insert Kraftform Kompakt with ratchet functionality set 1



Code	EAN			
	4013288			
05150152001	232533			1
			838 RA-R M 1x 1/4"x123,5	
			416 RA 1x 1/4"x45	
			816 R 1x 1/4"x119	
			8001 A 1x 1/4"x87,0	
			851/4 Z 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 ¹⁾	
			855/4 Z 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89 ¹⁾	
			867/4 Z TORX® 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 27x89; 1x TX 30x89; 1x TX 40x89	
			840/4 Z 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89 ¹⁾	
			800/4 Z 1x 1,0x5,5x89	
			870/1 1x 1/4"x25 ²⁾	
			9500 1x 64,6	
			9852 1x 172,0x30,0x392,0	

¹⁾ Hexagonal blade

²⁾ With friction ball; for manual nut spinner sockets

^{*)} Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9753 Foam insert Kraftform Kompakt maintenance set 1

- One Kraftform Kompakt VDE 817 bitholding screwdriver and 10 blades; individually tested as per IEC 60900
- 1/4" Zyklop ratchet and accessories (sockets, extension, bit adapter, bits)
- Joker 6002 double spanner with practical holding function by a metal plate in the open end
- Joker 6004 S self-setting spanner for bolts and screws of 10-13mm (metric) and 7/16"-1/2" (imperial)
- L-keys (sizes 3 and 4) with hose sleeve, with holding function for hexagonal socket screws, the Hex-Plus profile prevents premature rounding of hexagonal socket screws
- 1 KNIPEX Cobra® High-Tech Water Pump Pliers 87 01 250
- Width x height x depth: without tools 344 x 30 x 392 mm, with tools 344 x 41 x 392 mm

9753 Foam insert Kraftform Kompakt maintenance set 1




Code	EAN		
	4013288		
05150153001	237491		1
		817 VDE	
		1x 9x98	
		Kraftform Kompakt VDE 60 i Take it easy	
		1x 0,4x2,5x157	
		Kraftform Kompakt VDE 60 IS Take it easy	
		1x 0,6x3,5x157	
		Kraftform Kompakt VDE 62 IS Take it easy	
		1x PH 1x157; 1x PH 2x157	
		Kraftform Kompakt VDE 65 IS Take it easy	
		1x PZ 1x157; 1x PZ 2x157	
		Kraftform Kompakt VDE 67 i TORX®	
		Take it easy	
		1x TX 10x157	
		Kraftform Kompakt VDE 67 IS TORX®	
		Take it easy	
		1x TX 15x157; 1x TX 20x157; 1x TX 25x157	
		8000 A	
		1x 1/4"x152,0	
		8790 HMA	
		1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0;	
		1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0;	
		1x 12,0x23,0; 1x 13,0x23,0	
		8794 SA	
		1x 1/4"x75,0	
		8784 A1	
		1x 1/4"x1/4"x37,0	
		893/4/1 K	
		1x 1/4"x50	
		851/1 Z	
		1x PH 1x25; 1x PH 2x25	
		855/1 Z	
		1x PZ 1x25; 1x PZ 2x25	
		867/1 TORX®	
		1x TX 10x25; 1x TX 15x25; 1x TX 20x25;	
		1x TX 25x25	
		840/1 Z	
		1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	
		800/1 Z	
		1x 0,6x4,5x25; 1x 0,8x5,5x25; 1x 1,0x5,5x25;	
		1x 1,2x6,5x25	
		6002 Joker Double	
		1x 17x19x235	
		6004 Joker S	
		1x 10,0; 11,0; 12,0; 13,0x7/16"; 1/2"x154	
		950 SPKL HF Multicolour	
		1x 3,0x123; 1x 4,0x137	
		KNIPEX Cobra® High-Tech Water	
		Pump Pliers 87 01 250	
		9853	
		1x 344,0x30,0x392,0	

Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9760 Foam insert Stainless set 1

- Tools made of stainless steel to prevent extraneous rust
- Zyklop 8001 A Mini bit ratchet (60 teeth, return angle 6°), drop-forged solid steel design; for 1/4" hex drive bits and with adapter for 1/4" sockets
- Screwdriver with Kraftform Plus handle for comfortable ergonomic screwdriving, avoiding blisters and calluses
- L-keys with holding function for hexagonal socket screws and Hex-Plus profile (prevents rounding of hexagonal socket screws)
- L-keys with holding function for TORX® screws
- Screwdrivers, L-keys and bits with Take it easy tool finder: colour coding and size stamping to find the required tool quickly
- Width x height x depth: without tools 344 x 30 x 392 mm, with tools 344 x 45 x 392 mm

9760 Foam insert Stainless set 1



Code	EAN			
	4013288			
05150160001	237521			1
			8001 A 1x 1/4"x87.0	
			3851/1 TS PH 1x PH 2x25	
			3867/1 TS TORX® 1x TX 10x25; 1x TX 25x25	
			3840/1 TS 1x 2.0x25; 1x 2.5x25; 1x 3.0x25; 1x 4.0x25; 1x 5.0x25; 1x 6.0x25 ¹⁾	
			3950 SPKL Multicolour 1x 1.5x90; 1x 2.0x101; 1x 2.5x112	
			3950 SPKL Multicolour HF 1x 3.0x123; 1x 4.0x137; 1x 5.0x154; 1x 6.0x172; 1x 8.0x195; 1x 10.0x224	
			3967 SXL HF TORX® Multicolour 1x TX 8x90; 1x TX 9x101; 1x TX 10x112; 1x TX 15x123; 1x TX 20x137; 1x TX 25x154; 1x TX 27x172; 1x TX 30x195; 1x TX 40x224	
			1x 3350 PH 1x PH 1x80	
			1x 3350 PH 1x PH 2x100	
			1x 3367 1x TX 20x100	
			1x 3367 1x TX 25x100	
			1x 3335 1x 0.5x3.0x80 ²⁾	
			1x 3335 1x 0.8x4.0x100	
			1x 3334 1x 1.2x6.5x150	
			1x 9860 1x 344,0x30,0x392,0	

¹⁾ Without Torsion zone

²⁾ Without Lasertip

Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9780 Foam insert KNIPEX pliers set 1

- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 38 x 392 mm

9780 Foam insert KNIPEX pliers set 1




Code	EAN		
05150180001	4013288 225153		1
		KNIPEX Combination Pliers 03 05 180 1x 180	
		KNIPEX Cobra® High-Tech Water Pump Pliers 87 05 250 1x 250	
		KNIPEX High Leverage Diagonal Cutter 74 05 160 1x 160	
		9880 1x 172,0x30,0x392,0 ¹⁾	

¹⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9781 Foam insert KNIPEX pliers set 2

- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 38 x 392 mm

9781 Foam insert KNIPEX pliers set 2



Code	EAN		
05150181001	4013288 225177		1
		KNIPEX Snipe Nose Cutting Pliers (Stork Beak Pliers) 26 15 200 1x 200	
		KNIPEX Mechanics' Pliers 38 25 200 1x 200	
		KNIPEX Electricians' Shears 95 05 155 1x 155	
		9881 1x 172,0x30,0x392,0 ¹⁾	

¹⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.



9782 Foam insert hammer set 1

- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 35 x 392 mm

9782 Foam insert hammer set 1




Code	EAN			
05150182001	225191			1
			PICARD® riveting hammer 500 g, 0000101-500 1x 500,0	
		○	RENNSTEIG Parallel pin punches Exclusive 1x 452 003 6 RC, 3,0x150; 1x 452 004 6 RC, 4,0x150; 1x 452 006 6 RC, 6,0x150; 1x 452 008 6 RC, 8,0x150	
		●	RENNSTEIG Flat cold chisel 310 250 1 1x 25,0x13,0x23,0	
			9882 1x 172,0x30,0x392,0 ¹⁾	

¹⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9783 Foam insert PFERD file set 1

- Width x height x depth: without tools 344 x 30 x 392 mm, with tools 344 x 42 x 392 mm

9783 Foam insert PFERD file set 1



Code	EAN			
05150183001	225368			1
			PFERD machinist's file square PF1142 250 H2 1x 250	
			PFERD machinist's file half-round pointed 1152SP 250 H2 1x 250	
			PFERD machinist's file round 1162 250 H2 1x 250	
			PFERD machinist's file hand 1112 250 H2 1x 250	
			PFERD machinist's file three square 1132 250 H2 1x 250	
			PFERD scratch brush HBF steel wire Ø 0.15 1x 232	
			9883 1x 344,0x30,0x392,0 ¹⁾	

¹⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9784 Foam insert KNIPEX pliers set VDE 1

- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 38 x 392 mm

9784 Foam insert KNIPEX pliers set VDE 1



Code	EAN		
05150184001	4013288 232489		1
		KNIPEX Diagonal stripper 70 06 160	
		KNIPEX Snipe nose pliers with blade (stork beak pliers) 26 16 200	
		KNIPEX Needle-nose combination pliers 08 26 185	
		9884 1x 172,0x30,0x392,0	

^{*)} Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.





Wera 2go



Wera 2go 1 Tool Carrier

The Wera 2go 1 is the super lightweight and mobile tool carrier for all Wera pouches and textile boxes equipped with hook and loop zone on their reverse sides.

The pouches and boxes are easily and securely attached individually to the tool carrier. The hands remain free during transport thanks to the shoulder strap that is included.

- Wera 2go Tool Carrier with hook and loop fastener system
- For the docking of the Wera textile boxes and pouches with hook and loop fastener zones
- Individually configurable for greater mobility
- Hands remain free during Transport
- Includes an adjustable, detachable Shoulder Strap with a wide padded section

Wera 2go 1 Tool Carrier



			
Code	EAN		
05004350001	187352		1
		Wera 2go 5 1x 135,0x300,0x270,0	
		Wera 2go 6 1x 38,0x1470,0	

Wera 2go 2 Tool Container

The Wera 2go tool container is the ideal solution for individual and convenient tool transport thanks to its hook and loop fastener system and its compactness. The inner and outer hook and loop fastener zones ensure a maximum in terms of space utilisation. This means that an incredible number of tools can fit in and on the container.

Wera 2go 2 ensures a low weight since only the tools really needed for the job are taken along. The robust and dimensionally stable material protects the tools carried against damage and moisture and enhances the service life of the tool container.

The padded and width-adjustable shoulder strap and the snug fit of the container on the body mean that the container is easy and convenient to carry.

The hands remain free during transport. It comes with a quiver with an individually adjustable hook and loop fastener partition for screwdrivers and other tools.

- Wera 2go tool container with inner and outer hook and loop fastener zones
- Individually configurable for greater mobility
- Ideal also for the docking of Wera textile boxes and pouches equipped with hook and loop fastener zones

Wera 2go 2 Tool Container



			
Code	EAN		
05004351001	187840		1
		Wera 2go Container 1x 355,0x330,0x115,0	
		Wera 2go 6 1x 38,0x1470,0	
		Wera 2go 4 1x 165,0x165,0x105,0	

Wera 2go 2 XL Tool Container

The Wera 2go 2 XL Tool Container with extra low-profile compartments, with its hook and loop fastener system and its compactness, is the ideal solution for individual and convenient tool transport. The inner and outer hook and loop fastener zones provide extremely high flexibility and space utilization.

This fits an incredible amount of tools in and on the container. Wera 2go 2 makes for light luggage, because only the essential tools are taken.

The robust and sturdy material protects the enclosed tools from damage and moisture, and increases the service life of the tool container.

The padded and adjustable wide belt and the close-fitting position of the container provide a comfortable fit.

The hands remain free during transport. Including one Wera 2go 4 holder with individually adjustable hook and loop fastener divider for screwdrivers and other tools. Four of these holders can be stowed effortlessly.

- Wera 2go 2 XL Tool Container with extra low-profile compartments for e.g. the Wera 2go 4 Tool Quivers

Wera 2go 3 Tool Box

- Suitable for docking with the Wera 2go system
- Permanently dimensionally stable thanks to the fabric-lined plastic panels
- High resistance against cuts and stabs
- High protection for transported tools against damage and moisture
- Can be individually equipped

Wera 2go 3 Tool Box



Code	EAN	mm	mm	mm				
05004352001	187369	130,0	325,0	80,0				1

Wera 2go 2 XL Tool Container



Code	EAN			
05004357001	211491			1
		Wera 2go XL Container		
		1x 455,0x330,0x170,0		
		Wera 2go 6		
		1x 38,0x1470,0		
		Wera 2go 4		
		1x 165,0x165,0x105,0		

Wera 2go 4 Tool Quiver

- Suitable for docking with the Wera 2go system
- Dimensionally stable Wera 2go tool quiver
- High resistance against cuts and stabs
- Variable hook and loop fastener partition for a division into as many as 5 inner sections
- Large set-down area; handle for carrying and hanging up

Wera 2go 4 Tool Quiver



	EAN							
Code	4013288	mm	mm	mm				
05004353001	187857	165,0	165,0	105,0				1

Wera 2go 5 Tool Carrier

The Wera 2go 5 is the super lightweight and mobile tool carrier for all Wera pouches and textile boxes equipped with Velcro on their reverse sides. The pouches and boxes are easily and securely attached individually to the Wera 2go 5 article.

Wera 2go 5 Tool Carrier



	EAN							
Code	4013288	mm	mm	mm				
05004354001	187383	135,0	300,0	270,0				1

Wera 2go 6 Shoulder Strap

Shoulder strap for the Wera 2go tool transport system. It comes with extra wide, comfortable padding sections and adjustable strap length and is suitable for use with the Wera 2go 1 and 5 articles.

Wera 2go 6 Shoulder Strap



	EAN							
Code	4013288	mm	mm					
05004355001	187390	38,0	1470,0					1

Wera 2go 7 High Tool Box

- Transport box even for long tools such as spirit levels

Wera 2go 7 High Tool Box



	EAN							
Code	4013288	mm	mm	mm				
05004356001	204370	295,0	100,0	100,0				1

Wera 2go E 1 Tool set for electricians

Compact tool set with the 73 most important tools for electricians with products by Wera, Jung, KNIPEX, Lyra®, PICARD®, PUK® and Stabila®.

Mobility is made considerably easier thanks to the compact tool container from the Wera 2go system.

- Extensive 73-piece tool set in the compact Wera 2go 2 tool container for electricians in mobile operations
- Premium brand tools by Wera, Jung, KNIPEX, Lyra®, PICARD®, PUK® and Stabila®
- Wera Kraftform Kompakt Turbo i 1 Tool Finder (16-piece handle/ interchangeable blades VDE set) for four times the screwdriving speed and Wera 8100 SA 6 Zyklop Speed ratchet set (1/4", 28-piece set)
- Joker 6004 S self-setting spanner for bolts and screws of 10-13mm (metric) and 7/16"-1/2" (imperial)
- With chiseldriver for screwdriving, chiselling, mortising as well as 4 VDE screwdrivers - 2 of which with stainless steel blade to prevent extraneous rust

Wera 2go E 1 Tool set for electricians



Code	EAN		
	4013288		
05134025001	221278	1 x Wera 2go 2 Tool Container	1
		1 x 8100 SA 6 Zyklop Speed Ratchet Set, 1/4" drive, metric	
		1 x 950/9 Hex-Plus Multicolour HF 1 L-key set, metric, BlackLaser, with holding function	
		1 x Kraftform Kompakt Turbo i 1 Tool Finder	
		1x 932 A Screwdriver for slotted screws 1.2x7.0x125	
		1x 3162 i PH VDE Insulated screwdriver for Phillips screws, stainless PH 2x100	
		1x 3165 i PZ VDE Insulated screwdriver for Pozidriv screws, stainless PZ 2x100	
		1x 160 i VDE Insulated screwdriver for slotted screws 1.2x6.5x150	
		1x 160 iS VDE Insulated screwdriver with reduced blade diameter for slotted screws 0.6x3.5x100	
		1x 6004 Joker S self-setting spanner 10-13x7/16"-1/2"x154	
		1 x KNIPEX Combination pliers 160mm 01 06 160	
		1 x KNIPEX Diagonal insulation stripper 14 26 160	
		1 x KNIPEX Snipe nose pliers with blade (stork beak pliers) 26 16 200	
		1 x KNIPEX Cobra® VDE Hightech water pump pliers, insulated, 87 26 250	
		1 x KNIPEX Cable knife 98 52	
		1 x KNIPEX ErgoStrip® Universal dismantling tool 16 95 01	
		1 x PUK® 2200 Hand saw frame	
		1 x Lyra® Construction marker DRY PROFi 4494202	
		1 x STABILA® Spirit level Pocket Electric 17775	
		1 x STABILA® Spirit level type 70, 30 cm, 02281	
		1 x STABILA® Wooden folding rule type 607, 2 m, yellow, 01104	
		1 x PICARD® Fitter's hammer 400 g, German shape, 000101-0400	
		1 x Jung Plastering cup 127mm, 946 127 00	
		1 x Jung Scraping knife with natural wood handle, 922 050 00	

Wera 2go SHK 1 Tool set for plumbing, heating and air conditioning

Compact tool set with the most important tools for HVAC services with products by Wera, BESSEY®, KNIPEX, Lyra®, PICARD®, PUK® and Stabila®. Mobility is made considerably easier thanks to the compact tool container from the Wera 2go system.


- Extensive 30-piece tool set in the compact Wera 2go 2 tool container for mobile HVAC applications
- Premium brand tools by Wera, BESSEY®, KNIPEX, Lyra®, PICARD®, PUK® and Stabila®
- Joker 6002 double spanner with practical holding function by a metal plate in the open end
- With chiseldriver for screwdriving, chiselling, mortising as well as 4 VDE screwdrivers - 2 of which with stainless steel blade to prevent extraneous rust
- 1/2" Zyklop Metal 8004 C ratchet (72 teeth, 5° low return angle) with reversing lever; slim design for very narrow spaces
- L-key set for hexagonal socket screws; the Hex-Plus profile reduces the cylindrical turning of hexagonal socket screws

Wera 2go SHK 1 Tool set for plumbing, heating and air conditioning



Code	EAN	
05136071001	4013288 230300	1
		1x Wera 2go Container
		1x Wera 2go 6 Shoulder Strap
		1x Wera 2go 4 Tool Quiver
		1x 932 A Screwdriver for slotted screws 1,2x7,0x125
		1x 395 HO Nutdriver 10,0x90
		1x 395 HO Nutdriver 13,0x90
		1x 1060 i VDE-insulated Kraftform slotted screwdriver 0,6x3,5x100
		1x 1060 i VDE-insulated Kraftform slotted screwdriver 1,0x5,5x125
		1x 1062 i PH VDE-insulated Kraftform Phillips-head screwdriver PH 1x80
		1x 1062 i PH VDE-insulated Kraftform Phillips-head screwdriver PH 2x100
		1x 8004 C Zyklop Metal Ratchet with switch lever and 1/2" drive 1/2"x281
		1x 8790 HMC Zyklop socket with 1/2" drive 10,0x37,0
		1x 8790 HMC Zyklop socket with 1/2" drive 13,0x37,0
		1x 8790 HMC Zyklop socket with 1/2" drive 17,0x37,0
		1x 8790 HMC Zyklop socket with 1/2" drive 19,0x37,0
		1x Belt C (textile belt), 6 location, unloaded 45,0x275,0
		1x 6002 Joker Double open-ended wrenches 10x13x167
		1x 6002 Joker Double open-ended wrenches 17x19x235
		1x 6002 Joker Double open-ended wrenches 24x27x280
		1x 6002 Joker Double open-ended wrenches 30x32x305
		1x 950/9 Hex-Plus 2
		1x 9529 C SB 1/2" Step wrench 10,0x88,0
		1x KNIPEX Water pump pliers COBRA® 250mm 87 11 250
		1x KNIPEX Combination pliers 160mm 03 01 160
		1x KNIPEX Diagonal insulation stripper 14 26 160
		1x KNIPEX 001104 Pro wrench for standard shut-off systems
		1x STABILA® Spirit level type 70, 30 cm, 02281
		1x STABILA® Wooden folding rule type 607, 2 m, yellow, 01104
		1x PICARD® Fitter's hammer 400 g, German shape, 000101-0400
		1x PUK® 2200 Hand saw frame
		1x BESSEY® blades DBKPH-EU flick knife
		1x Lyra® Construction marker DRY PROFIL 4494202

Hook and Loop Fastener Strip 1



Code	EAN			
05670446001	4013288 189448			1
			Hook and Loop Fastener Strip 70 1x 50,0x70,0	

Hook and Loop Fastener Strip 2



Code	EAN			
05670447001	4013288 189455			1
			Hook and Loop Fastener Strip 120 1x 50,0x120,0	

Hook and Loop Fastener Strip 3



Code	EAN			
05670448001	4013288 189462			1
			Hook and Loop Fastener Strip 240 1x 50,0x240,0	





Bits



Impaktor system - For an above-average service life



The Impaktor technology offers an above-average service life even under extreme circumstances.

Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head.

Particularly suitable for use with customary impact drivers. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 IMP DC PH DIY Impaktor PH bits



Code	EAN			
05057615001	178695	+	851/1 IMP DC 10x PH 1x25	1
05057616001	157638	+	851/1 IMP DC 10x PH 2x25	1
05057617001	157645	+	851/1 IMP DC 10x PH 3x25	1

851/1 IMP DC SB Impaktor bits




Code	EAN			
05073916001	158369	+	851/1 IMP DC 1x PH 2x25	5
05073917001	158376	+	851/1 IMP DC 1x PH 3x25	5

Bit-Box 15 Impaktor PH




Code	EAN			
05057752001	187918	+	851/1 IMP DC 15x PH 2x25	10

Kraftform Stainless - stainless steel to prevent rust



High quality bits out of stainless steel for cross-recess screws. Wera stainless are made out of stainless steel which prevents the formation of unsightly extraneous rust. Come with Torsion zone: Torsion bits take-up torque peaks and absorb them in the Torsion zone. This prevents premature wear and extends the service life of the bit. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

3851/1 TS bits, stainless



Code	EAN	+	mm	1"			
05071010001	110985	PH 1	25	1"			10
05071011001	110992	PH 2	25	1"			10
05071012001	111005	PH 3	25	1"			10

3851/1 TS SB bits, stainless



Code	EAN			
	4013288			
05073610001	112132	+	3851/1 TS PH 1x PH 1x25	5
05073611001	112149	+	3851/1 TS PH 1x PH 2x25	5

BiTorsion system - for longer service life



Smaller impacts are absorbed by the holder

Higher impacts are cushioned in the torsion zone of the bit

No premature wear caused by impacts

851/1 BDC bits

Bits with tiny diamond particles on the bit tip. This ensures a secure fit of the bit in the screw, reduces the contact pressure required and lowers the risk of slipping.

Comes with Torsion zone where kinetic energy is diverted from peak loads. This greatly extends the product service life; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 BDC bits



Code	EAN	+	1"	1"			
	4013288		mm				
05056400001	033970	PH 1	25	1"			10
05056402001	033987	PH 2	25	1"			10
05056404001	033994	PH 3	25	1"			10

851/1 BDC SB bits



Code	EAN			
	4013288			
05073332001	029324	+	851/1 BDC PH 1x PH 1x25	5
05073333001	029331	+	851/1 BDC PH 1x PH 2x25	5
05073334001	029348	+	851/1 BDC PH 1x PH 3x25	5
05073335001	029355	+	851/1 BDC PH 2x PH 2x25	5

851/1 BTH bits

Bits with Torsion zone – where kinetic energy is diverted from peak loads – and BiTorsion zone to prevent the bit tip from twisting under peak loads.

This greatly extends the product service life. Extra-hard design, 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 BTH bits



Code	EAN	+	1"	1"			
	4013288		mm				
05056410001	034243	PH 1	25	1"			10
05056412001	034250	PH 2	25	1"			10
05056414001	034267	PH 3	25	1"			10



851/1 BTZ bits

Bits with Torsion zone – where kinetic energy is diverted from peak loads – and BiTorsion zone to prevent the bit tip from twisting under peak loads.

This greatly extends the product service life. Tough viscous, 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 BTZ bits



	EAN		mm	1"			
Code	4013288		mm	1"			
05056420001	034458	PH 1	25	1"			10
05056422001	034465	PH 2	25	1"			10
05056424001	034472	PH 3	25	1"			10

Bit-Box 20 BTZ PH




	EAN			
Code	4013288			
05057751001	187956	+	851/1 BTZ PH 20x PH 2x25	10

Diamond-coated bits

Minute diamond particles on the tip of the tool literally bite into the screw

Bits fit securely into the head of the screw



The diamond coating of the bits ensures a secure fit in the screw, reduces the contact pressure required and lowers the risk of slipping.

Profiled version with especially sharp edges which break away the paint when e.g. screw profiles are covered in it and this ensures a dependable transfer of power between the bit and screw.

1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 A bits

Extra-hard design. Profiled version. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 A bits



	EAN		mm	1"	mm		
Code	4013288		mm	1"	mm		
05134919001	099976	PH 1	25	1"	4,5		10
05134920001	099983	PH 2	25	1"	6,0		10
05134921001	099990	PH 3	25	1"	-		10

851/1 RDC bits

High quality bits for drywall screws. Reduced shaft diameter for low-lying screw connections. Countersinking of screws without any surface damage.

Especially for drywall construction. The diamond coating of the bits ensures a secure fit in the screw, reduces the contact pressure required and lowers the risk of slipping. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 RDC bits



	EAN		mm	1"	mm		
Code	4013288		mm	1"	mm		
05135008001	032904	PH 2	25	1"	4,2		10

851/1 RH bits

Bits with reduced shaft diameter for low-lying screw connections. Countersinking of screws without any surface damage. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 RH bits



	EAN	+	1"	1"	Ø			
Code	4013288		mm		mm			
05346281001	107176	PH 2	25	1"	4,2			10

851/1 RZ bits

Bits for drywall screws. Reduced shaft diameter for low-lying screw connections. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 RZ bits



	EAN	+	1"	1"	Ø			
Code	4013288		mm		mm			
05135009001	032799	PH 2	25	1"	4,2			10

851/1 RZ SB bits



Code	EAN	+	851/1 RZ PH 2x PH 2x25	
05135005001	038456			5

851/1 TH bits

The Torsion design means that torque peaks can be absorbed. This prevents premature wear and enhances the service life. Extra-hard; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 TH bits



	EAN	+	1"	1"				
Code	4013288		mm					
05056605001	013545	PH 1	25	1"				10
05056610001	013552	PH 2	25	1"				10
05056625001	013569	PH 3	25	1"				10

851/1 TiN bits

Extra-hard titanium nitride (TiN) coating for withstanding permanent loads such as e.g. in industrial applications. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 TiN bits



	EAN	+	1"	1"				
Code	4013288		mm					
05480172001	040992	PH 2	25	1"				10



851/1 TZ bits

- Ductile and tough for hard materials
- Torsion design against premature wear

851/1 TZ bits



	EAN	+	mm	mm				
Code	4013288		mm					
05056505001	013606	PH 1	25	1"				10
05056510001	013613	PH 2	25	1"				10
05056525001	013620	PH 3	25	1"				10

851/1 TZ SB bits



Code	EAN	+			
	4013288				
05073323001	029249	+	851/1 TZ PH 2x PH 1x25		5
05073324001	029256	+	851/1 TZ PH 2x PH 2x25		5
05073325001	029263	+	851/1 TZ PH 2x PH 3x25		5
05073326001	029270	+	851/1 TZ PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25		5

853/1 TZ ACR® bits

Bits with Torsion zone: where kinetic energy is diverted from peak loads. This greatly extends the product service life. Come with rough ribs (anti cam-out feature, ACR).

Tough viscous, for universal use; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

853/1 TZ ACR® bits



	EAN	+	mm	mm				
Code	4013288		mm					
05056662001	014405	PH 2	25	1"				10

851/1 Z bits

- Ductile and tough for hard materials

851/1 Z bits



	EAN	+	mm	mm				
Code	4013288		mm					
05056500001	013323	PH 0	25	1"				10
05072070001	013453	PH 1	25	1"				10
05056507001	013330	PH 1	50	2"				10
05072072001	013460	PH 2	25	1"				10
05056515001	013347	PH 2	32	1 1/4"				10
05056520001	013354	PH 2	50	2"				10
05072074001	013477	PH 3	25	1"				10
05134905001	094858	PH 3	50	2"				10
05056535001	013378	PH 4	32	1 1/4"				10

851/1 Z SB bits



Code	EAN	+			
	4013288				
05073304001	029058	+	851/1 Z PH 2x PH 1x25		5
05073305001	029065	+	851/1 Z PH 2x PH 2x25		5
05073306001	029072	+	851/1 Z PH 2x PH 3x25		5
05073307001	029089	+	851/1 Z PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25		5

851/1 Z DIY bits



Code	EAN	+			
	4013288				
05072400001	115737	+	851/1 Z PH 10x PH 1x25		1
05072401001	115744	+	851/1 Z PH 10x PH 2x25		1
05072402001	115751	+	851/1 Z PH 10x PH 3x25		1

851/1 Z DIY 100 bits



Code	EAN			
05072441001	4013288	138477	851/1 Z PH 100x PH 2x25	1

Bit-Box 20 PH



Code	EAN			
05057750001	4013288	188014	851/1 Z PH 20x PH 2x25	20

851/1 J bits

Bits optimised for Asian PH screws. Similar to Camera screws. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 J bits



Code	EAN						
05135040001 ¹⁾	112569	PH 00	25	1"	2,0		10
05135041001 ²⁾	112576	PH 0	25	1"	2,5		10

¹⁾Size 00 modified according to JCIS 00 (Japanese Camera Industrial Standard)
²⁾Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

Impaktor system - For an above-average service life



The Impaktor technology offers an above-average service life even under extreme circumstances. Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head.

Particularly suitable for use with customary impact drivers. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 IMP DC PH DIY Impaktor PH bits



				
Code	EAN 4013288			
05057656001	157652		851/4 IMP DC 5x PH 2x50	1
05057657001	157669		851/4 IMP DC 5x PH 3x50	1




851/4 IMP DC SB Impaktor bits



Code	EAN			
05073956001	158482	+	851/4 IMP DC 1x PH 2x50	5
05073957001	158499	+	851/4 IMP DC 1x PH 3x50	5

Kraftform Stainless - stainless steel to prevent rust




High quality bits out of stainless steel for cross-recess screws. Wera stainless are made out of stainless steel which prevents the formation of unsightly extraneous rust. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

3851/4 Bits, stainless



Code	EAN	+	mm	mm			
05071081001	115485	PH 1	89	3 1/2"			10
05071082001	115492	PH 2	89	3 1/2"			10
05071083001	115508	PH 3	89	3 1/2"			10

BiTorsion system - for longer service life



851/4 BDC bits

BiTorsion bits with tiny diamond particles on the bit tip. This ensures a secure fit of the bit in the screw, reduces the contact pressure required and lowers the risk of slipping.

Comes with Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life; 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 BDC bits



Code	EAN	+	mm	mm			
05059530001	034090	PH 1	50	2"			10
05059532001	034106	PH 2	50	2"			10
05059534001	034113	PH 3	50	2"			10

851/4 BTH bits

BiTorsion bits with Torsion zone – where kinetic energy is diverted from peak loads.

This greatly extends the product service life; 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 BTH bits



	EAN	+	1"	1"				
Code	4013288		mm					
05059540001	034304	PH 1	50	2"				10
05059542001	034311	PH 2	50	2"				10
05059544001	034328	PH 3	50	2"				10

851/4 BTZ bits

BiTorsion with Torsion zone – where kinetic energy is diverted from peak loads.

This greatly extends the product service life. Tough viscous for universal use; 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 BTZ bits



	EAN	+	1"	1"				
Code	4013288		mm					
05059550001	034571	PH 1	50	2"				10
05059552001	034588	PH 2	50	2"				10
05059554001	034595	PH 3	50	2"				10

851/4 RH Reduced tip bits

Bits with reduced shaft diameter for low-lying screw connections, enabling countersinking of screws without any surface damage. Profiled version. Extra-hard. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 RH Reduced tip bits



	EAN	+	1"	1"	Ø			
Code	4013288		mm		mm			
05380161001	157065	PH 2	50	2"	4,2			10

851/4 A bits

The sharp-edged profile ensures a dependable transfer of power between the bit and screw by breaking off the paint e.g. when screw profiles are covered in it.

Extra-hard design: 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 A bits



	EAN	+	1"	1"	Ø			
Code	4013288		mm		mm			
05134929001	105165	PH 0	50	2"	3			10
05134906001	105141	PH 0	70	2 3/4"	3			10
05134907001	105172	PH 0	89	3 1/2"	3			10
05134930001	100009	PH 1	50	2"	4,5			10
05134370001	037831	PH 1	70	2 3/4"	4,5			10
05134372001	037855	PH 1	89	3 1/2"	4,5			10
05134931001	100016	PH 2	50	2"	6			10
05134371001	037848	PH 2	70	2 3/4"	6			10
05134373001	037862	PH 2	89	3 1/2"	6			10
05134910001 ¹⁾	105202	PH 2	152	6"	6			10
05134911001 ²⁾	105219	PH 2	152	6"	6			10
05134932001	100023	PH 3	50	2"	-			10
05134913001	105233	PH 3	70	2 3/4"	8			10
05134914001	105240	PH 3	89	3 1/2"	8			10
05134915001	105257	PH 3	152	6"	8			10
05160983001	106575	PH 4	50	2"	10			10

¹⁾Length of drive 100 mm

²⁾Length of drive 20 mm



851/4 R Reduced tip bits

High quality bits with reduced shaft diameter for low-lying screw connections, enabling countersinking of screws without any surface damage. Profiled version. Extra-hard. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 R Reduced tip bits



	EAN	+	1"	1"	Ø		
Code	4013288		mm		mm		
05160899001	105547	PH 2	50	2"	3,0		10
05160896001	105554	PH 2	152	6"	3,0		10

851/4 TH bits

High quality bits with Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life. Extra-hard; 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.



	EAN	+	1"	1"			
Code	4013288		mm				
05059855001	013897	PH 1	50	2"			10
05059860001	013903	PH 2	50	2"			10
05059865001	013910	PH 3	50	2"			10

851/4 TZ bits

Bits with Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life. Tough viscous, for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.



	EAN	+	1"	1"			
Code	4013288		mm				
05059805001	013927	PH 1	50	2"			10
05059810001	013934	PH 2	50	2"			10
05059815001	013941	PH 3	50	2"			10

851/4 TZ SB bits



Code	EAN			
	4013288			
05134380001	037947	+	851/4 TZ PH 2x PH 1x50	3
05134381001	037954	+	851/4 TZ PH 2x PH 2x50	3
05134382001	037961	+	851/4 TZ PH 2x PH 3x50	3

851/4 Z bits

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 Z bits



	EAN	+	1"	1"	Ø		
Code	4013288		mm		mm		
05059755001	013781	PH 1	70	2 3/4"	4,5		10
05059760001	013798	PH 1	89	3 1/2"	4,5		10
05059765001	031044	PH 1	127	5"	4,5		10
05059766001	031051	PH 1	152	6"	4,5		10
05059770001	013804	PH 2	70	2 3/4"	6,0		10
05059775001	013811	PH 2	89	3 1/2"	6,0		10
05059780001	013828	PH 2	110	4 3/8"	6,0		10
05059785001	030474	PH 2	127	5"	6,0		10
05059786001	031068	PH 2	152	6"	6,0		10
05059790001	013835	PH 3	70	2 3/4"	-		10
05059795001	013842	PH 3	89	3 1/2"	-		10
05059800001	013859	PH 3	110	4 3/8"	-		10
05059802001	031075	PH 3	152	6"	-		10

851/4 J bits

Bits optimised for Asian PH screws. In particular, for applications with very small dimensions pursuant to the Japanese Camera Industrial Standard.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 J bits



	EAN						
Code	4013288		mm		mm		
05135530001 ¹⁾	113252	PH 00	50	2"	2,0		10
05380200001 ¹⁾	156204	PH 00	89	3 1/2"	2,0		10
05135531001 ²⁾	113269	PH 0	50	2"	2,5		10
05380201001 ²⁾	156211	PH 0	89	3 1/2"	2,5		10
05135532001	113276	PH 1	50	2"	4,5		10
05380202001	156228	PH 1	89	3 1/2"	4,5		10

¹⁾ Optimised for Asian PH screws

²⁾ Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

851/4 Z SB bits



Code	EAN			
	4013288			
05073520001	105875	+	851/4 Z PH 1x PH 1x89	5
05136305001	213839	+	851/4 Z PH 1x PH 1x152	3
05073521001	105882	+	851/4 Z PH 1x PH 2x89	5
05136306001	213846	+	851/4 Z PH 1x PH 2x152	3
05073522001	105899	+	851/4 Z PH 1x PH 3x89	5
05136307001	213853	+	851/4 Z PH 1x PH 3x152	3

853/4 ACR® SL bits with sleeve, magnetized

Bits with rough ribs (anti cam-out feature, ACR) to prevent any slipping out of the screw head, permanently magnetized, thus screws can be held securely on the tip of the bit; with plastic sleeve, protects components from being damaged when screwdriving.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

853/4 ACR® SL bits with sleeve, magnetized



	EAN						
Code	4013288		mm		mm		
05323780001	165190	PH 2	50	2"	5,2		40
05323781001	165206	PH 2	90	3 1/2"	5,2		40
05203913001	163189	PH 2	150	6"	5,2		40
05203914001	163196	PH 2	200	8"	5,2		60

853/4 ACR® bits

Bits with Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life. Come with rough ribs (anti cam-out feature, ACR) to prevent any slipping out of the screw head.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

853/4 ACR® bits



	EAN						
Code	4013288		mm		mm		
05346286001	105578	PH 2	50	2"	5,2		10



853/4 Harpoon ACR® bits

Bits with reduced shaft diameter for low-lying screw connections. Countersinking of screws without any surface damage. Come with rough ribs (anti cam-out feature, ACR) to prevent any slipping out of the screw head.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

853/4 Harpoon ACR® bits



	EAN	+	□	□	∅			
Code	4013288		mm		mm			
05160901001	105592	PH 2	50	2"	3,3			10
05160895001	105608	PH 2	70	2 3/4"	3,3			10
05160908001	105615	PH 2	152	6"	3,3			10

851/0 Micro bits for Phillips screws

- 4 mm hexagonal drive

851/0 Micro bits for Phillips screws



	EAN	+	□	□	∅			
Code	4013288		mm		mm			
05058119001	234568	PH 000	30	1 3/16"	1,5			10
05058120001	188687	PH 00	30	1 3/16"	2,5			10
05058121001 ¹⁾	188694	PH 0	30	1 3/16"	2,5			10
05058122001	234575	PH 1	30	1 3/16"	2,5			10

¹⁾Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

851/2 Z bits

For universal use. 5/16" hexagon, suitable for holders as per DIN ISO 1173-D 8.

851/2 Z bits



	EAN	+	□	□	∅			
Code	4013288		mm		mm			
05057705001	013668	PH 1	32	1 1/4"	4,5			10
05057710001	013675	PH 2	32	1 1/4"	6,0			10
05057715001	013682	PH 3	32	1 1/4"	7,6			10
05057720001	013699	PH 4	32	1 1/4"	-			10

851/11 Bits

With thread drive M 4.

851/11 Bits



	EAN	+	□	□	∅			
Code	4013288		mm		mm			
05065081001	014245	PH 2	33	1 1/4"	6,0			5

851/12 Bits

Tough viscous for universal use. Thread drive M 5.

851/12 Bits



	EAN	+	□	□	∅			
Code	4013288		mm		mm			
05065110001	014252	PH 2	33	1 1/4"	7,0			5
05065112001	014269	PH 2	35	1 3/8"	7,0			5
05065114001	014276	PH 2	44,5	1 3/4"	6,0			5

851/16 bits

Thread drive #10-32 UNF.

851/16 bits



	EAN	+	□	□	∅			
Code	4013288		mm		mm			
05065197001	014351	PH 2	44,5	1 3/4"	6,0			5

851/9 C J PH bits, halfmoon

With 4 mm halfmoon drive. Optimised for Japanese PH screws. Hard design.

851/9 C J PH bits, halfmoon



	EAN	+	□	□	∅	□	□	
Code	4013288		mm		mm	mm		
05134605001 ¹⁾	190444	PH 000	44	1 47/64"	1,5	20	25/32"	10
05135270001 ¹⁾	112729	PH 00	44	1 47/64"	1,8	20	25/32"	10
05135271001 ¹⁾	112736	PH 00	64	2 33/64"	1,8	20	25/32"	10
05135272001 ²⁾	112743	PH 0	44	1 47/64"	1,8	20	25/32"	10
05135273001 ²⁾	112750	PH 0	64	2 33/64"	1,8	20	25/32"	10
05135276001 ¹⁾	112781	PH 1	44	1 47/64"	3,0	20	25/32"	10
05135277001 ¹⁾	112798	PH 1	64	2 33/64"	3,0	20	25/32"	10

¹⁾Optimised for Asian PH screws

²⁾Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

851/21 J bits

With HIOS 4 mm drive. Optimised for Japanese PH screws.
Hard design.

851/21 J bits



	EAN	+	mm	mm	mm		
Code	4013288						
05135280001 ¹⁾	112804	PH 00	40	1 9/16"	1,8		10
05135281001 ¹⁾	112811	PH 00	60	2 3/8"	1,8		10
05135284001 ²⁾	112828	PH 0	40	1 9/16"	1,8		10
05135285001 ²⁾	112835	PH 0	60	2 3/8"	1,8		10

¹⁾Size 00 modified according to JCS 00 (Japanese Camera Industrial Standard)

²⁾Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

Impaktor system - For an above-average service life




High quality bits for Pozidriv screws. The Impaktor technology offers an above-average service life even under extreme circumstances. Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head. Particularly suitable for use with customary impact drivers. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

855/1 IMP DC PZ DIY Impaktor bits



	EAN			
Code	4013288			
05057620001	178718	+	855/1 IMP DC 10x PZ 1x25	1
05057621001	157676	+	855/1 IMP DC 10x PZ 2x25	1
05057622001	157683	+	855/1 IMP DC 10x PZ 3x25	1

855/1 IMP DC SB Impaktor bits



	EAN			
Code	4013288			
05073921001	158383	+	855/1 IMP DC 1x PZ 2x25	5
05073922001	158390	+	855/1 IMP DC 1x PZ 3x25	5


Bit-Box 15 Impaktor PZ



	EAN			
Code	4013288			
05057763001	187901	+	855/1 IMP DC 15x PZ 2x25	10



Kraftform Stainless - stainless steel to prevent rust



High quality bits out of stainless steel for Pozidriv screws. Wera stainless are made out of stainless steel which prevents the formation of unsightly extraneous rust. Come with Torsion zone: Torsion bits take-up torque peaks and absorb them in the Torsion zone. This prevents premature wear and extends the service life of the bit. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

3855/1 TS bits, stainless




	EAN		mm	1"				
Code	4013288		mm					
05071020001	111012	PZ 1	25	1"				10
05071021001	111029	PZ 2	25	1"				10
05071022001	111036	PZ 3	25	1"				10

3855/1 TS SB bits, stainless



Code	EAN				
05073613001	112101	+	3855/1 TS PZ 1x PZ 1x25		5
05073614001	112118	+	3855/1 TS PZ 1x PZ 2x25		5
05073615001	112125	+	3855/1 TS PZ 1x PZ 3x25		5

BiTorsion system - for longer service life



855/1 BDC bits

BiTorsion bits with tiny diamond particles on the bit tip. This ensures a secure fit of the bit in the screw, reduces the contact pressure required and lowers the risk of slipping.

Comes with Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

855/1 BDC bits



	EAN		mm	1"				
Code	4013288		mm					
05056700001	034007	PZ 1	25	1"				10
05056702001	034014	PZ 2	25	1"				10
05056704001	034021	PZ 3	25	1"				10

855/1 BDC SB bits



Code	EAN			
	4013288			
05073336001	029362	+	855/1 BDC PZ 1x PZ 1x25	5
05073337001	029379	+	855/1 BDC PZ 1x PZ 2x25	5
05073338001	029386	+	855/1 BDC PZ 1x PZ 3x25	5
05073339001	029393	+	855/1 BDC PZ 2x PZ 2x25	5

855/1 BTH bits

BiTorsion bits with Torsion zone – where kinetic energy is diverted from peak loads.

This greatly extends the product service life. This provides the best possible durability together with the matching holder.

Extra-hard; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

855/1 BTH bits



Code	EAN						
	4013288						
05056710001	034274	PZ 1	25	1"			10
05056712001	034281	PZ 2	25	1"			10
05056714001	034298	PZ 3	25	1"			10

Bit-Box 20 BTH PZ



Code	EAN			
	4013288			
05057762001	187963	+	855/1 BTH PZ 20x PZ 2x25	10

855/1 BTZ bits

BiTorsion bits with Torsion zone – where kinetic energy is diverted from peak loads.

This greatly extends the product service life.

Tough, for universal use; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

855/1 BTZ bits



Code	EAN						
	4013288						
05056720001	034489	PZ 1	25	1"			10
05056722001	034496	PZ 2	25	1"			10
05056724001	034502	PZ 3	25	1"			10

Bit-Box 20 BTZ PZ



Code	EAN			
	4013288			
05057761001	187970	+	855/1 BTZ PZ 20x PZ 2x25	10



855/1 RZ bits

Reduced shaft diameter for low-lying screw connections. Countersinking of screws without any surface damage. Especially for drywall construction and suitable for drywall screws.

855/1 RZ bits



	EAN		mm	mm	mm		
Code	4013288		mm		mm		
05135017001	175311	PZ 1	25	1"	4,2		10
05135003001	096739	PZ 2	25	1"	4,2		10

855/1 TH bits

With Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life. Extra-hard; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

855/1 TH bits



	EAN		mm	mm	mm		
Code	4013288		mm				
05056910001	014740	PZ 1	25	1"			10
05056915001	014757	PZ 2	25	1"			10
05056925001	014764	PZ 3	25	1"			10

855/1 TH SB bits



Code	EAN						
05073370001	029638		855/1 TH PZ	2x PZ 1x25			5
05073371001	029645		855/1 TH PZ	2x PZ 2x25			5
05073372001	029652		855/1 TH PZ	2x PZ 3x25			5
05073373001	029669		855/1 TH PZ	1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25			5

855/1 TiN bits

With extra-hard titanium nitride (TiN) coating for withstanding permanent loads such as e.g. in industrial applications.

1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

855/1 TiN bits



	EAN		mm	mm	mm		
Code	4013288		mm				
0548022001	041029	PZ 2	25	1"			10

855/1 TZ bits

With Torsion zone to combat premature wear.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

855/1 TZ bits



	EAN		mm	mm	mm		
Code	4013288		mm				
05056810001	014801	PZ 1	25	1"			10
05056815001	014818	PZ 2	25	1"			10
05056825001	014825	PZ 3	25	1"			10

855/1 Z bits

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

855/1 Z bits



	EAN		mm	mm	mm		
Code	4013288		mm				
05056805001	014535	PZ 0	25	1"			10
05072080001	014658	PZ 1	25	1"			10
05056812001	014542	PZ 1	50	2"			10
05072082001	014665	PZ 2	25	1"			10
05056820001	014559	PZ 2	50	2"			10
05072084001	014672	PZ 3	25	1"			10
05056835001	014573	PZ 4	32	1 1/4"			10

855/1 Z SB bits



Code	EAN			
	4013288			
05073308001	029096	+	855/1 Z PZ 2x PZ 1x25	5
05073309001	029102	+	855/1 Z PZ 2x PZ 2x25	5
05073310001	029119	+	855/1 Z PZ 2x PZ 3x25	5
05073380001	029621	+	855/1 Z PZ 1x PZ 4x32	5
05073311001	029126	+	855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25	5

855/1 Z DIY bits



Code	EAN			
	4013288			
05072403001	115768	+	855/1 Z PZ 10x PZ 1x25	1
05072404001	115775	+	855/1 Z PZ 10x PZ 2x25	1
05072405001	115782	+	855/1 Z PZ 10x PZ 3x25	1

855/1 Z DIY 100 bits



Code	EAN			
	4013288			
05072443001	138484	+	855/1 Z PZ 100x PZ 1x25	1
05072444001	138491	+	855/1 Z PZ 100x PZ 2x25	1

Bit-Box 20 PZ



Code	EAN			
	4013288			
05057760001	188052	+	855/1 Z PZ 20x PZ 2x25	20

Impaktor system - For an above-average service life



The Impaktor technology offers an above-average service life even under extreme circumstances. Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head.

Particularly suitable for use with customary impact drivers. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

855/4 IMP DC PZ DIY Impaktor bits




Code	EAN			
	4013288			
05057661001	157690	+	855/4 IMP DC 5x PZ 2x50	1
05057662001	157706	+	855/4 IMP DC 5x PZ 3x50	1

855/4 IMP DC Impaktor bits SB



Code	EAN			
	4013288			
05073961001	158505		855/4 IMP DC 1x PZ 2x50	5
05073962001	158512		855/4 IMP DC 1x PZ 3x50	5

Kraftform Stainless - stainless steel to prevent rust




High quality bits out of stainless steel which prevents the formation of unsightly extraneous rust. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

3855/4 bits, stainless



Code	EAN		mm				
	4013288						
05071084001	115515	PZ 1	89	3 1/2"			10
05071085001	115522	PZ 2	89	3 1/2"			10
05071086001	115539	PZ 3	89	3 1/2"			10

BiTorsion system - for longer service life



855/4 BDC bits

Bits with tiny diamond particles on the bit tip. This ensures a secure fit of the bit in the screw, reduces the contact pressure required and lowers the risk of slipping.

Comes with Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life; 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

855/4 BDC bits



Code	EAN		mm				
	4013288						
05059900001	034120	PZ 1	50	2"			10
05059902001	034137	PZ 2	50	2"			10
05059904001	034144	PZ 3	50	2"			10

855/4 BTH bits

Bits with Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life. This provides the best possible durability together with the matching holder.

Extra-hard; 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

855/4 BTH bits




Code	EAN		mm				
	4013288						
05059910001	034335	PZ 1	50	2"			10
05059912001	034342	PZ 2	50	2"			10
05059914001	034359	PZ 3	50	2"			10

855/4 BTZ bits

BiTorsion bits with Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life.

Tough viscous for universal use; 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

855/4 BTZ bits




	EAN						
Code	4013288		mm				
05059920001	034601	PZ 1	50	2"			10
05059922001	034618	PZ 2	50	2"			10
05059924001	034625	PZ 3	50	2"			10

855/4 TH bits

Bits with Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life.

Extra-hard; 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

855/4 TH bits



	EAN						
Code	4013288		mm				
05060055001	015068	PZ 1	50	2"			10
05060060001	015075	PZ 2	50	2"			10
05060065001	015082	PZ 3	50	2"			10

855/4 TZ bits

High quality bits with Torsion zone – where kinetic energy is diverted from peak loads.

This greatly extends the product service life. Tough viscous, for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

855/4 TZ bits



	EAN						
Code	4013288		mm				
05060005001	015099	PZ 1	50	2"			10
05060010001	015105	PZ 2	50	2"			10
05060015001	015112	PZ 3	50	2"			10

855/4 TZ SB bits



Code	EAN			
05134384001	037985		855/4 TZ PZ 2x PZ 1x50	3
05134385001	037992		855/4 TZ PZ 2x PZ 2x50	3
05134386001	038005		855/4 TZ PZ 2x PZ 3x50	3

855/4 Z bits

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

855/4 Z bits



	EAN						
Code	4013288		mm		mm		
05060027001	014955	PZ 1	70	2 3/4"	4,5		10
05060029001	014962	PZ 1	89	3 1/2"	4,5		10
05060031001	031426	PZ 1	127	5"	4,5		10
05060030001	031259	PZ 1	152	6"	4,5		10
05060033001	014979	PZ 2	70	2 3/4"	6,0		10
05060035001	014986	PZ 2	89	3 1/2"	6,0		10
05060037001	014993	PZ 2	110	4 3/8"	6,0		10
05060036001	031440	PZ 2	127	5"	6,0		10
05060038001	031297	PZ 2	152	6"	6,0		10
05060041001	015006	PZ 3	70	2 3/4"	-		10
05060043001	015013	PZ 3	89	3 1/2"	-		10
05060045001	015020	PZ 3	110	4 3/8"	-		10
05060047001	031433	PZ 3	152	6"	-		10



855/4 Z SB bits




Code	EAN			
	4013288			
05073523001	105905		855/4 Z PZ 1x PZ 1x89	5
05073524001	106452		855/4 Z PZ 1x PZ 2x89	5
05073525001	105912		855/4 Z PZ 1x PZ 3x89	5
05136308001	213860		855/4 Z PZ 1x PZ 1x152	3
05136309001	213877		855/4 Z PZ 1x PZ 2x152	3
05136310001	213884		855/4 Z PZ 1x PZ 3x152	3

855/0 Micro bits suitable for Pozidriv screws

- 4 mm hexagonal drive

855/0 Micro bits suitable for Pozidriv screws



Code	EAN						
	4013288						
05058140001	234605	PZ 0	30	1 3/16"	3,0		10
05058141001	234612	PZ 1	30	1 3/16"	3,5		10

855/2 Z bits

5/16" hexagon, suitable for holders as per DIN ISO 1173-D 8.

855/2 Z bits



Code	EAN						
	4013288						
05058005001	014863	PZ 1	32	1 1/4"	4,5		10
05058010001	014870	PZ 2	32	1 1/4"	6,0		10
05058015001	014887	PZ 3	32	1 1/4"	7,6		10
05058020001	014894	PZ 4	32	1 1/4"	-		10

855/11 bits

With thread drive M 4.

855/11 bits



Code	EAN						
	4013288						
05065096001	015426	PZ 2	33	1 1/4"	6,0		5

855/12 bits

With thread drive M 5.

855/12 bits



Code	EAN						
	4013288						
05065129001	015457	PZ 2	44,5	1 3/4"	6,0		5

851/4 PH/S PlusMinus bits

Bits with combination profile Phillips/slotted. In electrical applications screws with mixed geometry (slotted and Phillips cross-recess) are quite common.

Bits having a PlusMinus profile are optimum for addressing these screws. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 PH/S PlusMinus bits



Code	EAN						
	4013288						
05059720001	102577	# 1	70	2 3/4"	4,5		10
05059721001	102584	# 2	70	2 3/4"	6		10

855/4 PZ/S PlusMinus bits

Bits with combination profile slotted and Pozidriv, particularly for jobs on terminal blocks, fuse boxes, switches and relays.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

855/4 PZ/S PlusMinus bits



	EAN						
Code	4013288		mm		mm		
05059896001	102591	# 1	70	2 3/4"	4,5		10
05059897001	102607	# 2	70	2 3/4"	6		10

Impaktor system - For an above-average service life



High quality bits for recessed TORX® screws. The Impaktor technology offers an above-average service life even under extreme circumstances. Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head.

Particularly suitable for use with customary impact drivers. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

867/1 IMP DC TORX® DIY Impaktor bits



Code	EAN			
	4013288			
05057628001	178688		867/1 IMP DC 10x TX 10x25	1
05057623001	169242		867/1 IMP DC 10x TX 15x25	1
05057624001	163165		867/1 IMP DC 10x TX 20x25	1
05057625001	157447		867/1 IMP DC 10x TX 25x25	1
05057626001	157454		867/1 IMP DC 10x TX 30x25	1
05057627001	157461		867/1 IMP DC 10x TX 40x25	1

867/1 IMP DC SB Impaktor bits




Code	EAN			
	4013288			
05073924001	163240		867/1 IMP DC 1x TX 20x25	5
05073925001	158406		867/1 IMP DC 1x TX 25x25	5
05073926001	158413		867/1 IMP DC 1x TX 30x25	5
05073927001	158420		867/1 IMP DC 1x TX 40x25	5

Bit-Box 15 Impaktor TX



Code	EAN			
	4013288			
05057772001	187871		867/1 IMP DC 15x TX 20x25	10
05057775001	187888		867/1 IMP DC 15x TX 25x25	10
05057776001	187895		867/1 IMP DC 15x TX 30x25	10

Kraftform Stainless - stainless steel to prevent rust



High quality bits out of stainless steel for recessed TORX® screws. Prevent the formation of unsightly extraneous rust.

Come with Torsion zone: Torsion bits take-up torque peaks and absorb them in the Torsion zone. This prevents premature wear and extends the service life of the bit. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

3867/1 TS TORX® bits, stainless




	EAN		mm				
Code	4013288						
05071030001	111043	TX 8	25	1"			10
05071032001	111067	TX 10	25	1"			10
05071033001	111074	TX 15	25	1"			10
05071034001	111081	TX 20	25	1"			10
05071035001	111098	TX 25	25	1"			10
05071037001	111111	TX 30	25	1"			10
05071038001	111128	TX 40	25	1"			10

3867/1 TS SB TORX® bits, stainless



Code	EAN			
	4013288			
05073620001	117670		3867/1 TS TORX® 1x TX 10x25	5
05073621001	117687		3867/1 TS TORX® 1x TX 15x25	5
05073622001	117694		3867/1 TS TORX® 1x TX 20x25	5
05073623001	117700		3867/1 TS TORX® 1x TX 25x25	5
05073625001	117724		3867/1 TS TORX® 1x TX 30x25	5

BiTorsion system - for longer service life



867/1 BDC TORX® bits

Bits with tiny diamond particles on the bit tip. This ensures a secure fit of the bit in the screw, reduces the contact pressure required and lowers the risk of slipping.

Come with a Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

867/1 BDC TORX® bits



	EAN						
Code	4013288		mm				
05066100001	034038	TX 10	25	1"			10
05066102001	034045	TX 15	25	1"			10
05066104001	034052	TX 20	25	1"			10
05066106001	034069	TX 25	25	1"			10
05066108001	034076	TX 30	25	1"			10
05066110001	034083	TX 40	25	1"			10

867/1 BDC SB TORX® bits



	EAN						
Code	4013288						
05134374001	099778	867/1 TORX® BDC 1x TX 10x25					5
05134375001	099785	867/1 TORX® BDC 1x TX 15x25					5
05134376001	099792	867/1 TORX® BDC 1x TX 20x25					5
05134377001	099808	867/1 TORX® BDC 1x TX 25x25					5
05134378001	099822	867/1 TORX® BDC 1x TX 30x25					5
05134379001	099815	867/1 TORX® BDC 1x TX 40x25					5

867/1 BTZ TORX® bits

BiTorsion bits with an Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life. This provides the best possible durability together with the matching holder.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

867/1 BTZ TORX® bits



	EAN						
Code	4013288		mm				
05066120001	034519	TX 10	25	1"			10
05066122001	034526	TX 15	25	1"			10
05066124001	034533	TX 20	25	1"			10
05066126001	034540	TX 25	25	1"			10
05066128001	034557	TX 30	25	1"			10
05066130001	034564	TX 40	25	1"			10

867/1 TORX® HF bits with holding function

- For TORX® socket screws
- Holding function for recessed TORX® screws
- Also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws
- 1/4" hexagon drive (Wera connecting series 1)
- With Take it easy tool finder: colour coding by size

867/1 TORX® HF bits with holding function



	EAN						
Code	4013288		mm				
05066140001	226334	TX 10	25	1"			10
05066141001	226341	TX 15	25	1"			10
05066142001	226365	TX 20	25	1"			10
05066143001	226358	TX 25	25	1"			10
05066144001	226389	TX 30	25	1"			10
05066145001 ¹⁾	226655	TX 40	25	1"			10

¹⁾Pound-thru hexagonal; no Take it easy.



Bit-Box 20 TX HF



Code	EAN			
05057777001	226013		867/1 TORX® HF 20x TX 20x25	20
05057778001	226020		867/1 TORX® HF 20x TX 25x25	20

867/1 TZ TORX® bits

With a Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

867/1 TZ TORX® bits



Code	EAN					
05066300001	015709	TX 5	25	1"	4,2	10
05066301001	015716	TX 6	25	1"	4,2	10
05066302001	015723	TX 7	25	1"	4,2	10
05066303001	015730	TX 8	25	1"	4,2	10
05066304001	015747	TX 9	25	1"	4,2	10
05066305001	015754	TX 10	25	1"	4,2	10
05066308001	015761	TX 15	25	1"	4,2	10
05066310001	015778	TX 20	25	1"	4,8	10
05066312001	015785	TX 25	25	1"	5,5	10
05066313001	015792	TX 27	25	1"	5,5	10
05066315001	015808	TX 30	25	1"	6,0	10
05066320001	015815	TX 40	25	1"	-	10

867/1 TORX® bits



Code	EAN					
05135140001	107114	TX 1	25	1"	1,5	10
05135141001	107121	TX 2	25	1"	1,5	10
05135142001	111456	TX 3	25	1"	2,0	10
05135143001	111463	TX 4	25	1"	2,0	10
05066492001	030405	TX 5	25	1"	3,0	10
05066493001	030412	TX 6	25	1"	3,0	10
05066494001	030429	TX 7	25	1"	3,0	10
05066495001	030436	TX 8	25	1"	3,0	10
05066496001	030443	TX 9	25	1"	3,0	10
05066485001	030320	TX 10	25	1"	4,0	10
05066486001	030337	TX 15	25	1"	4,0	10
05066487001	030344	TX 20	25	1"	5,0	10
05066488001	030351	TX 25	25	1"	5,0	10
05066489001	030368	TX 27	25	1"	6,0	10
05066490001	030375	TX 30	25	1"	6,0	10
05066491001	030382	TX 40	25	1"	-	10
05066325001	031174	TX 45	35	1 3/8"	8,0	10
05066330001	031181	TX 50	35	1 3/8"	9,0	10
05066335001	031167	TX 55	35	1 3/8"	12,0	10

867/1 SB TORX® bits



Code	EAN		
05073313001	029140	867/1 TORX® 2x TX 10x25	5
05073340001	029591	867/1 TORX® 2x TX 15x25	5
05073314001	029157	867/1 TORX® 2x TX 20x25	5
05073315001	029164	867/1 TORX® 2x TX 25x25	5
05073316001	029171	867/1 TORX® 2x TX 30x25	5
05073317001	029188	867/1 TORX® 2x TX 40x25	5
05073346001	125859	867/1 TORX® 1x TX 50x35	5
05073375001	037503	867/1 TORX® 1x TX 10x25 1x TX 15x25 1x TX 20x25	5
05073376001	037510	867/1 TORX® 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	5

867/1 DIY TORX® bits



Code	EAN			
	4013288			
05072406001	115799		867/1 TORX® 10x TX 10x25	1
05072407001	115805		867/1 TORX® 10x TX 15x25	1
05072408001	115812		867/1 TORX® 10x TX 20x25	1
05072409001	115829		867/1 TORX® 10x TX 25x25	1
05072411001	115843		867/1 TORX® 10x TX 30x25	1
05072412001	115850		867/1 TORX® 10x TX 40x25	1

867/1 TORX® DIY 100



Code	EAN			
	4013288			
05072446001	138507		867/1 TORX® 100x TX 10x25	1
05072447001	138514		867/1 TORX® 100x TX 15x25	1
05072448001	138521		867/1 TORX® 100x TX 20x25	1
05072449001	138538		867/1 TORX® 100x TX 25x25	1
05072451001	138552		867/1 TORX® 100x TX 30x25	1
05072452001	138569		867/1 TORX® 100x TX 40x25	1

Bit-Box 20 TX



Code	EAN			
	4013288			
05057770001	187994		867/1 TORX® 20x TX 20x25	20
05057773001	188007		867/1 TORX® 20x TX 25x25	20

867/1 Z TORX® Wedge bits

The conical design of the profile means that a wedging effect is generated that holds the TORX® screw securely on the bit.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

867/1 Z TORX® Wedge bits



Code	EAN						
	4013288						
05066455001	016034	TX 15	25	1"			10
05066460001	016041	TX 20	25	1"			10
05066465001	016058	TX 25	25	1"			10

867/1 ZA TORX® bits with central pin

Come with a pin which, together with the bore hole within the screw, makes it easier to centre the tool.


Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

867/1 ZA TORX® bits with central pin



	EAN						
Code	4013288		mm	1"	mm		
05066080001	107183	TX 10	25	1"	4,0		10
05066081001	107190	TX 15	25	1"	4,0		10
05066082001	107206	TX 20	25	1"	5,0		10
05066083001	107213	TX 25	25	1"	5,0		10
05066084001	107220	TX 30	25	1"	6,0		10

Impaktor system - For an above-average service life



The Impaktor technology offers an above-average service life even under extreme circumstances. Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head.

Particularly suitable for use with customary impact drivers. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

867/4 IMP DC TORX® DIY Impaktor bits



Code	EAN			
	4013288			
05057664001	163172		867/4 IMP DC 5x TX 20x50	1
05057665001	157515		867/4 IMP DC 5x TX 25x50	1
05057666001	157522		867/4 IMP DC 5x TX 30x50	1
05057667001	157539		867/4 IMP DC 5x TX 40x50	1

867/4 IMP DC SB Impaktor bits



Code	EAN			
	4013288			
05073964001	163257		867/4 IMP DC 1x TX 20x50	5
05073965001	158529		867/4 IMP DC 1x TX 25x50	5
05073966001	158536		867/4 IMP DC 1x TX 30x50	5
05073967001	158543		867/4 IMP DC 1x TX 40x50	5

TORX® Tools with holding function

Clamping force holds TORX® screw tight.



The TORX® HF (HF = holding function) specially developed by Wera distinguishes itself through the geometric optimisation of the original TORX® profile.

The wedging forces resulting from the contact pressure between the drive tip and the screw profile securely hold the screw on the tool! 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

867/4 TORX® HF bits with holding function

- For TORX® socket screws
- Holding function for recessed TORX® screws
- Also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws
- 1/4" hexagon drive (Wera connecting series 4)
- With Take it easy tool finder: colour coding by size

867/4 TORX® HF bits with holding function



	EAN		mm	mm	mm			
Code	4013288							
05060505001	226747	TX 8	50	2"	3,0			10
05060506001	226754	TX 10	50	2"	4,0			10
05060507001	226761	TX 15	50	2"	4,0			10
05060508001	226778	TX 20	50	2"	4,5			10
05060509001	226785	TX 25	50	2"	6,0			10
05060510001	226792	TX 30	50	2"	6,0			10
05060511001 ¹⁾	226808	TX 40	50	2"	-			10

¹⁾Pound-thru hexagonal; no Take it easy.

867/4 KK TORX® bits

Ballpoint: the ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling "round the corner" screwdriving. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

- 1/4" hexagon drive (Wera connecting series 4)

867/4 KK TORX® bits



	EAN		mm	mm				
Code	4013288							
05059700001	155979	TX 10	89	3 1/2"				5
05059701001	155986	TX 15	89	3 1/2"				5
05059702001	155993	TX 20	89	3 1/2"				5
05059703001	156006	TX 25	89	3 1/2"				5
05059704001	156013	TX 30	89	3 1/2"				5
05059705001	156020	TX 40	89	3 1/2"				5

867/4 Z TORX® bits

Premium bits for TORX® socket screws. Tough, for universal use.
1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

867/4 Z TORX® bits



	EAN						
Code	4013288		mm		mm		
05135200001	107138	TX 1	50	2"	2,0		10
05135201001	107145	TX 2	50	2"	2,0		10
05135202001	112620	TX 3	50	2"	2,0		10
05135204001	041333	TX 4	50	2"	3,0		10
05135205001	031808	TX 5	50	2"	3,0		10
05308428001	041340	TX 6	50	2"	3,0		10
05134740001	035905	TX 6	70	2 3/4"	3,0		10
05332600001	033895	TX 6	89	3 1/2"	3,0		10
05328448001	038432	TX 6	152	6"	3,0		10
05160830001	113283	TX 7	50	2"	3,0		10
05345047001	128423	TX 7	70	2 3/4"	3,0		10
05060131001	030498	TX 8	50	2"	3,0		10
05060098001	030504	TX 8	70	2 3/4"	3,0		10
05060185001	030511	TX 8	89	3 1/2"	3,0		10
05060195001	030528	TX 8	152	6"	3,0		10
05319835001	128430	TX 9	70	2 3/4"	3,0		10
05060193001	155566	TX 9	89	3 1/2"	3,0		10
05060194001	156945	TX 9	152	6"	3,0		10
05060132001	030535	TX 10	50	2"	4,0		10
05060100001	016171	TX 10	70	2 3/4"	4,0		10
05060186001	030481	TX 10	89	3 1/2"	4,0		10
05060196001	030542	TX 10	152	6"	4,0		10
05060133001	030559	TX 15	50	2"	4,0		10
05060105001	016188	TX 15	70	2 3/4"	4,0		10
05060187001	030566	TX 15	89	3 1/2"	4,0		10
05060197001	030573	TX 15	152	6"	4,0		10
05060134001	030580	TX 20	50	2"	4,5		10
05060110001	016195	TX 20	70	2 3/4"	4,5		10
05060188001	030597	TX 20	89	3 1/2"	4,5		10
05060198001	030603	TX 20	152	6"	4,5		10
05060135001	030610	TX 25	50	2"	6,0		10
05060115001	016201	TX 25	70	2 3/4"	6,0		10
05060189001	030627	TX 25	89	3 1/2"	6,0		10
05060199001	030634	TX 25	152	6"	6,0		10
05060136001	030641	TX 27	50	2"	6,0		10
05060120001	016218	TX 27	70	2 3/4"	6,0		10
05060190001	030658	TX 27	89	3 1/2"	6,0		10
05060200001	030665	TX 27	152	6"	6,0		10
05060137001	030672	TX 30	50	2"	6,0		10
05060125001	016225	TX 30	70	2 3/4"	6,0		10
05060191001	030689	TX 30	89	3 1/2"	6,0		10
05060201001	030696	TX 30	152	6"	6,0		10
05060138001 ¹⁾	030702	TX 40	50	2"	-		10
05060130001 ¹⁾	016232	TX 40	70	2 3/4"	-		10
05060192001 ¹⁾	030719	TX 40	89	3 1/2"	-		10
05060202001 ¹⁾	030726	TX 40	152	6"	-		10

¹⁾ Pound-thru hexagonal

867/4 Z TORX® SB bits




Code	EAN			
	4013288			
05073720001	132789		867/4 Z TORX® 2x TX 10x50	3
05073526001	105929		867/4 Z TORX® 1x TX 10x89	5
05073470001	226273		867/4 Z TORX® 3x TX 10x89	1
05136311001	213891		867/4 Z TORX® 1x TX 10x152	3
05073721001	132796		867/4 Z TORX® 2x TX 15x50	3
05073527001	105936		867/4 Z TORX® 1x TX 15x89	5
05073471001	226228		867/4 Z TORX® 3x TX 15x89	1
05136312001	213907		867/4 Z TORX® 1x TX 15x152	3
05073722001	132802		867/4 Z TORX® 2x TX 20x50	3
05073528001	105943		867/4 Z TORX® 1x TX 20x89	5
05073472001	226235		867/4 Z TORX® 3x TX 20x89	1
05136313001	213914		867/4 Z TORX® 1x TX 20x152	3
05073723001	132826		867/4 Z TORX® 2x TX 25x50	3
05073529001	105950		867/4 Z TORX® 1x TX 25x89	5
05073473001	226242		867/4 Z TORX® 3x TX 25x89	1
05136314001	213921		867/4 Z TORX® 1x TX 25x152	3
05073724001	132833		867/4 Z TORX® 2x TX 30x50	3
05073530001	105967		867/4 Z TORX® 1x TX 30x89	5
05073474001	226259		867/4 Z TORX® 3x TX 30x89	1
05136315001	213938		867/4 Z TORX® 1x TX 30x152	3
05073531001	105974		867/4 Z TORX® 1x TX 40x89	5
05136316001	213945		867/4 Z TORX® 1x TX 40x152	3

867/0 Micro bits for TORX® socket screws

- 4 mm hexagonal drive

867/0 Micro bits for TORX® socket screws



	EAN						
Code	4013288		mm	mm	mm		
05058129001	234629	TX 3	30	1 3/16"	2,2		10
05058102001	209603	TX 4	30	1 3/16"	2,2		10
05058130001	189585	TX 5	30	1 3/16"	2,2		10
05058131001	189592	TX 6	30	1 3/16"	2,2		10
05058132001	234636	TX 8	30	1 3/16"	3,0		10
05058133001	234643	TX 10	30	1 3/16"	3,5		10

867/2 Z TORX® bits

5/16" hexagon, suitable for holders as per DIN ISO 1173-D 8.

867/2 Z TORX® bits



	EAN						
Code	4013288		mm	mm	mm		
05066901001	016096	TX 20	35	1 3/8"	4,5		10
05066900001	016102	TX 25	35	1 3/8"	5,8		10
05066902001	016119	TX 27	35	1 3/8"	5,8		10
05066905001	016126	TX 30	35	1 3/8"	6,0		10
05066910001	016133	TX 40	35	1 3/8"	7,0		10
05066915001	016140	TX 45	35	1 3/8"	-		10
05066920001	016157	TX 50	35	1 3/8"	-		10
05066941001	104007	TX 50	50	2"	-		10
05066950001	104526	TX 50	70	2 3/4"	-		10
05066925001	016164	TX 55	35	1 3/8"	12,0		10

867/12 TORX® bits

Thread drive M 5.

867/12 TORX® bits




	EAN						
Code	4013288		mm	mm	mm		
05064155001	026484	TX 20	45	1 3/4"	6,0		10

867/15 TORX® bits

Thread drive M 6.

867/15 TORX® bits



	EAN						
Code	4013288		mm	mm	mm		
05064170001	032607	TX 20	45	1 3/4"	8,0		10
05064175001	032980	TX 25	45	1 3/4"	8,0		10

867/9 C TORX® bits, halfmoon

Drive: 4 mm halfmoon for direct power tool connection.

867/9 C TORX® bits, halfmoon



	EAN						
Code	4013288		mm	mm	mm		
05135220001	112637	TX 1	44	1 47/64"	1,5		10
05135221001	112644	TX 2	44	1 47/64"	1,5		10
05135222001	112651	TX 3	44	1 47/64"	1,7		10
05345352001	113597	TX 4	44	1 47/64"	1,8		10
05345018001	113504	TX 4	64	2 33/64"	2,0		10
05200496001	214881	TX 5	44	1 47/64"	1,6		10
05345351001	113580	TX 5	44	1 47/64"	3,0		10
05345032001	113542	TX 5	64	2 33/64"	2,0		10
05345350001	113573	TX 6	44	1 47/64"	3,0		10
05345056001	113566	TX 6	64	2 33/64"	2,0		10
05332610001	035868	TX 6	70	2 3/4"	3,0		10
05345035001	113559	TX 7	64	2 33/64"	2,3		10
05345026001	113528	TX 8	44	1 47/64"	3,0		10
05345028001	113535	TX 8	64	2 33/64"	3,0		10
05332609001	035714	TX 8	70	2 3/4"	3,0		10
05332607001	037107	TX 10	70	2 3/4"	3,0		10

867/1 Z TORX® BO bits with bore hole

The bore hole in the bit and the pin in the TORX® BO screw prevent any unauthorised loosening – secure fastening.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.


867/1 Z TORX® BO bits with bore hole



	EAN						
Code	4013288		mm	mm	mm		
05066497001	015822	TX 7	25	1"			10
05066498001	015839	TX 8	25	1"			10
05066499001	015846	TX 9	25	1"			10
05066500001	015853	TX 10	25	1"			10
05066505001	015860	TX 15	25	1"			10
05066510001	015877	TX 20	25	1"			10
05066515001	015884	TX 25	25	1"			10
05066520001	015891	TX 27	25	1"			10
05066525001	015907	TX 30	25	1"			10
05066530001	015914	TX 40	25	1"			10



867/1 Z TORX® B0 SB bits with bore hole



Code	EAN			
	4013288			
05073064001	202666		867/1 Z TORX® B0 2x TX 20x25	5
05073065001	202673		867/1 Z TORX® B0 2x TX 25x25	5
05073066001	202680		867/1 Z TORX® B0 2x TX 30x25	5

3867/4 TORX® B0 bits with bore hole, stainless

Wera stainless steel bits prevent the formation of unsightly extraneous rust. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

3867/4 TORX® B0 bits with bore hole, stainless



Code	EAN					
	4013288		mm		mm	
05071089001	115546	TX 10	89	3 1/2"	4,0	10
05071090001	115553	TX 15	89	3 1/2"	4,0	10
05071091001	115560	TX 20	89	3 1/2"	4,5	10
05071092001	115577	TX 25	89	3 1/2"	5,5	10
05071094001	115584	TX 30	89	3 1/2"	6,0	10

867/4 Z TORX® B0 bits with bore hole

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D F.3.



Code	EAN					
	4013288		mm		mm	
05060139001	030733	TX 8	70	2 3/4"	3,0	10
05060048001	094513	TX 8	89	3 1/2"	3,0	5
05060049001	094520	TX 9	89	3 1/2"	3,0	5
05060140001	026897	TX 10	70	2 3/4"	4,0	10
05060050001	094537	TX 10	89	3 1/2"	4,0	5
05060141001	030740	TX 15	70	2 3/4"	4,0	10
05060051001	094544	TX 15	89	3 1/2"	4,0	5
05060142001	026903	TX 20	70	2 3/4"	4,5	10
05060052001	094551	TX 20	89	3 1/2"	4,5	5
05060143001	026910	TX 25	70	2 3/4"	6,0	10
05060053001	094568	TX 25	89	3 1/2"	6,0	5
05060144001	026927	TX 27	70	2 3/4"	6,0	10
05060057001	094643	TX 27	89	3 1/2"	6,0	5
05060145001	026934	TX 30	70	2 3/4"	6,0	10
05060054001	094575	TX 30	89	3 1/2"	6,0	5
05060146001	026941	TX 40	70	2 3/4"	-	10
05060056001	094582	TX 40	89	3 1/2"	-	5

867/4 Z TORX® B0 SB bits with bore hole



Code	EAN			
	4013288			
05073070001	202604		867/4 Z TORX® B0 2x TX 20x70	5
05073071001	202611		867/4 Z TORX® B0 2x TX 25x70	5
05073072001	202628		867/4 Z TORX® B0 2x TX 30x70	5
05073073001	202574		867/4 Z TORX® B0 2x TX 40x70	5

867/1 IP TORX PLUS® bits

High quality bits for recessed TORX PLUS® screws. TORX PLUS® profile: in comparison to normal TORX® profiles, the enlargement of the 6 torque-transferring flanks between the tool and the screw is effected by means of an ellipse-shaped profile design and not a circular one.

This means that the power applied when screwdriving is spread over a larger area. Higher torque is transferred and the service life of the screw and tool is also enhanced. Tough viscous. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

867/1 IP TORX PLUS® bits



Code	EAN					
	4013288		mm			
05135120001	112606	1 IP	25	1"		10
05135121001	112613	2 IP	25	1"		10
05160956001	113313	3 IP	25	1"		10
05134695001	103109	4 IP	25	1"		10
05066272001	035684	5 IP	25	1"		10
05066274001	031556	6 IP	25	1"		10
05066276001	031563	7 IP	25	1"		10
05066278001	031570	8 IP	25	1"		10
05066279001	033635	9 IP	25	1"		10
05066280001	031549	10 IP	25	1"		10
05066282001	031587	15 IP	25	1"		10
05066284001	031594	20 IP	25	1"		10
05066286001	031600	25 IP	25	1"		10
05066287001	031617	27 IP	25	1"		10
05066288001	031624	30 IP	25	1"		10
05066290001	031631	40 IP	25	1"		10

867/4 IP TORX PLUS® bits



Code	EAN						
	4013288		mm		mm		
05134664001	112514	1 IP	50	2"	2,0		10
05134665001	112521	2 IP	50	2"	2,0		10
05134668001	106568	3 IP	50	2"	2,0		10
05134691001	103093	4 IP	50	2"	3,0		10
05134678001	098030	5 IP	50	2"	3,0		10
05134680001	037220	6 IP	50	2"	3,0		10
05134667001	095596	6 IP	89	3 1/2"	3,0		10
05134690001	095602	6 IP	152	6"	3,0		10
05134681001	037237	7 IP	50	2"	3,0		10
05134679001	037190	8 IP	50	2"	3,0		10
05134670001	032812	8 IP	89	3 1/2"	3,0		10
05134682001	037244	8 IP	152	6"	3,0		10
05160917001	038951	9 IP	50	2"	3,0		10
05134669001	033871	9 IP	89	3 1/2"	3,0		10
05134683001	037251	10 IP	50	2"	4,0		10
05134684001	037268	10 IP	70	2 3/4"	4,0		10
05134671001	032829	10 IP	89	3 1/2"	4,0		10
05134685001	037275	15 IP	50	2"	4,0		10
05134686001	037282	15 IP	70	2 3/4"	4,0		10
05134672001	032836	15 IP	89	3 1/2"	4,0		10
05134687001	037299	20 IP	50	2"	4,5		10
05134688001	037305	20 IP	70	2 3/4"	4,5		10
05134673001	032843	20 IP	89	3 1/2"	4,5		10
05134609001	224767	25 IP	50	2"	6,0		10
05134674001	032850	25 IP	89	3 1/2"	6,0		10
05134675001	032867	27 IP	89	3 1/2"	6,0		10
05320430001	113382	30 IP	50	2"	6,0		10
05134676001	032874	30 IP	89	3 1/2"	6,0		10
05134677001	032881	40 IP	89	3 1/2"	-		10

867/9 C IP TORX PLUS® bits, halfmoon

Drive: 4 mm halfmoon for direct power tool connection.

867/9 C IP TORX PLUS® bits, halfmoon



Code	EAN						
	4013288		mm		mm	mm	
05135230001	112668	1 IP	44	1 47/64"	1,5	20	25/32"
05135231001	112675	2 IP	44	1 47/64"	1,5	20	25/32"
05135232001	112682	3 IP	44	1 47/64"	1,7	20	25/32"
05326310001	113399	4 IP	44	1 47/64"	2,0	20	25/32"
05345019001	113511	4 IP	64	2 33/64"	2,0	20	25/32"
05135233001	112699	5 IP	44	1 47/64"	2,0	20	25/32"
05344900001	113498	6 IP	44	1 47/64"	2,25	20	25/32"
05135234001	112705	8 IP	44	1 47/64"	3,0	20	25/32"
05332606001	037091	8 IP	70	2 3/4"	3,0	20	25/32"
05135235001	112712	10 IP	44	1 47/64"	3,0	20	25/32"

IPR TORX PLUS®

A 5-flank TORX PLUS® profile with a borehole.

This drive geometry has only five flanks instead of the usual six and a borehole to protect safety screws against unauthorised unfastening. The screws cannot be turned with conventional, widely available tools.

867/1 IPR TORX PLUS® bits with bore hole



	EAN		mm	mm				
Code	4013288		mm	mm				
05134699001	034878	8 IPR	25	1"				10
05134698001	037817	9 IPR	25	1"				10
05134700001	034823	10 IPR	25	1"				10
05134701001	034724	15 IPR	25	1"				10
05134702001	034731	20 IPR	25	1"				10
05134703001	034748	25 IPR	25	1"				10
05134704001	034847	27 IPR	25	1"				10
05134705001	034830	30 IPR	25	1"				10
05134706001	034854	40 IPR	35	1 3/8"				10
05134707001	034861	45 IPR	35	1 3/8"				10

867/4 IPR TORX PLUS® bits with bore hole

High quality bits for recessed TORX PLUS® screws. A 5-flank TORX PLUS® profile. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.



867/4 IPR TORX PLUS® bits with bore hole

	EAN		mm	mm	mm			
Code	4013288		mm	mm	mm			
05160821001	160867	10 IPR	50	2"	4,0			10
05134657001	155665	10 IPR	89	3 1/2"	4,0			10
05134654001	155641	15 IPR	50	2"	4,0			10
05134720001	037206	15 IPR	89	3 1/2"	4,0			10
05204126001	160874	20 IPR	50	2"	4,5			10
05259135001	160881	20 IPR	89	3 1/2"	4,5			10
05134655001	155658	25 IPR	50	2"	6,0			10
05134722001	160904	25 IPR	89	3 1/2"	6,0			10
05134656001	156952	27 IPR	50	2"	6,0			10
05134658001	155672	27 IPR	89	3 1/2"	6,0			10
05134732001	160911	30 IPR	50	2"	6,0			10
05134723001	160935	30 IPR	89	3 1/2"	6,0			10

BiTorsion system - for longer service life



Smaller impacts are absorbed by the holder

Higher impacts are cushioned in the torsion zone of the bit

No premature wear caused by impacts

800/1 BDC bits

Bits with tiny diamond particles on the bit tip. This ensures a secure fit of the bit in the screw, reduces the contact pressure required and lowers the risk of slipping.

Comes with Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

800/1 BDC bits



	EAN	mm	mm	mm	mm			
Code	4013288	mm	mm	mm	mm			
05056172001	033949	0,8	5,5	25	1"			10
05056174001	033956	1,0	5,5	25	1"			10
05056176001	033963	1,2	6,5	25	1"			10

800/1 BTZ bits

Comes with Torsion zone – where kinetic energy is diverted from peak loads.

This greatly extends the product service life. Tough viscous, for universal use; 1/4" inch hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

800/1 BTZ bits



	EAN	mm	mm	mm	mm			
Code	4013288	mm	mm	mm	mm			
05056064001	034427	0,8	5,5	25	1"			10
05056066001	034434	1,0	5,5	25	1"			10
05056068001	034441	1,2	6,5	25	1"			10

800/1 TZ bits

Bits with Torsion zone to combat premature wear.

Tough viscous for universal use; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

800/1 TZ bits



	EAN	mm	mm	mm	mm	mm		
Code	4013288	mm	mm	mm	mm	mm		
05056203001	011145	0,5	4,0	25	1"	4,0		10
05056210001	011152	0,6	4,5	25	1"	4,5		10
05056220001	011169	0,8	5,5	25	1"	5,5		10
05056225001	011176	1,0	5,5	25	1"	5,5		10
05056233001	011183	1,2	6,5	25	1"	6,2		10
05056240001	011190	1,6	8,0	25	1"	8,0		10

800/1 Z bits


Tough viscous Wera bits for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

800/1 Z bits



	EAN	mm	mm	mm	mm	mm		
Code	4013288	mm	mm	mm	mm	mm		
05056200001	040831	0,5	3,0	25	1"	3,0		10
05072050001	030467	0,5	4,0	25	1"	4,0		10
05072055001	010933	0,6	4,5	25	1"	4,5		10
05072057001	010940	0,8	5,5	25	1"	5,5		10
05072059001	010957	1,0	5,5	25	1"	5,5		10
05072061001	010964	1,2	6,5	25	1"	6,2		10
05072063001	030450	1,2	8,0	25	1"	8,0		10
05072065001	010971	1,6	8,0	25	1"	8,0		10

Kraftform Stainless - stainless steel to prevent rust



High quality stainless steel bits for slotted screws. Made out of stainless steel which prevents the formation of unsightly extraneous rust. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

3800/4 bits, stainless



	EAN	mm	mm	mm	mm			
Code	4013288	mm	mm	mm	mm			
05071080001	115669	1,0	5,5	89	3 1/2"			10



800/4 Z bits

Tough viscous Wera bits for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

800/4 Z bits



	EAN						
Code	4013288	mm	mm	mm	mm	mm	
05059305001	011480	0,5	3,0	50	2"	3,0	10
05059466001	011497	0,5	3,0	70	2 3/4"	3,0	10
05059307001	011503	0,5	4,0	50	2"	4,0	10
05059310001	011510	0,6	3,5	50	2"	3,5	10
05059472001	011527	0,6	3,5	70	2 3/4"	3,5	10
05059450001	031471	0,6	3,5	152	6"	3,5	10
05059315001	011534	0,6	4,5	50	2"	4,5	10
05059489001	094230	0,6	4,5	89	3 1/2"	4,5	10
05059320001	011541	0,8	4,0	50	2"	4,0	10
05059478001	011558	0,8	4,0	70	2 3/4"	4,0	10
05059480001	011565	0,8	4,0	89	3 1/2"	4,0	10
05059451001	031389	0,8	4,0	152	6"	4,0	10
05059325001	011572	0,8	5,5	50	2"	5,5	10
05059330001	011589	1,0	5,5	50	2"	5,5	10
05059486001	011596	1,0	5,5	70	2 3/4"	5,5	10
05059488001	011602	1,0	5,5	89	3 1/2"	5,5	10
05059452001	031235	1,0	5,5	152	6"	5,5	10
05059335001	035004	1,0	6,0	50	2"	6,0	10
05059337001	011619	1,2	6,5	50	2"	6,2	10
05059492001	011626	1,2	6,5	70	2 3/4"	6,2	10
05059490001	094247	1,2	6,5	89	3 1/2"	6,2	10
05059453001	031488	1,2	6,5	152	6"	6,2	10
05059340001	011633	1,2	8,0	50	2"	8,0	10
05059496001	011640	1,2	8,0	89	3 1/2"	8,0	10
05059345001	011657	1,6	8,0	50	2"	8,0	10
05059500001	011664	1,6	8,0	89	3 1/2"	8,0	10

800/0 Micro bits for slotted screws

- 4 mm hexagonal drive

800/0 Micro bits for slotted screws



	EAN						
Code	4013288	mm	mm	mm	mm	mm	
05058104001	234513	0,3	1,5	30	1 3/16"	1,5	10
05058101001	189608	0,40	2,5	30	1 3/16"	2,5	10
05058105001	234520	0,50	3,0	30	1 3/16"	3,0	10

800/2 Z bits

5/16" hexagon, suitable for holders as per DIN ISO 1173-D 8.

800/2 Z bits



	EAN						
Code	4013288	mm	mm	mm	mm	mm	
05057225001	011275	1,2	8,0	41	1 19/32"	7,8	10
05057235001	011299	1,6	10,0	41	1 19/32"	7,8	10
05057240001	011305	2,0	12,0	41	1 19/32"	12,0	10

800/9 C bits

Hard bits against premature breakage.

Drive: halfmoon, 4 mm.

800/9 C bits



	EAN						
Code	4013288	mm	mm	mm	mm	mm	
05135265001	168276	0,23	1,5	44	1 47/64"	1,5	10
05135264001	194770	0,35	2,5	44	1 47/64"	2,5	10
05135266001	168283	0,40	2,0	44	1 47/64"	2,0	10
05135267001	168290	0,50	3,0	44	1 47/64"	3,0	10

Impaktor system - For an above-average service life



High quality Impaktor bits for hexagon socket screws. The Impaktor technology offers an above-average service life even under extreme circumstances.

Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head. Hex-Plus ensures a greater contact surface in the head of the screw.

The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

840/1 IMP DC Hex-Plus DIY Impaktor bits




Code	EAN			
	4013288			
05057603001	178701	⊙	840/1 IMP DC 10x 3.0x25	1
05057604001	157560	⊙	840/1 IMP DC 10x 4.0x25	1
05057605001	157423	⊙	840/1 IMP DC 10x 5.0x25	1
05057606001	157430	⊙	840/4 IMP DC 10x 6.0x25	1

840/1 IMP DC SB Impaktor bits



Code	EAN			
	4013288			
05073904001	158338	⊙	840/1 IMP DC 1x 4.0x25	5
05073905001	158345	⊙	840/1 IMP DC 1x 5.0x25	5
05073906001	158352	⊙	840/1 IMP DC 1x 6.0x25	5

Kraftform Stainless - stainless steel to prevent rust



High quality bits out of stainless steel for hexagon socket screws. Prevents the formation of unsightly extraneous rust.

The Hex-Plus profile offers a greater contact surface in the head of the screw. The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated.

Come with Torsion zone: Torsion bits take-up torque peaks and absorb them in the Torsion zone. This prevents premature wear and extends the service life of the bit. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.


3840/1 TS bits, stainless



Code	EAN	⊙	⊙	⌄	⌄			
	4013288	mm		mm				
05071070001	111197	1,5		25	1"			10
05071071001	111203	2,0		25	1"			10
05071072001	111210	2,5		25	1"			10
05071073001	111227	3,0		25	1"			10
05071074001	111234	4,0		25	1"			10
05071075001	111241	5,0		25	1"			10
05071077001	115478	5,5		25	1"			10
05071076001	111258	6,0		25	1"			10



BiTorsion system - for longer service life



BiTorsion with Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life.


Tough viscous; $\frac{1}{4}$ " hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

840/1 BTZ bits



	EAN	mm	mm	mm				
Code	4013288	mm	mm	mm				
05056680001	182418	1,5	25	1"				10
05056681001	182425	2,0	25	1"				10
05056682001	182432	2,5	25	1"				10
05056683001	182449	3,0	25	1"				10
05056684001	182456	4,0	25	1"				10
05056685001	182463	5,0	25	1"				10
05056686001	182470	5,5	25	1"				10
05056687001	182487	6,0	25	1"				10

Hex-Plus - lets hexagon socket screws last longer



Tough viscous Wera bits for universal use. Hex-Plus offers a greater contact surface in the head of the screw.

The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. $\frac{1}{4}$ " hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

840/1 Z bits



	EAN	mm	mm	mm	mm	mm	mm	
Code	4013288	mm	mm	mm	mm	mm	mm	
05056303001	012623	1,5		25	1"			10
05056305001	012630	2,0		25	1"			10
05056310001	012647	2,5		25	1"			10
05056315001	012654	3,0		25	1"			10
05056320001	012661	4,0		25	1"			10
05056325001	012678	5,0		25	1"			10
05056330001	012685	6,0		25	1"			10
05056332001	038173	7,0		25	1"			10
05056335001	012692	8,0		25	1"			10
05056340001	012708	10,0		25	1"			10
05135060001	106636		0,05"	25	1"			10
05135070001	040862		$\frac{1}{16}$ "	25	1"			10
05135071001	040879		$\frac{5}{64}$ "	25	1"			10
05135072001	037725		$\frac{3}{32}$ "	25	1"			10
05135078001	036599		$\frac{7}{64}$ "	25	1"			10
05135073001	038067		$\frac{1}{8}$ "	25	1"			10
05135069001	040855		$\frac{9}{64}$ "	25	1"			10
05135074001	036506		$\frac{5}{32}$ "	25	1"			10
05135075001	037930		$\frac{3}{16}$ "	25	1"			10
05135079001	040893		$\frac{7}{32}$ "	25	1"			10
05135076001	040886		$\frac{1}{4}$ "	25	1"			10
05135077001	036360		$\frac{5}{16}$ "	25	1"			10
05135068001	040848		$\frac{3}{8}$ "	25	1"			10

840/1 Z Sets SB



Code	EAN			
	4013288			
05073050001	202567	○	840/1 Z Hex-Plus 2x 2.0x25	5
05073051001	202550	○	840/1 Z Hex-Plus 2x 2.5x25	5
05073052001	202512	○	840/1 Z Hex-Plus 2x 3.0x25	5
05073053001	202529	○	840/1 Z Hex-Plus 2x 4.0x25	5
05073054001	202536	○	840/1 Z Hex-Plus 2x 5.0x25	5
05073055001	202543	○	840/1 Z Hex-Plus 2x 6.0x25	5
05073342001	029607	○	840/1 Z Hex-Plus 1x 2.0x25; 1x 2.5x25; 1x 3.0x25	5
05073344001	029614	○	840/1 Z Hex-Plus 1x 4.0x25; 1x 5.0x25; 1x 6.0x25	5

842/1 Z bits

The ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling „round the corner“ screwdriving.

1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

842/1 Z bits



Code	EAN	mm	mm	mm	
	4013288				
05056350001	013156	2,5	25	1"	10
05056352001	013163	3,0	25	1"	10
05056354001	013170	4,0	25	1"	10
05056356001	013187	5,0	25	1"	10
05056358001	013194	6,0	25	1"	10

Impaktor system - For an above-average service life



High quality Impaktor bits for hexagonal socket screws. The Impaktor technology offers an above-average service life even under extreme circumstances.

Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head.

Hex-Plus ensures a greater contact surface in the head of the screw. The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated.

1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

840/4 IMP DC Hex-Plus DIY Impaktor bits



Code	EAN			
	4013288			
05057644001	157577	○	840/4 IMP DC 5x 4.0x50	1
05057645001	157492	○	840/4 IMP DC 5x 5.0x50	1
05057646001	157508	○	840/4 IMP DC 5x 6.0x50	1




840/4 IMP DC Impaktor bits SB



Code	EAN			
05073944001	158451	○	840/4 IMP DC 1x 4.0x50	5
05073945001	158468	○	840/4 IMP DC 1x 5.0x50	5
05073946001	158475	○	840/4 IMP DC 1x 6.0x50	5

Kraftform Stainless - stainless steel to prevent rust



Wera stainless steel bits prevent the formation of unsightly extraneous rust. The Hex-Plus profile offers a greater contact surface in the head of the screw.

The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

3840/4 Bits, stainless




	EAN	mm	mm	mm	mm	mm	mm
Code	4013288	mm	mm	mm	mm	mm	mm
05071101001	115621	3,0		89	3 1/2"		10
05071102001	115638	4,0		89	3 1/2"		10
05071103001	115645	5,0		89	3 1/2"		10
05071104001	115652	6,0		89	3 1/2"		10
05071105001	115676		3/32"	89	3 1/2"		10
05071106001	115683		1/8"	89	3 1/2"		10
05071107001	115690		5/32"	89	3 1/2"		10
05071108001	115706		3/16"	89	3 1/2"		10

Hex-Plus - lets hexagon socket screws last longer

Deformation of the screws is reduced

Above-average service life



840/4 Z bits



	EAN	mm	mm	mm	mm	mm	
Code	4013288	mm	mm	mm	mm	mm	
05160885001	200976	0,9	50	2"	2,6		10
05059602001	112408	1,5	50	2"	2,0		10
05059603001	034694	2,0	50	2"	4,0		10
05059628001	155450	2,0	89	3 1/2"	4,0		5
05059604001	034700	2,5	50	2"	4,0		10
05059629001	155467	2,5	89	3 1/2"	4,0		5
05059605001	012906	3,0	50	2"	4,0		10
05059630001	094254	3,0	89	3 1/2"	4,0		5
05380033001	156433	3,0	152	6"	4,0		5
05059610001	012913	4,0	50	2"	5,0		10
05059631001	094261	4,0	89	3 1/2"	5,0		5
05059634001	122964	4,0	152	6"	5,0		5
05059615001	012920	5,0	50	2"	6,0		10
05059632001	094278	5,0	89	3 1/2"	6,0		5
05059635001	122971	5,0	152	6"	6,0		5
05059620001	012937	6,0	50	2"	5,0		10
05059633001	094285	6,0	89	3 1/2"	-		5
05059636001	122988	6,0	152	6"	-		5
05059625001	012944	8,0	50	2"	-		10
05059637001	215031	8,0	89	3 1/2"	-		5
05350430001	161406		0,05"	50	2"	2,5	10
05135090001	107053		1/16"	50	2"	2,5	10
05380045001	156730		1/8"	152	6"	4,0	5
05135091001	036414		5/64"	50	2"	3,0	10
05059660001	155474		5/64"	89	3 1/2"	3,0	5
05135092001	036421		3/32"	50	2"	3,0	10
05059661001	155481		3/32"	89	3 1/2"	3,5	5
05135093001	036438		7/64"	50	2"	3,5	10
05059662001	155498		7/64"	89	3 1/2"	4,0	5
05135094001	036445		1/8"	50	2"	4,0	10
05059663001	155504		1/8"	89	3 1/2"	4,0	5
05135095001	036377		9/64"	50	2"	4,5	10
05059664001	155511		9/64"	89	3 1/2"	4,5	5
05380046001	156822		9/64"	152	6"	4,5	5
05135096001	036384		5/32"	50	2"	5,0	10
05059665001	155528		5/32"	89	3 1/2"	5,0	5
05380047001	156839		5/32"	152	6"	5,0	5
05135097001	036391		3/16"	50	2"	6,0	10
05059666001	155535		3/16"	89	3 1/2"	6,0	5
05380048001	156846		3/16"	152	6"	6,0	5
05135098001	036407		7/32"	50	2"	-	10
05059667001	155542		7/32"	89	3 1/2"	-	5
05380049001	156853		7/32"	152	6"	-	5
05135099001	095589		1/4"	50	2"	-	10
05059668001	155559		1/4"	89	3 1/2"	-	5
05380050001	156860		1/4"	152	6"	-	5
05346288001	103895		5/16"	50	2"	-	10

840/4 Z SB bits



Code	EAN			
	4013288			
05073056001	202468	840/4 Z Hex-Plus	2x 2.0x50	3
05073057001	202475	840/4 Z Hex-Plus	2x 2.5x50	3
05073058001	202482	840/4 Z Hex-Plus	2x 3.0x50	3
05136301001	213792	840/4 Z Hex-Plus	1x 3.0x152	3
05073059001	202499	840/4 Z Hex-Plus	2x 4.0x50	3
05136302001	213808	840/4 Z Hex-Plus	1x 4.0x152	3
05073060001	202505	840/4 Z Hex-Plus	2x 5.0x50	3
05136303001	213815	840/4 Z Hex-Plus	1x 5.0x152	3
05073061001	202444	840/4 Z Hex-Plus	2x 6.0x50	3
05136304001	213822	840/4 Z Hex-Plus	1x 6.0x152	3

842/4 Bits

The ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling „round the corner“ screwdriving. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

842/4 Bits



	EAN						
Code	4013288	mm		mm			
05059680001	155931	3,0		89	3 1/2"		5
05059681001	155948	4,0		89	3 1/2"		5
05059682001	155955	5,0		89	3 1/2"		5
05059683001	155962	6,0		89	3 1/2"		5
05380124001	156587		3/32"	89	3 1/2"		5
05380125001	156594		7/64"	89	3 1/2"		5
05380126001	156600		1/8"	89	3 1/2"		5
05380127001	156617		9/64"	89	3 1/2"		5
05380128001	156624		5/32"	89	3 1/2"		5
05380129001	156631		3/16"	89	3 1/2"		5
05380130001	156648		7/32"	89	3 1/2"		5
05380131001	156655		1/4"	89	3 1/2"		5

840/0 Hex-Plus Micro bits for hexagonal socket head screws

- 4 mm hexagonal drive

840/0 Hex-Plus Micro bits for hexagonal socket head screws



	EAN						
Code	4013288	mm	mm		mm		
05058108001	234537	0,9	30	1 3/16"	2,0		10
05058109001	234544	1,3	30	1 3/16"	2,6		10
05058110001	189578	1,5	30	1 3/16"	2,6		10
05058111001	189615	2,0	30	1 3/16"	2,6		10
05058112001	234551	2,5	30	1 3/16"	2,6		10

840/2 Z Bits

Tough viscous Wera bits for hexagon socket screws for universal use. Hex-Plus offers a greater contact surface in the head of the screw. The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. 5/16" hexagon, suitable for holders as per DIN ISO 1173-D 8.

840/2 Z Bits



	EAN						
Code	4013288	mm		mm			
05057505001	012753	3		30	1 3/16"		10
05057510001	012760	4		30	1 3/16"		10
05057515001	012777	5		30	1 3/16"		10
05057520001	012784	6		30	1 3/16"		10
05057525001	012791	8		30	1 3/16"		10
05057530001	012807	10		30	1 3/16"		10

840/9 C Bits

Drive: 4 mm halfmoon for direct power tool connection.

840/9 C Bits



	EAN						
Code	4013288	mm	mm		mm		
05135268001	168306	1,5	44	1 47/64"	2,6		10
05135269001	168313	2,0	44	1 47/64"	2,6		10

840/1 Z Tamper-proof Hex-Plus B0 bits

Hexagon socket B0 screws have a protruding pin in their drive profile.

This prevents any unauthorised loosening since the "normal" hex tools cannot move these screws. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

840/1 Z Tamper-proof Hex-Plus B0 bits



	EAN	⊙	□	□				
Code	4013288	mm	mm					
05056341001	038548	2,0	25	1"				10
05056342001	038555	2,5	25	1"				10
05056343001	038562	3,0	25	1"				10
05056344001	038593	4,0	25	1"				10
05056345001	038579	5,0	25	1"				10
05056346001	038586	6,0	25	1"				10

840/4 Z Tamper-proof Hex-Plus B0 bits

1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.



	EAN	⊙	□	□	⊘			
Code	4013288	mm	mm		mm			
05059640001	094292	2,0	89	3 1/2"	4,0			5
05059641001	094308	2,5	89	3 1/2"	4,0			5
05059642001	094315	3,0	89	3 1/2"	4,0			5
05059643001	094322	4,0	89	3 1/2"	5,0			5
05059644001	094339	5,0	89	3 1/2"	6,0			5
05059645001	094346	6,0	89	3 1/2"	-			5

9506 SB 4-in-1 Bit 1

Four different screw profiles (hexagonal socket screws sizes 3.0; 4.0; 5.0; 6.0) can be operated with only one bit. Significant weight savings of over 50 %.

The operability of the large profiles is made possible by the spring compression of the small tips.

The bit has a 1/4" hexagon drive (Wera connection series 1) and can therefore also be used with e.g. bit ratchets and bitholding screwdrivers with Rapidaptor.

- Innovative, extremely compact quadruple bit – only one bit for four different screw sizes
- Suitable for hexagonal socket screws sizes 3.0; 4.0; 5.0 and 6.0
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 1)

9506 SB 4-in-1 Bit 1



Code	EAN			
05073201001	225269			1
		⊙	9506 1x 3,0; 4,0; 5,0; 6,0x37	



9507 SB 4-in-1 Bit 2

Four different screw profiles (hexagonal socket screws sizes 2.5; 5.0; 6.0 and TORX® screws size TX 25) can be operated with just one bit.

The enormous space savings make the bit perfect for mobile use. Significant weight savings of over 50 %. The operability of the large profiles is made possible by the spring compression of the small tips.

The bit with a 1/4" hexagon drive (Wera connection series 1) can also be used with e.g. bit ratchets and bitholding screwdrivers with Rapidaptor.


- Innovative, extremely compact quadruple bit – only one bit for four different screw sizes
- Suitable for hexagonal socket screws sizes 2.5; 5.0; 6.0 and TORX® screws TX 25
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 1)

9507 SB 4-in-1 Bit 2



Code	EAN		
05073202001	225276		1
		9507 1x 2,5; 5,0; 6,0; TX 25x37	

Impaktor system - For an above-average service life



High quality bits for square socket screws. The Impaktor technology offers an above-average service life even under extreme circumstances.

Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head. Particularly suitable for use with customary impact drivers. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

868/1 IMP DC DIY Impaktor square head socket bits



Code	EAN		
05057631001	157478	868/1 IMP DC 10x # 2x25	1
05057632001	157485	868/1 IMP DC 10x # 3x25	1

868/1 IMP DC SB Impaktor Square-Plus bits



Code	EAN		
05073931001	158437	868/1 IMP DC 1x # 2x25	5
05073932001	158444	868/1 IMP DC 1x # 3x25	5

868/1 V Square-Plus bits

High quality bits for square socket screws with wedging function.

The wedging forces resulting from the contact pressure between the drive tip and the screw profile securely hold the screw on the tool. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

868/1 V Square-Plus bits



	EAN						
Code	4013288		mm		mm		
05340245001	118202	# 1	25	1"	6,1		10
05066394001	113603	# 2	25	1"	6,1		10
05066396001	169228	# 3	25	1"	6,1		10

Bit-Box 20 V Robertson



Code	EAN				
05057790001	188083		868/1 V	20x # 2x25	20

868/1 Z Square-Plus bits

High quality bits for square socket screws. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

868/1 Z Square-Plus bits



	EAN						
Code	4013288		mm		mm		
05066395001	030214	# 00	25	1"	3,5		10
05066400001	030221	# 0	25	1"	3,5		10
05066405001	030207	# 1	25	1"	4,5		10
05066410001	030238	# 2	25	1"	6,0		10
05066415001	030245	# 3	25	1"	6,0		10
05066420001	030252	# 4	25	1"	8,0		10

868/1 Z SB Square-Plus bits



Code	EAN			
05073074001	202727		868/1 Z 2x # 1x25	5
05073075001	202710		868/1 Z 2x # 2x25	5

Impaktor system - For an above-average service life



High quality bits for square socket screws.

The Impaktor technology offers an above-average service life even under extreme circumstances.

Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head. Particularly suitable for use with customary impact drivers. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

868/4 IMP DC DIY Impaktor square head socket bits




Code	EAN			
05057671001	157546		868/4 IMP DC 5x # 2x50	1
05057672001	157553		868/4 IMP DC 5x # 3x50	1

868/4 IMP DC SB Impaktor square head socket bits



Code	EAN			
05073971001	158550		868/4 IMP DC 1x # 2x50	5
05073972001	158567		868/4 IMP DC 1x # 3x50	5

Kraftform Stainless - stainless steel to prevent rust



High quality bits out of stainless steel for square socket screws prevent the formation of unsightly extraneous rust. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

3868/4 Square-Plus bits, stainless



Code	EAN					
05071097001	115591	# 1	89	3 1/2"	4,5	10
05071098001	115607	# 2	89	3 1/2"	5,0	10
05071099001	115614	# 3	89	3 1/2"	5,5	10

868/4 BTZ Square-Plus bits



Code	EAN						
05060147001	041272	#1	50	2"	4,2		10
05060148001	041289	#2	50	2"	4,2		10
05060149001	041296	#3	50	2"	5,5		10

868/4 Square-Plus bits



Code	EAN						
05060150001	030269	# 00	50	2"	3,5		10
05060155001	030276	# 0	50	2"	3,5		10
05060160001	030283	# 1	50	2"	4,5		10
05060180001	041043	# 1	70	2 3/4"	4,5		10
05134800001	040930	# 1	89	3 1/2"	4,5		10
05134805001	040923	# 1	152	6"	4,5		10
05060165001	030290	# 2	50	2"	6,0		10
05060182001	041050	# 2	70	2 3/4"	6,0		10
05134801001	040947	# 2	89	3 1/2"	6,0		10
05134806001	040954	# 2	152	6"	6,0		10
05060170001	030306	# 3	50	2"	6,0		10
05060184001	032805	# 3	70	2 3/4"	6,0		10
05134802001	040961	# 3	89	3 1/2"	6,0		10
05134807001	040978	# 3	152	6"	6,0		10
05060175001	030313	# 4	50	2"	8,0		10

868/4 Z SB Square-Plus bits



Code	EAN			
05073076001	202703		868/4 Square-Plus 2x # 1x50	5
05073077001	202697		868/4 Square-Plus 2x # 2x50	5

868/4 V Square-Plus bits

With wedging function.

868/4 V Square-Plus bits




	EAN						
Code	4013288		mm		mm		
05060300001	169211	# 1	50	2"	4,5		10
05060297001	169198	# 1	89	3 1/2"	4,5		10
05060301001	113610	# 2	50	2"	6,0		10
05060302001	113627	# 2	70	2 3/4"	6,0		10
05060303001	113634	# 2	89	3 1/2"	6,0		10
05060304001	113641	# 2	152	6"	6,0		10
05060296001	169181	# 3	50	2"	6,0		10
05060298001	169204	# 3	89	3 1/2"	6,0		10

Diamond-coated bits

Minute diamond particles on the tip of the tool literally bite into the screw

Bits fit securely into the head of the screw



High quality bits with Mplus advantage for more breaking torque and thereby enhanced durability; diamond coating for a secure fit in the screw head.

871/1 DC TORQ-SET® Mplus bits



	EAN							
Code	4013288	mm		mm		mm		
05066638001	099525	4		25	1"	4,7		10
05066639001	236784	5		25	1"	4,7		10
05066640001	033161	6		25	1"	4,7		10
05066642001	033178	8		25	1"	6,0		10
05066644001	033185	10		25	1"	6,0		10
05066646001	033192	--	1/4"	32	1 1/4"	11,0		10

871/1 TORQ-SET® Mplus bits

TORQ-SET® Mplus: The stronger flanks – when compared with the conventional TORQ-SET® profile – result in 70% more breaking torque and thereby enhanced durability whilst at the same time providing a perfect fit in the screw head.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

871/1 TORQ-SET® Mplus bits, 25 mm



	EAN							
Code	4013288	mm		mm		mm		
05066618001	093073	0		25	1"	4,7		10
05066619001	041562	1		25	1"	4,7		10
05066620001	033086	2		25	1"	4,7		10
05066622001	033093	3		25	1"	4,7		10
05066624001	033109	4		25	1"	4,7		10
05066626001	033116	5		25	1"	4,7		10
05066628001	033123	6		25	1"	4,7		10
05066630001	033130	8		25	1"	6,0		10
05066632001	033147	10		25	1"	6,0		10
05066633001	037558	--	1/4"	25	1"	6,0		10

871/1 TORQ-SET® Mplus bits, 32 mm



	EAN							
Code	4013288			mm		mm		
05066634001	033154	1/4"		32	1 1/4"	11,0		10
05066635001	093011	5/16"		32	1 1/4"	11,0		10

871/4 DC TORQ-SET® Mplus bits

High quality bits with Mplus advantage for more breaking torque and thereby enhanced durability; diamond coating for a secure fit in the screw head.

1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

871/4 DC TORQ-SET® Mplus bits



	EAN						
Code	4013288			mm			
05324901001	162984	2		50	2"		10
05066688001	099532	4		50	2"		10
05066690001	033345	6		50	2"		10
05066692001	033352	8		50	2"		10
05066694001	033369	10		50	2"		10
05066696001	033376	--	1/4"	50	2"		10



871/4 TORQ-SET® Mplus bits



	EAN						
Code	4013288			mm			
05066660001	033239	2		50	2"		10
05066683001	094469	2		89	3 1/2"		5
05066662001	033246	3		50	2"		10
05066684001	094476	3		89	3 1/2"		5
05066664001	033253	4		50	2"		10
05066685001	094483	4		89	3 1/2"		5
05066666001	033260	5		50	2"		10
05066668001	033277	6		50	2"		10
05066676001	033307	6		70	2 3/4"		5
05066686001	094490	6		89	3 1/2"		10
05066670001	033055	8		50	2"		10
05066678001	033314	8		70	2 3/4"		5
05066687001	094506	8		89	3 1/2"		10
05066672001	033284	10		50	2"		10
05066680001	033321	10		70	2 3/4"		5
05066682001	033338	10		89	3 1/2"		5
05066674001	033291	--	1/4"	50	2"		10
05221110001	035851	--	5/16"	50	2"		10

871/2 TORQ-SET® Mplus bits

5/16" hexagon, suitable for holders as per DIN ISO 1173-D 8.

871/2 TORQ-SET® Mplus bits



	EAN					
Code	4013288		mm			
05066654001	033208	1/4"	32	1 1/4"		5
05066656001	033215	5/16"	32	1 1/4"		5

875/1 TRI-WING® bits, 25 mm

High quality bits for TRI-WING® screws. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

875/1 TRI-WING® bits, 25 mm



	EAN						
Code	4013288		mm		mm		
05066758001	093059	0	25	1"	4,7		10
05066760001	033482	1	25	1"	4,7		10
05066762001	033499	2	25	1"	4,7		10
05066764001	033505	3	25	1"	4,7		10
05066766001	033512	4	25	1"	6,2		10
05066768001	033529	5	25	1"	6,2		10

875/4 TRI-WING® bits

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.



	EAN					
Code	4013288		mm			
05066785001	094605	1	89	3 1/2"		5
05066786001	094612	2	89	3 1/2"		5
05066787001	094629	3	89	3 1/2"		5
05066788001	094636	4	89	3 1/2"		5

860/1 XZN Multi-point bits

High quality bits for recessed multi-point screws. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

860/1 XZN Multi-point bits



	EAN						
Code	4013288		mm		mm		
05066150001	034953	M 4	25	1"	4,17		10
05066155001	034960	M 5	25	1"	5,14		10
05066160001	034977	M 6	25	1"	-		10
05066165001	034984	M 8	25	1"	8,0		5
05066170001	034991	M 10	25	1"	10,0		5

872/9 bits for Microstix® screws

With 4 mm halfmoon drive for direct insertion in the power tool.

872/9 bits for Microstix® screws



	EAN						
Code	4013288		mm	mm			
05066850001	179272	m	44	2,0	1 47/64"		10
05066851001	179296	00	44	2,0	1 47/64"		10
05066852001	179302	F	44	2,0	1 47/64"		10
05066853001	179319	0	44	2,0	1 47/64"		10
05066854001	179326	1	44	2,0	1 47/64"		10

857/1 Z Spanner bits

Bits for spanner screws. Tough viscous for universal use.
1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

857/1 Z Spanner bits



	EAN	●●	⌈	⌋	⌀			📦
Code	4013288		mm		mm			
05057150001	038609	4	25	1"	3,18			10
05057151001	038616	6	25	1"	4,32			10
05057152001	038623	8	25	1"	5,21			10
05057153001	038630	10	25	1"	6,10			10

857/4 Z Spanner bits

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

857/4 Z Spanner bits




	EAN	●●	⌈	⌋	⌀			📦
Code	4013288		mm		mm			
05057160001	094810	4	89	3 1/2"	3,18			5
05057161001	094827	6	89	3 1/2"	4,32			5
05057162001	094834	8	89	3 1/2"	5,21			5
05057163001	094841	10	89	3 1/2"	6,10			5

Kraftform Stainless - stainless steel to prevent rust

Stainless steel material to prevent extraneous rust

Shop floor-proof thanks to vacuum ice hardening



High quality nutsetter out of stainless steel for hexagon head screws. Stainless to prevent the risk of extraneous rust. Non-magnetic design with retaining spring. 1/4" hexagon, suitable for holders as per, DIN ISO 1173-F 6.3.

3869/4 Nutsetters, stainless



	EAN	●●	⌈	⌋	⌀			📦
Code	4013288	mm		mm	mm			
05071222001	118127	7,0		50,0	12,5			5
05071223001	118257	8,0		50,0	14,0			5
05071224001	118141	10,0		50,0	16,0			5
05071225001	118158	13,0		50,0	19,5			5
05071228001	118189		3/8"	50,0	16,0			5

869/4 Nutsetters

Non-magnetic design. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

869/4 Nutsetters



	EAN	●●	⌈	⌋	⌀			📦
Code	4013288	mm		mm	mm			
05060400001	100948	5,5		50,0	11,0			5
05060272001	016546	5,5		65,0	9,0			5
05060401001	100955	6,0		50,0	11,0			5
05060274001	016553	6,0		65,0	11,0			5
05060402001	100962	7,0		50,0	11,0			5
05060276001	016560	7,0		65,0	11,0			5
05060403001	100979	8,0		50,0	12,5			5
05060278001	016577	8,0		65,0	12,5			5
05060404001	100986	9,0		50,0	14,0			5
05060280001	016584	9,0		65,0	14,0			5
05060405001	100993	10,0		50,0	14,0			5
05060282001	016591	10,0		65,0	14,0			5
05060406001	101006	11,0		50,0	16,0			5
05060281001	031327	11,0		65,0	16,0			5
05060407001	101013	12,0		50,0	18,0			5
05060283001	031334	12,0		65,0	18,0			5
05060408001	101020	13,0		50,0	18,0			5
05060284001	016607	13,0		65,0	19,0			5
05060409001	101037		1/4"	50,0	11,0			5
05060286001	016614		1/4"	65,0	11,0			5
05060410001	101044		5/16"	50,0	12,5			5
05060290001	016638		5/16"	65,0	12,5			5
05060411001	101051		3/8"	50,0	14,0			5
05060288001	016621		3/8"	65,0	14,0			5
05060412001	101068		7/16"	50,0	16,0			5

869/4 M Nutsetters, magnetic



	EAN						
Code	4013288	mm		mm	mm		
05060420001	101075	5,5		50,0	11,0		5
05060210001	016652	5,5		65,0	11,0		5
05060421001	101082	6,0		50,0	11,0		5
05060215001	016669	6,0		65,0	11,0		5
05060422001	101099	7,0		50,0	11,0		5
05060220001	016676	7,0		65,0	11,0		5
05060423001	101105	8,0		50,0	12,5		5
05060225001	016683	8,0		65,0	12,5		5
05060424001	101112	9,0		50,0	14,0		5
05060230001	016690	9,0		65,0	14,0		5
05060425001	101129	10,0		50,0	14,0		5
05060235001	016706	10,0		65,0	14,0		5
05060426001	101136	11,0		50,0	16,0		5
05060237001	031501	11,0		65,0	16,0		5
05060427001	101143	12,0		50,0	18,0		5
05060238001	031495	12,0		65,0	17,0		5
05060428001	101150	13,0		50,0	18,0		5
05060240001	016713	13,0		65,0	19,0		5
05060429001	101167		1/4"	50,0	11,0		5
05060255001	016720		1/4"	65,0	11,0		5
05060430001	101174		5/16"	50,0	12,5		5
05060260001	016737		5/16"	65,0	12,5		5
05060431001	101181		3/8"	50,0	14,0		5
05060265001	016744		3/8"	65,0	14,0		5
05060432001	101198		7/16"	50,0	16,0		5

869/4 M SB Nutsetters, magnetic



Code	EAN			
	4013288			
05073500001	105691		869/4 M 1x 5.5x50.0	3
05073501001	105707		869/4 M 1x 6.0x50.0	3
05073502001	105506		869/4 M 1x 7.0x50.0	3
05073503001	105714		869/4 M 1x 8.0x50.0	3
05073504001	105721		869/4 M 1x 9.0x50.0	3
05073505001	105738		869/4 M 1x 10.0x50.0	3
05073506001	105745		869/4 M 1x 11.0x50.0	3
05073507001	105752		869/4 M 1x 12.0x50.0	3
05073508001	105769		869/4 M 1x 13.0x50.0	3
05073509001	105776		869/4 M 1x 1/4"x50.0	3
05073510001	105783		869/4 M 1x 3/8"x50.0	3

869/4 M Set A SB



Code	EAN			
05073495001	144584	●	869/4 M 1x 7.0x50.0; 1x 8.0x50.0; 1x 10.0x50.0; 1x 12.0x50.0; 1x 13.0x50.0; 1x 1/4"x50.0; 1x 5/16"x50.0; 1x 3/8"x50.0	1

869/9 Nutsetters

Metric nutsetter for hexagon head screws. Non-magnetic design. With 4 mm halfmoon drive for direct insertion in the power tool.

869/9 Nutsetters



	EAN	●	⌈	⌀				
Code	4013288	mm	mm	mm				
05135224001	190505	2,5	44,0	5,0				10
05135225001	190499	3,0	44,0	5,0				10

879/4 Internal thread insertion tool

Insertion tool with internal thread for hanger bolts and threaded rods. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

879/4 Internal thread insertion tool



	EAN	⊕	⌈	⌈	⌀			
Code	4013288		mm		mm			
05135903001	035059	M8	50,0	2"	12,0			5
05135904001	035066	M10	50,0	2"	12,0			5



HOLDERS and Adaptors



Impaktor system - For an above-average service life



Wera Impaktor holder for the absorption of impulse peaks. Particular torsion effect thanks to the double-torsion spring.

The retaining ring ensures an optimum fit of the tool in the holder. The magnet provides for additional fixing of the bit and screw.

The Impaktor stainless holder with retaining ring and magnet meets the extremely dynamic demands by doing without any small, mechanical parts that are often susceptible.

Used mostly for industrial assembly applications such as e.g. with screwdriving robots. Output: suitable for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3. Drive: 1/4" hexagon, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

897/4 IMP Impaktor holder with retaining ring and magnet



	EAN							
Code	4013288		mm					
05057675001	157805	1/4"	75	3"	1/4"			5

897/4 IMP R Impaktor holder with retaining ring and ring magnet

The Impaktor holder additionally holds long and heavy screws extremely securely with its ring magnet. This enables rapid and dependable positioning of the screw.

Should, situation-related, the magnet not be desired e.g. when working with metal, it can be removed from the screwdriving zone and thereby be neutralised.

Used mostly for manual power tool applications. Output: suitable for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3. Drive: 1/4" hexagon, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

897/4 IMP R Impaktor holder with retaining ring and ring magnet




	EAN							
Code	4013288		mm					
05057676001	157812	1/4"	75	3"	1/4"			5

897/4 IMP R SB Impaktor holder with retaining ring and ring magnet



	EAN							
Code	4013288							
05073990001	157836				897/4 Impaktor R	1x 1/4"x75		3

Rapidaptor - the amazing compact multifunction tool



Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 (ISO 1173). Stainless design to prevent extraneous rust.

Comes with Rapidaptor technology, which allows bits to be attached without any need to actuate the sleeve. The removal of the bit is simple, just by pushing the sleeve forward – for rapid bit change with just one hand. 1/4" hexagon, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

3888/4/1 K Rapidaptor Universal Bit Holder, stainless




	EAN							
Code	4013288		mm			mm		
05071100001	111487	1/4"	50	2"	1/4"	15,0		5

3888/4/1 K SB Rapidaptor Universal Bit Holder, stainless



Code	EAN							
05073616001	112170			3888/4/1 K				3
				1x 1/4"x50				

BiTorsion system - for longer service life



Universal holder for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173). BiTorsion holders by Wera have a torsion spring that absorbs low peak loads during screwdriving jobs.

The combined use with BiTorsion bits and their torsion zones extends the service life of the tool considerably. BiTorsion holders by Wera can, however, also be used with conventional bits. The Rapidaptor technology allows bits to be attached without any need to actuate the sleeve.

The removal of the bit is simple, just by pushing the sleeve forward. This enables rapid bit change with just one hand. 1/4" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

897/4 R Rapidaptor BiTorsion Universal Bit Holder



	EAN							
Code	4013288		mm			mm		
05053923001	095633	1/4"	75	3"	1/4"	15,0		5

897/4 R SB Rapidaptor BiTorsion Universal Bit Holder



Code	EAN							
05073420001	099464			897/4 R				3
				1x 1/4"x75				

889/4/1 F Rapidaptor free-running bit holder for torque screwdrivers with pistol handle

The free-running feature allows for a particularly quick return movement without having to remove the screwdriver when tightening screws.

Especially for application with Wera torque screwdrivers with pistol handle for fast and ergonomic working.

The Rapidaptor technology allows mounting bits without activating the sleeve. Remove the bits by simply pushing the sleeve forward - for rapid bit change, all with one hand.

- Avoids annoying re-positioning when tightening screws with Wera torque screwdrivers with pistol handle
- Fast and fatigue-free work due to precise free-running mechanism
- Maintenance-free construction with especially slim and solid bearing by leading free-running manufacturer
- Maximum transmissible tightening moment 10,0 Nm
- Bit mounting with Rapidaptor technology for rapid bit change, suitable for bits with 1/4"- external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 and Wera connection series 1 and 4

889/4/1 F Rapidaptor free-running bit holder for torque screwdrivers with pistol handle



	EAN							
Code	4013288		mm			mm		
05052501001	217585	1/4"	64	2 33/64"	1/4"	16,5		5

894/4/1 K Universal Bit Holder

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3.

Quick-release chuck for rapid bit change. 1/4" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

894/4/1 K Universal Bit Holder



	EAN							
Code	4013288		mm			mm		
05053522001	017512	1/4"	51	2"	1/4"	14,3		5

894/4/1 Universal Bit Holder



	EAN							
Code	4013288		mm			mm		
05053520001	017505	1/4"	75	3"	1/4"	14,3		5

895/4/1 K Universal Bit Holder

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3. Quick-release chuck for rapid bit change.

The strong permanent magnet holds the bits absolutely securely. 1/4" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

895/4/1 K Universal Bit Holder



	EAN							
Code	4013288		mm			mm		
05053872001	035158	1/4"	52	2"	1/4"	14,3		5

895/4/1 K SB Universal Bit Holder



	EAN							
Code	4013288							
05073318001	029195			895/4/1 K				3
				1x 1/4"x52				

895/4/1 Universal Bit Holder



	EAN							
Code	4013288		mm			mm		
05053870001	017574	1/4"	77	3"	1/4"	14,3		5

898/4 Combination Bit Holder

Combination holder for bits with 4 mm halfmoon drive (Wera series 9) and 4 mm HIOS drive (Wera series 21): quick-release chuck, 1/4" hexagonal drive, suitable for power screwdrivers with a take-up as per DIN ISO 1173-F 6.3.

898/4 Combination Bit Holder



	EAN	1/4"	1/4"	1/4"	1/4"			
Code	4013288	mm			mm			
05051500001	184177	50	2"	1/4"	10,0			5

898/9 Combination Bit Holder

Suitable for bits with 4 mm halfmoon drive (Wera series 9) and 4 mm HIOS drive (Wera series 21): with quick-release chuck, 4 mm halfmoon drive.

898/9 Combination Bit Holder



	EAN	1/4"	1/4"	1/4"	1/4"			
Code	4013288	mm			mm			
05051501001	184184	50	2"	10,0				5

898/21 Combination Bit Holder

Suitable for bits with 4 mm halfmoon drive (Wera series 9) and 4 mm HIOS drive (Wera series 21): with quick-release chuck, 4 mm HIOS drive.

898/21 Combination Bit Holder



	EAN	1/4"	1/4"	1/4"	1/4"			
Code	4013288	mm			mm			
05051502001	184191	50	2"	10,0				5

890/4/1 Universal Bit Holder

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3. The retaining ring ensures an optimum fit of the tool in the holder.

1/4" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

890/4/1 Universal Bit Holder



	EAN	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"
Code	4013288		mm			mm		
05052575001	017239	1/4"	57	2 1/4"	1/4"	11,1		5

893/1/1 Universal Bit Holder



	EAN	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"
Code	4013288		mm			mm		
05091103001 ¹⁾	237361	1/4"	75	3"	1/4"	10,5		5

¹⁾ Included in the set 8009 Zyklop Pocket Set 2 (05004281001).

893/4/1 K Universal Bit Holder

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3.

Stainless sleeve for special corrosion protection. 1/4" hexagon, suitable for power screwdrivers with a take-up as per DIN ISO 1173-F 6.3.

893/4/1 K Universal Bit Holder



	EAN	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"
Code	4013288		mm			mm		
05134480001	017468	1/4"	50	2"	1/4"	10,5		5

893/4/1 K SB Universal Bit Holder



	EAN	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"
Code	4013288							
05073401001	029133	1/4"	893/4/1 K					3

899/3/1 Universal Bit Holder

Stainless steel sleeve for very special corrosion protection. The strong permanent magnet holds the bits absolutely securely.

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3. 5.5 mm, suitable for power screwdrivers with take-up as per DIN ISO 1173-B 5.5.

899/3/1 Universal Bit Holder



	EAN							
Code	4013288		mm		mm	mm		
05053425001	017659	1/4"	72	2 3/4"	5,5	10,5		5

899/4/1 Universal Bit Holder

Stainless steel sleeve for very special corrosion protection. The retaining ring ensures an optimum fit of the tool in the holder. The strong permanent magnet holds the bits absolutely securely.

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3. 1/4" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

899/4/1 Universal Bit Holder



	EAN							
Code	4013288	Art.No.		mm			mm	
05053457001	017673	899/4/1 K	1/4"	50	2"	1/4"	10,5	5
05053455001	017666	899/4/1 75	1/4"	75	3"	1/4"	10,5	5
05053459001	036711	899/4/1 100	1/4"	100	4"	1/4"	10,5	5
05053458001	036728	899/4/1 152	1/4"	152	6"	1/4"	10,5	5

899/4/1 SB Universal Bit Holder



Code	EAN							
05347100001	095268	899/4/1						3
05073357001	029720	899/4/1						3
05134398001	099907	899/4/1						3

899/4/1 S Universal Bit Holder with strong retaining ring

The particularly strong retaining ring ensures an optimum fixing of the tool in the holder. The especially strong permanent magnet makes sure that the bits are held absolutely securely.

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

899/4/1 S Universal Bit Holder with strong retaining ring



	EAN							
Code	4013288		mm			mm		
05160976001	105271	1/4"	50	2"	1/4"	10,5		5
05160924001	105264	1/4"	75	3"	1/4"	10,5		5
05160977001	105288	1/4"	100	4"	1/4"	10,5		5
05160979001	105301	1/4"	200	8"	1/4"	10,5		1
05160981001	105325	1/4"	300	12"	1/4"	10,5		1

899/14/1 Universal Bit Holder

Drive: SDS plus.

899/14/1 SB Universal Bit Holder



Code	EAN							
05134397001	099891	899/14/1						3

881/4/1 SB Bit holder with variable screw depth limitation

For patio construction, the screws should be countersunk to be evenly flush with the decking.

The 881/4/1 bit holder with variable screw depth limitation and felt ring allows for a uniform depth and protects the surface from brush marks. Two spare felt rings included.

- Bit holder for evenly flush countersunk screws in patio construction
- With adjustable screw depth limitation
- Felt ring (exchangeable) prevents brush marks on decking
- Included: 2 spare felt rings

881/4/1 SB Bit holder with variable screw depth limitation



Code	EAN		
05130002001	219282		1
		881/4/1 1x 1/4"x90 ¹⁾	
		9201 2x 27,0	

¹⁾The spare part kit with 5x felt rings can be ordered with the code number 05130003001.

9200 Spare part kit felt rings for 881/4/1 bit holder

- Five spare felt rings for the 881/4/1 SB bit holder with variable screw depth limitation.
- Felt rings prevent brush marks on decking.

9200 Spare part kit felt rings for 881/4/1 bit holder



Code	EAN		
05130003001	219299		1
		9201 5x 27,0	

896/4/1 SB Bit Holder with adjustable depth-control stop

High quality spacer out of aluminium: the screwdriving depth can be infinitely adjusted and allows the flush-mounting of screws.

896/4/1 SB Bit Holder with adjustable depth-control stop



Code	EAN		
05073210001	178725	896/4/1 1x 1/4"x50	1

870/1 Adaptor

Tool shaft for nutsetters. Output: 1/4" square head; drive: 1/4" hexagon.

870/1 Adaptor



Code	EAN					
05136000001 ¹⁾	016997	1/4"	25	1"	1/4"	5

¹⁾With friction ball; for manual nut spinner sockets

870/4 Adaptor

Tool shaft for manual nutsetter inserts; with ball. Output: Square head; drive 1/4" hexagon.

870/4 Adaptor



Code	EAN					
05311517001 ¹⁾	098214	1/4"	50	2"	1/4"	10
05138006001 ¹⁾	233387	1/4"	72	2"	2 53/64"	10

¹⁾With friction ball; for manual nut spinner sockets

870/4 SB



Code	EAN			
05134399001	099914	4013288	870/4 A	3
05073985001	233271	4013288	870/4 A	3

¹⁾With friction ball; for manual nut spinner sockets

870/2 Adaptor

Tool shaft for power tool nutsetter inserts with square head drive.
5/16" hexagon drive.

870/2 Adaptor



Code	EAN						
05136001001 ¹⁾	184245	4013288	3/8"	30	1 3/16"	5/16"	5
05136002001 ¹⁾	184269	4013288	1/2"	35	1 3/8"	5/16"	5

¹⁾With friction ball; for manual nut spinner sockets

870/4 Adaptor

Tool shaft (adaptor) for power tool sockets with hexagon head drive by Wera.
Drive: 1/4" hexagon.

870/4 Adaptor



Code	EAN						
05050205001 ¹⁾	017055	4013288	1/4"	50	2"	1/4"	5
05050210001 ¹⁾	017062	4013288	1/4"	100	4"	1/4"	5
05050215001 ¹⁾	017079	4013288	3/8"	50	2"	1/4"	5
05050220001 ¹⁾	017086	4013288	3/8"	100	4"	1/4"	5

¹⁾With locking pin; for machine-operated nut spinner sockets

870/4/7 Set A SB



Code	EAN			
05073200001	139115	4013288	870/4	1
			870/7	

¹⁾With locking pin; for machine-operated nut spinner sockets

870/14 Adaptor

Tool shaft for power tool sockets with square head drive.
Drive: SDS plus.

870/14 Adaptor



Code	EAN						
05050650001 ¹⁾	017208	4013288	1/4"	70	2 3/4"		5

¹⁾With locking pin; for machine-operated nut spinner sockets

870/7 Adaptor

Tool shank for power tool sockets; square head output.
7/16" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 11.2.

870/7 Adaptor



Code	EAN						
05050510001 ¹⁾	017178	4013288	1/2"	75	3"	7/16"	5

¹⁾With locking pin; for machine-operated nut spinner sockets

781 A 1/4" Connection parts

Connection part 1/4" square head socket to 3/8" (1/2") external square head. For manual and machine-operated tools (non-impact), with ball stop groove to safely lock the socket, knurling at the rear end for manageability during manual use; chrome-vanadium, brushed chrome-plated finish.

- With 1/4" square head socket drive
- With secure socket fixing
- Made of chrome-vanadium for high load capacity

781 A 1/4" Connection parts



	EAN							
Code	4013288	Art.No.		mm				
05042670001	221193	781 A/B	3/8"	25,2	1"	1/4"		1
05042671001	221209	781 A/C	1/2"	36,0	1 27/64"	1/4"		1

781 B 3/8" Connection parts

Connection part 3/8" square head socket to 1/4" (1/2") external square head. For manual and machine-operated tools (non-impact), with ball stop groove to safely lock the socket, knurling at the rear end for manageability during manual use; chrome-vanadium, brushed chrome-plated finish.

- With 3/8" square head socket drive
- With secure socket fixing
- Made of chrome-vanadium for high load capacity

781 B 3/8" Connection parts



	EAN							
Code	4013288	Art.No.		mm				
05042672001	221247	781 B/A	1/4"	27,0	1 1/16"	3/8"		1
05042673001	221056	781 B/C	1/2"	36,0	1 27/64"	3/8"		1

781 C 1/2" Connection parts

Connection part 1/2" square head socket to 3/8" external square head. For manual and machine-operated tools (non-impact), with ball stop groove to safely lock the socket, knurling at the rear end for manageability during manual use; chrome-vanadium, brushed chrome-plated finish.

- With 1/2" square head socket drive
- With secure socket fixing
- Made of chrome-vanadium for high load capacity

781 C 1/2" Connection parts



	EAN							
Code	4013288	Art.No.		mm				
05042674001	221216	781 C/B	3/8"	35,5	1 25/64"	1/2"		1

781/5 Set 1

Robust textile belt with 5 connection parts: 781 A: 1/4" square head socket drive, for 3/8" and 1/2" square head socket wrench inserts with ball lock; 781 B: 3/8" square head socket drive, for 1/4" and 1/2" square head socket wrench inserts with ball lock; 781 C: 1/2" square head socket drive, for 3/8" square head socket wrench inserts with ball lock.

- Set with 5 connection parts (adapters) for square head socket wrench inserts
- With secure socket fixing
- With square head socket drive
- With external square head drive
- Made of chrome-vanadium for high load capacity

781/5 Set 1



Code	EAN			
05042680001	221223			1
		781 A 1x 781 A/B, 3/8"x25,2x1/4"; 1x 781 A/C, 1/2"x36,0x1/4"		
		781 B 1x 781 B/A, 1/4"x27,0x3/8"; 1x 781 B/C, 1/2"x36,0x3/8"		
		781 C 1x 781 C/B, 3/8"x35,5x1/2"		
		Belt 781 0/5 1x 45,0x210,0		

784 A 1/4" Adaptor with quick-release chuck

Adaptor from square to hexagonal. Comes with quick-release chuck for rapid bit change.

Suitable for the attachment of bits with 1/4" hexagon drive as per DIN ISO 1173-C 6.3. Drive: 1/4" square.

784 A 1/4" Adaptor with quick-release chuck



	EAN							
Code	4013288	Art.No.		mm				
05042750001	008022	784 A/1	1/4"	30	1 3/16"	1/4"		5

784 B 3/8" Adaptor with quick-release chuck



	EAN							
Code	4013288	Art.No.		mm				
05042755001	008039	784 B/1	1/4"	43	1 5/8"	3/8"		5
05042765001	008046	784 B/2	5/16"	50	2"	3/8"		5

784 C 1/2" Adaptor with quick-release chuck



	EAN							
Code	4013288	Art.No.		mm				
05042760001	008053	784 C/1	1/4"	50	2"	1/2"		5
05042768001	008060	784 C/2	5/16"	50	2"	1/2"		5

780 A 1/4" Adaptor

Adaptor from square to hexagonal. Suitable for bits with 1/4" hexagon drive as per DIN ISO 1173-C 6.3.

Drive: 1/4" square.

780 A 1/4" Adaptor



	EAN							
Code	4013288	Art.No.		mm				
05042605001	007940	780 A/1	1/4"	25	1"	1/4"		5

780 B 3/8" Adaptor



	EAN							
Code	4013288	Art.No.		mm				
05042655001	007971	780 B/1	1/4"	30	1 3/16"	3/8"		5
05344511001 ¹⁾	113450	780 B/1-S	1/4"	30	1 3/16"	3/8"		5
05042665001	007988	780 B/2	5/16"	30	1 3/16"	3/8"		5
05344512001 ¹⁾	113467	780 B/2-S	5/16"	30	1 3/16"	3/8"		5

¹⁾S = extra strong

780 C 1/2" Adaptor



	EAN							
Code	4013288	Art.No.		mm				
05042705001	007995	780 C/1	1/4"	35	1 3/8"	1/2"		5
05344513001	113474	780 C/1-S	1/4"	35	1 3/8"	1/2"		5
05042715001	008008	780 C/2	5/16"	35	1 3/8"	1/2"		5
05344514001 ¹⁾	113481	780 C/2-S	5/16"	35	1 3/8"	1/2"		5

¹⁾S = extra strong



Bit Sets



Impaktor system - For an above-average service life



The Impaktor technology offers an above-average service life even under extreme circumstances thanks to the best possible utilisation of the material properties and the optimised geometry; particularly suitable for use with customary impact drivers.

The rough diamond-coating of the bits reduces the risk of a slipping out of the screw head thanks to the enhanced frictional resistance.

The profile and size of the bits are easy to recognise thanks to the Wera Take it easy Tool Finder with its colour coding and clearly visible imprint.

The multi-component Bit-Check is convincing on account of its low weight and the maximum possible degree of compactness. In this respect, the soft material in the lower section of the Bit-Check ensures that the bits are securely held whilst being simple to remove at the same time.

Bit-Check 30 Impaktor 1



Code	EAN			
05057690001	4013288			1
		897/4 Impaktor R	1x 1/4"x75	
		851/1 IMP DC	2x PH 1x25; 3x PH 2x25; 2x PH 3x25	
		855/1 IMP DC	2x PZ 1x25; 3x PZ 2x25; 2x PZ 3x25	
		867/1 IMP DC	1x TX 10x25; 1x TX 15x25; 2x TX 20x25; 3x TX 25x25; 2x TX 30x25; 2x TX 40x25	
		840/1 IMP DC	1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	

Bit-Check 30 Impaktor 2



Code	EAN			
05057697001	203946			1
		897/4 Impaktor	1x 1/4"x75	
		851/1 IMP DC	2x PH 1x25; 3x PH 2x25; 2x PH 3x25	
		855/1 IMP DC	2x PZ 1x25; 3x PZ 2x25; 2x PZ 3x25	
		867/1 IMP DC	1x TX 10x25; 1x TX 15x25; 2x TX 20x25; 3x TX 25x25; 2x TX 30x25; 2x TX 40x25	
		840/1 IMP DC	1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	

Bit-Check 10 Impaktor 1



Code	EAN			
05057680001	156785			10
		897/4 Impaktor R	1x 1/4"x75	
		851/1 IMP DC	1x PH 2x25; 1x PH 3x25	
		855/1 IMP DC	1x PZ 2x25; 1x PZ 3x25	
		867/1 IMP DC	1x TX 20x25; 1x TX 25x25; 1x TX 30x25	
		840/1 IMP DC	1x 4,0x25; 1x 5,0x25	

Bit-Check 10 Impaktor 1 SB



Code	EAN			
05073980001	158574		897/4 Impaktor R 1x 1/4"x75	1
			851/1 IMP DC 1x PH 2x251x PH 3x25	
			855/1 IMP DC 1x PZ 2x251x PZ 3x25	
			867/1 IMP DC 1x TX 20x251x TX 25x251x TX 30x25	
			840/1 IMP DC 1x 4.0x251x 5.0x25	

Bit-Check 10 Impaktor 4



Code	EAN			
05057417001	180148		897/4 Impaktor 1x 1/4"x75	10
			855/1 IMP DC 3x PZ 2x25; 1x PZ 3x25	
			867/1 IMP DC 2x TX 20x25; 2x TX 25x25; 1x TX 30x25	

Bit-Check 10 PZ Impaktor 1



Code	EAN			
05057684001	157829		897/4 Impaktor R 1x 1/4"x75	10
			855/1 IMP DC 7x PZ 2x25; 2x PZ 3x25	

Bit-Check 10 TX Impaktor 1



Code	EAN			
05057688001	163394		897/4 Impaktor R 1x 1/4"x75	10
			867/1 IMP DC 3x TX 20x25; 3x TX 25x25; 2x TX 30x25; 1x TX 40x25	

Bit-Check 6 Impaktor 1



Code	EAN			
05057695001	157751		851/4 IMP DC 1x PH 2x50; 1x PH 3x50	10
			855/4 IMP DC 1x PZ 2x50; 1x PZ 3x50	
			867/4 IMP DC 1x TX 25x50; 1x TX 30x50	

Bit-Check 6 Impaktor 1 SB



Code	EAN		
05073890001	158635	851/4 IMP DC 1x PH 2x501x PH 3x50	1
		855/4 IMP DC 1x PZ 2x501x PZ 3x50	
		867/4 IMP DC 1x TX 25x501x TX 30x50	

Bit-Check 6 PZ Impaktor 1



Code	EAN		
05057692001	157737	855/4 IMP DC 4x PZ 2x50; 2x PZ 3x50	20

Bit-Check 6 TX Impaktor 1




Code	EAN		
05057693001	157744	867/4 IMP DC 2x TX 20x50; 2x TX 25x50; 1x TX 30x50; 1x TX 40x50	20

Kraftform Stainless - stainless steel to prevent rust

Stainless steel material to prevent extraneous rust

Shop floor-proof thanks to vacuum ice hardening



Bit-Check that can be positioned upright with high quality bits out of stainless steel. Wera stainless tools are manufactured out of stainless steel, thus preventing the formation of unsightly extraneous rust. The multi-component Bit-Check is convincing on account of its low weight and the maximum possible degree of compactness.

In this respect, the soft material in the lower section of the Bit-Check ensures that the bits are securely held whilst being simple to remove at the same time. The profile and size of the bits are easy to recognise thanks to the Wera Take it easy Tool Finder with its colour coding and clearly visible imprint.

Bit-Check 30 Stainless 1



Code	EAN		
05071109001	115126	3888/4/1 K 1x 1/4"x50 3851/1 TS PH 1x PH 1x25; 3x PH 2x25; 1x PH 3x25 3855/1 TS PZ 2x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25 3867/1 TS TORX® 2x TX 10x25; 2x TX 15x25; 3x TX 20x25; 3x TX 25x25; 2x TX 30x25; 1x TX 40x25 3840/1 TS 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 5,5x25 ¹⁾	1

¹⁾Without Torsion zone

Bit-Check 10 Stainless 1



Code	EAN			
05071110001	4013288 111494			10
		3888/4/1 K	1x 1/4"x50	
		3851/1 TS PH	1x PH 2x25	
		3855/1 TS PZ	1x PZ 1x25; 2x PZ 2x25	
		3867/1 TS TORX®	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	

Bit-Check 10 Stainless 1 SB



Code	EAN			
05073630001	4013288 112163			1
		3888/4/1 K	1x 1/4"x50	
		3851/1 TS PH	1x PH 2x25	
		3855/1 TS PZ	1x PZ 1x25; 2x PZ 2x25	
		3867/1 TS TORX®	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	


Bit-Check 6 Stainless 1 SB



Code	EAN			
05073634001	4013288 164636			1
		3855/4	2x PZ 2x50	
		3867/4 TORX®	1x TX 20x50; 2x TX 25x50	
		3840/4 Hex-Plus	1x 5.5x50	



BiTorsion system - for longer service life



Bit-Safe 61 BiTorsion 1

Robust textile box with bits and holder, 61-piece. 49 BiTorsion bits for long service life, in diamond-coated design (BDC) for a secure fit in the screw head, tough-absorbing (BTZ), for universal use, extra hard (BTH); 11 bits, tough-absorbing (Z), for universal use. 1 universal holder 889/4/1 K with quick-release chuck for take-up in the power screwdriver or use in the chuck of the power drill.

The profile and size of the bits are easy to recognise thanks to the Wera Take it easy Tool Finder with its colour coding and clearly visible imprint. The textile box allows users a high degree of mobility with a minimum space requirement.

The greatly reduced weight of a set makes carrying far more pleasant. Sensitive surfaces are protected when the box is set down – yet the textile box is still very robust. The box and the tools will even survive a fall unscathed.

Bit-Safe 61 BiTorsion 1



Code	EAN			
05057441001	4013288 179937			1
		889/4/1 K	1x 1/4"x50	
		851/1 BDC PH	1x PH 1x25; 2x PH 2x25; 1x PH 3x25	
		851/1 BTZ PH	2x PH 1x25; 8x PH 2x25; 1x PH 3x25	
		855/1 BDC PZ	1x PZ 1x25; 2x PZ 2x25; 1x PZ 3x25	
		855/1 BTH PZ	2x PZ 1x25; 8x PZ 2x25; 1x PZ 3x25	
		867/1 TORX® BTZ	3x TX 10x25; 2x TX 15x25; 4x TX 20x25; 4x TX 25x25; 2x TX 30x25; 1x TX 40x25	
		800/1 BDC	1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25	
		840/1 BTZ Hex-Plus	3x 2,5x25; 3x 3,0x25; 3x 4,0x25; 2x 5,0x25	
		Hook and Loop Fastener Strip 120	1x 50,0x120,0	

Bit-Checks BiTorsion

BiTorsion bits with an torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life. Offer the best possible service life with the appropriate holder.

The multi-component Bit-Check is convincing on account of its low weight and the maximum possible degree of compactness.

In this respect, the soft material in the lower section of the Bit-Check ensures that the bits are securely held whilst being simple to remove at the same time.

The profile and size of the bits are easy to recognise thanks to the Wera Take it easy Tool Finder with its colour coding and clearly visible imprint.

Bit-Check 30 BiTorsion 1



Code	EAN			
05057430001	179821			1
		889/4/1 K	1x 1/4"x50	
		851/1 BTZ PH	2x PH 1x25; 5x PH 2x25; 2x PH 3x25	
		855/1 BTZ PZ	2x PZ 1x25; 6x PZ 2x25; 2x PZ 3x25	
		867/1 TORX® BTZ	1x TX 10x25; 2x TX 15x25; 2x TX 20x25; 2x TX 25x25; 2x TX 30x25; 1x TX 40x25	

Bit-Check 12 BiTorsion 1



Code	EAN			
05057420001	179869			10
		889/4/1 K	1x 1/4"x50	
		851/1 BTZ PH	1x PH 1x25; 2x PH 2x25	
		855/1 BTZ PZ	1x PZ 1x25; 2x PZ 2x25	
		867/1 TORX® BTZ	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	

Bit-Check 12 BiTorsion 1 SB



Code	EAN			
05136385001	213969			1
		889/4/1 K	1x 1/4"x50	
		851/1 BTZ PH	1x PH 1x25; 2x PH 2x25	
		855/1 BTZ PZ	1x PZ 1x25; 2x PZ 2x25	
		867/1 TORX® BTZ	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	

Bit-Check 10 BiTorsion 1



Code	EAN			
05056374001	4013288 095688			10
		897/4 R	1x 1/4"x75	
		851/1 BTZ PH	1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		855/1 BTZ PZ	1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25	
		800/1 BTZ	1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25	

Bit-Check 10 BiTorsion 3 SB




Code	EAN			
05073418001	4013288 128157			1
		897/4 R	1x 1/4"x75	
		851/1 BTZ PH	1x PH 2x25	
		855/1 BTZ PZ	1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25	
		867/1 TORX® BTZ	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	

Diamond-coated bits

Minute diamond particles on the tip of the tool literally bite into the screw

Bits fit securely into the head of the screw



Bits with tiny diamond particles on the bit tip. This ensures a secure fit in the screw head, reduces the contact pressure required and lowers the risk of slipping.

BiTorsion bits with an torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life.

The multi-component Bit-Check is convincing on account of its low weight and the maximum possible degree of compactness. In this respect, the soft material in the lower section of the Bit-Check ensures that the bits are securely held whilst being simple to remove at the same time.

The profile and size of the bits are easy to recognise thanks to the Wera Take it easy Tool Finder with its colour coding and clearly visible imprint.

Bit-Check 30 Diamond 1



Code	EAN			
05057431001	4013288 179814			1
		889/4/1 K	1x 1/4"x50	
		851/1 BDC PH	2x PH 1x25; 4x PH 2x25; 1x PH 3x25	
		855/1 BDC PZ	2x PZ 1x25; 4x PZ 2x25; 1x PZ 3x25	
		867/1 TORX® BDC	2x TX 10x25; 2x TX 15x25; 3x TX 20x25; 3x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		800/1 BDC	1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25	

Bit-Check 12 Diamond 1



Code	EAN			
	4013288			
05057421001	180025			10
			889/4/1 K 1x 1/4"x50	
			851/1 BDC PH 1x PH 1x25; 2x PH 2x25	
			855/1 BDC PZ 1x PZ 1x25; 2x PZ 2x25	
			867/1 TORX® BDC 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	

Bit-Check 12 Diamond 1 SB



Code	EAN			
	4013288			
05136392001	213976		889/4/1 K 1x 1/4"x50	1
			851/1 BDC PH 1x PH 1x25; 2x PH 2x25	
			855/1 BDC PZ 1x PZ 1x25; 2x PZ 2x25	
			867/1 TORX® BDC 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	

Bit-Check 7 TX Diamond 1



Code	EAN			
	4013288			
05057415001	180018			10
			889/4/1 K 1x 1/4"x50	
			867/1 TORX® BDC 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	



Textile boxes



Bit-Safe 61 Universal 1

Comprehensive 61-piece bit set in a robust Bit-Safe. Provides a quick overview of the tools available and bits not needed are simply reinserted into the set and do not get lost.

1 universal holder with Rapidaptor technology: allows bits to be attached without any need to actuate the sleeve. The removal of the bit is simple, just by pushing the sleeve forward – for rapid bit change with just one hand.

The strong permanent magnet holds the bits absolutely securely. Can be inserted in the power screwdriver or for use in the chuck of the electric drill.

Bit-Safe 61 Universal 1



				
Code	EAN			
05057122001	4013288 100689			1
		889/4/1 K 1x 1/4"x50		
		851/1 TZ 3x PH 1x25; 10x PH 2x25; 2x PH 3x25		
		855/1 TZ 3x PZ 1x25; 10x PZ 2x25; 2x PZ 3x25		
		867/1 TZ TORX® 2x TX 10x25; 3x TX 15x25; 3x TX 20x25; 3x TX 25x25; 3x TX 30x25; 2x TX 40x25		
		800/1 TZ 1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25		
		840/1 Z 3x 2,5x25; 3x 3,0x25; 3x 4,0x25; 2x 5,0x25		
		Hook and Loop Fastener Strip 120 1x 50,0x120,0		

Bit-Safe 43 Universal 1

43-piece; robust textile box with bits for universal applications.

1 universal holder 899/4/1 with stainless sleeve, retaining ring and strong permanent magnet for insertion in the power screwdriver or for use in the chuck of the electric drill.

Bit-Safe 43 Universal 1



				
Code	EAN 4013288			
05057450001	179951			1
			899/4/1 1x 1/4"x50	
			851/1 Z 1x PH 2x25	
			851/4 TZ 1x PH 1x50; 2x PH 2x50	
			855/1 Z 2x PZ 1x25; 5x PZ 2x25; 2x PZ 3x25	
			855/4 TZ 1x PZ 1x50; 2x PZ 2x50	
			867/1 TORX® 3x TX 10x25; 4x TX 15x25; 4x TX 20x25; 4x TX 25x25; 4x TX 30x25; 1x TX 40x25	
			867/4 Z TORX® 1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 30x50; 1x TX 40x50	
			Hook and Loop Fastener Strip 120 1x 50,0x120,0	

Bit-Check 30 Universal 1

29 bits in a minimum of space; simple removal and reinsertion of the bits. Rapidaptor holder ensures rapid bit change.

Universal bits fitted for diverse applications.

Bit-Check 30 Universal 1



					
Code	EAN				
05056440001	4013288 115096				1
			889/4/1 K 1x 1/4"x50		
			851/1 TZ PH 2x PH 1x25; 3x PH 2x25; 1x PH 3x25		
			855/1 TH PZ 2x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25		
			867/1 TZ TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25		
			867/1 Z TORX® B0 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25		
			800/1 TZ 1x 1,0x5,5x25		
			840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25		



Bit-Check 30 TX Universal 1

30-piece. Tough-absorbing bits for universal use. 1 universal holder 899/4/1 K for take-up in the power screwdriver or use in the chuck of the power drill.

Comes with tough viscous TORX® bits for universal use.

Bit-Check 30 TX Universal 1



Code	EAN			
05057908001	4013288 163820			10
		●●	899/4/1 1x 1/4"x50	
		✱	867/1 TORX® 3x TX 10x25; 5x TX 15x25; 8x TX 20x25; 7x TX 25x25; 4x TX 30x25; 2x TX 40x25	

Bit-Check 30 TX Universal 1 SB



Code	EAN			
05057900001	4013288 229618	●●	899/4/1 1x 1/4"x50	1
		✱	867/1 TORX® 3x TX 10x25; 5x TX 15x25; 8x TX 20x25; 7x TX 25x25; 4x TX 30x25; 2x TX 40x25	

Bit-Check 10 Universal 1

- Tough viscous bits for universal use
- Universal holder with quick-release chuck for rapid bit change

Bit-Check 10 Universal 1



Code	EAN			
05056161001	4013288 033772			10
		●●	895/4/1 K 1x 1/4"x52	
		✱	851/1 TZ PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		✱	855/1 TZ PZ 1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25	
		●	800/1 TZ 1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25	

Bit-Check 10 Universal 2

- Extra-hard bits
- Torsion design against premature wear
- Universal holder with quick-release chuck and strong permanent magnet

Bit-Check 10 Universal 2



Code	EAN			
05134200001	4013288 038821			10
		●●	895/4/1 K 1x 1/4"x52	
		✱	855/1 TH PZ 1x PZ 1x25; 2x PZ 2x25	
		✱	867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	

Bit-Check 10 Universal 3

- Tough viscous bits for universal use
- Rapidaptor holder for rapid bit change

Bit-Check 10 Universal 3



Code	EAN		
05056375001	4013288 095695		10
		889/4/1 K 1x 1/4"x50	
		851/1 TZ PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		855/1 TZ PZ 1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25	
		800/1 TZ 1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25	

Bit-Check 10 Universal 3 SB



Code	EAN		
05073410001	4013288 099495		1
		889/4/1 K 1x 1/4"x50	
		800/1 TZ 1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25	
		851/1 TZ PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		855/1 TZ PZ 1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25	

Bit-Check 10 Universal 4

- Tough viscous bits for universal use
- Universal holder with stainless sleeve, retaining ring and strong permanent magnet

Bit-Check 10 Universal 4



Code	EAN		
05056159001	4013288 033758		10
		889/4/1 1x 1/4"x50	
		851/1 TZ PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		855/1 TZ PZ 1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25	
		800/1 TZ 1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25	

Bit-Check 10 Universal 5 SB

- Tough viscous bits for universal use
- Includes universal holder for the take-up of bits with 1/4" hex head drive

Bit-Check 10 Universal 5 SB



Code	EAN		
05073416001	4013288 128164		1
		889/4/1 1x 1/4"x50	
		851/1 Z PH 1x PH 2x25	
		855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25	
		867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	

Bit-Check 10 TX Universal 1

- Tough viscous bits for universal use
- Torsion design against premature wear
- Universal holder with quick-release chuck for rapid bit change

Bit-Check 10 TX Universal 1



Code	EAN		
05056164001	4013288 033802		10
		894/4/1 K 1x 1/4"x51	
		867/1 TZ TORX® 1x TX 8x25; 1x TX 9x25; 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25; 1x TX 40x25	

Bit-Check 10 TX Universal 2

- Tough viscous bits for universal use
- Rapidaptor holder for rapid bit change

Bit-Check 10 TX Universal 2



Code	EAN		
05057115001	4013288 127747		10
		888/4/1 K 1x 1/4"x50	
		867/1 TORX® 1x TX 6x25; 1x TX 8x25; 1x TX 9x25; 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	

Bit-Check 7 Universal 1

- Tough viscous bits for universal use
- Universal holder with stainless sleeve and strong permanent magnet

Bit-Check 7 Universal 1



Code	EAN		
05056295001	4013288 038166		20
		893/4/1 K 1x 1/4"x50	
		851/1 Z PH 1x PH 1x25; 1x PH 2x25	
		855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25	
		800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25	

Bit-Check 7 Universal 1 SB



Code	EAN		
05073406001	4013288 036186		1
		893/4/1 K 1x 1/4"x50	
		851/1 Z PH 1x PH 1x25; 1x PH 2x25	
		855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25	
		800/1 Z 1x 1.0x5.5x25; 1x 1.2x6.5x25	

Bit-Check 7 Universal 4



Code	EAN			
05135810001	4013288 179265			20
		893/4/1 K	1x 1/4"x50	
		851/1 Z PH	1x PH 2x25	
		855/1 Z PZ	1x PZ 1x25; 1x PZ 2x25	
		867/1 TORX®	1x TX 15x25; 1x TX 20x25; 1x TX 25x25	

Bit-Check 7 PZ Universal 1



Code	EAN			
05056296001	4013288 038135			20
		893/4/1 K	1x 1/4"x50	
		855/1 Z PZ	2x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25	

Bit-Check 7 TX Universal 1

- Tough viscous bits for universal use
- Universal holder with stainless sleeve and strong permanent magnet

Bit-Check 7 TX Universal 1



Code	EAN			
05056294001	4013288 041500			20
		893/4/1 K	1x 1/4"x50	
		867/1 TORX®	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	

Bit-Check 7 TX Universal 1 SB



Code	EAN			
05073404001	4013288 038111			1
		893/4/1 K	1x 1/4"x50	
		867/1 TORX®	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	

Bit-Check 7 TX B0 Universal 1

- Tough viscous bits for universal use
- Universal holder with quick-release chuck for rapid bit change

Bit-Check 7 TX B0 Universal 1



Code	EAN			
05056158001	4013288 033741			20
		894/4/1 K	1x 1/4"x51	
		867/1 Z TORX® B0	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	

Hex-Plus - lets hexagon socket screws last longer

Deformation of the screws is reduced

Above-average service life



Bit-Check 7 Hex-Plus 1



Code	EAN		
05056168001	4013288 033840		20
		895/4/1 K 1x 1/4"x52	
		840/1 Z Hex-Plus 1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	

Bit-Check 6 Universal 1

- Tough viscous bits for universal use
- The Torsion design absorbs torque peaks
- Prevents premature breakage of the drive tip

Bit-Check 6 Universal 1



Code	EAN		
05056474001	4013288 156143		20
		851/4 TZ PH 1x PH 1x50; 1x PH 2x50	
		855/4 TZ PZ 1x PZ 1x50; 1x PZ 2x50	
		800/4 Z 1x 1,0x5,5x50; 1x 1,2x6,5x50	

Bit-Check 6 Universal 1 SB



Code	EAN		
05073635001	4013288 155276	851/4 TZ PH 1x PH 1x50; 1x PH 2x50	1
		855/4 TZ PZ 1x PZ 1x50; 1x PZ 2x50	
		800/4 Z 1x 1,0x5,5x50; 1x 1,2x6,5x50	

Bit-Check 6 Universal 2 SB



Code	EAN		
05073638001	4013288 155245	851/4 TZ PH 1x PH 2x50	1
		855/4 TZ PZ 1x PZ 1x50; 1x PZ 2x50	
		867/4 Z TORX® 1x TX 15x50; 1x TX 20x50; 1x TX 25x50	

Bit-Check 6 TX Universal 1

- Tough viscous bits for universal use

Bit-Check 6 TX Universal 1



Code	EAN		
05056472001	4013288 156112	867/4 Z TORX® 1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 30x50; 1x TX 40x50	20

Bit-Check 6 TX Universal 1 SB



Code	EAN			
05073637001	4013288 155252		867/4 Z TORX® 1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 30x50; 1x TX 40x50	1

Bit-Check 6 V Universal 1

6 50 mm-long bits tidily arranged in a minimum of space in a practical Bit-Check. Bits for square socket screws with holding function.

The wedging forces resulting from the contact pressure between the drive tip and the screw profile securely hold the screw on the tool. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

Bit-Check 6 V Universal 1



Code	EAN			
05056478001	4013288 190802		868/4 V 1x # 1x50; 3x # 2x50; 2x # 3x50	10

Bit-Check 30 Wood TX HF 1

Bits and holder set, particularly suitable for woodworking. With their special geometry and as per the Camcar Innovations, Michigan, USA specification, the 867/1 TORX® HF bits hold TORX® screws securely on the tool!

This is particularly helpful in hard-to-reach work areas where the second hand cannot be used to hold the screw.

They are also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws.

With Take it easy tool finder: Colour coding by size. Rapidaptor holder for lightning-fast bit changes. The Bit-Check allows a quick overview of the available tools.

Unused bits are simply put back in the holder and will not be lost. Easy transport e.g. in the shirt pocket. The Bit-Check can be set up at the work place, which allows for quick access of the tools.

- Holding function for recessed TORX® screws
- Also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws

Bit-Check 30 Wood TX HF 1



Code	EAN			
05057436001	4013288 226204		887/4 RR 1x 1/4"x57	10
			851/1 TZ 2x PH 2x25; 1x PH 3x25	
			855/1 TH 3x PZ 1x25; 6x PZ 2x25; 2x PZ 3x25	
			867/1 TORX® HF 2x TX 10x25; 2x TX 15x25; 4x TX 20x25; 4x TX 25x25; 2x TX 30x25; 1x TX 40x25 ¹⁾	

¹⁾Pound-thru hexagonal; no Take it easy.



Bit-Check 30 Wood TX HF 1 SB



Code	EAN		
05057437001	4013288 227522		1
1x Bit-Check 30 Wood TX HF 1			
		887/4 RR 1x 1/4"x57	
		851/1 TZ 2x PH 2x25; 1x PH 3x25	
		855/1 TH 3x PZ 1x25; 6x PZ 2x25; 2x PZ 3x25	
		867/1 TORX® HF 2x TX 10x25; 2x TX 15x25; 4x TX 20x25; 4x TX 25x25; 2x TX 30x25; 1x TX 40x25 ¹⁾	

¹⁾Pound-thru hexagonal; not Take it easy.

Bit-Check 30 Wood 1

- Ring magnet Rapidaptor, holder for holding even longer and heavier screws

Bit-Check 30 Wood 1



Code	EAN		
05057433001	4013288 179807		1
		887/4 RR 1x 1/4"x57	
		851/1 TZ PH 2x PH 2x25; 1x PH 3x25	
		855/1 TH PZ 3x PZ 1x25; 6x PZ 2x25; 2x PZ 3x25	
		867/1 TZ TORX® 2x TX 10x25; 2x TX 15x25; 4x TX 20x25; 4x TX 25x25; 2x TX 30x25; 1x TX 40x25	

Bit-Check 30 Wood 2

- Universal holder with stainless sleeve

Bit-Check 30 Wood 2



Code	EAN		
05057432001	4013288 179845		10
		899/4/1 1x 1/4"x50	
		851/1 Z PH 1x PH 2x25	
		855/1 Z PZ 2x PZ 1x25; 5x PZ 2x25; 2x PZ 3x25	
		867/1 TORX® 3x TX 10x25; 4x TX 15x25; 4x TX 20x25; 4x TX 25x25; 3x TX 30x25; 1x TX 40x25	

Bit-Check 30 Wood 2 SB



Code	EAN		
05057438001	4013288 229625		1
		899/4/1 1x 1/4"x50	
		851/1 Z 1x PH 2x25	
		855/1 Z 2x PZ 1x25; 5x PZ 2x25; 2x PZ 3x25	
		867/1 TORX® 3x TX 10x25; 4x TX 15x25; 4x TX 20x25; 4x TX 25x25; 3x TX 30x25; 1x TX 40x25	

Bit-Check 12 Wood TX HF 1

Bits and holder set, particularly suitable for woodworking. With their special geometry and as per the Camcar Innovations, Michigan, USA specification, the 867/1 TORX® HF bits hold TORX® screws securely on the tool!

This is particularly helpful in hard-to-reach work areas where the second hand cannot be used to hold the screw. They are also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws.

With Take it easy tool finder: Colour coding by size. Ring magnet Rapidaptor holding tool to hold long and heavy screws.

The Bit-Check allows a quick overview of the available tools. Unused bits are simply put back in the holder and will not be lost.

Easy transport e.g. in the shirt pocket. The Bit-Check can be set up at the work place, which allows for quick access of the tools.

- 867/1 TORX® HF bits with holding function for TORX® screws as per the Camcar Innovations, Michigan, USA specification
- Also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws

Bit-Check 12 Wood TX HF 1



Code	EAN			
05057435001	4013288 226198			10
		●●	887/4 RR 1x 1/4"x57	
		✚	855/1 Z 1x PZ 1x25; 1x PZ 2x25	
		✚	867/1 TORX® HF 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 2x TX 25x25; 1x TX 30x25; 1x TX 40x25 ¹⁾	
		✚	867/1 TORX® 1x TX 20x25; 1x TX 25x25	

¹⁾Pound-thru hexagonal; no Take it easy.

Bit-Check 12 Wood TX HF 1 SB



Code	EAN			
05073641001	4013288 227515			1
1x Bit-Check 12 Wood TX HF 1				
		●●	887/4 RR 1x 1/4"x57	
		✚	855/1 Z 1x PZ 1x25; 1x PZ 2x25	
		✚	867/1 TORX® HF 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 2x TX 25x25; 1x TX 30x25; 1x TX 40x25 ¹⁾	
		✚	867/1 TORX® 1x TX 20x25; 1x TX 25x25	

¹⁾Pound-thru hexagonal; not Take it easy.

Bit-Check 12 Wood 1

- Ring magnet Rapidaptor, holder for holding even longer and heavier screws

Bit-Check 12 Wood 1



Code	EAN			
05057423001	4013288 179876			10
		●●	887/4 RR 1x 1/4"x57	
		✚	855/1 TH PZ 1x PZ 1x25; 2x PZ 2x25; 1x PZ 3x25	
		✚	851/1 TH PH 1x PH 2x25	
		✚	867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	

Bit-Check 12 Wood 2

- Universal holder with stainless sleeve

Bit-Check 12 Wood 2



Code	EAN			
05057422001	179890			10
		899/4/1	1x 1/4"x50	
		851/1 Z PH	1x PH 2x25	
		855/1 Z PZ	1x PZ 1x25; 2x PZ 2x25; 1x PZ 3x25	
		867/1 TORX®	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	

Bit-Check 6 Wood TX HF 1

Bit-Set, particularly suitable for woodworking. With their special geometry and as per the Camcar Innovations, Michigan, USA specification, the 867/4 TORX® HF bits hold TORX® screws securely on the tool!

This is particularly helpful in hard-to-reach work areas where the second hand cannot be used to hold the screw. They are also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws.

With Take it easy tool finder: Colour coding by size.

The Bit-Check allows a quick overview of the available tools. Unused bits are simply put back in the holder and will not be lost.

Easy transport e.g. in the shirt pocket. The Bit-Check can be set up at the work place, which allows for quick access of the tools.

- Particularly for wood applications
- For TORX® socket screws
- Holding function for TORX® screws
- Also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws
- 50 mm-long bits

Bit-Check 6 Wood TX HF 1



Code	EAN			
05056470001	226181			20
		867/4 TORX® HF	2x TX 20x50; 2x TX 25x50; 1x TX 30x50; 1x TX 40x50 ¹⁾	

¹⁾ Pound-thru hexagonal; no Take it easy.

Bit-Check 6 Wood TX HF 1 SB



Code	EAN			
05073639001	227508			1
1x Bit-Check 6 Wood TX HF 1				
		867/4 TORX® HF	2x TX 20x50; 2x TX 25x50; 1x TX 30x50; 1x TX 40x50 ¹⁾	

¹⁾ Pound-thru hexagonal; not Take it easy.

Bit-Check 30 Metal 1

- Tough viscous bits for universal use
- Universal holder with stainless sleeve and strong permanent magnet

Bit-Check 30 Metal 1



Code	EAN			
05057434001	4013288			10
	179838			
		●●	899/4/1 1x 1/4"x50	
		+	851/1 Z PH 3x PH 1x25; 3x PH 2x25; 2x PH 3x25	
		+	855/1 Z PZ 3x PZ 1x25; 3x PZ 2x25; 3x PZ 3x25	
		✦	867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		●	800/1 Z 1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25	
		○	840/1 Z Hex-Plus 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	

Bit-Check 30 Metal 1 SB



Code	EAN			
05057440001	4013288			1
	229632	●●	899/4/1 1x 1/4"x50	
		+	851/1 Z 3x PH 1x25; 3x PH 2x25; 2x PH 3x25	
		+	855/1 Z 3x PZ 1x25; 3x PZ 2x25; 3x PZ 3x25	
		✦	867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		●	800/1 Z 1x 0.6x4.5x25; 1x 1.0x5.5x25; 1x 1.2x6.5x25	
		○	840/1 Z 1x 4.0x25; 1x 5.0x25; 1x 6.0x25	

Bit-Check 12 Metal 1



Code	EAN			
	4013288			
05057424001	179883			10
		899/4/1	1x 1/4"x50	
		851/1 Z PH	1x PH 1x25; 1x PH 2x25	
		855/1 Z PZ	1x PZ 1x25; 1x PZ 2x25	
		867/1 TORX®	1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	
		840/1 Z Hex-Plus	1x 3,0x25; 1x 4,0x25; 1x 5,0x25	

Bit-Check 12 Metal 1 SB



Code	EAN			
	4013288			
05136393001	214003			1
		899/4/1	1x 1/4"x50	
		851/1 Z PH	1x PH 1x25; 1x PH 2x25	
		855/1 Z PZ	1x PZ 1x25; 1x PZ 2x25	
		867/1 TORX®	1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	
		840/1 Z Hex-Plus	1x 3,0x25; 1x 4,0x25; 1x 5,0x25	

843 Stepped drill bits, 4-20 mm

9 drill steps increasing by 2 mm for material with a maximum thickness of 4.5 mm. Comes with edge breaker for 1 mm sheet metal. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

843 Stepped drill bits, 4-20 mm



	EAN							
Code	4013288	mm						
05104672001	117632	75,0						1

844 Single Tap Bits

To cut metric threads. The hexagonal shaft ensures very good power transfer. The finely-tuned material elasticity provides for great durability.

Perfect chip removal and a low tilt risk.

1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

844 Single Tap Bits



	EAN							
Code	4013288	mm	mm	mm				
05104666001	117571	3,0	10,00	33,0	M 3			1
05104667001	117588	4,0	11,00	35,0	M 4			1
05104668001	117595	5,0	12,50	36,0	M 5			1
05104669001	117601	6,0	18,00	40,0	M 6			1
05104670001	117618	8,0	20,00	40,0	M 8			1
05104671001	117625	10,0	20,00	40,0	M 10			1

844/7 Tap Bits Set

Rapidaptor universal holder for bits with 1/4" hexagon drive.
Non-magnetic design.

844/7 Tap Bits Set



Code	EAN			
05104754001	4013288 233042			1
		●●	888/4/1 K 1x 1/4"x50	
		●	844 1x 3,0x33,0; 1x 4,0x35,0; 1x 5,0x36,0; 1x 6,0x40,0; 1x 8,0x40,0; 1x 10,0x40,0	

845 1-flute Countersink Bits

1-flute countersink bit by Wera. For countersinking and de-burring. The hexagon shaft ensures very good power transfer, vibration-free and score-free working.

Perfect chip removal and long service life. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

845 1-flute Countersink Bits



Code	EAN	●	↓	↓	●			
05104660001	4013288 117519	mm	mm	mm				1
05104661001	117526	6,30	21,00	32,0	M 3			1
05104662001	117533	8,30	21,00	32,0	M 4			1
05104663001	117540	10,40	21,00	34,0	M 5			1
05104664001	117557	12,40	21,00	36,0	M 6			1
05104665001	117564	16,50	22,00	40,0	M 8			1
		20,50	22,00	43,0	M 10			1

816 R

Bit holder with Rapidaptor quick-release chuck for bits with 1/4" hexagon drive.

888/4/1 K

Rapidaptor universal holder for bits with 1/4" hexagon drive.
Non-magnetic design.

845/8 1-flute Countersink Bits Set



Code	EAN			
05104655001	4013288 119285			1
		●	816 R 1x 1/4"x119	
		●●	888/4/1 K 1x 1/4"x50	
		●	845 1x 6,30x32,0; 1x 8,30x32,0; 1x 10,40x34,0; 1x 12,40x36,0; 1x 16,50x40,0; 1x 20,50x43,0	

846 3-flute Countersink Bit

3-flute countersink bit for deburring, chamfering and countersinking. A finely-tuned material elasticity provides for great durability.

Perfect chip removal and a low tilt risk ensure pleasant working.
Cutting section as per DIN 335-C, 90° with 3 cutters.
1/4" hexagon, suitable for holders with take-up as per DIN ISO 1173-D 6.3.

846 3-flute Countersink Bit



Code	EAN	●	↓	↓	↓			
05104630001	4013288 101440	mm	mm	mm				1
05104631001	101457	6,30	20,00	31,0	M 3			1
05104632001	101464	8,30	20,00	31,0	M 4			1
05104633001	101471	10,40	20,00	34,0	M 5			1
05104634001	101488	12,40	20,00	35,0	M 6			1
05104635001	101495	16,50	20,00	40,0	M 8			1
		20,50	20,00	41,0	M 10			1

816 R

Bit holder with Rapidaptor quick-release chuck for bits with 1/4" hexagon drive.

888/4/1 K

Rapidaptor universal holder for bits with 1/4" hexagon drive.
Non-magnetic design.

846/8 3-flute Countersink Bits Set



Code	EAN			
05104650001	111678			1
		●	816 R 1x 1/4"x119	
		●●	888/4/1 K 1x 1/4"x50	
		●	846 HSS 1x 6,30x31,0; 1x 8,30x31,0; 1x 10,40x34,0; 1x 12,40x35,0; 1x 16,50x40,0; 1x 20,50x41,0	

847 HSS Combined Tap Bits

Combination tapping drill bits for drilling, tapping and deburring. Made out of high speed steel (HSS). A finely-tuned material elasticity provides for great durability.

The very good centring properties, perfect chip removal and a low tilt risk ensure pleasant working. The hexagonal shaft ensures very good power transfer. Drive: 1/4" hexagon, suitable for holders with take-up as per DIN ISO 1173-D 6.3.

847 HSS Combined Tap Bits



	EAN	mm	mm	mm			
Code	4013288	mm	mm	mm			
05104640001	101501	2,5	12,00	36,0	M 3		1
05104641001	101518	3,3	12,00	39,0	M 4		1
05104642001	101525	4,2	12,00	41,0	M 5		1
05104643001	101532	5,0	12,00	44,0	M 6		1
05104644001	101549	6,8	12,00	51,0	M 8		1
05104645001	101556	8,5	12,00	59,0	M 10		1

888/4/1 K Rapidaptor Universal Bit holder

- Non-magnetic design

847/7 Set Combination Drill Bits Set



Code	EAN			
05104751001	233035			1
		●●	888/4/1 K 1x 1/4"x50	
		●	847 HSS 1x 2,5x36,0; 1x 3,3x39,0; 1x 4,2x41,0; 1x 5,0x44,0; 1x 6,8x51,0; 1x 8,5x59,0	

848 HSS Metal Twist Drill Bits

Metal twist drill bits for precise drilling in metal. Made out of high speed steel (HSS). A finely-tuned material elasticity provides for a long service life. Very good concentricity.

Tough viscous tempered bits ensure a particularly long service life. The hexagonal shaft ensures very good power transfer.

Drive: 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

848 HSS Metal Twist Drill Bits



	EAN							
Code	4013288	mm	mm	mm				
05104610001	101310	3,0	16,00	38,0				1
05104611001	101327	3,1	18,00	40,0				1
05104612001	101334	3,3	18,00	40,0				1
05104613001	101341	4,0	20,00	44,0				1
05104614001	101358	4,1	20,00	44,0				1
05104615001	101365	4,2	20,00	45,0				1
05104616001	101372	5,0	26,00	50,0				1
05104617001	101389	5,1	26,00	50,0				1
05104618001	101396	6,0	26,00	50,0				1
05104619001	101402	6,8	30,00	50,0				1
05104620001	101419	8,0	32,00	51,0				1
05104621001	101426	8,5	33,00	53,0				1
05104622001	101433	10,0	38,00	54,0				1

849 HSS Twist Wood Drill Bits

Wood twist drill bits for precise, splinter-free drilling in soft wood, hard wood and laminated panel material. Made out of high speed steel (HSS).

The hexagonal shaft ensures very good power transfer. A finely-tuned material elasticity provides for a long service life. Very good concentricity. 1/4" drive suitable for holders as per DIN ISO 1173-D 6.3.

849 HSS Twist Wood Drill Bits



	EAN							
Code	4013288	mm	mm	mm				
05104600001	101259	3,0	32,00	70,0				1
05104601001	101266	4,0	32,00	74,0				1
05104602001	101273	5,0	43,00	85,0				1
05104603001	101280	6,0	45,00	95,0				1
05104604001	101297	8,0	60,00	110,0				1
05104605001	101303	10,0	70,00	120,0				1

848/851/867/19 Metal Twist Drill Bits and Bits Set

19-piece metal twist drill bit and bit set. High quality metal twist drill bits for precise drilling in metal.

Made out of high speed steel (HSS). A finely-tuned material elasticity provides for great durability.

Very good concentricity. The hexagonal shaft ensures very good power transfer. Tough viscous bits for universal use.

Drive: 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3. Includes robust belt pouch for secure storage.

848/851/867/19 Metal Twist Drill Bits and Bits Set



Code	EAN			
05104652001	111654			1
			888/4/1 K 1x 1/4"x50	
			851/1 TZ PH 2x PH 1x25; 3x PH 2x25; 1x PH 3x25	
			848 HSS 1x 3,0x38,0; 1x 4,0x44,0; 1x 4,2x45,0; 1x 5,0x50,0; 1x 6,0x50,0; 1x 8,0x51,0	
			867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	



849/855/867/18 Wood Twist Drill Bits and Bits Set

18-piece wood twist drill bit and bit set. High quality, metal twist drill bits for precise, splinter-free drilling in soft wood, hard wood and laminated panel material.

Made out of high speed steel (HSS). A finely-tuned material elasticity provides for great durability. Very good concentricity.

The hexagonal shaft ensures very good power transfer. The Rapidaptor universal holder ensures rapid bit change without any extra tools. Drive: 1/4" hexagon, suitable for holders with take-up as per DIN ISO 1173-D 6.3.

849/855/867/18 Wood Twist Drill Bits and Bits Set



Code	EAN			
05104653001	4013288 111661			1
			889/4/1 K 1x 1/4"x50	
			849 HSS 1x 3,0x70,0; 1x 4,0x74,0; 1x 5,0x85,0; 1x 6,0x95,0; 1x 8,0x110,0	
			855/1 TH PZ 2x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25	
			867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	

Patio construction set T 1

Compact Wera tool set with the 17 most common screwdriving tools for patio construction. Bits in stainless steel design prevent extraneous rust.

With extra smart bit holder, which enables a uniform depth thanks to the variable screw depth limitation, and prevents damage to decking with the fitted felt ring.

- High-quality 17-piece tool set for evenly flush countersunk screw heads for decking in patio construction
- Bit holder with adjustable screw depth limitation and protective felt ring for surface protection
- 15 bits (TORX®, PH, PZ) made from stainless steel to prevent extraneous rust plus 3888/4/1 K Rapidaptor stainless steel bit holder
- Take it easy tool finder: colour coding according to profile and size
- Compact folding bag with Wera 2go compatibility incl. 4 spare felt rings

Patio construction set T 1



Code	EAN			
05134021001	4013288 219510			1
			881/4/1 1x 1/4"x90 ¹⁾	
			3888/4/1 K 1x 1/4"x50	
			3851/1 TS PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
			3855/1 TS PZ 1x PZ 1x25; 2x PZ 2x25; 1x PZ 3x25	
			3867/1 TS TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
			3867/1 TS P TORX® 2x TX 25x25	
			9201 4x 27,0	

¹⁾The spare part kit with 5x felt rings can be ordered with the code number 05130003001.

Bit-Check 10 Drywall 1

Bit-Check for drywall construction. High quality spacer out of aluminium; the screwdriving depth can be infinitely adjusted and allows the flush-mounting of screws; 9 drywall bits with modified output shaft, 25 mm in length.

Bit-Check 10 Drywall 1



Code	EAN			
05136011001	178657			1
			896/4/1 1x 1/4"x50	
			851/1 RZ PH 9x PH 2x25	

Bit-Check 6 SHK 1 SB

6 Wera bits (50 mm length) neatly arranged in the smallest of spaces in the practical Bit-Check. Particularly suitable for plumbing, heating and air conditioning; Bit-Checks allow a quick overview of the available tools. Unused bits are simply put back in the holder and will not be lost. Easy transport e.g. in your shirt pocket. The tough bits are suitable for universal use.

- Included bits particularly suitable for HVAC applications
- Tough viscous bits for universal use
- The tough design of the bits prevents the tip from breaking prematurely
- Hex-Plus allows socket head screws to live longer
- 50 mm-long bits
- Upright positionable, multi-component Bit-Check
- Bit-Check plastic material ensures robustness and durability

Bit-Check 6 SHK 1 SB



Code	EAN			
05073631001	227997			1
			851/4 TZ 1x PH 2x50	
			867/4 Z TORX® 1x TX 15x50; 1x TX 20x50; 1x TX 25x50	
			840/4 Z 1x 5,0x50; 1x 6,0x50 ¹⁾	

¹⁾Hexagonal blade



Torque Tools



Series 7400 Kraftform adjustable torque screwdrivers with Rapidaptor quick-release chuck

Variable torque setting option with highest precision. Simple adjustment of the required torque value without any special tools. Easy-to-read scale value; audible click signal. Rapidaptor quick-release technology for rapid bit change. Unlimited torque to loosen seized screws.

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Suitable for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Series 7400 Kraftform adjustable torque screwdrivers (0.1-3.0 Nm) with Rapidaptor quick-release chuck



	EAN	Art.No.						
Code	4013288			Nm	Nm	mm	mm	
05074770001 ¹⁾	179012	7430	1/4"	0,10-0,34	0,015	89	142	1
05074772001 ¹⁾	179128	7431	1/4"	0,30-1,00	0,05	89	142	1
05074774001 ¹⁾	179135	7432	1/4"	0,90-1,50	0,05	89	142	1
05074700001	100641	7440	1/4"	0,3-1,2	0,05	105	155	1
05074701001	100658	7441	1/4"	1,2-3,0	0,10	105	155	1

¹⁾ With attachable magnifying glass, significantly improving readability.

Series 7400 Kraftform adjustable torque screwdrivers (2.5-29.0 in. lbs.) with Rapidaptor quick-release chuck



	EAN	Art.No.						
Code	4013288			in. lbs.	in. lbs.	mm	mm	
05074710001	102881	7445	1/4"	2,5-11,5	0,5	105	155	1
05074711001	102898	7446	1/4"	11,0-29,0	1,0	105	155	1

Series 7400 Kraftform pistol grip, adjustable torque screwdrivers (3.0-8.8 Nm) with Rapidaptor quick-release chuck



	EAN	Art.No.						
Code	4013288			Nm	Nm	mm	mm	
05074702001	101730	7442	1/4"	3,0-6,0	0,25	150	100	1
05074705001	119308	7443	1/4"	4,0-8,8	0,40	150	100	1

Series 7400 Kraftform pistol grip, adjustable torque screwdrivers (25.0-55.0 in. lbs.) with Rapidaptor quick-release chuck



	EAN	Art.No.						
Code	4013288			in. lbs.	in. lbs.	mm	mm	
05074712001	102904	7447	1/4"	25,0-55,0	2,5	150	100	1

9524 Photovoltaic mounting tool set 1

7-piece tool set for installing photovoltaic systems. One adjustable torque screwdriver (pistol handle) 7442 for the measuring range 3.0-6.0 Nm. Digital torque value display. Reliable slip-over mechanism and audible signal when the set torque is reached. One 889/4/1 F Rapidaptor bitholding screwdriver with fast-rotating function for a particularly quick return movement without having to remove the tool during clockwise torque operation. One 6003 Joker ring spanner. The special open end geometry expands the placement possibilities of the tool which makes the ring spanner particularly suitable for narrow spaces.

2 installation tools for MC4 solar connectors (Multi-Contact). One socket 1/2" (with side wire cutout) size 17 for installing panel connectors, one tool shaft (adapter 1/4" to 1/2") for manually operated socket wrench inserts.

- Screwdriving tool set for installing photovoltaic systems
- Includes 2x 9108 installation tools for MC4 solar connectors (Multi-Contact)
- Includes 7442 adjustable torque screwdriver (3.0-6.0 Nm) with pistol handle
- Includes Rapidaptor 889/4/1 F bitholder with fast-rotating function for a particularly quick return movement without having to remove the tool during clockwise torque operation
- Includes Joker 6003 ring spanner, particularly suitable for narrow spaces; the special open end geometry expands the placement possibilities of the tool
- Includes 1/2" socket (with side wire cutout) size 17 for installing panel connectors
- Includes tool shaft 870/4 (adapter 1/4" hexagon to 1/2" square head) for manually operated 1/2" socket wrench inserts

9524 Photovoltaic mounting tool set 1



Code	EAN		
05136043001	4013288 228017		1
		7400 pistol grip 1x 7442, 3,0-6,0 Nm	
		8790 HMC Deep with cutout 1x 17,0x76,0	
		870/4 A 1x 1/4"x1/2"x72	
		889/4/1 F 1x 1/4"x64	
		6003 Joker 1x 17x190	
		9108 2x 115	
		Hook and Loop Fastener Strip 120 1x 50,0x120,0	



7440/41 Kraftform torque screwdriver set 0.3-3.0 Nm

Wera torque screwdriver set. Two torque screwdrivers with variable torque setting option with highest precision.

Simple adjustment of the required torque value without any special tools. Easy-to-read scale value.

Rapidaptor quick-release technology for rapid bit change.

Unlimited torque to loosen seized screws. Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Includes bit assortment in a high quality and stable plastic case.

7440/41 Kraftform torque screwdriver set 0.3-3.0 Nm



Code	EAN			
	4013288			
05074738001	112354			1
			7400 1x 7440, 1/4", 0,3-1,2 Nm; 1x 7441, 1/4", 1,2-3,0 Nm	
			867/1 TZ TORX® 1x TX 6x25; 1x TX 7x25; 1x TX 8x25; 1x TX 9x25; 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	
			867/1 IP TORX PLUS® 1x 6 IPx25; 1x 7 IPx25; 1x 8 IPx25; 1x 9 IPx25; 1x 10 IPx25; 1x 15 IPx25; 1x 20 IPx25; 1x 25 IPx25; 1x 30 IPx25	
			840/1 Z Hex-Plus 1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	

7440/41/42 Kraftform torque screwdriver set 0.3-6.0 Nm



Code	EAN			
	4013288			
05074739001	113924			1
		●	7400 1x 7440, 0,3-1,2 Nm; 1x 7441, 1,2-3,0 Nm	
		●	7400 pistol grip 1x 7442, 3,0-6,0 Nm	
		✳	867/1 TZ TORX® 1x TX 6x25; 1x TX 7x25; 1x TX 8x25; 1x TX 9x25; 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	
		✳	867/1 IP TORX PLUS® 1x 6 IPx25; 1x 7 IPx25; 1x 8 IPx25; 1x 9 IPx25; 1x 10 IPx25; 1x 15 IPx25; 1x 20 IPx25; 1x 25 IPx25; 1x 30 IPx25	
		○	840/1 Z 1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	

7445/46/47 Kraftform torque screwdriver set 2.5-55.0 in. lbs.



Code	EAN			
	4013288			
05350451001	167383			1
		●	7400 Imperial 1x 7445, 2,5-11,5 in. lbs.; 1x 7446, 11,0-29,0 in. lbs.	
		●	7400 Imperial pistol grip 1x 7447, 25,0-55,0 in. lbs.	
		✳	867/1 TZ TORX® 1x TX 6x25; 1x TX 7x25; 1x TX 8x25; 1x TX 9x25; 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	
		✳	867/1 IP TORX PLUS® 1x 6 IPx25; 1x 7 IPx25; 1x 8 IPx25; 1x 9 IPx25; 1x 10 IPx25; 1x 15 IPx25; 1x 20 IPx25; 1x 25 IPx25; 1x 30 IPx25	
		○	840/1 Z 1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	



1430 Kraftform Micro ESD adjustable torque screwdrivers (0.02-0.11 Nm) with quick-release chuck

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm
- Suitable for bits with 4 mm halfmoon and 4 mm HIOS drive
- Applications e.g. on smartphones, mobile phones, cameras, electronic equipment

1430 Kraftform Micro ESD adjustable torque screwdrivers (0.02-0.11 Nm) with quick-release chuck



	EAN							
Code	4013288	Art.No.	Nm	Nm	mm			
05074802001 ¹⁾	179043	1430 ESD	0,02-0,06	0,0025	141	5 7/16"		1
05074804001 ¹⁾	179104	1431 ESD	0,05-0,11	0,005	141	5 7/16"		1

¹⁾ With attachable magnifying glass, significantly improving readability.

Series 7400 Kraftform ESD adjustable torque screwdrivers (0.1-3.0 Nm) with Rapidaptor quick-release chuck

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm

Series 7400 Kraftform ESD adjustable torque screwdrivers (0.1-3.0 Nm) with Rapidaptor quick-release chuck



	EAN							
Code	4013288	Art.No.	Nm	Nm	mm	mm		
05074780001 ¹⁾	179159	7430 ESD	1/4"	0,10-0,34	0,015	89	142	1
05074782001 ¹⁾	179166	7431 ESD	1/4"	0,30-1,00	0,05	89	142	1
05074784001 ¹⁾	179173	7432 ESD	1/4"	0,90-1,50	0,05	89	142	1
05074730001	106964	7440 ESD	1/4"	0,3-1,2	0,05	105	155	1
05074731001	106971	7441 ESD	1/4"	1,2-3,0	0,10	105	155	1

¹⁾ With attachable magnifying glass, significantly improving readability.

Series 7400 Kraftform ESD adjustable torque screwdrivers (2.5-29.0 in. lbs.) with Rapidaptor quick-release chuck

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm

Series 7400 Kraftform ESD adjustable torque screwdrivers (2.5-29.0 in. lbs.) with Rapidaptor quick-release chuck



	EAN							
Code	4013288	Art.No.		in. lbs.	in. lbs.	mm	mm	
05074733001	106988	7445 ESD	1/4"	2,5-11,5	0,5	105	155	1
05074734001	106995	7446 ESD	1/4"	11,0-29,0	1,0	105	155	1

Series 7400 Kraftform ESD adjustable torque screwdrivers (0.1-1.0 Nm)

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm
- Suitable for bits with 4 mm halfmoon and 4 mm HIOS drive

Series 7400 Kraftform ESD adjustable torque screwdrivers (0.1-1.0 Nm)



	EAN							
Code	4013288	Art.No.	Nm	Nm	mm	mm		
05074786001 ¹⁾	179036	7435 ESD	0,10-0,34	0,015	89	142	5 7/16"	1
05074788001 ¹⁾	179029	7436 ESD	0,30-1,00	0,05	89	142	5 7/16"	1

¹⁾ With attachable magnifying glass, significantly improving readability.

Series 7400 Kraftform Torque Screwdrivers, with a factory pre-set measurement value

Wera torque screwdriver. With a factory pre-set torque value set to the smallest scale value. For all applications, where the same constant torque and repeat accuracy are required.

The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137003001).

Afterwards you can check the set value using an off-the-shelf torque tester. Unlimited loosening torque for slackening stuck screws. Rapidaptor quick-release technology for rapid bit changes.

Suitable for bits with a 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173). Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Please note: 1 Ncm = 0.01 Nm.

7400 series Kraftform Torque screwdrivers, with factory pre-set value (0.1-1.5 Nm) and Rapidaptor quick-release chuck, handle size 89 mm



	EAN							
Code	4013288	Art.No.		Nm	Nm	mm	mm	
05074790001 ¹⁾	179395	7450	1/4"	0,1	0,1-0,34	89	133	1
05074792001 ¹⁾	179203	7451	1/4"	0,3	0,3-1,0	89	133	1
05074794001 ¹⁾	179197	7452	1/4"	0,9	0,9-1,5	89	133	1

¹⁾ The preset torque can be changed. However, this requires the use of special tools and Torque Test Equipment. Please contact the Wera Torque Service.

7400 series Kraftform Torque screwdrivers, with factory pre-set value (0.3-3.0 Nm) and Rapidaptor quick-release chuck, handle size 105 mm

Wera torque screwdrivers. With a factory pre-set torque value set to the smallest scale value. For all applications, where the same constant torque and repeat accuracy are required. The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137001001).

Afterwards you can check the set value using an off-the-shelf torque tester. Unlimited loosening torque for slackening stuck screws. Rapidaptor quick-release technology for rapid bit changes.

Suitable for bits with a 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Please note: 1 Ncm = 0.01 Nm.

7400 series Kraftform Torque screwdrivers, with factory pre-set value (0.3-3.0 Nm) and Rapidaptor quick-release chuck, handle size 105 mm



	EAN							
Code	4013288	Art.No.		Nm	Nm	mm	mm	
05074715001 ¹⁾	102911	7460	1/4"	0,3	0,3-1,2	105	155	1
05074716001 ¹⁾	102928	7461	1/4"	1,2	1,2-3,0	105	155	1

¹⁾ The preset torque can be changed. However, this requires the use of special tools and Torque Test Equipment. Please contact the Wera Torque Service.



7400 series Kraftform Torque screwdrivers, with factory pre-set value (3.0-8.8 Nm) and Rapidaptor quick-release chuck, pistol handle

Wera torque screwdriver. Kraftform pistol handle for particularly high torque transmission, multi-component for high working speeds and particularly ergonomic screwdriving. With a factory pre-set torque value set to the smallest scale value. For all applications, where the same constant torque and repeat accuracy are required. The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137002001).

Afterwards you can check the set value using an off-the-shelf torque tester. Unlimited loosening torque for slackening stuck screws. Rapidaptor quick-release technology for rapid bit changes.


Suitable for bits with a 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Suitable for bits with a 1/4" hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Please note: 1 Ncm = 0.01 Nm.

7400 series Kraftform Torque screwdrivers, with factory pre-set value (3.0-8.8 Nm) and Rapidaptor quick-release chuck, pistol handle



	EAN							
Code	4013288	Art.No.		Nm	Nm	mm	mm	
05074717001 ¹⁾	102935	7462	1/4"	3,0	3,0-6,0	150	100	1
05074728001 ¹⁾	156167	7463	1/4"	4,0	4,0-8,8	150	100	1

¹⁾The preset torque can be changed. However, this requires the use of special tools and Torque Test Equipment. Please contact the Wera Torque Service.

7400 Imperial series Kraftform Torque screwdrivers, with factory pre-set value (2.5-29.0 in. lbs.) and Rapidaptor quick-release chuck, handle size 105 mm

Wera torque screwdrivers. With a factory pre-set torque value set to the smallest scale value. For all applications, where the same constant torque and repeat accuracy are required.

The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137001001).

Afterwards you can check the set value using an off-the-shelf torque tester. Unlimited loosening torque for slackening stuck screws. Rapidaptor quick-release technology for rapid bit changes.

Suitable for bits with a 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Please note: 1 Ncm = 0.01 Nm.

7400 Imperial series Kraftform Torque screwdrivers, with factory pre-set value (2.5-29.0 in. lbs.) and Rapidaptor quick-release chuck, handle size 105 mm



	EAN							
Code	4013288	Art.No.		in. lbs.	in. lbs.	mm	mm	
05074720001 ¹⁾	102942	7465	1/4"	2,5	2,5-11,5	105	155	1
05074722001 ¹⁾	103116	7466	1/4"	11,0	11,0-29,0	105	155	1

¹⁾The preset torque can be changed. However, this requires the use of special tools and Torque Test Equipment. Please contact the Wera Torque Service.

7400 Imperial series Kraftform Torque screwdrivers, with factory pre-set value (25.0-55.0 in. lbs.) and Rapidaptor quick-release chuck, pistol handle

Wera torque screwdriver. Kraftform pistol handle for particularly high torque transmission, multi-component for high working speeds and particularly ergonomic screwdriving. With a factory pre-set torque value set to the smallest scale value. ¹⁾

For all applications, where the same constant torque and repeat accuracy are required. The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137002001).

Afterwards you can check the set value using an off-the-shelf torque tester.

Unlimited loosening torque for slackening stuck screws. Rapidaptor quick-release technology for rapid bit changes.

Suitable for bits with a 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Please note: 1 Ncm = 0.01 Nm.

7400 Imperial series Kraftform Torque screwdrivers, with factory pre-set value (25.0-55.0 in. lbs.) and Rapidaptor quick-release chuck, pistol handle



	EAN							
Code	4013288	Art.No.		in. lbs.	in. lbs.	mm	mm	
05074721001 ¹⁾	102959	7467	1/4"	25,0	25,0-55,0	150	100	1

¹⁾The preset torque can be changed. However, this requires the use of special tools and Torque Test Equipment. Please contact the Wera Torque Service.

7400 ESD series Kraftform Torque screwdrivers, with factory pre-set value (0.1-1.5 Nm) and Rapidaptor quick-release chuck, handle size 105 mm

Wera torque screwdriver. Safe protection against electrostatic charge and associated damage. With a factory pre-set torque value set to the smallest scale value.

For all applications, where the same constant torque and repeat accuracy are required. The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137003001).

Afterwards you can check the set value using an off-the-shelf torque tester. Unlimited loosening torque for slackening stuck screws. Rapidaptor quick-release technology for rapid bit changes.

Suitable for bits with a 1/4" hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Please note: 1 Ncm = 0.01 Nm.

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm

7400 ESD series Kraftform Torque screwdrivers, with factory pre-set value (0.1-1.5 Nm) and Rapidaptor quick-release chuck, handle size 105 mm



	EAN							
Code	4013288	Art.No.		Nm	Nm	mm	mm	
05074840001 ¹⁾	179487	7460 ESD	1/4"	0,3	0,3-1,2	105	155	1
05074842001 ¹⁾	179098	7461 ESD	1/4"	1,2	1,2-3,0	105	155	1

¹⁾The preset torque can be changed. However, this requires the use of special tools and Torque Test Equipment. Please contact the Wera Torque Service.



7400 ESD series Kraftform Torque screwdrivers, with factory pre-set value (0.1-1.5 Nm) and Rapidaptor quick-release chuck, handle size 89 mm

Wera torque screwdriver. Safe protection against electrostatic charge and associated damage. With a factory pre-set torque value set to the smallest scale value. For all applications, where the same constant torque and repeat accuracy are required.

The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137003001).

Afterwards you can check the set value using an off-the-shelf torque tester. Rapidaptor quick-release technology for rapid bit changes. Unlimited loosening torque for slackening stuck screws.

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Suitable for bits with a 1/4" hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Please note: 1 Ncm = 0.01 Nm.

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm

7400 ESD series Kraftform Torque screwdrivers, with factory pre-set value (0.1-1.5 Nm) and Rapidaptor quick-release chuck, handle size 89 mm



	EAN							
Code	4013288	Art.No.		Nm		Nm		mm
05074820001 ¹⁾	179210	7450 ESD	1/4"	0,1	0,1-0,34	89	133	1
05074822001 ¹⁾	179470	7451 ESD	1/4"	0,3	0,3-1,0	89	133	1
05074824001 ¹⁾	179227	7452 ESD	1/4"	0,9	0,9-1,5	89	133	1

¹⁾The preset torque can be changed. However, this requires the use of special tools and Torque Test Equipment. Please contact the Wera Torque Service.

7400 ESD series Kraftform Torque screwdrivers, with factory pre-set value (0.1-1.0 Nm) and quick-release chuck

Wera torque screwdriver. Safe protection against electrostatic charge and associated damage. With a factory pre-set torque value set to the smallest scale value.

For all applications, where the same constant torque and repeat accuracy are required. The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137003001).

Afterwards you can check the set value using an off-the-shelf torque tester. With quick-release chuck for rapid bit change. Unlimited loosening torque for slackening stuck screws.

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Suitable for bits with a 4 mm Halfmoon drive (Wera series 9) and a 4 mm HIOS drive (Wera series 21).

Please note: 1 Ncm = 0.01 Nm.

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm
- Suitable for bits with 4 mm halfmoon and 4 mm HIOS drive

7400 ESD series Kraftform Torque screwdrivers, with factory pre-set value (0.1-1.0 Nm) and quick-release chuck



	EAN							
Code	4013288	Art.No.		Nm		Nm		mm
05074826001 ¹⁾	179067	7455 ESD	0,1	0,1-0,34	89	138	5 1/4"	1
05074828001 ¹⁾	179050	7456 ESD	0,3	0,3-1,0	89	138	5 1/4"	1

¹⁾The preset torque can be changed. However, this requires the use of special tools and Torque Test Equipment. Please contact the Wera Torque Service.

1460 ESD Kraftform Micro torque screwdrivers, with factory pre-set value (0.02-0.11 Nm) and quick-release chuck

With a factory pre-set torque value set to the smallest scale value. For all applications, where the same constant torque and repeat accuracy are required. The torque can be changed within the measuring range with the extra tool 05137004001.

Afterwards you can check the set value using an off-the-shelf torque tester.

Compact handle/interchangeable blades system for torque-controlled precision screwdriving. The Kraftform Micro ESD torque screwdriver is ideal for torque-controlled jobs on electrostatically sensitive components. Suitable for bits with a 4 mm Halfmoon drive (Wera series 9) and a 4 mm HIOS drive (Wera series 21). Tamper-proof. Clearly audible and tactile signal when the set torque is reached. Repeatability is 100% guaranteed. Unlimited manual loosening torque.

Electrical surface resistance $\leq 10^9$ ohms for safe protection against electrostatic charge.

Manufactured as per DIN EN 61340-5-1. Handle/interchangeable blades system for rapid blade changes. Kraftform Micro handle with rotating cap and free-turning zone for rapid turning, making any time-consuming repositioning of the fingers unnecessary.

Power zone with integrated soft zones ensures the transmission of high tightening and loosening torques. Precision zone directly above the blade for the correct rotation angle for adjustment work.


Rapid bit fixing: Simply push the bit into the holder for automatic locking and a secure fit. To change the bit, simply push the sleeve forward and remove the bit. Free-running actuating sleeve for easy handling of the tool during the screwdriving process.

Bits suitable for manual and machine operated screwdriving connections with electric screwdrivers (including HIOS, Delvo, Sehan). Use with e.g. smartphones, mobile phones, cameras, electronic devices, in dental laboratories and dental surgeries.

Please note: 1 Ncm = 0.01 Nm.

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm
- Suitable for the take-up of bits with 4 mm halfmoon drive and 4 mm HIOS drive
- Applications e.g. on smartphones, mobile phones, cameras, electronic equipment

1460 ESD Kraftform Micro torque screwdrivers, with factory pre-set value (0.02-0.11 Nm) and quick-release chuck



	EAN						
Code	4013288	Art.No.	Nm	Nm	mm		
05074800001 ¹⁾	168351	1460 ESD	0,035	0,02-0,06	131	5 1/4"	1
05074810001 ¹⁾	179463	1461 ESD	0,050	0,05-0,11	131	5 1/4"	1

¹⁾The preset torque can be changed. However, this requires the use of special tools and Torque Test Equipment. Please contact the Wera Torque Service.



Series 7400 Kraftform torque screwdrivers with a customised factory pre-set measurement value, handle size 89 mm

Wera torque screwdriver. With a customised factory pre-set torque value. For all applications, where the same constant torque and repeat accuracy are required.

The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137003001). Afterwards you can check the set value using an off-the-shelf torque tester.

Unlimited loosening torque for slackening stuck screws.
Rapidaptor quick-release technology for rapid bit changes.

Suitable for bits with a 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Please note: 1 Ncm = 0.01 Nm.

Series 7400 Kraftform torque screwdrivers with a customised factory pre-set measurement value, handle size 89 mm



Code	EAN	Art.No.	Nm	mm	mm		
05074790010	188106	7450	1/4"	0,1-0,34	89	133	5 1/4"
05074792010	188113	7451	1/4"	0,3-1,0	89	133	5 1/4"
05074794010	188137	7452	1/4"	0,9-1,5	89	133	5 1/4"

^{*)}The desired settings can be made in the following units: Nm, kgf. m, lbf. ft., ozf. in., dN. m, kgf. cm, lbf. in, in. oz, cN. m, gf. m, ft. lb, gf. cm, in. lb.

Series 7400 Kraftform torque screwdrivers with a customised factory pre-set measurement value, handle size 105 mm

Wera torque screwdriver. With a customised factory pre-set torque value. For all applications, where the same constant torque and repeat accuracy are required.

The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137001001). Afterwards you can check the set value using an off-the-shelf torque tester.

Unlimited loosening torque for slackening stuck screws.
Rapidaptor quick-release technology for rapid bit changes.

Suitable for bits with a 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Please note: 1 Ncm = 0.01 Nm.

- Customized pre-set torque screwdriver with Rapidaptor quick-release chuck
- Only adjustable with an extra tool
- Suitable for bits with 1/4" hex head drive
- Distinct signal when pre-set value is reached
- Multi-component Kraftform handle for high working speeds

Series 7400 Kraftform torque screwdrivers with a customised factory pre-set measurement value, handle size 105 mm



Code	EAN	Art.No.	Nm	mm	mm		
05074715010	188144	7460	1/4"	0,3-1,2	105	155	6"
05074716010	188151	7461	1/4"	1,2-3,0	105	155	6"

^{*)}The desired settings can be made in the following units: Nm, kgf. m, lbf. ft., ozf. in., dN. m, kgf. cm, lbf. in, in. oz, cN. m, gf. m, ft. lb, gf. cm, in. lb.

Series 7400 Kraftform torque screwdrivers with a customised factory pre-set measurement value, pistol handle

Wera torque screwdriver. Kraftform pistol handle for particularly high torque transmission, multi-component for high working speeds and particularly ergonomic screwdriving.

With a customised factory pre-set torque value. For all applications, where the same constant torque and repeat accuracy are required. The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137002001). Afterwards you can check the set value using an off-the-shelf torque tester.

Rapidaptor quick-release technology for rapid bit changes. Unlimited loosening torque for slackening stuck screws.

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Please note: 1 Ncm = 0.01 Nm.

Series 7400 Kraftform torque screwdrivers with a customised factory pre-set measurement value, pistol handle



	EAN							
Code	4013288	Art.No.		Nm	mm	mm		
05074717010	188168	7462	1/4"	3,0-6,0	150	100	6"	1
05074728010	188199	7463	1/4"	4,0-8,8	150	100	6"	1

^{*)}The desired settings can be made in the following units: Nm, kgf. m, lbf. ft., ozf. in., dN. m, kgf. cm, lbf. in, in. oz, cN. m, gf. m, ft. lb, gf. cm, in. lb.

Series 7400 Imperial Kraftform torque screwdrivers with a customised factory pre-set measurement value, handle size 105 mm

Wera torque screwdriver. With a customised factory pre-set torque value.

For all applications, where the same constant torque and repeat accuracy are required.

The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137001001). Afterwards you can check the set value using an off-the-shelf torque tester.

Unlimited loosening torque for slackening stuck screws. Rapidaptor quick-release technology for rapid bit changes.

Suitable for bits with a 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Please note: 1 Ncm = 0.01 Nm.

Series 7400 Imperial Kraftform torque screwdrivers with a customised factory pre-set measurement value, handle size 105 mm



	EAN							
Code	4013288	Art.No.		in. lbs.	mm	mm		
05074720010	188250	7465	1/4"	2,5-11,5	105	155	6"	1
05074722010	188267	7466	1/4"	11,0-29,0	105	155	6"	1

^{*)}The desired settings can be made in the following units: Nm, kgf. m, lbf. ft., ozf. in., dN. m, kgf. cm, lbf. in, in. oz, cN. m, gf. m, ft. lb, gf. cm, in. lb.



Series 7400 Imperial Kraftform torque screwdrivers with a customised factory pre-set measurement value, pistol handle

Wera torque screwdriver. Kraftform pistol handle for particularly high torque transmission, multi-component for high working speeds and particularly ergonomic screwdriving.

With a customised factory pre-set torque value. For all applications, where the same constant torque and repeat accuracy are required.

The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137002001). Afterwards you can check the set value using an off-the-shelf torque tester.

Rapidaptor quick-release technology for rapid bit changes. Unlimited loosening torque for slackening stuck screws.

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Please note: 1 Ncm = 0.01 Nm.

Series 7400 Imperial Kraftform torque screwdrivers with a customised factory pre-set measurement value, pistol handle



	EAN							
Code	4013288	Art.No.		in. lbs.	mm	mm		
05074721010	188274	7467	1/4"	25,0-55,0	150	100	6"	1

^{*)}The desired settings can be made in the following units: Nm, kgf. m, lbf. ft., ozf. in., dN. m, kgf. cm, lbf. in, in. oz, cN. m, gf. m, ft. lb, gf. cm, in. lb.

1460 ESD Kraftform Micro torque screwdrivers with a customised factory pre-set measurement value with quick-release chuck

With a customised factory pre-set torque value. The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137004001).

Afterwards you can check the set value using an off-the-shelf torque tester. Compact handle/interchangeable blades system for torque-controlled precision screwdriving.

The Kraftform Micro ESD torque screwdriver is ideal for torque-controlled jobs on electrostatically sensitive components. Suitable for bits with a 4 mm Halfmoon drive (Wera series 9) and a 4 mm HIOS drive (Wera series 21).

Tamper-proof. Clearly audible and tactile signal when the set torque is reached. Repeatability is 100% guaranteed. Unlimited manual loosening torque.

Electrical surface resistance $\leq 10^9$ ohms for safe protection against electrostatic charge.

Manufactured as per DIN EN 61340-5-1. Handle/interchangeable blades system for rapid blade changes.

Kraftform Micro handle with rotating cap and free-turning zone for rapid turning, making any time-consuming repositioning of the fingers unnecessary.

Power zone with integrated soft zones ensures the transmission of high tightening and loosening torques. Precision zone directly above the blade for the correct rotation angle for adjustment work. Rapid bit fixing: Simply push the bit into the holder for automatic locking and a secure fit.

To change the bit, simply push the sleeve forward and remove the bit. Free-running actuating sleeve for easy handling of the tool during the screwdriving process.


Bits suitable for manual and machine operated screwdriving connections with electric screwdrivers (including HIOS, Delvo, Sehan).

Use with e.g. smartphones, mobile phones, cameras, electronic devices, in dental laboratories and dental surgeries.

Please note: 1 Ncm = 0.01 Nm.

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm
- Suitable for the take-up of bits with 4 mm halfmoon drive and 4 mm HIOS drive
- Applications e.g. on smartphones, mobile phones, cameras, electronic equipment

1460 ESD Kraftform Micro torque screwdrivers with a customised factory pre-set measurement value with quick-release chuck



	EAN	Art.No.	Nm	mm				
Code	4013288	188304	1460 ESD	0,02-0,06	131	5 1/4"		1
05074800010	188304	1460 ESD	0,02-0,06	131	5 1/4"			1
05074810010	188311	1461 ESD	0,05-0,11	131	5 1/4"			1

^{*)}The desired settings can be made in the following units: Nm, kgf. m, lbf. ft., ozf. in., dN. m, kgf. cm, lbf. in, in. oz, cN. m, gf. m, ft. lb, gf. cm, in. lb.

Series 7400 ESD Kraftform torque screwdrivers with a customised factory pre-set measurement value, handle size 105 mm

Wera torque screwdriver. Safe protection against electrostatic charge and associated damage. With a customised factory pre-set torque value.

For all applications, where the same constant torque and repeat accuracy are required.

The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137001001). Afterwards you can check the set value using an off-the-shelf torque tester.

Rapidaptor quick-release technology for rapid bit changes. Unlimited loosening torque for slackening stuck screws.

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Suitable for bits with a 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Please note: 1 Ncm = 0.01 Nm.

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm

Series 7400 ESD Kraftform torque screwdrivers with a customised factory pre-set measurement value, handle size 105 mm



	EAN	Art.No.	Nm	mm	mm			
Code	4013288	188236	7460 ESD	1/4"	0,3-1,2	105	155	6"
05074840010	188236	7460 ESD	1/4"	0,3-1,2	105	155	6"	1
05074842010	188243	7461 ESD	1/4"	1,2-3,0	105	155	6"	1

^{*)}The desired settings can be made in the following units: Nm, kgf. m, lbf. ft., ozf. in., dN. m, kgf. cm, lbf. in, in. oz, cN. m, gf. m, ft. lb, gf. cm, in. lb.

Series 7400 ESD Kraftform torque screwdrivers with a customised factory pre-set measurement value, handle size 89 mm

Wera torque screwdriver. Safe protection against electrostatic charge and associated damage.

With a customised factory pre-set torque value.

For all applications, where the same constant torque and repeat accuracy are required.

The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137003001). Afterwards you can check the set value using an off-the-shelf torque tester.

Unlimited loosening torque for slackening stuck screws.
Rapidaptor quick-release technology for rapid bit changes.

Suitable for bits with a 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Please note: 1 Ncm = 0.01 Nm.

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm

Series 7400 ESD Kraftform torque screwdrivers with a customised factory pre-set measurement value, handle size 89 mm



	EAN	Art.No.		Nm	mm	mm		
Code	4013288							
05074820010	188205	7450 ESD	1/4"	0,1-0,34	89	133	5 1/4"	1
05074822010	188212	7451 ESD	1/4"	0,3-1,0	89	133	5 1/4"	1
05074824010	188229	7452 ESD	1/4"	0,9-1,5	89	133	5 1/4"	1

^{*)}The desired settings can be made in the following units: Nm, kgf. m, lbf. ft., ozf. in., dN. m, kgf. cm, lbf. in, in. oz, cN. m, gf. m, ft. lb, gf. cm, in. lb.

Series 7400 ESD Kraftform torque screwdrivers with a customised factory pre-set measurement value, with quick-release chuck

Wera torque screwdriver. Safe protection against electrostatic charge and associated damage. With a customised factory pre-set torque value.

For all applications, where the same constant torque and repeat accuracy are required.

The torque can be changed within the measuring range with the extra tool 05137003001. Afterwards you can check the set value using an off-the-shelf torque tester.

Rapidaptor quick-release technology for rapid bit changes.
Unlimited loosening torque for slackening stuck screws.

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Suitable for bits with a 4 mm Halfmoon drive (Wera series 9) and a 4 mm HIOS drive (Wera series 21).

Please note: 1 Ncm = 0.01 Nm.

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm
- Suitable for bits with 4 mm halfmoon and 4 mm HIOS drive

Series 7400 ESD Kraftform torque screwdrivers with a customised factory pre-set measurement value, with quick-release chuck



	EAN	Art.No.	Nm	mm	mm		
Code	4013288						
05074826010	188281	7455 ESD	0,1-0,34	89	138	5 1/4"	1
05074828010	188298	7456 ESD	0,3-1,0	89	138	5 1/4"	1

^{*)}The desired settings can be made in the following units: Nm, kgf. m, lbf. ft., ozf. in., dN. m, kgf. cm, lbf. in, in. oz, cN. m, gf. m, ft. lb, gf. cm, in. lb.

7510 Kraftform Safe-Torque Speed Torque screwdriver, 1-3 Nm

- Torque screwdriver with quick torque adjustment
- Easy and quick torque setting
- Fixed position (Torque Lock) for unlimited tightening and loosening moments
- Secure slip-over torque function for clockwise/anti-clockwise torque-control
- Quick and easy setting of the selectable tightening torques (1.0; 1.5; 2.0; 2.5; 3.0 Nm)
- Accuracy $\pm 10\%$
- For bits with $\frac{1}{4}$ " external hexagon drive, also suitable for socket wrench inserts via adapter

7510 Kraftform Safe-Torque Speed Torque screwdriver, 1-3 Nm



	EAN							
Code	4013288		Nm	Nm	Nm	Nm	Nm	
05075810001	230669	$\frac{1}{4}$ "	1,0	1,5	2,0	2,5	3,0	1

7510/14 Safe-Torque Speed Tool set for carbide inserts

14-piece tool set. For professional screwdriving/professional fine adjustment AND for torque-controlled screwdriving.

Secure slip-over torque mechanism with quick clockwise/counterclockwise setting and five selectable tightening torques (1.0; 1.5; 2.0; 2.5; 3.0 Nm) and one fixed position (Torque Lock) for unlimited loosening and tightening moments.

Quick-release holder for high robustness; suitable for bits with $\frac{1}{4}$ " external hexagon drive. 14 tough bits (25 mm length) for TORX PLUS®, TORX® and hexagonal socket screws.

The tool set is particularly suitable for bolting carbide inserts. The Safe-Torque Speed 7510 torque wrench with its five selectable torque values recommended by leading carbide tool manufacturers ensures a reliable torque-controlled screw connection of replaceable carbide inserts.

- Particularly suitable for bolting carbide inserts
- Quick and easy setting of the selectable tightening torques (1.0; 1.5; 2.0; 2.5; 3.0 Nm)
- Accuracy $\pm 10\%$
- Suitable for docking with the Wera 2go system

7510/14 Safe-Torque Speed Tool set for carbide inserts



	Code	EAN		
	05075840001	230683		1
			7510 1x $\frac{1}{4}$ "x1,0 Nm/1,5 Nm/2,0 Nm/ 2,5 Nm/3,0 Nm x 147,5	
			867/1 IP TORX PLUS® 1x 7 IPx25; 1x 8 IPx25; 1x 9 IPx25; 1x 10 IPx25; 1x 15 IPx25	
			867/1 TORX® 1x TX 7x25; 1x TX 8x25; 1x TX 9x25; 1x TX 10x25; 1x TX 15x25	
			840/1 Z 1x 2,0x25; 1x 2,5x25; 1x 3,0x25	



7515 Kraftform Safe-Torque Speed Torque screwdriver, 2-6 Nm

- Torque screwdriver with quick torque adjustment
- Easy and quick torque setting
- Fixed position (Torque Lock) for unlimited tightening and loosening moments
- Secure slip-over torque function for clockwise/anti-clockwise torque-control
- Quick and easy setting of the selectable tightening torques (2.0; 3.0; 4.0; 5.0; 6.0 Nm)
- Accuracy $\pm 10\%$
- For bits with $\frac{1}{4}$ " external hexagon drive, also suitable for socket wrench inserts via adapter
- For bits with $\frac{1}{4}$ " external hexagon drive, also suitable for socket wrench inserts via adapter

7515 Kraftform Safe-Torque Speed Torque screwdriver, 2-6 Nm



	EAN							
Code	4013288		Nm	Nm	Nm	Nm	Nm	
05075815001	228314	$\frac{1}{4}$ "	2,0	3,0	4,0	5,0	6,0	1

7515/16 Kraftform Safe-Torque Speed Universal 1

16-piece tool set. For professional screwdriving/professional fine adjustment AND for torque-controlled screwdriving. Secure slip-over torque mechanism with quick clockwise/counterclockwise setting and five selectable tightening torques (2.0; 3.0; 4.0; 5.0; 6.0 Nm) and one fixed position (Torque Lock) for unlimited loosening and tightening moments.

Quick-release holder for high robustness. Suitable for bits with $\frac{1}{4}$ " external hexagon drive. 15 tough bits (89 mm length).

- Torque screwdriver with quick torque adjustment
- Quick and easy setting of the selectable tightening torques (2.0; 3.0; 4.0; 5.0; 6.0 Nm)
- Accuracy $\pm 10\%$
- Suitable for docking with the Wera 2go system

7515/16 Kraftform Safe-Torque Speed Universal 1



	EAN		
Code	4013288		
05075851001	228338		1
		7515 1x $\frac{1}{4}$ "x2,0 Nm/3,0 Nm/4,0 Nm/ 5,0 Nm/6,0 Nm x147,5	
		851/4 Z 1x PH 2x89	
		867/4 Z TORX® B0 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
		867/4 IP TORX PLUS® 1x 10 IPx89; 1x 15 IPx89; 1x 20 IPx89; 1x 25 IPx89; 1x 30 IPx89	
		840/4 Z 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89 ¹⁾	

¹⁾ Hexagonal blade

7515/7 Kraftform Safe-Torque Speed Bicycle 1

7-piece tool set. For professional screwdriving/professional fine adjustment AND for torque-controlled screwdriving. Secure slip-over torque mechanism with quick clockwise/counterclockwise setting and five selectable tightening torques (2.0; 3.0; 4.0; 5.0; 6.0 Nm) and one fixed position (Torque Lock) for unlimited loosening and tightening moments. Quick-release holder for high robustness. Ideal for bike operations. Suitable for bits with 1/4" external hexagon drive.

6 tough bits (50 mm length), profile and size of the bits are easily recognized thanks to the Wera Take it easy Tool finder with its colour codes and labels.

- Bicycle tool set
- Torque screwdriver with quick torque adjustment
- Quick and easy setting of the selectable tightening torques (2.0; 3.0; 4.0; 5.0; 6.0 Nm)
- Accuracy $\pm 10\%$
- Take it easy tool finder: colour coding according to profile and size
- Suitable for docking with the Wera 2go system

7515/7 Kraftform Safe-Torque Speed Bicycle 1



Code	EAN		
05075850001	4013288 228321		1
		7515 1x 1/4"x2,0 Nm/3,0 Nm/4,0 Nm/ 5,0 Nm/6,0 Nm x147,5	
		867/4 TORX® BTZ 1x TX 10x50; 1x TX 25x50	
		840/4 BTZ 1x 2,5x50; 1x 3,0x50; 1x 4,0x50; 1x 5,0x50	

300 Hex Torque-indicator

Wera torque screwdriver with fixed torque for hexagon socket screws. Tamperproof and with a slim hex blade. Unlimited torque for loosening seized screws.

Multi-component Kraftform handle for pleasant, ergonomic working that prevents blisters and calluses. Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer.

Comes with Hex-Plus profile which avoids any rounding of the screw head. The Black Point tip offers high corrosion protection and an exact fit.

300 Hex Torque-indicator



	EAN							
Code	4013288		Nm	ft. lb.	mm	mm	mm	
05027910001	096425	2,0	1,4	1,0	4	3,5	65	1
05027911001	096432	2,5	2,0	1,5	4	3,8	65	1
05027912001	096449	3,0	3,0	2,2	4	3,8	65	1

300 Hex Torque-indicator, pistol handle



	EAN							
Code	4013288		Nm	ft. lb.	mm	mm	mm	
05027913001	099150	4,0	5,0	3,7	160	100	65	1

300 TX TORX® Torque-indicator

- For recessed TORX® screws

300 TX TORX® Torque-indicator



	EAN							
Code	4013288		Nm	ft. lb.	mm	mm	mm	
05027930001	093325	TX 6	0,6	0,4	4	3,5	65	1
05027931001	093332	TX 7	0,9	0,7	4	3,5	65	1
05027932001	093349	TX 8	1,2	0,9	4	3,5	65	1
05027933001	093356	TX 9	1,4	1,0	4	3,5	65	1
05027934001	093370	TX 10	2,0	1,5	4	3,8	65	1
05027935001	093363	TX 15	3,0	2,2	4	3,8	65	1

300 TX TORX® Torque-indicator, pistol handle



	EAN							
Code	4013288		Nm	ft.lb.	mm	mm	mm	
05027936001	099143	TX 20	5,0	3,7	160	100	65	1

300 IP TORX PLUS® Torque-indicator

- For TORX PLUS® screws



	EAN							
Code	4013288		Nm	ft. lb.	mm	mm	mm	
05028040001	093387	6 IP	0,6	0,4	4	3,5	65	1
05028041001	093394	7 IP	0,9	0,7	4	3,5	65	1
05028042001	093431	8 IP	1,2	0,9	4	3,5	65	1
05028043001	093400	9 IP	1,4	1,0	4	3,5	65	1
05028044001	093417	10 IP	2,0	1,5	4	3,8	65	1
05028045001	093424	15 IP	3,0	2,2	4	3,8	65	1

300 IP TORX PLUS® Torque-indicator, pistol handle



	EAN							
Code	4013288		Nm	ft.lb.	mm	mm	mm	
05028046001	099136	20 IP	5,0	3,7	160	100	65	1

400 Hex Torque-indicator

Wera torque indicator with fixed torque for hexagon sockets. Tamper proof. The robust slip clutch guarantees a clearly audible and tactile trigger signal when the set torque value is reached, and it is therefore impossible to apply any further torque.

The loosening torque is significantly higher than the set tightening torque, therefore no additional tools are needed for loosening screw connections. The shape of the handle fills the whole hand well and the fingers lie in the softly rounded recessed grips. This ensures optimal, ergonomic power transmission.

400 Hex Torque-indicator



	EAN							
Code	4013288		Nm	mm	mm	mm		
05005080001	208835	4,0	4,0	60	48	100	2 3/8"	1
05005081001	208842	5,0	5,0	60	48	100	2 3/8"	1

400 TX Torque-indicator

- For recessed TORX® screws



	EAN							
Code	4013288		Nm	mm	mm	mm		
05005090001	208811	TX 20	4,0	60	48	100	2 3/8"	1
05005091001	208828	TX 25	5,0	60	48	100	2 3/8"	1

Safe-Torque A 1 torque wrench with 1/4" square head drive, 2-12 Nm

Torque wrench with slide-over mechanism. Once the set torque has been reached, the tool cannot be overtightened, so that excessive torque cannot be applied. Setting range of 2 to 12 Nm for controlled clockwise and counterclockwise torque operation.

Easy setting and saving of the default value: The audible and tactile clicks on reaching the scale values facilitate the safe setting of the desired torque value. With Torque Lock function for use as a standard ratchet without torque function.

Max. breaking torque of the 1/4" square head as per DIN 3122. The return angle of only 5° allows the ratchet to be used even in confined spaces and therefore also for applications with angles of rotation.

- Slip-over release mechanism - the set torque can never be overtightened
- Torque Lock function: The torque function can be deactivated and the tool can then be used as a standard ratchet with high loosening moments and for applications with defined angles of rotation
- For controlled clockwise and counterclockwise torque operation – tightening and loosening with or without torque
- Easy setting and saving of the desired torque value with audible and tactile clicks when reaching the scale values
- Accuracy $\pm 10\%$
- Comfortable working thanks to a small release angle of only 30°
- 1/4" square head drive with socket locking

Safe-Torque A 1 torque wrench with 1/4" square head drive, 2-12 Nm



Code	EAN	Drive	Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
0507580001	223012	1/4"	2-12	0,10	2-9	244	94	38,5	31,6	23,7	9 39/64"	3 45/64"	1 33/64"	1 15/64"	15/16"	1

Safe-Torque A 2 torque wrench with 1/4" hexagon drive, 2-12 Nm

- 1/4" hexagon drive for the use of 1/4" bits
- Accuracy $\pm 10\%$

Safe-Torque A 2 torque wrench with 1/4" hexagon drive, 2-12 Nm



Code	EAN	Drive	Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
05075801001	223036	1/4"	2-12	0,10	2-9	244	94	38,5	31,6	23,7	9 39/64"	3 45/64"	1 33/64"	1 15/64"	15/16"	1



Safe-Torque A 1 Set 1, 1/4" square head drive, 2-12 Nm

10-piece 1/4" torque wrench set in a robust textile box; torque wrench with slide-over mechanism. Once the set torque has been reached, the tool cannot be overtightened, so that excessive torque cannot be applied.

Setting range of 2 to 12 Nm for controlled clockwise and counterclockwise torque operation. Easy setting and saving of the default value: The audible and tactile clicks on reaching the scale values facilitate the safe setting of the desired torque value.

The Torque Lock function allows use as a standard ratchet without torque function. Thus also usable for applications with angles of rotation. Max. breaking torque of the 1/4" square head as per DIN 3122. The return angle of only 5° allows the ratchet to be used even in confined spaces.

Included are: Safe-Torque A 1 torque wrench, 1/4" square head, 2-12 Nm, 8 sockets with 1/4" drive and one short extension.

- 1/4" square head drive with socket locking
- Accuracy $\pm 10\%$

Safe-Torque A 1 Set 1, 1/4" square head drive, 2-12 Nm



Code	EAN			
05075830001	4013288 223005			1
		Safe-Torque A 1		
		1x 1/4", 2-12 Nm		
		8790 HMA		
		1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0;		
		1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0;		
		1x 12,0x23,0; 1x 13,0x23,0		
		8794 SA		
		1x 1/4"x75,0		
		Hook and Loop Fastener Strip 240		
		1x 50,0x240,0		

Safe-Torque A 1 Imperial Set 1, 1/4" square head drive, 2-12 Nm

10-piece 1/4" torque wrench set in a robust textile box; torque wrench with slide-over mechanism. Once the set torque has been reached, the tool cannot be overtightened, so that excessive torque cannot be applied.

Setting range of 2 to 12 Nm for controlled clockwise and counterclockwise torque operation. Easy setting and saving of the default value: The audible and tactile clicks on reaching the scale values facilitate the safe setting of the desired torque value.

The Torque Lock function allows use as a standard ratchet without torque function. Thus also usable for applications with angles of rotation. Max. breaking torque of the 1/4" square head as per DIN 3122. The return angle of only 5° allows the ratchet to be used even in confined spaces.

Included are: Safe-Torque A 1 torque wrench, 1/4" square head, 2-12 Nm, 8 sockets with 1/4" drive and one short extension.

- 1/4" square head drive with socket locking
- Accuracy $\pm 10\%$

Safe-Torque A 1 Imperial Set 1, 1/4" square head drive, 2-12 Nm



Code	EAN			
05075831001	4013288 223074			1
		Safe-Torque A 1		
		1x 1/4", 2-12 Nm		
		8790 HMA		
		1x 3/16"x23,0; 1x 7/32"x23,0; 1x 1/4"x23,0;		
		1x 9/32"x23,0; 1x 5/16"x23,0; 1x 3/8"x23,0;		
		1x 7/16"x23,0; 1x 1/2"x23,0		
		8794 SA		
		1x 1/4"x75,0		
		Hook and Loop Fastener Strip 240		
		1x 50,0x240,0		

Safe-Torque A 1 SHK Set 1, 1/4" square head, 2-12 Nm

20-piece set in a robust textile box, especially for HVAC applications. One Safe-Torque A 1 torque wrench with 1/4" square head drive, 2-12 Nm, with slide-over mechanism. Once the set torque has been reached, the tool cannot be overtightened, so that excessive torque cannot be applied. Setting range of 2 to 12 Nm for controlled clockwise and counterclockwise torque operation. Easy setting and saving of the default value: The audible and tactile clicks on reaching the scale values facilitate the safe setting of the desired torque value.

With Torque Lock function for use as a standard ratchet without torque function and thus also usable for applications with angles of rotation. Max. breaking torque of the 1/4" square head as per DIN 3122. The return angle of only 5° allows the ratchet to be used even in confined spaces.

Included are: Safe-Torque A 1 torque wrench, 1/4" square head, 2-12 Nm, 8 sockets with 1/4" drive, 9 bit sockets (hexagonal socket, TORX®) with 1/4" drive, one short extension.

- For operations in plumbing, heating and air conditioning, especially for installing shower cubicles and for assembly and maintenance of gas boilers and condensing boilers
- Accuracy $\pm 10\%$

Safe-Torque A 1 SHK Set 1, 1/4" square head, 2-12 Nm



Code	EAN			
05136073001	4013288	228376		1
		Safe-Torque A 1		
		1x 1/4", 2-12 Nm		
		8790 HMA		
		1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0;		
		1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0;		
		1x 12,0x23,0; 1x 13,0x23,0		
		8767 A HF		
		1x TX 15x28,0; 1x TX 20x28,0; 1x TX 25x28,0;		
		1x TX 30x28,0		
		8740 A HF		
		1x 3,0x28,0; 1x 4,0x28,0; 1x 5,0x28,0;		
		1x 6,0x28,0; 1x 8,0x28,0		
		Belt A 0/9		
		1x 39,0x238,0		
		8794 SA		
		1x 1/4"x75,0		
		Hook and Loop Fastener Strip 240		
		1x 50,0x240,0		


Safe-Torque A 2 Set 1, 1/4" hexagonal, 2-12 Nm

23-piece set; in surface-friendly, compact and extremely robust textile box. Small size and low weight for better mobility.

1 Safe-Torque A 2 torque wrench with 1/4" hexagonal drive, measuring range 2-12 Nm; for controlled clockwise and counterclockwise torque operation; tightening and loosening with or without torque, disengageable torque function (Torque Lock function); 72 teeth; low return angle of 5°; easy setting and saving of the desired torque value, with audible and tactile locking when the scale values are reached, slip-over release mechanism when the set torque is reached; ergonomic 2-component handle; 9 Zyklop sockets, 12 bits (1/4", 50 mm long), one connector for sockets (1/4" external hexagon to 1/4" external square head).

- 1/4" hexagon drive for the use of 1/4" bits
- Use of 1/4" sockets also possible with the Wera adaptor 870/1
- Accuracy $\pm 10\%$

Safe-Torque A 2 Set 1, 1/4" hexagonal, 2-12 Nm



Code	EAN			
05075832001	4013288	223043		1
		Safe-Torque A 2		
		1x 1/4", 2-12 Nm		
		8790 HMA		
		1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0;		
		1x 8,0x23,0; 1x 9,0x23,0; 1x 10,0x23,0;		
		1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0		
		870/1		
		1x 1/4"x25 ¹⁾		
		851/4 Z		
		1x PH 2x50		
		867/4 Z TORX®		
		1x TX 10x50; 1x TX 15x50; 1x TX 20x50;		
		1x TX 25x50; 1x TX 27x50; 1x TX 30x50		
		840/4 Z		
		1x 2,5x50; 1x 3,0x50; 1x 4,0x50; 1x 5,0x50;		
		1x 6,0x50 ²⁾		
		Hook and Loop Fastener Strip 240		
		1x 50,0x240,0		

¹⁾With friction ball; for manual nut spinner sockets

²⁾Hexagonal blade

Click-Torque A 5 torque wrench with reversible ratchet


Click-Torque wrench in the unmistakable, robust Wera design with high accuracy as per DIN EN ISO 6789-1: 2017-07. Easy setting and saving of the default value.

The audible and tactile clicks on reaching the scale values also facilitate the safe setting of the desired torque value. The robust release mechanism guarantees a clearly audible and tactile release signal when the set torque is reached.

For right-hand use (clockwise torque-control) and with 45-tooth reversible ratchet mechanism.

- With 1/4" square drive, reversible ratchet, 45 teeth
- Measuring range: 2.5-25 Nm; precise to $\pm 4\%$ as per DIN EN ISO 6789-1:2017-07

Click-Torque A 5 torque wrench with reversible ratchet, 2.5-25 Nm



Code	EAN		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm						
05075604001	193179	1/4"	2,5-25	0,10	1-18	290	121	42	25	11,5	11 27/64"	4 49/64"	1 21/32"	1"	7/16"	1

Click-Torque A 6 torque wrench with reversible ratchet, 2.5-25 Nm

- With 1/4" hex drive, reversible ratchet, 45 teeth
- Measuring range: 2.5-25 Nm; Precise to $\pm 4\%$ as per DIN EN ISO 6789-1:2017-07

Click-Torque A 6 torque wrench with reversible ratchet, 2.5-25 Nm



Code	EAN		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm						
05075605001	193186	1/4"	2,5-25	0,10	1-18	290	121	42	25	11,5	11 27/64"	4 49/64"	1 21/32"	1"	7/16"	1

Click-Torque A 6 Set 1

Click torque wrench in the unmistakable Wera design.
Very robust design with high accuracy as per
DIN EN ISO 6789-1: 2017-07.

Easy setting and saving of the default value. The audible and tactile clicks on reaching the scale values facilitate the safe setting of the desired torque value.

The robust release mechanism guarantees a clearly audible and tactile release signal when the set torque is reached.

Provides clockwise torque-control and 45-tooth ratchet mechanism. The Wera click torque wrench is accompanied with various accessories in a compact set arrangement.

Included are: Click-Torque A 6 1/4" from 2.5 to 25 Nm, 6 sockets with 1/4" drive, 11 Hex-Plus hexagon bits, Phillips head bits and TORX® bits, plus an extension and socket adaptor.

Click-Torque A 6 Set 1, 2.5-25 Nm



			
Code	EAN		
05130110001	4013288 205643		1
		Click-Torque A 6 1x 1/4", 2,5-25 Nm	
		 851/4 TZ 1x PH 2x50	
		 867/4 Z TORX® 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 27x50; 1x TX 30x50; 1x TX 40x50	
		 840/4 Z 1x 3,0x50; 1x 4,0x50; 1x 5,0x50; 1x 6,0x50 ¹⁾	
		 870/1 1x 1/4"x25 ²⁾	
		 8794 SA 1x 1/4"x75,0	
		 8790 HMA 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	
		Hook and Loop Fastener Strip 240 1x 50,0x240,0	

¹⁾Hexagonal blade

²⁾With friction ball; for manual nut spinner sockets



Bicycle Set Torque 1, 2.5-25 Nm

The 16-piece set from the screwdriving tool specialist Wera solves the most important screwdriving problems associated with bicycles, with reliable control of applied torque to protect sensitive components. With a click-torque wrench in the unmistakable Wera design.

Very robust design with high accuracy as per DIN EN ISO 6789-1: 2017-07. Easy setting and saving of the default values. The audible and tactile snapping on reaching the scale values also facilitates the safe setting of the desired torque values.

The robust release mechanism guarantees a clearly audible and tactile trigger signal when the set torque is reached.

For clockwise torque-control and with a reversible 45-tooth ratchet. The torque wrench is extremely space-saving and supplemented with accessories that are suitable for the torque range and adapted to the most common screwed connections on bicycles; in a robust, surface-friendly textile box.


Included are: Click Torque A 5, 1/4", 2.5 - 25 Nm, 4 sockets with 1/4" drive, 7 Hex Plus hexagon bit sockets and 4 TORX® bit sockets. Sockets and bit sockets with Take it easy tool finder with colour coding by size - for easy and quick location of the required tool.

Bit sockets with holding function for extra comfortable screw-driving without the screw falling off the tool. Incredibly compact arrangement for a lot of tools in a small space.

Textile box with very high robustness and longevity. Additional surface protection through the textile outer material.

Low weight and volume for easier mobility. Bit sockets with all the benefits of Wera bit technology such as fitting accuracy, wear resistance and concentric run-out properties.

Bicycle Set Torque 1, 2.5-25 Nm



Code	EAN		
05004180001	4013288 207685		1
		Click-Torque A 5 1x 1/4", 2,5-25 Nm	
		8790 HMA 1x 10,0x23,0; 1x 13,0x23,0; 1x 14,0x23,0; 1x 15,0x23,0	
		8767 A 1x TX 10x28,0; 1x TX 20x28,0; 1x TX 25x28,0; 1x TX 30x28,0	
		8740 A HF 1x 3,0x28,0; 1x 4,0x28,0; 1x 5,0x28,0; 1x 5,0x100,0; 1x 6,0x28,0; 1x 6,0x100,0; 1x 8,0x28,0	
		Hook and Loop Fastener Strip 240 1x 50,0x240,0	

Click-Torque B 1 torque wrench with reversible ratchet, 10-50 Nm

- With $\frac{3}{8}$ " square drive, reversible ratchet, 45 teeth
- Measuring range: 10-50 Nm; Precise to $\pm 3\%$ as per DIN EN ISO 6789-1:2017-07
- The Click-Torque collar is placed around the tube of the Wera Click-Torque torque wrench. It prevents the handle from touching the ground. Dirt and damage are avoided

Click-Torque B 1 torque wrench with reversible ratchet, 10-50 Nm



Code	EAN		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm							
05075610001	193193	$\frac{3}{8}$ "	10-50	0,25	8-36	360	140	47	35	16,5	14 $\frac{11}{64}$ "	5 $\frac{33}{64}$ "	1 $\frac{27}{32}$ "	1 $\frac{3}{8}$ "	$\frac{5}{8}$ "		1

Click-Torque B 2 torque wrench with reversible ratchet, 20-100 Nm

- With $\frac{3}{8}$ " square drive, reversible ratchet, 45 teeth
- Measuring range: 20-100 Nm; precise to $\pm 3\%$ as per DIN EN ISO 6789-1:2017-07
- The Click-Torque collar is placed around the tube of the Wera Click-Torque torque wrench. It prevents the handle from touching the ground. Dirt and damage are avoided

Click-Torque B 2 torque wrench with reversible ratchet, 20-100 Nm



Code	EAN		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm							
05075611001	193209	$\frac{3}{8}$ "	20-100	0,5	15-73	405	140	47	43	18,5	15 $\frac{15}{16}$ "	5 $\frac{33}{64}$ "	1 $\frac{27}{32}$ "	1 $\frac{11}{16}$ "	$\frac{45}{64}$ "		1



Click-Torque C 1 torque wrench with reversible ratchet, 10-50 Nm

- With 1/2" square drive, reversible ratchet, 45 teeth
- Measuring range: 10-50 Nm; Precise to $\pm 3\%$ as per DIN EN ISO 6789-1:2017-07
- The Click-Torque collar is placed around the tube of the Wera Click-Torque torque wrench. It prevents the handle from touching the ground. Dirt and damage are avoided

Click-Torque C 1 torque wrench with reversible ratchet, 10-50 Nm



	EAN																
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm							
05075620001	193216	1/2"	10-50	0,25	8-36	360	140	47	35	16,5	14 11/64"	5 33/64"	1 27/32"	1 3/8"	5/8"		1

Click-Torque C 2 torque wrench with reversible ratchet, 20-100 Nm

- With 1/2" square drive, reversible ratchet, 45 teeth
- Measuring range: 20-100 Nm; precise to $\pm 3\%$ as per DIN EN ISO 6789-1:2017-07
- The Click-Torque collar is placed around the tube of the Wera Click-Torque torque wrench. It prevents the handle from touching the ground. Dirt and damage are avoided

Click-Torque C 2 torque wrench with reversible ratchet, 20-100 Nm




	EAN																
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm							
05075621001	193223	1/2"	20-100	0,5	15-73	405	140	47	43	18,5	15 15/16"	5 33/64"	1 27/32"	1 11/16"	45/64"		1

Click-Torque C 3 torque wrench with reversible ratchet, 40-200 Nm

- With 1/2" square drive, reversible ratchet, 45 teeth
- Measuring range: 40-200 Nm; precise to ± 3% as per DIN EN ISO 6789-1:2017-07
- The Click-Torque collar is placed around the tube of the Wera Click-Torque torque wrench. It prevents the handle from touching the ground. Dirt and damage are avoided

Click-Torque C 3 torque wrench with reversible ratchet, 40-200 Nm



	EAN																
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
05075622001	193230	1/2"	40-200	1,0	30-146	510	140	47	43	18,5	20 5/64"	5 33/64"	1 27/32"	1 11/16"	45/64"		1



Click-Torque C 3 Set 1, 40-200 Nm

Click torque wrench set in the unmistakable Wera design. Very robust design with high accuracy as per DIN EN ISO 6789-1: 2017-07.

Easy setting and saving of the default values. The audible and tactile snapping on reaching the scale values also facilitates the safe setting of the desired torque values.

The robust release mechanism guarantees a clearly audible and tactile trigger signal when the set torque is reached. For clockwise torque-control and with reversible 45-tooth ratchet.

Torque wrenches and torque-compatible accessories are packed in an extremely space-saving, robust, surface-friendly textile box.

Contains: Click Torque C 3, $\frac{1}{2}$ ", 40-200 Nm, 4 sockets with $\frac{1}{2}$ " drive, 7 hex plus hexagon socket and TORX® bit sockets plus extension.

Click-Torque C 3 Set 1, 40-200 Nm



Code	EAN		
05075680001	4013288 207609		1
		Click-Torque C 3 1x $\frac{1}{2}$ ", 40-200 Nm	
		8790 HMC 1x 10,0x37,0; 1x 13,0x37,0; 1x 17,0x37,0; 1x 19,0x37,0	
		8767 C HF 1x TX 30x60,0; 1x TX 40x60,0; 1x TX 45x60,0; 1x TX 50x60,0	
		8740 C HF 1x 6,0x60,0; 1x 8,0x60,0; 1x 10,0x60,0	
		8794 SC 1x $\frac{1}{2}$ "x125,0	

Click-Torque C 3 set 2 for cement screwdriving, 40-200 Nm

11-piece set for fitting security-relevant cement screws with defined torque moments as per screw manufacturer instructions.

With Take it easy tool finder with colour coding and size stamping - for easy and fast location of the required tool.

- For fitting security-relevant cement screws with defined torque moments as per screw manufacturer instructions
- 8790 C Impaktor socket wrench inserts for the application with compressed air or electrically driven impact wrenches with 12.5 mm = $\frac{1}{2}$ " drive (13 mm to 21 mm)
- Click-Torque C 3 torque wrench with reversible ratchet (measuring range: 40-200 Nm; precision $\pm 3\%$ as per DIN EN ISO 6789-1:2017-07)
- 11-piece set in premium textile tool box

Click-Torque C 3 set 2 for cement screwdriving, 40-200 Nm



Code	EAN		
05075681001	4013288 217561		1
		Click-Torque C 3 1x $\frac{1}{2}$ ", 40-200 Nm	
		8790 C Impaktor 1x 13,0x38,0; 1x 14,0x38,0; 1x 15,0x38,0; 1x 16,0x38,0; 1x 17,0x38,0; 1x 18,0x38,0; 1x 19,0x38,0; 1x 20,0x38,0; 1x 21,0x38,0	
		8894 SC 1x $\frac{1}{2}$ "x125,0	

Click-Torque C 4 torque wrench with reversible ratchet, 60-300 Nm

- With 1/2" square drive, reversible ratchet, 45 teeth
- Measuring range: 60-300 Nm; Precise to $\pm 3\%$ as per DIN EN ISO 6789-1:2017-07
- The Click-Torque collar is placed around the tube of the Wera Click-Torque torque wrench. It prevents the handle from touching the ground. Dirt and damage are avoided

Click-Torque C 4 torque wrench with reversible ratchet, 60-300 Nm



	EAN															
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
05075623001	193247	1/2"	60-300	1,0	45-220	595	140	47	43	18,5	23 27/64"	5 33/64"	1 27/32"	1 11/16"	45/64"	1

Click-Torque C 5 torque wrench with reversible ratchet, 80-400 Nm

- With 1/2" square drive, reversible ratchet, 45 teeth
- Measuring range: 80-400 Nm; Precise to $\pm 3\%$ as per DIN EN ISO 6789-1:2017-07
- The Click-Torque collar is placed around the tube of the Wera Click-Torque torque wrench. It prevents the handle from touching the ground. Dirt and damage are avoided

Click-Torque C 5 torque wrench with reversible ratchet, 80-400 Nm



	EAN															
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
05075624001	193254	1/2"	80-400	1,0	60-295	680	140	47	43	18,5	26 49/64"	5 33/64"	1 27/32"	1 11/16"	45/64"	1

Click-Torque E 1 torque wrench with reversible ratchet, 200-1000 Nm

- With 3/4" square drive, reversible ratchet, 45 teeth
- Measuring range: 200-1000 Nm; precise to $\pm 3\%$ as per DIN EN ISO 6789-1:2017-07
- The Click-Torque collar is placed around the tube of the Wera Click-Torque torque wrench. It prevents the handle from touching the ground. Dirt and damage are avoided

Click-Torque E 1 torque wrench with reversible ratchet, 200-1000 Nm



	EAN															
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
05075630001	193261	3/4"	200-1000	1,00	148-737	1250	140	47	63	30	49 7/32"	5 33/64"	1 27/32"	2 31/64"	1 3/16"	1




Click-Torque Lock Torque wrench with Torque Lock function

- Torque Lock function: The torque function can be deactivated so that the tool can also be used for loosening
- Extra click: audible and tactile torque setting
- Torque wrench gives an audible and tactile signal

Click-Torque Lock A 5 Torque wrench, adjustable, Torque Lock function, reversible ratchet, clockwise torque operation, 2.5-25 Nm

- With 1/4" square head drive
- Reversible ratchet
- 45 teeth
- Measuring range: 2.5-25 Nm; precision $\pm 4\%$ as per DIN EN ISO 6789-1:2017-07

Click-Torque Lock A 5 Torque wrench, adjustable, Torque Lock function, reversible ratchet, clockwise torque operation, 2.5-25 Nm



	EAN																
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm							
05075690001	234179	1/4"	2,5-25	0,10	1-18	299	123	42	26	11,75	11 49/64"	4 53/64"	1 41/64"	1 1/64"	29/64"		1

Click-Torque Lock A 6 Torque wrench, adjustable, Torque Lock function, reversible ratchet, clockwise torque operation, 2.5-25 Nm

- With 1/4" bit mounting for controlled clockwise torque operation
- Reversible ratchet
- 45 teeth
- Measuring range: 2.5-25 Nm; precision $\pm 4\%$ as per DIN EN ISO 6789-1:2017-07

Click-Torque Lock A 6 Torque wrench, adjustable, Torque Lock function, reversible ratchet, clockwise torque operation, 2.5-25 Nm




	EAN																
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm							
05075691001	234186	1/4"	2,5-25	0,10	1-18	299	123	42	26	11,75	11 49/64"	4 53/64"	1 41/64"	1 1/64"	29/64"		1

Click-Torque Lock C 3 Torque wrench, adjustable, reversible ratchet, Torque Lock function, 40-200 Nm

- With 1/2" square head drive
- Reversible ratchet
- 45 teeth
- Measuring range: 40-200 Nm; precision ± 3 % as per DIN EN ISO 6789-1:2017-07

Click-Torque Lock C 3 Torque wrench, adjustable, reversible ratchet, Torque Lock function, 40-200 Nm



	EAN																
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm							
05075692001	234193	1/2"	40-200	1,0	30-146	512	140	47	43	18,4	20 5/32"	5 1/2"	1 27/32"	1 11/16"	23/32"		1



Click-Torque Lock C 3 car wheel change set 1

5-piece set for the car wheel change. One Click-Torque Lock C 3 (40-200 Nm) torque wrench with Torque Lock function. The torque function can be deactivated so that the tool can also be used for loosening screws and bolts. Precision ± 3% as per DIN EN ISO 6789-1:2017-07. 3 sockets (1/2"; sizes 17.0; 19.0; 21.0) with fast-rotating plastic sleeve for higher working speeds, better welding during screwdriving and extra protection of the rim. One extension (125 mm long); with cross hole and ring socket to attach the safety pin and safety ring of machine operated tools.

In a robust textile box with twist-to-unlock mechanism, which ensures that the sockets are stored securely and can be easily removed using the rotating mechanism.

- Tool set for the car wheel change
- One Click-Torque Lock C 3 torque wrench , 1/2" , adjustable, reversible ratchet, Torque Lock function
- Torque Lock function: The torque function can be deactivated so that the tool can also be used for loosening
- Extra click: audible and tactile torque setting
- Measuring range: 40-200 Nm; precision ±3 % as per DIN EN ISO 6789-1:2017-07
- 3x 8790 C Wheel Impaktor sockets, 1/2", sizes 17.0; 19.0; 21.0
- The inner plastic insert of the sockets helps protect the surface of the wheel screws
- With Take it easy tool finder: colour coding by size
- One extension (125 mm long) with cross hole and ring socket to attach the safety pin and safety ring of machine operated tools
- The textile box can be fully unfolded; easy access to the tools inside

Click-Torque Lock C 3 car wheel change set 1



Code	EAN		
05075790001	4013288 236586		1
		Click-Torque Lock C 3 1x 1/2", 40-200 Nm	
		8790 C Wheel Impaktor 1x 17,0x85,0x30,0; 1x 19,0x85,0x30,0; 1x 21,0x85,0x32,0	
		8894 SC 1x 1/2"x125,0	
		7762 1x 55,0x55,0x21,5	


Click-Torque Push R/L adjustable torque wrenches for clockwise and anti-clockwise torque-control

Click torque wrench in the unmistakable Wera design. For clockwise and anti-clockwise torque-control. Very robust design with high accuracy as per DIN EN ISO 6789-1: 2017-07. Easy setting and saving of the default value. The audible and tactile clicks on reaching the scale values facilitate the safe setting of the desired torque value. The robust release mechanism guarantees a clearly audible and tactile release signal when the set torque is reached.

With captive $\frac{3}{4}$ " square head insert to change direction. $\frac{1}{2}$ " square head drive with socket locking.

- For clockwise and anti-clockwise torque-control thanks to the smooth reversing of the captive square head insert
- Measuring range: 20-100 Nm; precise to $\pm 3\%$ as per DIN EN ISO 6789-1:2017-07
- 45 teeth and $\frac{1}{2}$ " square head drive with socket locking
- Easy setting and saving of the desired torque value with audible and tactile clicks when reaching the scale values
- Audible and tactile release mechanism when the set torque value is reached
- The Click-Torque collar is placed around the tube of the Wera Click-Torque torque wrench. It prevents the handle from touching the ground. Dirt and damage are avoided

Click-Torque C 2 Push R/L adjustable torque wrench for clockwise and anti-clockwise torque-control, 20-100 Nm



		EAN															
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	
05075625001	218926	$\frac{1}{2}$ "	20-100	0,5	15-73	405	140	47	43	18,5	15 $\frac{15}{16}$ "	5 $\frac{33}{64}$ "	1 $\frac{27}{32}$ "	1 $\frac{11}{16}$ "	$\frac{45}{64}$ "		1

Click-Torque C 3 Push R/L adjustable torque wrench for clockwise and anti-clockwise torque-control, 40-200 Nm

- Measuring range: 40-200 Nm; precise to $\pm 3\%$ as per DIN EN ISO 6789-1:2017-07
- For clockwise and anti-clockwise torque-control thanks to the smooth reversing of the captive square head insert
- 45 teeth and $\frac{1}{2}$ " square head drive with socket locking
- The Click-Torque collar is placed around the tube of the Wera Click-Torque torque wrench. It prevents the handle from touching the ground. Dirt and damage are avoided

Click-Torque C 3 Push R/L adjustable torque wrench for clockwise and anti-clockwise torque-control, 40-200 Nm




		EAN															
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	
05075626001	218933	$\frac{1}{2}$ "	40-200	1,0	30-146	510	140	47	43	18,5	20 $\frac{5}{64}$ "	5 $\frac{33}{64}$ "	1 $\frac{27}{32}$ "	1 $\frac{11}{16}$ "	$\frac{45}{64}$ "		1



Click-Torque E 1 Push R/L adjustable torque wrench for clockwise and anti-clockwise torque-control, 200-1000 Nm

- For clockwise and anti-clockwise torque-control thanks to smooth reversing of the captive square head insert
- Measuring range: 200-1000 Nm; precise to $\pm 3\%$ as per DIN EN ISO 6789-1:2017-07
- 45 teeth and $\frac{3}{4}"$ square head drive
- The Click-Torque collar is placed around the tube of the Wera Click-Torque torque wrench. It prevents the handle from touching the ground. Dirt and damage are avoided

Click-Torque E 1 Push R/L adjustable torque wrench for clockwise and anti-clockwise torque-control, 200-1000 Nm



	EAN															
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm						
05075631001	219053	$\frac{3}{4}"$	200-1000	1,0	148-737	1250	140	47	63	30	49 $\frac{7}{32}"$	5 $\frac{33}{64}"$	1 $\frac{27}{32}"$	2 $\frac{31}{64}"$	1 $\frac{3}{16}"$	1


Click-Torque Lock Torque wrench with Torque Lock function

- Torque Lock function: The torque function can be deactivated so that the tool can also be used for loosening
- Extra click: audible and tactile torque setting
- Torque wrench gives an audible and tactile signal

Click-Torque Lock A 5 R/L Torque wrench, adjustable, Torque Lock function, square head insert ($\frac{1}{4}"$), clockwise/ counterclockwise torque operation, 2,5-25 Nm

- For clockwise and counterclockwise operation
- With $\frac{1}{4}"$ square head drive
- Reversible ratchet
- 45 teeth
- Measuring range: 2.5-25 Nm; precision $\pm 4\%$ as per DIN EN ISO 6789-1:2017-07

Click-Torque Lock A 5 R/L Torque wrench, adjustable, Torque Lock function, square head insert ($\frac{1}{4}"$), clockwise/ counterclockwise torque operation, 2,5-25 Nm



	EAN															
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm						
05075693001	233646	$\frac{1}{4}"$	2,5-25	0,10	1-18	299	123	42	26	11,75	11 $\frac{49}{64}"$	4 $\frac{53}{64}"$	1 $\frac{41}{64}"$	1 $\frac{1}{64}"$	$\frac{29}{64}"$	1

Click-Torque Lock A 6 R/L Torque wrench, adjustable, Torque Lock function, continuous bit mounting (1/4"), 2.5-25 Nm

- For clockwise and counterclockwise operation
- With 1/4" bit mounting for controlled clockwise torque operation
- Reversible ratchet
- 45 teeth
- Measuring range: 2.5-25 Nm; precision $\pm 4\%$ as per DIN EN ISO 6789-1:2017-07

Click-Torque Lock A 6 R/L Torque wrench, adjustable, Torque Lock function, continuous bit mounting (1/4"), 2,5-25 Nm




	EAN															
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm						
05075694001	233653	1/4"	2,5-25	0,10	1-18	299	123	42	26	11,75	11 49/64"	4 53/64"	1 41/64"	1 1/64"	29/64"	1

Click-Torque Lock C 3 R/L Torque wrench, adjustable, Torque Lock function, square head insert (1/2"), clockwise/counterclockwise torque operation, 40-200 Nm

- For clockwise and counterclockwise operation
- With 1/2" square head drive
- Reversible ratchet
- 45 teeth
- Measuring range: 40-200 Nm; precision $\pm 3\%$ as per DIN EN ISO 6789-1:2017-07

Click-Torque Lock C 3 R/L Torque wrench, adjustable, Torque Lock function, square head insert (1/2"), clockwise/counterclockwise torque operation, 40-200 Nm



	EAN															
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm						
05075695001	233660	1/2"	40-200	1,0	30-146	512	140	47	43	18,4	20 5/32"	5 1/2"	1 27/32"	1 11/16"	23/32"	1



Click-Torque X 1 torque wrench for insert tools, 2.5-25 Nm

Click-Torque wrench in the unmistakable, robust Wera design with high accuracy as per DIN EN ISO 6789-1: 2017-07.
Easy setting and saving of the default value.

The audible and tactile clicks on reaching the scale values also facilitate the safe setting of the desired torque value.
The robust release mechanism guarantees a clearly audible and tactile release signal when the set torque is reached.
For right-hand and left-hand use and with 9x12mm insert square for the insertion of insert tools.

- For 9x12 mm interchangeable insert tools
- Measuring range: 2.5-25 Nm; Precise to $\pm 4\%$ as per DIN EN ISO 6789-1:2017-07

Click-Torque X 1 torque wrench for insert tools, 2.5-25 Nm



	EAN						S_k	l_k									
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
05075651001	193773	9x12	2,5-25	0,10	1-18	292	17,5	240,0	121	42	24	20	11 ⁹ / ₆₄ "	4 ⁴⁹ / ₆₄ "	1 ²¹ / ₃₂ "	¹⁵ / ₁₆ "	1

^{*} S_k = Depth gauge of test attachment to pivot point; l_k = Length of holding position to torque measurement point

Click-Torque X 2 torque wrench for insert tools, 10-50 Nm

- For 9x12 mm interchangeable insert tools
- Measuring range: 10-50 Nm; Precise to $\pm 3\%$ as per DIN EN ISO 6789-1:2017-07
- The Click-Torque collar is placed around the tube of the Wera Click-Torque torque wrench. It prevents the handle from touching the ground. Dirt and damage are avoided

Click-Torque X 2 torque wrench for insert tools, 10-50 Nm



	EAN						S_k	l_k									
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
05075652001	193797	9x12	10-50	0,25	8-36	338	17,5	285,0	140	47	29	20	13 ⁵ / ₁₆ "	5 ³³ / ₆₄ "	1 ²⁷ / ₃₂ "	1 ⁹ / ₆₄ "	1

^{*} S_k = Depth gauge of test attachment to pivot point; l_k = Length of holding position to torque measurement point

9558 Torque set for pipe fittings, 10-50 Nm

- For professionally and properly executed tightening of pipe fittings as per manufacturer's instructions
- Adjustable Click-Torque X 2 torque wrench, measuring range 10 - 50 Nm
- 4 self-setting insert spanners (9x12 mm drive) for wrench sizes 10 - 19 ($\frac{7}{16}$ " - $\frac{3}{4}$ ") and all intermediate sizes
- One reversible insert ratchet for $\frac{3}{8}$ " square head sockets and $\frac{3}{8}$ " connectors with square head drive
- Torque Advisor: innovative torque calculation system for Click-Torque X torque wrenches in combination with insert tools
- Robust textile box that keeps the tools safe during transport and always close at hand

9558 Torque set for pipe fittings, 10-50 Nm



			
Code	EAN		
05136062001	4013288 238740		1
		Click-Torque X 2 1x 9x12, 10-50 Nm	
		7870 Joker S 1x 9x12; 10-13 ($\frac{7}{16}$ "- $\frac{1}{2}$ ")x57,7	
		7870 Joker M 1x 9x12; 13-16 ($\frac{1}{2}$ "- $\frac{5}{8}$ ")x67,7	
		7870 Joker L 1x 9x12; 16-19 ($\frac{5}{8}$ "- $\frac{3}{4}$ ")x77,0	
		7772 B 1x 9x12; $\frac{3}{8}$ "x52,1	



Click-Torque X 3 torque wrench for insert tools, 20-100 Nm

- For 9x12 mm interchangeable insert tools
- Measuring range: 20-100 Nm; precise to $\pm 3\%$ as per DIN EN ISO 6789-1:2017-07
- The Click-Torque collar is placed around the tube of the Wera Click-Torque torque wrench. It prevents the handle from touching the ground. Dirt and damage are avoided

Click-Torque X 3 torque wrench for insert tools, 20-100 Nm



	EAN						S_k	l_k									
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	
05075653001	193780	9x12	20-100	0,5	15-73	390	17,5	329,0	140	47	29	20	14 ⁴¹ / ₆₄ "	5 ³³ / ₆₄ "	1 ²⁷ / ₃₂ "	1 ⁹ / ₆₄ "	1

¹ S_k = Depth gauge of test attachment to pivot point; l_k = Length of holding position to torque measurement point

Click-Torque X 4 torque wrench for insert tools, 40-200 Nm

- For 14x18 mm interchangeable insert tools
- Measuring range: 40-200 Nm; precise to $\pm 3\%$ as per DIN EN ISO 6789-1:2017-07
- The Click-Torque collar is placed around the tube of the Wera Click-Torque torque wrench. It prevents the handle from touching the ground. Dirt and damage are avoided

Click-Torque X 4 torque wrench for insert tools, 40-200 Nm



	EAN						S_k	l_k									
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	
05075654001	193803	14x18	40-200	1,0	30-146	487	25,5	435,0	140	47	32	26	18 ⁵⁷ / ₆₄ "	5 ³³ / ₆₄ "	1 ²⁷ / ₃₂ "	1 ¹⁷ / ₆₄ "	1

¹ S_k = Depth gauge of test attachment to pivot point; l_k = Length of holding position to torque measurement point

Click-Torque X 5 torque wrench for insert tools, 60-300 Nm

- For 14x18 mm interchangeable insert tools
- Measuring range: 60-300 Nm; Precise to $\pm 3\%$ as per DIN EN ISO 6789-1:2017-07
- The Click-Torque collar is placed around the tube of the Wera Click-Torque torque wrench. It prevents the handle from touching the ground. Dirt and damage are avoided

Click-Torque X 5 torque wrench for insert tools, 60-300 Nm



Code	EAN		Nm	Nm	lbf. ft.	mm	S _k	l _k									
05075655001	193810	14x18	60-300	1,0	45-220	578	25,5	525,0	140	47	32	26	22 7/16"	5 33/64"	1 27/32"	1 17/64"	1

¹ S_k = Depth gauge of test attachment to pivot point; l_k = Length of holding position to torque measurement point

Click-Torque X 6 torque wrench for insert tools, 80-400 Nm

- For 14x18 mm interchangeable insert tools
- Measuring range: 80-400 Nm; Precise to $\pm 3\%$ as per DIN EN ISO 6789-1:2017-07
- The Click-Torque collar is placed around the tube of the Wera Click-Torque torque wrench. It prevents the handle from touching the ground. Dirt and damage are avoided

Click-Torque X 6 torque wrench for insert tools, 80-400 Nm



Code	EAN		Nm	Nm	lbf. ft.	mm	S _k	l _k									
05075656001	193827	14x18	80-400	1,0	60-295	665	25,5	615,0	140	47	32	26	25 25/32"	5 33/64"	1 27/32"	1 17/64"	1

¹ S_k = Depth gauge of test attachment to pivot point; l_k = Length of holding position to torque measurement point



Click-Torque X 7 torque wrench for insert tools, 10-100 Nm

- For 14x18 mm interchangeable insert tools
- Measuring range: 10-100 Nm; precision $\pm 4\%$ as per DIN EN ISO 6789-1:2017-07
- The Click-Torque collar is placed around the tube of the Wera Click-Torque torque wrench. It prevents the handle from touching the ground. Dirt and damage are avoided. Also serves as “anti-roll protection”
- The laser-engraved, abrasion-proof QR code makes it easier to determine the correct torque value depending on the torque wrench and insert tool used

Click-Torque X 7 torque wrench for insert tools, 10-100 Nm



	EAN						S_k	l_k									
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm	mm	mm					
05075657001	229335	14x18	10-100	0,5	8-73	395	25,5	343,0	140	47	29	20	14 ⁴¹ / ₆₄ "	5 ³³ / ₆₄ "	1 ²⁷ / ₃₂ "	1 ⁹ / ₆₄ "	1

* S_k = Actual dimension of the test attachment; l_k = Distance from the force application point to the test device axis

9530 Torque wrench set for heat pumps/air conditioning

4-piece Click-Torque torque wrench set with three self-setting exchangeable Joker insert spanners. For the proper tightening of screw connections when installing and repairing refrigeration and air conditioning systems as well as heat pumps. Click torque wrench in the distinctive Wera design.

Very robust design with high accuracy as per DIN EN ISO 6789-1:2017-07. Easy setting and saving of the default value. The audible and tactile clicks on reaching the scale values facilitate the safe setting of the desired torque value. The robust release mechanism guarantees a clearly audible and tactile release signal when the set torque value is reached. For clockwise and anti-clockwise torque-control and with 14x18 mm square head insert for mounting corresponding insert tools.

With its continuous and parallel jaws, the three self-setting Joker 7880 insert spanners replace several single spanner sizes.

The required size is automatically and continuously set when attaching the tool to the hexagon bolt or screw. The ratchet feature ensures fast and consistent screwdriving without removing the tool. By using the corner-width rectangular prisms, a return angle of only 30° can be achieved.

- Set for the proper tightening of screw connections when installing and repairing refrigeration and air conditioning systems as well as heat pumps
- Click-Torque X 7 torque wrench with mounting for exchangeable insert tools 14x18 mm
- Measuring range: 10-100 Nm; precision $\pm 4\%$ as per DIN EN ISO 6789-1:2017-07
- The adjustable 7880 Joker covers all metric and imperial dimensions in the respective field of application
- Automatic and continuous gripping of the hexagon screw or bolt
- Fast and consistent screwdriving without removing the wrench thanks to mechanical ratchet function
- The laser-engraved, abrasion-proof QR code makes it easier to determine the correct torque value depending on the torque wrench and insert tool used

9530 Torque wrench set for heat pumps/air conditioning



Nm			
ADJUSTABLE			
Code	EAN		
05136076001	4013288 228987		1
		Click-Torque X 7 1x 14x18, 10-100 Nm	
		7880 Joker XXL 1x 14x18x24-32x(1 ⁵ / ₁₆ "-1 1/4")x113,5	
		7880 Joker XL 1x 14x18x19-24x(3/4"-1 ⁵ / ₁₆ ")x95,0	
		7880 Joker L 1x 14x18x16-19x(5/8"-3/4")x85,5	



Click-Torque XP 1 pre-set adjustable torque wrench for insert tools, 2.5-25 Nm, 2.5 Nm

Torque wrench with pre-set torque value for all applications where the same torque and repeat accuracy is required.
The torque value can be changed within the metered range.

The robust release mechanism guarantees a clearly audible and tactile trigger signal when the set torque value is reached.
Square socket for interchangeable plug-in tools for clockwise and anti-clockwise torque-control. A presetting which deviates from this value to a desired torque value within the specified metered range is possible on request.

- With square socket (9x12 mm) for interchangeable plug-in tools; clockwise and anti-clockwise torque-control
- Pre-set click torque wrench in unmistakable Wera design
- Measuring range: 2.5-25 Nm; Precise to $\pm 2\%$ as per DIN EN ISO 6789-1:2017-07
- Pre-set torque values can be changed within the metered range in the test laboratory

Click-Torque XP 1 pre-set adjustable torque wrench for insert tools, 2.5-25 Nm, 2.5 Nm



Code	EAN		Nm	Nm	lbf. ft.	mm	S _k	l _k								
05075670001	206169	9x12	2,5	2,5-25	2-18	217	17,5	180,0	137	35	24	20	8 ³⁵ / ₆₄ "	5 ²⁵ / ₆₄ "	1 ³ / ₈ "	15/ ₁₆ "
05075670010 ¹⁾	206206	9x12	2,5	2,5-25	2-18	217	17,5	180,0	137	35	24	20	8 ³⁵ / ₆₄ "	5 ²⁵ / ₆₄ "	1 ³ / ₈ "	15/ ₁₆ "

¹⁾Any presetting which differs from this value, can be set to a desired torque value within the specified metered range upon request. The desired settings can be made in the following units: Nm, kgf. m, lbf. ft., ozf. in., dN. m, kgf. cm, lbf. in, in. oz, cN. m, gf. m, ft. lb, gf. cm, in. lb.

²⁾S_k = Depth gauge of test attachment to pivot point; l_k = Length of holding position to torque measurement point

Click-Torque XP 2 pre-set adjustable torque wrench for insert tools, 10-50 Nm, 10 Nm

- With square socket (9x12 mm) for interchangeable plug-in tools; clockwise and anti-clockwise torque-control
- Measuring range: 10-50 Nm; Precise to $\pm 2\%$ as per DIN EN ISO 6789-1:2017-07
- Pre-set torque values can be changed within the metered range in the test laboratory



Code	EAN		Nm	Nm	lbf. ft.	mm	S _k	l _k								
05075671001	206176	9x12	10,0	10-50	8-36	262	17,5	225,0	137	35	24	20	10 ⁵ / ₁₆ "	5 ²⁵ / ₆₄ "	1 ³ / ₈ "	15/ ₁₆ "
05075671010 ¹⁾	206213	9x12	10,0	10-50	8-36	262	17,5	225,0	137	35	24	20	10 ⁵ / ₁₆ "	5 ²⁵ / ₆₄ "	1 ³ / ₈ "	15/ ₁₆ "


¹⁾Any presetting which differs from this value, can be set to a desired torque value within the specified metered range upon request. The desired settings can be made in the following units: Nm, kgf. m, lbf. ft., ozf. in., dN. m, kgf. cm, lbf. in, in. oz, cN. m, gf. m, ft. lb, gf. cm, in. lb.

²⁾S_k = Depth gauge of test attachment to pivot point; l_k = Length of holding position to torque measurement point

Click-Torque XP 3 pre-set adjustable torque wrench for insert tools, 15-100 Nm, 15 Nm

- With square socket (9x12 mm) for interchangeable plug-in tools; clockwise and anti-clockwise torque-control
- Measuring range: 15-100 Nm; Precise to $\pm 2\%$ as per DIN EN ISO 6789-1:2017-07
- Pre-set torque values can be changed within the metered range in the test laboratory

Click-Torque XP 3 pre-set adjustable torque wrench for insert tools, 15-100 Nm, 15 Nm



Code	EAN		Nm	Nm	lbf. ft.	mm	S _k	l _k	mm	mm	mm	mm	mm	mm	mm	
05075672001	206183	9x12	15,0	15-100	11-74	332	17,5	296,0	137	35	24	20	13 5/64"	5 25/64"	1 3/8"	15/16"
05075672010 ¹⁾	207999	9x12	15,0	15-100	11-74	332	17,5	296,0	137	35	24	20	13 5/64"	5 25/64"	1 3/8"	15/16"


¹⁾Any presetting which differs from this value, can be set to a desired torque value within the specified metered range upon request. The desired settings can be made in the following units: Nm, kgf. m, lbf. ft., ozf. in., dN. m, kgf. cm, lbf. in, in. oz, cN. m, gf. m, ft. lb, gf. cm, in. lb.

²⁾S_k = Depth gauge of test attachment to pivot point; l_k = Length of holding position to torque measurement point

Click-Torque XP 4 pre-set adjustable torque wrench for insert tools, 20-250 Nm, 20 Nm

- With square socket (14 x18) for interchangeable plug-in tools; clockwise and anti-clockwise torque-control
- Measuring range: 20-250 Nm; Precise to $\pm 2\%$ as per DIN EN ISO 6789-1:2017-07
- Pre-set torque values can be changed within the metered range in the test laboratory
- The Click-Torque collar is placed around the tube of the Wera Click-Torque torque wrench. It prevents the handle from touching the ground. Dirt and damage are avoided

Click-Torque XP 4 pre-set adjustable torque wrench for insert tools, 20-250 Nm, 20 Nm



Code	EAN		Nm	Nm	lbf. ft.	mm	S _k	l _k	mm	mm	mm	mm	mm	mm	mm	
05075673001	206190	14x18	20,0	20-250	15-184	457	25,5	430,0	145	41	32	26	17 63/64"	5 45/64"	1 39/64"	1 17/64"
05075673010 ¹⁾	206220	14x18	20,0	20-250	15-184	457	25,5	430,0	145	41	32	26	17 63/64"	5 45/64"	1 39/64"	1 17/64"

¹⁾Any presetting which differs from this value, can be set to a desired torque value within the specified metered range upon request. The desired settings can be made in the following units: Nm, kgf. m, lbf. ft., ozf. in., dN. m, kgf. cm, lbf. in, in. oz, cN. m, gf. m, ft. lb, gf. cm, in. lb.

²⁾S_k = Depth gauge of test attachment to pivot point; l_k = Length of holding position to torque measurement point



NEW

Simple and error-free determination of the torque value

The laser-engraved, abrasion-proof QR code makes it easier to determine the correct torque value depending on the torque wrench and insert tool used. Simply scan with your smartphone and tablet (if available, both QR codes: Torque wrench and insert tool).

A website opens automatically which recognizes the scanned tools (no app needed!). Then enter the required torque value; the corrected value is determined automatically. No need to use formulas/calculations.




www.wera.de/torque-advisor

7870 Joker Self-setting insert spanner, 9x12 mm


- Square head insert tool 9x12 mm
- For torque wrenches from the Click-Torque X series with 9x12 mm mounting
- The adjustable 7870 Joker covers all metric and imperial dimensions in the respective field of application
- With mechanical ratchet functionality for fast and consistent screwdriving without removing the spanner
- Return angle of only 30° when using the corner-width rectangular prisms in the jaw
- The laser-engraved, abrasion-proof QR code makes it easier to determine the correct torque value depending on the torque wrench and insert tool used

7870 Joker S Self-setting insert spanner for wrench sizes 10-13 mm, 9x12 mm




	EAN									
Code	4013288	mm	mm	mm	mm				mm	
05020175001	232953	9x12	10-13	10,0 11,0 12,0 13,0	32,2 33,6 34,3 34,4	7/16"-1/2"	7/16" 1/2"	33,7 34,4	57,7	1

7870 Joker M Self-setting insert spanner for wrench sizes 13-16 mm, 9x12 mm



	EAN									
Code	4013288	mm	mm	mm	mm				mm	
05020176001	233059	9x12	13-16	13,0 14,0 15,0 16,0	41,2 41,9 42,3 42,4	5/8"-3/4"	1/2" 17/32" 9/16" 19/32" 5/8"	41,0 41,5 42,2 42,3 42,4	67,7	1

7870 Joker L Self-setting insert spanner for wrench sizes 16-19 mm, 9x12 mm




	EAN									
Code	4013288	mm	mm	mm	mm				mm	
05020177001	233066	9x12	16-19	16,0 17,0 18,0 19,0	47,6 48,3 48,9 49,2	5/8" - 3/4"	5/8" 21/32" 11/16" 3/4"	47,6 48,1 48,6 49,2	77,0	1

7880 Joker Self-setting insert spanner, 14x18 mm


- For torque wrenches of the Click-Torque X series with 14x18 mm holder
- The adjustable 7880 Joker covers all metric and imperial dimensions in the respective field of application
- Automatic and continuous gripping of the hexagon screw or bolt
- Lever mechanism when gripping avoids slippage and damage
- Fast and consistent screwdriving without removing the wrench thanks to mechanical ratchet function
- Return angle of only 30° through placement in the corner-width rectangular prisms in the open end
- The laser-engraved, abrasion-proof QR code makes it easier to determine the correct torque value depending on the torque wrench and insert tool used

7880 Joker 4XL Self-setting insert spanner for wrench sizes 41-55 mm, 14x18 mm




	EAN										
Code	4013288	mm	mm	mm	mm					mm	
05020178001	237026	14x18	41-55	41,0 46,0 50,0 55,0	99,0 108,0 112,0 115,0	1 11/16"-2 1/16"	1 11/16" 1 7/8" 2 1/16"	102,0 110,0 114,0		151,0	1

7880 Joker 3XL Self-setting insert spanner for wrench sizes 32-41 mm, 14x18 mm




	EAN									
Code	4013288	mm	mm	mm	mm				mm	
05020174001	233073	14x18	32-41	32,0 34,0 36,0 41,0	77,0 79,0 80,0 81,5	1 1/4"-1 5/8"	1 1/4" 1 5/16" 1 3/8" 1 7/16" 1 1/2" 1 5/8"	77,0 78,0 79,5 80,5 81,0 81,5	128,1	1




7880 Joker XXL Self-setting insert spanner for wrench sizes 24-32 mm, 14x18 mm


	EAN									
Code	4013288	mm	mm		mm	mm		mm	mm	
05020173001	229380	14x18	24-32	15/16"-1 1/4"	24,0 27,0 30,0 32,0	62,2 68,0 70,2 70,4	15/16" 31/32" 1" 1 1/16" 1 1/8" 1 3/16" 1 1/4"	62,2 63,9 65,4 66,4 69,5 70,1 70,2	113,5	1

7880 Joker XL Self-setting insert spanner for wrench sizes 19-24 mm, 14x18 mm


	EAN									
Code	4013288	mm	mm	mm	mm		mm		mm	
05020172001	229366	14x18	19-24	19,0 20,0 21,0 22,0 24,0	51,6 53,6 55,4 56,7 56,7	3/4" 25/32" 13/16" 7/8" 15/16"	51,6 53,3 54,7 56,7 56,7	3/4"-15/16"	95	1

7880 Joker L Self-setting insert spanner for wrench sizes 16-19 mm, 14x18mm



	EAN									
Code	4013288	mm	mm		mm			mm	mm	
05020171001	229359	14x18	16-19	5/8"-3/4"	16,0 17,0 18,0 19,0	44,6 46,7 48,2 49,1	5/8" 11/16" 3/4"	44,4 47,3 49,1	85,5	1

7770 Open end insert, 9x12 mm

- Square insert tool 9x12 mm
- For torque wrenches of the Click-Torque X series with 9x12 mm holder
- Application: Hexagon screw heads or nuts
- With safety pin
- The chrome-vanadium steel version makes the plug-in tools suitable for heavy loads

7770 Open end insert, 9x12 mm

Form **A**

05078600001
05078601001
05078602001
05078603001
05078604001
05078605001



Form **B**

05078606001
05078607001
05078608001
05078609001
05078610001
05078611001
05078612001



	EAN								
Code	4013288	mm	mm	mm	mm	mm	mm	mm	
05078600001	196101	9x12	7	17,5	39,5	22,9	22,6	5,0	1
05078601001	196095	9x12	8	17,5	39,5	22,9	22,6	5,0	1
05078602001	196088	9x12	9	17,5	41,0	24,4	26,7	5,5	1
05078603001	196071	9x12	10	17,5	39,0	24,1	26,7	5,5	1
05078604001	196064	9x12	11	17,5	40,9	24,3	26,7	5,5	1
05078605001	196057	9x12	12	17,5	41,3	24,7	30,7	7,2	1
05078606001	196040	9x12	13	17,5	40,6	24,0	30,6	7,2	1
05078607001	196033	9x12	14	17,5	41,0	24,63	34,3	8,0	1
05078608001	196026	9x12	15	17,5	41,0	24,4	24,5	8,0	1
05078609001	196019	9x12	16	17,5	42,7	26,1	37,5	8,2	1
05078610001	196002	9x12	17	17,5	42,7	26,1	37,5	8,2	1
05078611001	196118	9x12	18	17,5	46,7	30,1	41,0	8,5	1
05078612001	196125	9x12	19	17,5	46,7	30,1	41,0	9,2	1



7780 Open end insert, 14x18 mm

Open end insert, for hexagon screw heads or nuts; for torque wrenches of the Click-Torque X series with 14x18 mm holder.

7780 Open end insert, 14x18 mm

Form **A**
05078670001



Form **B**
05078671001
05078672001
05078673001
05078674001
05078675001
05078676001



Form **C**
05078677001
05078678001
05078679001
05078680001
05078681001



Form **D**
05078682001
05078683001
05078684001
05078685001
05078686001
05078687001



	EAN								
Code	4013288	mm	mm	mm	mm	mm	mm	mm	
05078670001	196729	14x18	13	25,5	58,0	33,0	31,1	7,0	1
05078671001	196736	14x18	14	25,5	58,6	33,6	33,0	8,0	1
05078672001	196743	14x18	15	25,5	59,0	34,0	33,6	8,0	1
05078673001	196750	14x18	16	25,5	59,0	34,0	36,8	9,0	1
05078674001	196767	14x18	17	25,5	58,6	33,6	37,0	9,0	1
05078675001	196774	14x18	18	25,5	60,6	35,6	40,0	9,7	1
05078676001	196781	14x18	19	25,5	60,0	35,0	40,2	9,7	1
05078677001	196798	14x18	21	25,5	61,8	36,8	51,4	11,0	1
05078678001	196804	14x18	22	25,5	62,1	37,1	50,9	11,0	1
05078679001	196811	14x18	24	27,5	60,8	35,8	52,4	12,0	1
05078680001	196828	14x18	26	30,0	68,5	43,5	59,8	13,0	1
05078681001	196835	14x18	27	30,0	68,5	43,5	59,8	13,0	1
05078682001	196842	14x18	29	30,0	69,0	44,0	64,8	14,0	1
05078683001	196859	14x18	30	30,0	69,0	44,0	64,8	14,0	1
05078684001	196866	14x18	32	32,5	68,8	43,8	65,4	14,0	1
05078685001	196873	14x18	36	32,5	69,6	44,6	71,2	15,1	1
05078686001	196880	14x18	38	32,5	70,5	45,5	71,2	15,1	1
05078687001	196897	14x18	41	32,5	73,8	48,8	80,0	15,1	1

7771 Ring spanner insert, 9x12 mm

Ring spanner insert, for hexagon screw heads or nuts; for torque wrenches of the Click-Torque X series with 9x12 mm holder.

7771 Ring spanner insert, 9x12 mm

Form

A

05078620001
05078621001
05078622001
05078623001
05078624001



Form

B

05078625001
05078626001
05078627001
05078628001
05078629001
05078630001
05078631001
05078632001



Form

C

05078633001



	EAN								
Code	4013288	mm	mm	mm	mm	mm	mm	mm	
05078620001	196163	9x12	7	17,5	41,3	24,7	22,5	8,0	1
05078621001	196156	9x12	8	17,5	41,5	24,9	22,5	8,0	1
05078622001	196170	9x12	9	17,5	41,5	24,9	22,5	9,0	1
05078623001	196187	9x12	10	17,5	43,0	26,4	22,5	9,0	1
05078624001	196194	9x12	11	17,5	43,8	27,2	22,5	9,0	1
05078625001	196200	9x12	12	17,5	44,5	27,9	22,5	11,0	1
05078626001	196217	9x12	13	17,5	45,1	28,5	22,5	11,0	1
05078627001	196224	9x12	14	17,5	46,0	29,4	23,4	11,0	1
05078628001	196231	9x12	15	17,5	46,0	29,4	23,9	12,0	1
05078629001	196248	9x12	16	17,5	47,3	30,7	25,9	13,0	1
05078630001	196255	9x12	17	17,5	47,3	30,7	27,2	13,0	1
05078631001	196262	9x12	18	17,5	48,7	32,1	28,6	13,0	1
05078632001	196279	9x12	19	17,5	49,2	32,6	29,5	15,0	1
05078633001	196286	9x12	21	17,5	51,0	34,4	33,7	15,0	1



7781 Ring spanner insert, 14x18 mm

Ring spanner insert, for hexagon screw heads or nuts; for torque wrenches of the Click-Torque X series with 14x18 mm holder.

7781 Ring spanner insert, 14x18 mm

Form A

05078690001
05078691001
05078692001



Form B

05078693001
05078694001
05078695001
05078696001
05078697001
05078698001
05078699001



Form C

05078700001
05078701001
05078702001
05078703001
05078704001
05078705001



	EAN								
Code	4013288	mm	mm	mm	mm	mm	mm	mm	
05078690001	196132	14x18	13	25,5	61,6	36,6	30,0	11,0	1
05078691001	196576	14x18	14	25,5	63,0	38,0	30,1	11,0	1
05078692001	196583	14x18	15	25,5	63,5	38,5	29,8	11,0	1
05078693001	196590	14x18	16	25,5	65,0	40,0	29,8	12,0	1
05078694001	196606	14x18	17	25,5	65,0	40,0	29,8	12,0	1
05078695001	196620	14x18	18	25,5	66,3	41,3	30,6	13,0	1
05078696001	196637	14x18	19	25,5	66,1	41,1	30,6	13,0	1
05078697001	196644	14x18	21	25,5	67,7	42,7	33,5	15,0	1
05078698001	196613	14x18	22	25,5	67,5	42,5	34,3	15,0	1
05078699001	196651	14x18	24	25,5	70,5	45,5	37,5	15,0	1
05078700001	196668	14x18	27	25,5	73,2	48,2	42,7	17,0	1
05078701001	196675	14x18	30	25,5	74,1	49,1	46,3	19,0	1
05078702001	196682	14x18	32	25,5	76,5	51,5	47,3	19,0	1
05078703001	196699	14x18	34	28,0	81,0	56,0	52,5	19,0	1
05078704001	196705	14x18	36	28,0	81,8	56,8	53,8	19,0	1
05078705001	196712	14x18	41	30,0	87,1	62,1	60,7	20,0	1

7772 A Ratchet insert, reversible, 9x12 mm

Ratchet insert, reversible, for $\frac{1}{4}$ " square socket wrench inserts and $\frac{1}{4}$ " connecting parts with square drive; for torque wrenches of the Click-Torque X series with 9x12 mm holder.



	EAN								
Code	4013288	mm		mm	mm	mm	mm	mm	
05078635001	196347	9x12	$\frac{1}{4}$ "	17,5	48,6	32,0	27,9	24,7	1

7772 B Ratchet insert, reversible, 9x12 mm

Ratchet insert, reversible, for $\frac{3}{8}$ " square socket wrench inserts and $\frac{3}{8}$ " connecting parts with square drive; for torque wrenches of the Click-Torque X series with 9x12 mm holder.



	EAN								
Code	4013288	mm		mm	mm	mm	mm	mm	
05078636001	196446	9x12	$\frac{3}{8}$ "	17,5	52,1	35,5	35,0	35,5	1

7772 C Ratchet insert, reversible, 9x12 mm

Ratchet insert, reversible, for $\frac{1}{2}$ " square socket wrench inserts and $\frac{1}{2}$ " connecting parts with square drive; for torque wrenches of the Click-Torque X series with 9x12 mm holder.



	EAN								
Code	4013288	mm		mm	mm	mm	mm	mm	
05078637001	196453	9x12	$\frac{1}{2}$ "	20,0	57,6	41,0	42,0	42,0	1



7782 C Ratchet insert, reversible, 14x18 mm

Ratchet insert, reversible, for 1/2" square socket wrench inserts and 1/2" connecting parts with square drive; for torque wrenches of the Click-Torque X series with 14x18 mm holder.



	EAN								
Code	4013288	mm		mm	mm	mm	mm	mm	
05078707001	196552	14x18	1/2"	20,0	66,0	41,0	42,0	42,0	1

7782 E Ratchet insert, reversible, 14x18 mm

Ratchet insert, reversible, for 3/4" square socket wrench inserts and 3/4" connecting parts with square drive; for torque wrenches of the Click-Torque X series with 14x18 mm holder.



	EAN								
Code	4013288	mm		mm	mm	mm	mm	mm	
05078708001	196569	14x18	3/4"	30,0	91,0	66,5	65,0	63,0	1

7773 A Square drive insert, 9x12 mm

Square drive insert, for 1/4" square socket wrench inserts and 1/4" connecting parts with square drive; for torque wrenches of the Click-Torque X series with 9x12 mm holder.

7773 A Square drive insert, 9x12 mm



	EAN								
Code	4013288	mm		mm	mm	mm			
05078200001	023742	9x12	1/4"	17,5	44,0	27,5	21,0	14,3	1

7773 B Square drive insert, 9x12 mm

Square drive insert, for $\frac{3}{8}$ " square socket wrench inserts and $\frac{3}{8}$ " connecting parts with square drive; for torque wrenches of the Click-Torque X series with 9x12 mm holder.

7773 B Square drive insert, 9x12 mm




	EAN								
Code	4013288	mm		mm	mm	mm			
05078205001	023759	9x12	$\frac{3}{8}$ "	17,5	44,0	27,5	21,0	14,3	1

7773 C Square drive insert, 9x12 mm

Square drive insert, for $\frac{1}{2}$ " square socket wrench inserts and $\frac{1}{2}$ " connecting parts with square drive; for torque wrenches of the Click-Torque X series with 9x12 mm holder.

7773 C Square drive insert, 9x12 mm




	EAN								
Code	4013288	mm		mm	mm	mm	mm	mm	
05078210001	023766	9x12	$\frac{1}{2}$ "	17,5	44,0	27,5	21,0	14,3	1

7783 C Square drive insert, 14x18 mm

Square drive insert, for $\frac{1}{2}$ " square socket wrench inserts and $\frac{1}{2}$ " connecting parts with square drive; for torque wrenches of the Click-Torque X series with 14x18 mm holder.

7783 C Square drive insert, 14x18 mm



	EAN								
Code	4013288	mm		mm	mm	mm	mm	mm	
05078345001	024183	14x18	$\frac{1}{2}$ "	25,5	65,0	40,0	30,0	18,0	1



7783 E Push-through square insert tool, 14x18 mm

Square drive insert, for $\frac{3}{4}$ " square socket wrench inserts and $\frac{3}{4}$ " connecting parts with square drive; for torque wrenches of the Click-Torque X series with 14x18 mm holder.

7783 E Push-through square insert tool, 14x18 mm



	EAN								
Code	4013288	mm		mm	mm	mm	mm	mm	
05078710001	196460	14x18	$\frac{3}{4}$ "	25,5	70,0	45,0	40,0	25,0	1

7774/1 Bit adapter insert, $\frac{1}{4}$ ", 9x12 mm

Bit adapter insert, $\frac{1}{4}$ "; for torque wrenches of the Click-Torque X series with 9x12 mm holder.

7774/1 Bit adapter insert, $\frac{1}{4}$ ", 9x12 mm



	EAN								
Code	4013288	mm		mm	mm	mm	mm	mm	
05078640001	196316	9x12	$\frac{1}{4}$ "	17,5	41.85	25.25	22,0	14,3	1

7774/2 Bit adapter insert, $\frac{5}{16}$ ", 9x12 mm

Bit adapter insert, $\frac{5}{16}$ "; for torque wrenches of the Click-Torque X series with 9x12 mm holder.

7774/2 Bit adapter insert, $\frac{5}{16}$ ", 9x12 mm



	EAN								
Code	4013288	mm		mm	mm	mm	mm	mm	
05078641001	196309	9x12	$\frac{5}{16}$ "	17,5	41.85	25.25	22,0	14,3	1

7774/3 Bit adapter insert, $\frac{5}{16}$ ", 14x18 mm

Bit adapter insert, $\frac{5}{16}$ "; for torque wrenches of the Click-Torque X series with 14x18 mm holder.

7774/3 Bit adapter insert, $\frac{5}{16}$ ", 14x18 mm



	EAN								
Code	4013288	mm		mm	mm	mm	mm	mm	
05078642001	196293	14x18	$\frac{5}{16}$ "	25,5	58,12	33,12	30,0	21,1	1

7775 Open ring spanner insert, 9x12 mm

Open ring spanner insert, for hexagon screw heads or nuts; for torque wrenches of the Click-Torque X series with 9x12 mm holder.

7775 Open ring spanner insert, 9x12 mm

Form **A**

05078650001
05078651001
05078652001
05078653001
05078654001
05078655001



Form **B**

05078656001
05078657001
05078658001



	EAN								
Code	4013288	mm	mm	mm	mm	mm	mm	mm	
05078650001	196330	9x12	10	17,5	44,2	27,6	22,5	11,0	1
05078651001	196361	9x12	11	17,5	44,5	27,9	22,6	11,0	1
05078652001	196378	9x12	12	17,5	44,5	28,9	24,3	11,0	1
05078653001	196385	9x12	13	17,5	46,0	29,4	25,5	11,0	1
05078654001	196392	9x12	14	17,5	46,5	29,9	27,5	11,0	1
05078655001	196408	9x12	17	17,5	48,5	31,9	32,5	11,0	1
05078656001	196415	9x12	18	17,5	49,3	32,7	33,5	15,0	1
05078657001	196422	9x12	19	17,5	49,4	32,9	34,5	15,0	1
05078658001	196439	9x12	22	17,5	51,7	35,1	39,6	15,0	1

7776 External TORX® insert, 9x12 mm

External TORX® insert; for torque wrenches of the Click-Torque X series with 9x12 mm holder.

7776 External TORX® insert, 9x12 mm

Form **A**

05078660001
05078661001
05078662001
05078663001



Form **B**

05078664001



	EAN								
Code	4013288	mm		mm	mm	mm	mm	mm	
05078660001	195968	9x12	TX 6	17,5	40,5	23,9	23,1	8,0	1
05078661001	195975	9x12	TX 8	17,5	41,6	25,0	23,0	8,0	1
05078662001	195982	9x12	TX 10	17,5	44,3	27,7	22,7	9,0	1
05078663001	195999	9x12	TX 12	17,5	43,3	26,7	22,7	9,0	1
05078664001	196149	9x12	TX 14	17,5	44,8	28,2	22,4	11,0	1

7786 External TORX® insert, 14x18 mm

External TORX® insert; for torque wrenches of the Click-Torque X series with 14x18 mm holder.

7786 External TORX® insert, 14x18 mm

Form

A

05078714001
05078715001



Form

B

05078716001
05078717001



	EAN								
Code	4013288	mm		mm	mm	mm	mm	mm	
05078714001	196507	14x18	TX 14	25,5	37,1	62,1	30,2	11,0	1
05078715001	196514	14x18	TX 18	25,5	37,2	62,2	30,2	11,0	1
05078716001	196521	14x18	TX 20	25,5	40,0	65,0	30,0	12,0	1
05078717001	196538	14x18	TX 24	25,5	41,0	66,0	30,2	12,0	1

7779/1 Adapter insert, 9x12 mm

Adapter insert for the use of square plug-in tools 14x18 mm in torque wrenches with internal square 9x12 mm; for torque wrenches of the Click-Torque X series with 9x12 mm holder.

7779/1 Adapter insert, 9x12 mm



	EAN							
Code	4013288	mm	mm	mm	mm	mm	mm	
05078666001	196323	9x12	14x18	49,0	33,0	32,0	26,0	1

7779/2 Adapter insert, 14x18 mm

Adapter insert for the use of square plug-in tools 9x12 mm in torque wrenches with internal square 14x18 mm; for torque wrenches of the Click-Torque X series with 14x18 mm holder.

7779/2 Adapter insert, 14x18 mm



	EAN							
Code	4013288	mm	mm	mm	mm	mm	mm	
05078667001	196545	14x18	9x12	52,0	27,0	28,0	21,0	1

7790/1 Push-fit weld-on adapter, 9x12 mm

Push-fit weld-on adapter; for torque wrenches of the Click-Torque X series with 9x12 mm holder.

- For welding on specifically required tools
- Welding should ideally be carried out by a specialist welding company

7790/1 Push-fit weld-on adapter, 9x12 mm



	EAN						
Code	4013288	mm	mm	mm	mm	mm	
05078720001	196354	9x12	24,0	8,0	22,0	14,0	1

7790/2 Push-fit weld-on adapter, 14x18 mm

Push-fit weld-on adapter; for torque wrenches of the Click-Torque X series with 14x18 mm holder.

- For welding on specifically required tools
- Welding should ideally be carried out by a specialist welding company

7790/2 Push-fit weld-on adapter, 14x18 mm



	EAN						
Code	4013288	mm	mm	mm	mm	mm	
05078721001	196477	14x18	38,0	13,0	31,0	22,0	1



9998 X-Power actuation tool for insert tools, 9x12 mm

- Plug connection for mounting insert tools
- With 9x12 mm mounting for exchangeable insert tools
- The actuation tool is suitable for tightening and loosening screw connections, using insert tools
- No torque function!
- Solid made from alloyed tool steel; matte-chromed

9998 X-Power actuation tool for insert tools, 9x12 mm



	EAN							
Code	4013288	mm	mm					
05003200001	237231	9x12	400					1

9999 X-Power actuation tool for insert tools, 14x18 mm

- With 14x18 mm mounting for exchangeable insert tools

9999 X-Power actuation tool for insert tools, 14x18 mm



	EAN							
Code	4013288	mm	mm					
05003201001	237224	14x18	600					1

Click-Torque collar

The collar prevents the handle of the Click-Torque torque wrench from touching the ground. Dirt and damage are avoided when putting down the tool while working.

Also prevents the tool from rolling away, and it serves to fix the Click-Torque torque wrench in the storage/transport box. The collar can be easily attached to the torque wrench tube and is removable.



7762 Click-Torque collar M3

Click-Torque collar as an accessory for Click-Torque Torque wrenches B 1, B 2, C 1, C 2, C 3, C 4, X 2, X 3, X 4, X 5, XP 4, Click-Torque Push R/L C 2 and Click-Torque Push R/L C 3.

7762 Click-Torque collar M3



	EAN							
Code	4013288	mm	mm	mm				
05078709001	211767	55,0	55,0	21,5				1

7761 Click-Torque collar M4

Click-Torque collar as an accessory for Click-Torque Torque wrenches C 5 and X 6.

7761 Click-Torque collar M4



	EAN							
Code	4013288	mm	mm	mm				
05078706001	211750	55,0	55,0	21,5				1

7763 Click-Torque collar M5

Click-Torque collar as an accessory for Click-Torque Torque wrench E 1 and Click-Torque Push R/L E 1.

7763 Click-Torque collar M5



	EAN							
Code	4013288	mm	mm	mm				
05078711001	211774	73,0	73,0	27,0				1

2090 Impact driver 90 Nm

High quality impact driver that can loosen rigid connections without the use of power tools simply by the force of the impact. The Wera impact drivers have a particularly high efficiency thanks to their robust, double-curved design.

Impact forces are converted into rotary motion. The use of compressed air equipment becomes unnecessary. For M 4 to M 8 screws. Drive: $\frac{5}{16}$ " hexagon socket.

- To loosen screws without the use of power tools
- Impact forces are converted into rotary motion
- The double-curved design is particularly efficient
- $\frac{5}{16}$ " hexagon socket take-up

2090 Impact driver 90 Nm



	EAN	⊕	⌘	⌘				
Code	4013288		mm					
05072014001	180926	$\frac{5}{16}$ "	142,0	5 $\frac{19}{32}$ "				1

2090/16 Impaktor impact screwdriver set 1, metric, $\frac{3}{8}$ "

- 16-piece impact screwdriver set
- 14 Impaktor 8790 B sockets ($\frac{3}{8}$ "); also suitable for use with electric or pneumatic wrenches
- Connector 870/2 to adapt from $\frac{5}{16}$ " hexagonal socket to $\frac{3}{8}$ " external square head
- Sockets with Take it easy tool finder: colour coding by size
- Textile box with twist-to-unlock system: secure storage and easy removal of the sockets

2090/16 Impaktor impact screwdriver set 1, metric, $\frac{3}{8}$ "




Code	EAN		
05072018001	4013288		1
	238467		
		● 2090	1x $\frac{5}{16}$ "x142,0
		⊕ 870/2	1x $\frac{3}{8}$ "x $\frac{5}{16}$ " ¹⁾
		● 8790 B Impaktor	1x 8,0x30,0; 1x 10,0x30,0; 1x 11,0x30,0; 1x 12,0x30,0; 1x 13,0x30,0; 1x 14,0x30,0; 1x 15,0x30,0; 1x 16,0x30,0; 1x 17,0x30,0; 1x 18,0x30,0; 1x 19,0x30,0; 1x 21,0x32,0; 1x 22,0x32,0; 1x 24,0x32,0
		Hook and Loop Fastener Strip 240	1x 50,0x240,0

¹⁾ With friction ball; for manual nut spinner sockets

2090/17 Impact driver set

- 2090 impact driver, 90 Nm with many accessories
- To loosen screws without the use of power tools
- 14 tough viscous Wera bits for universal use

2090/17 Impact driver set



Code	EAN		
05072017001	4013288		1
	179777		
		2090 90 Nm	1x $\frac{5}{16}$ "x142,0
		⊕ 851/2 Z PH	1x PH 2x32; 1x PH 3x32
		⊕ 851/2 PH	1x PH 4x32
		● 800/2	1x 2,0x12,0x41
		⊕ 840/2 Z	1x 5x30; 1x 6x30; 1x 8x30; 1x 10x30
		⊕ 840/2	1x 7,0x30
		⊕ 867/2 Z TORX®	1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35; 1x TX 55x35
		⊕ 870/2	1x $\frac{3}{8}$ "x $\frac{5}{16}$ " ¹⁾ ; 1x $\frac{1}{2}$ "x $\frac{5}{16}$ " ¹⁾

TORQUE Test Values



Slotted Tools

Drives: DIN ISO 2380, VSM 35601.
TORQUE values evaluated in test gages according to DIN ISO 2380 on TORQUE testing equipment.

 a x b mm	TORQUE in Nm (min)	
	handuse	poweruse
0,3 x 2,0	0,18	0,20
0,4 x 2,0	0,30	0,35
0,4 x 2,5	0,40	0,45
0,5 x 3,0	0,70	0,80
0,5 x 3,5	0,90	0,98
0,6 x 3,5	1,30	1,40
0,6 x 4,0	1,40	1,61
0,6 x 4,5	-	1,80
0,8 x 4,0	2,60	2,90
0,8 x 4,5	2,88	
0,8 x 5,0	3,20	3,58
0,8 x 5,5	3,50	3,90
1,0 x 5,5	5,50	6,20
1,0 x 6,5	6,50	7,28
1,0 x 7,0	7,0	7,80
1,2 x 6,5	9,40	10,50
1,2 x 7,0	10,0	11,28
1,2 x 8,0	11,5	12,90
1,4 x 9,0	17,6	19,70
1,5 x 13	29	32
1,6 x 8,0	20,5	22,9
1,6 x 9,0	23	25
1,6 x 10	25,6	28,7
2,0 x 12	48,0	53
2,0 x 13	52	58
2,5 x 14	87	98
2,5 x 16	100	112
3,0 x 18	162	181

Important note:

After the torque test with the specified minimum value, the screwdriver must not show any permanent deformation or other damage to the tip of the screwdriver that would impair its usability.



Hexagon Tools

Drives: DIN ISO 2936. TORQUE values evaluated in test gages according to DIN ISO 2936 on TORQUE testing equipment.

 SW (mm)	TORQUE in Nm (min)
0,7	0,08
0,9	0,18
1,3	0,53
1,5	0,82
2,0	1,9
2,5	3,8
3	6,6
3,5	11
4	16
4,5	24
5	30
6	52
7	78
8	120
9	180
10	220
11	295
12	370
13	480
14	590
17	1000
19	1000
22	1000
24	1000
27	1000



PH and PZ Tools

Drives: DIN 5260, ISO 8764 and SMS-SS 1687.

TORQUE values evaluated in test gages according to DIN 5261, ISO 8764 on TORQUE testing equipment.

 TORQUE in Nm (min)	handuse	poweruse
0	1,0	1,0
1	3,5	3,9
2	8,2	10,3
3	19,5	32,0
4	38,0	88,7



Test torques for tools with TORX® and TORX PLUS® drives

Test torques evaluated with testing gages from the TORX® and TORX PLUS® licensor (Camcar Innovations, Michigan, USA).

	TORQUE in Nm (min.)			TORX PLUS®		
	TORX® Bit	Resis-Bit	Screw-driver	Bit	Resis-Bit	Screw-drivers
1	0,10	-	0,08	0,11		
2	0,14	-	0,12	0,16		
3	0,25	-	0,21	0,28		
4	0,37	-	0,31	0,44		
5	0,51	-	0,43	0,61		
6	0,91	-	0,75	1,11		0,92
7	1,7	1,4	1,4	2,10		1,68
8	2,6	2,2	2,2	3,21	2,5	2,79
9	3,4	2,9	2,8	4,19	3,3	3,49
10	4,5	3,8	3,7	5,42	4,3	4,47
15	7,7	6,5	6,4	9,62	7,3	8,06
20	12,7	10,8	10,5	16,15	11,9	13,41
25	19,0	16,1	15,9	23,50	17,4	19,58
27	26,9	22,9	22,5	34,62	25,1	28,95
30	37,4	31,8	31,1	47,18	33,5	39,34
40	65,1	55,3	54,1	82,08	59,4	68,40
45	104	88	86	137,38	97,3	114,44
50	159	135	132	194,54	152,4	162,14
55	257	218	218	352,10	291,5	299,25
60	445	379	379	566,11	483,0	481,24
70	701	596	600	910,40	713,3	773,91










Tools with TORQ-SET® drive

TORQUE values evaluated with testing gages of Phillips Screw Company, licensor of TORQ-SET®, on TORQUE testing equipment.

 TORQUE in Nm (min)	Bits	Screw-drivers
2	1,1	1,1
3	1,7	1,7
4	2,8	2,8
5	4,0	4,0
6	5,1	5,1
8	8,5	8,5
10	11,3	11,3
1/4"	28	17
5/16"	56	28
3/8"	102	62
7/16"	147	
1/2"	249	
9/16"	271	
5/8"	339	

Dimensions Of Profiles

TORX® Recess Screws		TORX PLUS® Recess Screws		TORQ-SE1® Recess Screws		TRI-WING® Recess Screws	
							
A Ref. (mm)		A Ref. (mm)		A Ref. (mm)		A Ref. (mm)	
TX 1	0,84	1 IP	0,84	0	0,43	0	0,45
TX 2	0,94	2 IP	0,95	1	0,43	1	0,57
TX 3	1,12	3 IP	1,13	2	0,43	2	0,75
TX 4	1,30	4 IP	1,29	3	0,48	3	0,95
TX 5	1,37	5 IP	1,41	4	0,56	4	1,08
TX 6	1,65	6 IP	1,69	5	0,63	5	1,23
TX 7	1,97	7 IP	1,97	6	0,71	6	1,54
TX 8	2,30	8 IP	2,29	8	0,84	7	1,87
TX 9	2,48	9 IP	2,48	10	0,96	8	2,17
TX 10	2,72	10 IP	2,72	1/4"	1,27	9	2,48
TX 15	3,26	15 IP	3,25	5/16"	1,60	10	2,78
TX 20	3,84	20 IP	3,84	3/8"	1,90		
TX 25	4,40	25 IP	4,39	7/16"	2,23		
TX 27	4,96	27 IP	4,95	1/2"	2,54		
TX 30	5,49	30 IP	5,49				
TX 40	6,60	40 IP	6,60				
TX 45	7,77	45 IP	7,77				
TX 50	8,79	50 IP	8,79				
TX 55	11,17	55 IP	11,16				
TX 60	13,20	60 IP	13,20				
TX 70	15,49	70 IP	15,48				

XZN Recess Screws		Square Recess Screws			Spanner Recess Screws	
						
A Ref. (mm)		A Ref. (mm)			A Ref. (mm)	
M 4	3,83	00	1,27	1,4	4	1,52
M 5	4,80	0	1,78	2	6	2,41
M 6	6,00	1	2,31	2,5	8	2,79
M 8	7,20	2	2,85	3,1	10	3,30
M 10	9,60	3	3,37	3,7		
M 12	11,41	4	4,84	5,1		
M 14	13,22					
M 16	15,63					
M 18	16,85					
M 20	19,25					

TORQUE Conversion Table

Conversion Units	SI Units			Metric scale	USA GB scale			
	cNm	dNm	Nm		cmkg	mkg		
1 cNm =	1	0,1	0,01	0,1020	0,0010	0,0074	0,0885	1,4161
1 dNm =	10	1	0,1	1,0197	0,0102	0,0738	0,8851	14,1612
1 Nm =	100	10	1	10,1972	0,1020	0,7376	8,8508	141,6123
1 cmkg =	9,8067	0,9807	0,0981	1	0,0100	0,0723	0,8680	13,8874
1 mkg =	980,6650	98,0665	9,8067	100	1	7,2330	86,7964	1388,7422
1 ft.lb =	135,5818	13,5581	1,3558	13,8255	0,1383	1	12	192
1 in.lb =	11,2985	1,1298	0,1130	1,1521	0,0115	0,0833	1	16
1 in. oz =	0,7062	0,0706	0,0071	0,0720	0,0007	0,0052	0,0625	1

Example 1

1 Nm = 0,102 mkg
17,4 Nm = 17,4 x 0,102 mkg
17,4 Nm = 1,775 mkg

Example 2

1 mkg = 9,8067 Nm
12,5 mkg = 12,5 x 9,8067 Nm
12,5 mkg = 122,58 Nm

Conversion Nm in mkg

1 Nm = 0,10197 mkg

Nm	0	1	2	3	4	5	6	7	8	9
0	0,00	0,10	0,20	0,31	0,41	0,51	0,61	0,71	0,82	0,92
10	1,02	1,12	1,22	1,33	1,43	1,53	1,63	1,73	1,84	1,94
20	2,04	2,14	2,24	2,35	2,45	2,55	2,65	2,75	2,86	2,96
30	3,06	3,16	3,26	3,37	3,47	3,57	3,67	3,77	3,87	3,98
40	4,08	4,18	4,28	4,38	4,49	4,59	4,69	4,79	4,89	5,00
50	5,10	5,20	5,30	5,40	5,51	5,61	5,71	5,81	5,91	6,02
60	6,12	6,22	6,32	6,42	6,53	6,63	6,73	6,83	6,93	7,04
70	7,14	7,24	7,34	7,44	7,55	7,65	7,75	7,85	7,95	8,06
80	8,16	8,26	8,36	8,46	8,57	8,67	8,77	8,87	8,97	9,08
90	9,18	9,28	9,38	9,48	9,59	9,69	9,79	9,89	9,99	10,10
100	10,20	10,30	10,40	10,50	10,60	10,71	10,81	10,91	11,01	11,11

Conversion mkg in Nm

1 mkg = 9,80665 Nm

mkg	0	1	2	3	4	5	6	7	8	9
0	0,00	9,81	19,61	29,42	39,23	49,03	58,84	68,65	78,45	88,26
10	98,07	107,87	117,68	127,49	137,29	147,10	156,91	166,71	176,52	186,33
20	196,13	205,94	215,75	225,55	235,36	245,17	254,97	264,78	274,59	284,39
30	294,20	304,01	313,81	323,62	333,43	343,23	353,04	362,85	372,65	382,46
40	392,27	402,07	411,88	421,69	431,49	441,30	451,11	460,91	470,72	480,53
50	490,33	500,14	509,95	519,75	529,56	539,37	549,17	558,98	568,79	578,59
60	588,40	598,21	608,01	617,82	627,63	637,43	647,24	657,05	666,85	676,66
70	686,47	696,27	706,08	715,89	725,69	735,50	745,31	755,11	764,92	774,73
80	784,53	794,34	804,15	813,95	823,76	833,57	843,37	853,18	862,99	872,79
90	882,60	892,41	902,21	912,02	921,83	931,63	941,44	951,25	961,05	970,86
100	980,67	990,47	1000,28	1010,08	1019,89	1029,70	1039,50	1049,31	1059,12	1068,92

Conversion Nm in ft.lb

1 Nm = 0,73756 ft.lb

Nm	0	1	2	3	4	5	6	7	8	9
0	0,00	0,74	1,48	2,21	2,95	3,69	4,43	5,16	5,90	6,64
10	7,38	8,11	8,85	9,59	10,33	11,06	11,80	12,54	13,28	14,01
20	14,75	15,49	16,23	16,96	17,70	18,44	19,18	19,91	20,65	21,39
30	22,13	22,86	23,60	24,34	25,08	25,81	26,55	27,29	28,03	28,76
40	29,50	30,24	30,98	31,72	32,45	33,19	33,93	34,67	35,40	36,14
50	36,88	37,62	38,35	39,09	39,83	40,57	41,30	42,04	42,78	43,52
60	44,25	44,99	45,73	46,47	47,20	47,94	48,68	49,42	50,15	50,89
70	51,63	52,37	53,10	53,84	54,58	55,32	56,05	56,79	57,53	58,27
80	59,00	59,74	60,48	61,22	61,96	62,69	63,43	64,17	64,91	65,64
90	66,38	67,12	67,86	68,59	69,33	70,07	70,81	71,54	72,28	73,02
100	73,76	74,49	75,23	75,97	76,71	77,44	78,18	78,92	79,66	80,39

Conversion ft.lb in Nm

1 ft.lb = 1,35581 Nm

ft.lb	0	1	2	3	4	5	6	7	8	9
0	0,00	1,36	2,71	4,07	5,42	6,78	8,13	9,49	10,85	12,20
10	13,56	14,91	16,27	17,63	18,98	20,34	21,69	23,05	24,40	25,76
20	27,12	28,47	29,83	31,18	32,54	33,90	35,25	36,61	37,96	39,32
30	40,67	42,03	43,39	44,74	46,10	47,45	48,81	50,16	51,52	52,88
40	54,23	55,59	56,94	58,30	59,66	61,01	62,37	63,72	65,08	66,43
50	67,79	69,15	70,50	71,86	73,21	74,57	75,93	77,28	78,64	79,99
60	81,35	82,70	84,06	85,42	86,77	88,13	89,48	90,84	92,20	93,55
70	94,91	96,26	97,62	98,97	100,33	101,69	103,04	104,40	105,75	107,11
80	108,46	109,82	111,18	112,53	113,89	115,24	116,60	117,96	119,31	120,67
90	122,02	123,38	124,73	126,09	127,45	128,80	130,16	131,51	132,87	134,23
100	135,58	136,94	138,29	139,65	141,00	142,36	143,72	145,07	146,43	147,78

Conversion Nm in in.lb

1 Nm = 8,85077 in.lb

Nm	0	1	2	3	4	5	6	7	8	9
0	0,00	8,85	17,70	26,55	35,40	44,25	53,10	61,96	70,81	79,66
10	88,51	97,36	106,21	115,06	123,91	132,76	141,61	150,46	159,31	168,16
20	177,02	185,87	194,72	203,57	212,42	221,27	230,12	238,97	247,82	256,67
30	265,52	274,37	283,22	292,08	300,93	309,78	318,63	327,48	336,33	345,18
40	354,03	362,88	371,73	380,58	389,43	398,28	407,14	415,99	424,84	433,69
50	442,54	451,39	460,24	469,09	477,94	486,79	495,64	504,49	513,34	522,20
60	531,05	539,90	548,75	557,60	566,45	575,30	584,15	593,00	601,85	610,70
70	619,55	628,40	637,26	646,11	654,96	663,81	672,66	681,51	690,36	699,21
80	708,06	716,91	725,76	734,61	743,46	752,32	761,17	770,02	778,87	787,72
90	796,57	805,42	814,27	823,12	831,97	840,82	849,67	858,52	867,38	876,23
100	885,08	893,93	902,78	911,63	920,48	929,33	938,18	947,03	955,88	964,73

Conversion in.lb in Nm

1 in.lb = 0,11298 Nm

in.lb	0	1	2	3	4	5	6	7	8	9
0	0,00	0,11	0,23	0,34	0,45	0,56	0,68	0,79	0,90	1,02
10	1,13	1,24	1,36	1,47	1,58	1,69	1,81	1,92	2,03	2,15
20	2,26	2,37	2,49	2,60	2,71	2,82	2,94	3,05	3,16	3,28
30	3,39	3,50	3,62	3,73	3,84	3,95	4,07	4,18	4,29	4,41
40	4,52	4,63	4,75	4,86	4,97	5,08	5,20	5,31	5,42	5,54
50	5,65	5,76	5,87	5,99	6,10	6,21	6,33	6,44	6,55	6,67
60	6,78	6,89	7,00	7,12	7,23	7,34	7,46	7,57	7,68	7,80
70	7,91	8,02	8,13	8,25	8,36	8,47	8,59	8,70	8,81	8,93
80	9,04	9,15	9,26	9,38	9,49	9,60	9,72	9,83	9,94	10,06
90	10,17	10,28	10,39	10,51	10,62	10,73	10,85	10,96	11,07	11,19
100	11,30	11,41	11,52	11,64	11,75	11,86	11,98	12,09	12,20	12,31

Conversion Of Inches To Millimeters

Inches		0	1	2	3	4	5	6	7	8	9
			25.400	50.800	76.200	101.600	127.000	152.400	177.800	203.200	228.600
¹ ⁄ ₆₄	0.015625	0.397	25.797	51.197	76.597	101.997	127.397	152.797	178.197	203.597	228.997
¹ ⁄ ₃₂	0.03125	0.794	26.194	51.594	76.994	102.394	127.794	153.194	178.594	203.994	229.394
³ ⁄ ₆₄	0.046875	1.191	26.591	51.991	77.391	102.791	128.191	153.591	178.991	204.391	229.791
¹ ⁄ ₁₆	0.0625	1.588	26.988	52.388	77.788	103.188	128.588	153.988	179.388	204.788	230.188
⁵ ⁄ ₆₄	0.078125	1.984	27.384	52.784	78.184	103.584	128.984	154.384	179.784	205.184	230.584
³ ⁄ ₃₂	0.09375	2.381	27.781	53.181	78.581	103.981	129.381	154.781	180.181	205.581	230.981
⁷ ⁄ ₆₄	0.109375	2.778	28.178	53.578	78.978	104.378	129.778	155.178	180.578	205.978	231.378
¹ ⁄ ₈	0.125	3.175	28.575	53.975	79.375	104.775	130.175	155.575	180.975	206.375	231.775
⁹ ⁄ ₆₄	0.140625	3.572	28.972	54.372	79.772	105.172	130.572	155.972	181.372	206.772	232.172
⁵ ⁄ ₃₂	0.15625	3.969	29.369	54.769	80.169	105.569	130.969	156.369	181.769	207.169	232.569
¹¹ ⁄ ₆₄	0.171875	4.366	29.766	55.166	80.566	105.966	131.366	156.766	182.166	207.566	232.966
³ ⁄ ₁₆	0.1875	4.762	30.162	55.562	80.962	106.362	131.762	157.162	182.562	207.962	233.362
¹³ ⁄ ₆₄	0.203125	5.159	30.559	55.959	81.359	106.759	132.159	157.559	182.959	208.359	233.759
⁷ ⁄ ₃₂	0.21875	5.556	30.956	56.356	81.756	107.156	132.556	157.956	183.356	208.756	234.156
¹⁵ ⁄ ₆₄	0.234375	5.953	31.353	56.753	82.153	107.553	132.953	158.353	183.753	209.153	234.553
¹ ⁄ ₄	0.25	6.350	31.750	57.150	82.550	107.950	133.350	158.750	184.150	209.550	234.950
¹⁷ ⁄ ₆₄	0.265625	6.747	32.147	57.547	82.947	108.347	133.747	159.147	184.547	209.947	235.347
⁹ ⁄ ₃₂	0.28125	7.144	32.544	57.944	83.344	108.744	134.144	159.544	184.944	210.344	235.744
¹⁹ ⁄ ₆₄	0.296875	7.541	32.941	58.341	83.741	109.141	134.541	159.941	185.341	210.741	236.141
⁵ ⁄ ₁₆	0.3125	7.938	33.338	58.738	84.138	109.538	134.938	160.338	185.738	211.138	236.538
²¹ ⁄ ₆₄	0.328125	8.334	33.734	59.134	84.534	109.934	135.334	160.734	186.134	211.534	236.934
¹¹ ⁄ ₃₂	0.34375	8.731	34.131	59.531	84.931	110.331	135.731	161.131	186.531	211.931	237.331
²³ ⁄ ₆₄	0.359375	9.128	34.528	59.928	85.328	110.728	136.128	161.528	186.928	212.328	237.728
³ ⁄ ₈	0.375	9.525	34.925	60.325	85.725	111.125	136.525	161.925	187.325	212.725	238.125
²⁵ ⁄ ₆₄	0.390625	9.922	35.322	60.722	86.122	111.522	136.922	162.322	187.722	213.122	238.522
¹³ ⁄ ₃₂	0.40625	10.319	35.719	61.119	86.519	111.919	137.319	162.719	188.119	213.519	238.919
²⁷ ⁄ ₆₄	0.421875	10.716	36.116	61.516	86.916	112.316	137.716	163.116	188.516	213.916	239.316
⁷ ⁄ ₁₆	0.4375	11.112	36.512	61.912	87.312	112.712	138.112	163.512	188.912	214.312	239.712
²⁹ ⁄ ₆₄	0.453125	11.509	36.909	62.309	87.709	113.109	138.509	163.909	189.309	214.709	240.109
¹⁵ ⁄ ₃₂	0.46875	11.906	37.306	62.706	88.106	113.506	138.906	164.306	189.706	215.106	240.506
³¹ ⁄ ₆₄	0.484375	12.303	37.703	63.103	88.503	113.903	139.303	164.703	190.103	215.503	240.903
¹ ⁄ ₂	0.5	12.700	38.100	63.500	88.900	114.300	139.700	165.100	190.500	215.900	241.300
³³ ⁄ ₆₄	0.515625	13.097	38.497	63.897	89.297	114.697	140.097	165.497	190.897	216.297	241.697
¹⁷ ⁄ ₃₂	0.53125	13.494	38.894	64.294	89.694	115.094	140.494	165.894	191.294	216.694	242.094
³⁵ ⁄ ₆₄	0.546875	13.891	39.291	64.691	90.091	115.491	140.891	166.291	191.691	217.091	242.491
⁹ ⁄ ₁₆	0.5625	14.288	39.688	65.088	90.488	115.888	141.288	166.688	192.088	217.488	242.888
³⁷ ⁄ ₆₄	0.578125	14.684	40.084	65.484	90.884	116.284	141.684	167.084	192.484	217.884	243.284
¹⁹ ⁄ ₃₂	0.59375	15.081	40.481	65.881	91.281	116.681	142.081	167.481	192.881	218.281	243.681
³⁹ ⁄ ₆₄	0.609375	15.478	40.878	66.278	91.678	117.078	142.478	167.878	193.278	218.678	244.078
⁵ ⁄ ₈	0.625	15.875	41.275	66.675	92.075	117.475	142.875	168.275	193.675	219.075	244.475
⁴¹ ⁄ ₆₄	0.640625	16.272	41.672	67.072	92.472	117.872	143.272	168.672	194.072	219.472	244.872
²¹ ⁄ ₃₂	0.65625	16.669	42.069	67.469	92.869	118.269	143.669	169.069	194.469	219.869	245.269
⁴³ ⁄ ₆₄	0.671875	17.066	42.466	67.866	93.266	118.666	144.066	169.466	194.866	220.266	245.666
¹¹ ⁄ ₁₆	0.6875	17.462	42.862	68.262	93.662	119.062	144.462	169.862	195.262	220.662	246.062
⁴⁵ ⁄ ₆₄	0.703125	17.859	43.259	68.659	94.059	119.459	144.859	170.259	195.659	221.059	246.459
²³ ⁄ ₃₂	0.71875	18.256	43.656	69.056	94.456	119.856	145.256	170.656	196.056	221.456	246.856
⁴⁷ ⁄ ₆₄	0.734375	18.653	44.053	69.453	94.853	120.253	145.653	171.053	196.453	221.853	247.253
³ ⁄ ₄	0.75	19.050	44.450	69.850	95.250	120.650	146.050	171.450	196.850	222.250	247.650
⁴⁹ ⁄ ₆₄	0.765625	19.447	44.847	70.247	95.647	121.047	146.447	171.847	197.247	222.647	248.047
²⁵ ⁄ ₃₂	0.78125	19.844	45.244	70.644	96.044	121.444	146.844	172.244	197.644	223.044	248.444
⁵¹ ⁄ ₆₄	0.796875	20.241	45.641	71.041	96.441	121.841	147.241	172.641	198.041	223.441	248.841
¹³ ⁄ ₁₆	0.8125	20.638	46.038	71.438	96.838	122.238	147.638	173.038	198.438	223.838	249.238
⁵³ ⁄ ₆₄	0.828125	21.034	46.434	71.834	97.234	122.634	148.034	173.434	198.834	224.234	249.634
²⁷ ⁄ ₃₂	0.84375	21.431	46.831	72.231	97.631	123.031	148.431	173.831	199.231	224.631	250.031
⁵⁵ ⁄ ₆₄	0.859375	21.828	47.228	72.628	98.028	123.428	148.828	174.228	199.628	225.028	250.428
⁷ ⁄ ₈	0.875	22.225	47.625	73.025	98.425	123.825	149.225	174.625	200.025	225.425	250.825
⁵⁷ ⁄ ₆₄	0.890625	22.622	48.022	73.422	98.822	124.222	149.622	175.022	200.422	225.822	251.222
²⁹ ⁄ ₃₂	0.90625	23.019	48.419	73.819	99.219	124.619	150.019	175.419	200.819	226.219	251.619
⁵⁹ ⁄ ₆₄	0.921875	23.416	48.816	74.216	99.616	125.016	150.416	175.816	201.216	226.616	252.016
¹⁵ ⁄ ₁₆	0.9375	23.812	49.212	74.612	100.012	125.412	150.812	176.212	201.612	227.012	252.412
⁶¹ ⁄ ₆₄	0.953125	24.209	49.609	75.009	100.409	125.809	151.209	176.609	202.009	227.409	252.809
³¹ ⁄ ₃₂	0.96875	24.606	50.006	75.406	100.806	126.206	151.606	177.006	202.406	227.806	253.206
⁶³ ⁄ ₆₄	0.984375	25.003	50.403	75.803	101.203	126.603	152.003	177.403	202.803	228.203	253.603

Values in mm

Code No. Index

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 002900 001	275	05 003083 001	147	05 003388 001	124	05 003568 001	139
05 002910 001	276	05 003084 001	147	05 003389 001	124	05 003569 001	139
05 002913 001	276	05 003085 001	147	05 003390 001	122	05 003570 001	139
05 002920 001	276	05 003086 001	147	05 003391 001	122	05 003571 001	139
05 002923 001	276	05 003087 001	147	05 003392 001	122	05 003572 001	139
05 002926 001	276	05 003088 001	147	05 003393 001	122	05 003573 001	139
05 002930 001	276	05 003089 001	147	05 003460 001	94	05 003574 001	139
05 002933 001	276	05 003090 001	147	05 003461 001	94	05 003575 001	139
05 002936 001	276	05 003091 001	147	05 003462 001	94	05 003576 001	139
05 002938 001	276	05 003092 001	147	05 003463 001	94	05 003577 001	139
05 002940 001	276	05 003093 001	147	05 003499 001	118	05 003578 001	139
05 002943 001	276	05 003094 001	147	05 003500 001	112	05 003579 001	139
05 002946 001	276	05 003180 001	149	05 003501 001	118	05 003580 001	139
05 002948 001	276	05 003181 001	149	05 003502 001	118	05 003581 001	151
05 002950 001	276	05 003185 001	147	05 003503 001	118	05 003582 001	151
05 002960 001	276	05 003200 001	478	05 003504 001	118	05 003583 001	151
05 002966 001	276	05 003201 001	478	05 003505 001	118	05 003584 001	151
05 002968 001	276	05 003210 001	275	05 003506 001	118	05 003585 001	151
05 002970 001	276	05 003301 001	99	05 003507 001	118	05 003590 001	151
05 002973 001	276	05 003320 001	125	05 003508 001	118	05 003591 001	151
05 002976 001	276	05 003321 001	125	05 003509 001	118	05 003592 001	150
05 002980 001	276	05 003322 001	125	05 003510 001	118	05 003594 001	130
05 002990 001	274	05 003330 001	124	05 003511 001	118	05 003596 001	130
05 003010 001	118	05 003331 001	124	05 003512 001	118	05 003600 001	155
05 003030 001	147	05 003332 001	124	05 003513 001	118	05 003601 001	163
05 003031 001	147	05 003333 001	124	05 003514 001	118	05 003602 001	163
05 003032 001	147	05 003334 001	124	05 003515 001	118	05 003603 001	163
05 003033 001	147	05 003335 001	124	05 003516 001	118	05 003604 001	163
05 003034 001	147	05 003336 001	124	05 003517 001	118	05 003605 001	163
05 003035 001	147	05 003337 001	124	05 003518 001	118	05 003606 001	163
05 003036 001	147	05 003338 001	124	05 003519 001	118	05 003607 001	163
05 003037 001	147	05 003339 001	124	05 003520 001	118	05 003608 001	163
05 003038 001	147	05 003340 001	124	05 003521 001	118	05 003609 001	163
05 003039 001	147	05 003341 001	124	05 003522 001	118	05 003610 001	163
05 003040 001	147	05 003342 001	124	05 003523 001	118	05 003611 001	163
05 003041 001	147	05 003345 001	125	05 003524 001	126	05 003612 001	163
05 003042 001	147	05 003350 001	125	05 003525 001	126	05 003613 001	163
05 003043 001	147	05 003351 001	125	05 003526 001	126	05 003614 001	163
05 003044 001	147	05 003352 001	125	05 003527 001	127	05 003615 001	163
05 003050 001	148	05 003353 001	125	05 003528 001	126	05 003616 001	163
05 003051 001	148	05 003354 001	125	05 003529 001	127	05 003617 001	163
05 003052 001	148	05 003355 001	125	05 003530 001	126	05 003618 001	163
05 003054 001	148	05 003360 001	122	05 003531 001	125	05 003619 001	163
05 003056 001	148	05 003361 001	122	05 003533 001	110	05 003620 001	163
05 003059 001	145	05 003362 001	122	05 003535 001	111	05 003621 001	163
05 003060 001	145	05 003363 001	122	05 003536 001	128	05 003622 001	163
05 003061 001	145	05 003364 001	122	05 003550 001	131	05 003623 001	163
05 003062 001	145	05 003365 001	122	05 003551 001	139	05 003624 001	163
05 003063 001	145	05 003366 001	122	05 003552 001	139	05 003625 001	163
05 003064 001	145	05 003367 001	122	05 003553 001	139	05 003626 001	163
05 003065 001	145	05 003368 001	122	05 003554 001	139	05 003627 001	163
05 003066 001	145	05 003369 001	122	05 003555 001	139	05 003628 001	163
05 003067 001	145	05 003370 001	122	05 003556 001	139	05 003629 001	163
05 003068 001	145	05 003371 001	122	05 003557 001	139	05 003630 001	163
05 003069 001	145	05 003372 001	122	05 003558 001	139	05 003631 001	163
05 003070 001	145	05 003375 001	123	05 003559 001	139	05 003632 001	163
05 003071 001	145	05 003380 001	124	05 003560 001	139	05 003633 001	163
05 003072 001	145	05 003381 001	124	05 003561 001	139	05 003634 001	163
05 003073 001	145	05 003382 001	124	05 003562 001	139	05 003635 001	163
05 003074 001	146	05 003383 001	124	05 003563 001	139	05 003636 001	172
05 003075 001	146	05 003384 001	124	05 003564 001	139	05 003637 001	172
05 003080 001	147	05 003385 001	124	05 003565 001	139	05 003638 001	172
05 003081 001	147	05 003386 001	124	05 003566 001	139	05 003639 001	173
05 003082 001	147	05 003387 001	124	05 003567 001	139	05 003640 001	173

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 003641 001	173	05 003785 001	137	05 004020 001	115	05 004503 001	121
05 003642 001	172	05 003793 001	185	05 004021 001	117	05 004504 001	121
05 003643 001	172	05 003820 001	170	05 004022 001	113	05 004505 001	121
05 003645 001	154	05 003821 001	170	05 004033 001	135	05 004506 001	121
05 003647 001	155	05 003822 001	170	05 004034 001	137	05 004507 001	121
05 003660 001	184	05 003823 001	170	05 004046 001	129	05 004508 001	121
05 003662 001	184	05 003824 001	170	05 004047 001	134	05 004509 001	121
05 003665 001	185	05 003825 001	170	05 004048 001	136	05 004510 001	121
05 003666 001	185	05 003826 001	170	05 004049 001	129	05 004511 001	121
05 003667 001	185	05 003827 001	170	05 004050 001	135	05 004512 001	121
05 003668 001	185	05 003828 001	170	05 004051 001	137	05 004525 001	121
05 003669 001	185	05 003829 001	170	05 004063 001	158	05 004530 001	144
05 003670 001	185	05 003830 001	168	05 004064 001	160	05 004531 001	144
05 003675 001	185	05 003831 001	168	05 004076 001	153	05 004532 001	144
05 003684 001	185	05 003832 001	168	05 004077 001	157	05 004533 001	144
05 003685 001	185	05 003833 001	168	05 004078 001	159	05 004534 001	144
05 003690 001	185	05 003834 001	168	05 004079 001	154	05 004535 001	144
05 003692 001	178	05 003835 001	168	05 004080 001	158	05 004536 001	144
05 003695 001	178	05 003836 001	168	05 004081 001	160	05 004537 001	144
05 003696 001	178	05 003837 001	168	05 004090 001	156	05 004538 001	144
05 003697 001	178	05 003838 001	168	05 004095 001	156	05 004539 001	144
05 003717 001	118	05 003840 001	170	05 004170 001	183	05 004540 001	144
05 003718 001	118	05 003841 001	170	05 004171 001	269	05 004541 001	144
05 003719 001	118	05 003842 001	170	05 004173 001	230	05 004542 001	144
05 003720 001	118	05 003843 001	170	05 004174 001	50	05 004543 001	144
05 003721 001	118	05 003844 001	170	05 004175 001	131	05 004544 001	144
05 003722 001	118	05 003845 001	170	05 004176 001	150	05 004545 001	144
05 003723 001	118	05 003850 001	168	05 004177 001	183	05 004550 001	166
05 003724 001	118	05 003851 001	168	05 004178 001	210	05 004551 001	166
05 003725 001	118	05 003852 001	168	05 004179 001	274	05 004552 001	166
05 003726 001	118	05 003853 001	168	05 004180 001	444	05 004553 001	166
05 003727 001	118	05 003854 001	168	05 004181 001	210	05 004554 001	166
05 003728 001	118	05 003855 001	168	05 004182 001	35	05 004555 001	166
05 003729 001	118	05 003856 001	168	05 004184 001	35	05 004556 001	166
05 003730 001	163	05 003857 001	168	05 004186 001	255	05 004557 001	166
05 003731 001	163	05 003858 001	168	05 004187 001	195	05 004558 001	166
05 003732 001	163	05 003880 001	119	05 004188 001	196	05 004559 001	166
05 003733 001	163	05 003881 001	124	05 004190 001	29	05 004560 001	166
05 003734 001	163	05 003882 001	123	05 004201 001	171	05 004561 001	166
05 003735 001	163	05 003883 001	119	05 004202 001	169	05 004562 001	166
05 003736 001	163	05 003884 001	120	05 004203 001	165	05 004563 001	166
05 003737 001	163	05 003890 001	127	05 004210 001	171	05 004565 001	167
05 003738 001	163	05 003891 001	127	05 004211 001	169	05 004570 001	160
05 003739 001	163	05 003892 001	179	05 004212 001	170	05 004571 001	160
05 003740 001	139	05 003893 001	179	05 004280 001	173	05 004572 001	160
05 003741 001	139	05 003970 001	142	05 004281 001	175	05 004573 001	160
05 003742 001	139	05 003971 001	148	05 004282 001	174	05 004574 001	160
05 003743 001	139	05 003972 001	146	05 004283 001	175	05 004575 001	160
05 003744 001	139	05 003973 001	142	05 004284 001	176	05 004576 001	160
05 003745 001	139	05 003974 001	150	05 004285 001	177	05 004577 001	160
05 003746 001	139	05 003980 001	152	05 004310 001	67	05 004578 001	160
05 003747 001	139	05 003981 001	152	05 004313 001	24	05 004580 001	161
05 003748 001	139	05 003982 001	103	05 004350 001	322	05 004590 001	165
05 003749 001	139	05 003990 001	89	05 004351 001	322	05 004591 001	165
05 003750 001	139	05 003991 001	73	05 004351 001	326	05 004592 001	165
05 003751 001	139	05 003995 001	164	05 004352 001	323	05 004595 001	166
05 003752 001	139	05 003996 001	171	05 004353 001	324	05 004780 001	65
05 003753 001	139	05 003997 001	168	05 004354 001	324	05 004781 001	65
05 003755 001	108	05 004003 001	116	05 004355 001	324	05 004782 001	65
05 003756 001	117	05 004004 001	117	05 004356 001	324	05 004783 001	65
05 003760 001	207	05 004016 001	109	05 004357 001	323	05 004784 001	65
05 003765 001	207	05 004017 001	115	05 004500 001	121	05 004830 001	162
05 003780 001	156	05 004018 001	116	05 004501 001	121	05 004831 001	162
05 003781 001	157	05 004019 001	109	05 004502 001	121	05 004832 001	162

Code No. Index

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 004833 001	162	05 005430 001	143	05 005573 001	138	05 006169 001	65
05 004834 001	162	05 005440 001	145	05 005574 001	138	05 006170 001	65
05 004835 001	162	05 005450 001	143	05 005575 001	138	05 006172 001	65
05 004836 001	162	05 005451 001	140	05 005576 001	138	05 006174 001	65
05 004837 001	162	05 005452 001	140	05 005580 001	141	05 006176 001	65
05 004838 001	162	05 005460 001	169	05 005581 001	141	05 006177 001	65
05 004839 001	162	05 005470 001	167	05 005590 001	140	05 006178 001	65
05 004840 001	162	05 005480 001	164	05 005591 001	141	05 006179 001	65
05 004841 001	162	05 005490 001	161	05 005600 001	114	05 006181 001	65
05 004866 001	98	05 005500 001	138	05 005655 001	66	05 006182 001	65
05 004900 001	102	05 005501 001	138	05 005900 001	99	05 006183 001	65
05 004901 001	102	05 005502 001	138	05 005901 001	99	05 006184 001	65
05 004902 001	102	05 005503 001	138	05 005902 001	99	05 006190 001	64
05 004903 001	102	05 005504 001	138	05 005903 001	99	05 006191 001	64
05 004920 001	102	05 005505 001	138	05 005904 001	99	05 006380 001	64
05 004921 001	102	05 005506 001	138	05 005920 001	98	05 006381 001	64
05 004922 001	102	05 005507 001	138	05 005921 001	98	05 006440 001	62
05 004923 001	102	05 005508 001	138	05 005922 001	98	05 006441 001	62
05 004924 001	102	05 005509 001	138	05 005923 001	98	05 006442 001	62
05 004925 001	102	05 005510 001	138	05 005924 001	98	05 006450 001	63
05 004930 001	101	05 005511 001	138	05 005925 001	98	05 006451 001	63
05 004940 001	102	05 005512 001	138	05 005926 001	98	05 006455 001	64
05 004941 001	102	05 005513 001	138	05 005929 001	98	05 006456 001	64
05 004942 001	102	05 005514 001	138	05 005930 001	98	05 006460 001	64
05 004950 001	102	05 005515 001	138	05 005931 001	98	05 006461 001	64
05 004951 001	102	05 005516 001	138	05 005932 001	98	05 006465 001	65
05 004952 001	102	05 005517 001	138	05 005933 001	98	05 006466 001	65
05 004953 001	102	05 005518 001	138	05 005934 001	98	05 006470 001	69
05 004954 001	102	05 005519 001	138	05 005935 001	98	05 006480 001	68
05 004955 001	102	05 005520 001	138	05 005936 001	98	05 006500 001	89
05 004956 001	102	05 005521 001	138	05 005937 001	98	05 006501 001	89
05 004957 001	102	05 005522 001	138	05 005938 001	98	05 006502 001	89
05 004958 001	102	05 005523 001	138	05 005939 001	98	05 006503 001	89
05 004959 001	102	05 005524 001	138	05 005940 001	98	05 006504 001	89
05 004960 001	102	05 005525 001	138	05 005950 001	99	05 006505 001	89
05 004961 001	102	05 005526 001	138	05 006100 001	62	05 006506 001	90
05 004962 001	102	05 005530 001	132	05 006105 001	62	05 006507 001	90
05 004963 001	102	05 005531 001	133	05 006110 001	62	05 006508 001	90
05 004964 001	103	05 005540 001	133	05 006115 001	62	05 006509 001	90
05 004965 001	103	05 005541 001	113	05 006116 001	62	05 006510 001	90
05 004966 001	101	05 005542 001	114	05 006120 001	62	05 006511 001	90
05 004967 001	97	05 005550 001	138	05 006121 001	62	05 006512 001	90
05 004970 001	100	05 005551 001	138	05 006125 001	62	05 006513 001	90
05 004980 001	105	05 005552 001	138	05 006126 001	62	05 006514 001	91
05 004981 001	105	05 005553 001	138	05 006130 001	62	05 006515 001	91
05 005080 001	438	05 005554 001	138	05 006135 001	62	05 006516 001	91
05 005081 001	438	05 005555 001	138	05 006140 001	62	05 006517 001	91
05 005090 001	438	05 005556 001	138	05 006145 001	67	05 006518 001	94
05 005091 001	438	05 005557 001	138	05 006147 001	67	05 006519 001	94
05 005120 001	96	05 005558 001	138	05 006148 001	67	05 006520 001	94
05 005121 001	96	05 005559 001	138	05 006150 001	63	05 006521 001	94
05 005122 001	96	05 005560 001	138	05 006152 001	63	05 006522 001	94
05 005300 001	66	05 005561 001	138	05 006153 001	63	05 006523 001	91
05 005305 001	66	05 005562 001	138	05 006154 001	63	05 006524 001	91
05 005310 001	66	05 005563 001	138	05 006156 001	63	05 006525 001	91
05 005315 001	66	05 005564 001	138	05 006158 001	63	05 006526 001	91
05 005320 001	66	05 005565 001	138	05 006159 001	63	05 006527 001	91
05 005325 001	66	05 005566 001	138	05 006160 001	63	05 006528 001	92
05 005330 001	66	05 005567 001	138	05 006162 001	63	05 006529 001	92
05 005335 001	66	05 005568 001	138	05 006163 001	63	05 006530 001	92
05 005340 001	66	05 005569 001	138	05 006164 001	63	05 006531 001	92
05 005400 001	120	05 005570 001	138	05 006165 001	63	05 006532 001	92
05 005410 001	122	05 005571 001	138	05 006166 001	63	05 006533 001	92
05 005420 001	120	05 005572 001	138	05 006168 001	63	05 006534 001	92

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 006535 001	92	05 006611 001	84	05 008740 001	15	05 018111 001	277
05 006536 001	92	05 006612 001	83	05 008750 001	15	05 018140 001	279
05 006537 001	92	05 006613 001	82	05 008751 001	15	05 018141 001	279
05 006538 001	92	05 006614 001	83	05 008752 001	15	05 018142 001	279
05 006539 001	92	05 006616 001	82	05 008753 001	15	05 018150 001	279
05 006540 001	93	05 006617 001	81	05 008840 001	21	05 018151 001	279
05 006541 001	93	05 006618 001	77	05 008841 001	21	05 018152 001	279
05 006542 001	93	05 006619 001	78	05 008842 001	21	05 018153 001	279
05 006543 001	93	05 006620 001	78	05 008843 001	21	05 018154 001	279
05 006544 001	93	05 006621 001	79	05 008844 001	21	05 018155 001	279
05 006545 001	93	05 006622 001	79	05 008850 001	21	05 018156 001	279
05 006546 001	93	05 006630 001	73	05 008851 001	21	05 018157 001	279
05 006550 001	89	05 006631 001	72	05 008852 001	21	05 018160 001	278
05 006551 001	89	05 006632 001	77	05 008853 001	21	05 018161 001	278
05 006552 001	89	05 006633 001	70	05 008854 001	21	05 018162 001	278
05 006553 001	89	05 006634 001	71	05 008855 001	21	05 018163 001	278
05 006554 001	89	05 006635 001	71	05 008856 001	21	05 018164 001	278
05 006555 001	89	05 006640 001	88	05 008857 001	21	05 018165 001	278
05 006556 001	90	05 006641 001	89	05 008858 001	21	05 018166 001	278
05 006557 001	90	05 006642 001	87	05 008859 001	21	05 018167 001	278
05 006558 001	90	05 007610 001	14	05 008860 001	21	05 018168 001	278
05 006559 001	90	05 007620 001	14	05 008861 001	21	05 018169 001	278
05 006560 001	90	05 007621 001	14	05 008862 001	21	05 018170 001	278
05 006561 001	94	05 007635 001	14	05 008863 001	22	05 018171 001	279
05 006562 001	94	05 007640 001	14	05 008864 001	22	05 018172 001	279
05 006563 001	94	05 007670 001	14	05 008870 001	28	05 018173 001	279
05 006564 001	94	05 007671 001	14	05 008871 001	29	05 018260 001	10
05 006565 001	94	05 007672 001	14	05 008872 001	29	05 018262 001	10
05 006566 001	91	05 007673 001	14	05 008873 001	272	05 018264 001	10
05 006567 001	91	05 007674 001	14	05 008874 001	272	05 018266 001	10
05 006568 001	92	05 007675 001	14	05 008875 001	273	05 018268 001	10
05 006569 001	92	05 007676 001	14	05 008876 001	29	05 018270 001	10
05 006570 001	93	05 007677 001	14	05 008877 001	273	05 018272 001	10
05 006571 001	93	05 007680 001	24	05 008880 001	289	05 018274 001	10
05 006572 001	93	05 007681 001	24	05 008881 001	59	05 018282 001	12
05 006573 001	93	05 007900 001	30	05 008882 001	59	05 018283 001	12
05 006574 001	93	05 007901 001	30	05 008891 001	254	05 018287 001	12
05 006575 001	74	05 007905 001	30	05 008892 001	255	05 018300 001	10
05 006576 001	74	05 007906 001	30	05 008893 001	255	05 018301 001	10
05 006577 001	74	05 007907 001	30	05 009305 001	16	05 018302 001	10
05 006578 001	74	05 007908 001	30	05 009310 001	16	05 020012 001	204
05 006579 001	74	05 007910 001	30	05 009312 001	16	05 020013 001	204
05 006580 001	74	05 008006 001	13	05 009313 001	16	05 020014 001	203
05 006581 001	74	05 008007 001	13	05 009315 001	16	05 020015 001	203
05 006582 001	75	05 008008 001	13	05 009317 001	16	05 020016 001	203
05 006583 001	75	05 008009 001	13	05 009319 001	16	05 020022 001	204
05 006584 001	75	05 008015 001	13	05 009320 001	16	05 020064 001	205
05 006585 001	75	05 008027 001	13	05 009325 001	16	05 020065 001	205
05 006586 001	75	05 008055 001	13	05 009340 001	15	05 020066 001	205
05 006587 001	75	05 008060 001	13	05 009341 001	15	05 020067 001	205
05 006588 001	75	05 008061 001	13	05 009342 001	15	05 020068 001	205
05 006589 001	75	05 008100 001	28	05 009343 001	15	05 020069 001	205
05 006590 001	75	05 008101 001	20	05 017005 001	11	05 020070 001	205
05 006591 001	75	05 008102 001	20	05 017010 001	11	05 020071 001	205
05 006592 001	75	05 008705 001	15	05 017015 001	11	05 020072 001	205
05 006600 001	86	05 008706 001	15	05 017020 001	11	05 020073 001	205
05 006601 001	87	05 008710 001	15	05 017040 001	11	05 020074 001	205
05 006603 001	86	05 008712 001	15	05 017041 001	11	05 020075 001	205
05 006604 001	86	05 008715 001	15	05 017050 001	11	05 020076 001	205
05 006605 001	80	05 008720 001	15	05 017052 001	11	05 020077 001	205
05 006607 001	85	05 008723 001	15	05 017054 001	11	05 020078 001	205
05 006608 001	85	05 008725 001	15	05 017056 001	11	05 020079 001	205
05 006609 001	80	05 008730 001	15	05 018100 001	278	05 020080 001	205
05 006610 001	84	05 008735 001	15	05 018110 001	277	05 020081 001	205

Code No. Index

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 020082 001	205	05 020240 001	211	05 021085 001	235	05 022130 001	226
05 020090 001	206	05 020241 001	209	05 021090 001	235	05 022171 001	230
05 020091 001	206	05 020259 001	207	05 021095 001	235	05 022181 001	229
05 020092 001	206	05 020260 001	207	05 021406 001	227	05 022200 001	232
05 020093 001	206	05 020261 001	207	05 021600 001	235	05 022201 001	232
05 020099 001	213	05 020262 001	207	05 021605 001	235	05 022202 001	232
05 020100 001	213	05 020263 001	207	05 021610 001	235	05 022203 001	232
05 020101 001	214	05 020264 001	207	05 021615 001	235	05 022204 001	232
05 020102 001	214	05 020302 001	209	05 021620 001	235	05 022205 001	232
05 020103 001	213	05 020310 001	215	05 021625 001	235	05 022210 001	224
05 020104 001	214	05 020311 001	215	05 021630 001	235	05 022534 001	226
05 020110 001	215	05 020312 001	215	05 021632 001	235	05 022600 001	233
05 020111 001	214	05 020313 001	215	05 021635 001	235	05 022602 001	233
05 020129 001	62	05 020314 001	215	05 021640 001	235	05 022604 001	233
05 020131 001	63	05 020330 001	216	05 021645 001	235	05 022606 001	233
05 020132 001	65	05 020331 001	216	05 021721 001	230	05 022608 001	233
05 020133 001	63	05 020332 001	216	05 021728 001	229	05 022610 001	233
05 020134 001	65	05 020340 001	216	05 021737 001	228	05 022612 001	233
05 020150 001	104	05 020350 001	218	05 021909 001	227	05 022614 001	233
05 020151 001	105	05 020351 001	218	05 022040 001	234	05 022616 001	233
05 020152 001	105	05 020352 001	218	05 022041 001	234	05 022630 001	233
05 020153 001	105	05 020353 001	218	05 022042 001	234	05 022631 001	233
05 020170 001	104	05 020354 001	218	05 022043 001	234	05 022632 001	233
05 020171 001	467	05 020355 001	218	05 022044 001	234	05 022633 001	233
05 020172 001	466	05 020356 001	218	05 022045 001	234	05 022634 001	233
05 020173 001	466	05 020357 001	218	05 022046 001	234	05 022635 001	233
05 020174 001	465	05 020358 001	218	05 022047 001	234	05 022636 001	233
05 020175 001	464	05 020359 001	218	05 022048 001	234	05 022637 001	233
05 020176 001	464	05 020360 001	218	05 022050 001	234	05 022638 001	233
05 020177 001	465	05 020361 001	219	05 022052 001	234	05 022639 001	225
05 020178 001	465	05 020362 001	219	05 022054 001	234	05 022640 001	226
05 020190 001	207	05 020363 001	219	05 022056 001	234	05 022641 001	226
05 020198 001	207	05 020364 001	219	05 022058 001	234	05 022651 001	233
05 020199 001	207	05 020365 001	219	05 022060 001	234	05 022652 001	233
05 020200 001	207	05 020366 001	219	05 022062 001	234	05 022653 001	233
05 020201 001	207	05 020367 001	219	05 022063 001	234	05 022654 001	233
05 020202 001	207	05 020368 001	219	05 022064 001	234	05 022655 001	233
05 020203 001	207	05 020380 001	217	05 022066 001	234	05 022656 001	233
05 020204 001	207	05 020382 001	217	05 022067 001	234	05 022657 001	233
05 020205 001	207	05 020385 001	219	05 022068 001	234	05 022658 001	233
05 020206 001	207	05 020500 001	207	05 022070 001	234	05 022659 001	233
05 020207 001	207	05 020501 001	207	05 022071 001	234	05 022660 001	231
05 020208 001	207	05 020502 001	207	05 022072 001	234	05 022661 001	231
05 020209 001	207	05 020503 001	207	05 022073 001	234	05 022662 001	231
05 020210 001	207	05 020504 001	207	05 022074 001	234	05 022663 001	231
05 020211 001	207	05 020505 001	207	05 022076 001	234	05 022664 001	231
05 020212 001	207	05 020506 001	207	05 022078 001	234	05 022665 001	231
05 020213 001	207	05 020507 001	207	05 022079 001	234	05 022666 001	231
05 020214 001	207	05 021005 001	235	05 022080 001	234	05 022667 001	231
05 020215 001	207	05 021010 001	235	05 022081 001	234	05 022668 001	231
05 020216 001	207	05 021015 001	235	05 022082 001	234	05 022669 001	223
05 020217 001	207	05 021020 001	235	05 022086 001	228	05 022670 001	233
05 020218 001	207	05 021025 001	235	05 022087 001	227	05 022671 001	233
05 020219 001	207	05 021030 001	235	05 022089 001	224	05 022672 001	233
05 020220 001	207	05 021035 001	235	05 022095 001	234	05 022673 001	233
05 020221 001	208	05 021040 001	235	05 022096 001	234	05 022674 001	233
05 020228 001	211	05 021045 001	235	05 022101 001	229	05 022675 001	233
05 020229 001	212	05 021050 001	235	05 022102 001	228	05 022676 001	233
05 020230 001	209	05 021055 001	235	05 022120 001	235	05 022677 001	233
05 020231 001	209	05 021060 001	235	05 022121 001	235	05 022678 001	233
05 020232 001	208	05 021065 001	235	05 022122 001	235	05 022680 001	239
05 020233 001	212	05 021070 001	235	05 022123 001	235	05 022681 001	239
05 020234 001	212	05 021075 001	235	05 022124 001	235	05 022682 001	239
05 020235 001	212	05 021080 001	235	05 022125 001	235	05 022683 001	239

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 022684 001	239	05 022854 001	232	05 023386 001	45	05 024355 001	240
05 022685 001	239	05 022855 001	232	05 023387 001	45	05 024356 001	240
05 022686 001	239	05 022856 001	232	05 023389 001	45	05 024357 001	240
05 022687 001	239	05 022857 001	232	05 023391 001	45	05 024358 001	240
05 022688 001	239	05 022858 001	232	05 023393 001	45	05 024400 001	11
05 022689 001	237	05 022860 001	225	05 023400 001	275	05 024401 001	11
05 022693 001	231	05 022905 001	17	05 023404 001	45	05 024402 001	11
05 022694 001	231	05 022910 001	17	05 023450 001	47	05 024403 001	11
05 022695 001	231	05 022920 001	17	05 023451 001	48	05 024404 001	11
05 022696 001	231	05 023105 001	16	05 023452 001	49	05 024405 001	11
05 022697 001	231	05 023107 001	16	05 023453 001	47	05 024410 001	13
05 022698 001	231	05 023110 001	16	05 023454 001	48	05 024450 001	237
05 022699 001	223	05 023115 001	16	05 023456 001	49	05 024451 001	240
05 022700 001	232	05 023120 001	16	05 023460 001	46	05 024452 001	240
05 022701 001	232	05 023125 001	16	05 023461 001	46	05 024453 001	240
05 022702 001	232	05 023130 001	16	05 023470 001	249	05 024454 001	240
05 022703 001	232	05 023330 001	43	05 023471 001	248	05 024455 001	240
05 022704 001	232	05 023332 001	43	05 024001 001	241	05 024456 001	240
05 022705 001	232	05 023334 001	44	05 024002 001	241	05 024457 001	240
05 022706 001	232	05 023338 001	44	05 024003 001	241	05 024458 001	240
05 022708 001	232	05 023339 001	44	05 024004 001	241	05 024459 001	240
05 022709 001	232	05 023340 001	44	05 024005 001	241	05 024460 001	238
05 022710 001	232	05 023342 001	44	05 024008 001	241	05 024461 001	241
05 022711 001	232	05 023343 001	44	05 024010 001	241	05 024462 001	241
05 022712 001	232	05 023344 001	44	05 024012 001	241	05 024463 001	241
05 022713 001	232	05 023346 001	44	05 024013 001	241	05 024464 001	240
05 022714 001	232	05 023347 001	44	05 024015 001	241	05 024465 001	240
05 022715 001	232	05 023348 001	44	05 024020 001	241	05 024466 001	240
05 022716 001	232	05 023350 001	44	05 024100 001	241	05 024467 001	240
05 022717 001	232	05 023351 001	44	05 024105 001	241	05 024468 001	240
05 022718 001	232	05 023352 001	44	05 024160 001	241	05 024469 001	240
05 022720 001	223	05 023353 001	44	05 024161 001	241	05 024470 001	237
05 022721 001	223	05 023354 001	44	05 024162 001	241	05 024471 001	239
05 022728 001	61	05 023355 001	44	05 024163 001	241	05 024472 001	239
05 022729 001	60	05 023356 001	44	05 024164 001	241	05 024473 001	239
05 022730 001	60	05 023357 001	44	05 024165 001	241	05 024474 001	239
05 022731 001	60	05 023358 001	44	05 024166 001	241	05 024475 001	239
05 022732 001	60	05 023359 001	44	05 024167 001	241	05 024476 001	239
05 022733 001	60	05 023360 001	44	05 024168 001	241	05 024477 001	239
05 022734 001	60	05 023361 001	44	05 024170 001	239	05 024478 001	239
05 022740 001	60	05 023362 001	44	05 024171 001	239	05 024479 001	239
05 022741 001	60	05 023363 001	44	05 024172 001	239	05 024480 001	237
05 022745 001	61	05 023364 001	44	05 024173 001	239	05 024481 001	240
05 022760 001	61	05 023365 001	44	05 024174 001	239	05 024482 001	240
05 022761 001	61	05 023366 001	44	05 024175 001	239	05 024483 001	240
05 022762 001	61	05 023367 001	44	05 024176 001	239	05 024484 001	239
05 022763 001	61	05 023368 001	44	05 024177 001	239	05 024485 001	239
05 022764 001	61	05 023369 001	44	05 024178 001	239	05 024486 001	239
05 022765 001	61	05 023370 001	44	05 024179 001	237	05 024487 001	239
05 022766 001	61	05 023371 001	44	05 024199 001	241	05 024488 001	239
05 022767 001	61	05 023372 001	44	05 024200 001	241	05 024489 001	239
05 022795 001	17	05 023373 001	44	05 024202 001	241	05 024690 001	99
05 022800 001	17	05 023374 001	44	05 024204 001	241	05 024692 001	103
05 022805 001	17	05 023375 001	44	05 024206 001	241	05 026350 001	32
05 022810 001	17	05 023376 001	44	05 024208 001	241	05 026351 001	32
05 022815 001	17	05 023377 001	44	05 024210 001	241	05 026352 001	32
05 022820 001	17	05 023378 001	44	05 024242 001	238	05 026353 001	32
05 022825 001	17	05 023379 001	44	05 024244 001	237	05 026354 001	32
05 022830 001	17	05 023380 001	44	05 024335 001	238	05 026360 001	32
05 022835 001	17	05 023381 001	45	05 024350 001	240	05 026361 001	32
05 022850 001	232	05 023382 001	45	05 024351 001	240	05 026363 001	32
05 022851 001	232	05 023383 001	45	05 024352 001	240	05 026372 001	32
05 022852 001	232	05 023384 001	45	05 024353 001	240	05 026373 001	32
05 022853 001	232	05 023385 001	45	05 024354 001	240	05 026374 001	32

Code No. Index

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 026382 001	32	05 028040 001	438	05 030099 001	51	05 032032 001	9
05 027101 001	234	05 028041 001	438	05 030100 001	51	05 032033 001	9
05 027102 001	234	05 028042 001	438	05 030101 001	51	05 032050 001	9
05 027103 001	234	05 028043 001	438	05 030102 001	51	05 032051 001	9
05 027104 001	234	05 028044 001	438	05 030103 001	51	05 032052 001	9
05 027105 001	234	05 028045 001	438	05 030104 001	51	05 032053 001	9
05 027106 001	234	05 028046 001	438	05 030105 001	51	05 032054 001	9
05 027107 001	234	05 028048 001	17	05 030106 001	51	05 032055 001	9
05 027108 001	234	05 028049 001	17	05 030107 001	51	05 032056 001	9
05 027109 001	234	05 028050 001	17	05 030108 001	51	05 032057 001	9
05 027110 001	234	05 028051 001	17	05 030109 001	52	05 032058 001	9
05 027111 001	234	05 028052 001	17	05 030110 001	51	05 032060 001	9
05 027201 001	236	05 028053 001	17	05 030111 001	51	05 032061 001	9
05 027202 001	236	05 028054 001	17	05 030112 001	51	05 032063 001	10
05 027203 001	236	05 028055 001	17	05 030113 001	52	05 032070 002	9
05 027204 001	236	05 028056 001	17	05 030114 001	52	05 032071 002	9
05 027205 001	236	05 028059 001	26	05 030115 001	52	05 033404 001	33
05 027206 001	236	05 028062 001	27	05 030116 001	52	05 040001 001	275
05 027207 001	236	05 028070 001	17	05 030117 001	51	05 042605 001	389
05 027208 001	236	05 028071 001	17	05 030118 001	51	05 042655 001	389
05 027209 001	236	05 028072 001	17	05 030119 001	51	05 042665 001	389
05 027210 001	236	05 028073 001	17	05 030120 001	52	05 042670 001	388
05 027211 001	236	05 028074 001	26	05 030121 001	52	05 042671 001	388
05 027212 001	236	05 028148 001	20	05 030122 001	52	05 042672 001	388
05 027213 001	236	05 028150 001	20	05 030135 001	52	05 042673 001	388
05 027214 001	236	05 028152 001	20	05 030150 001	53	05 042674 001	388
05 027215 001	236	05 028160 001	288	05 030151 001	53	05 042680 001	388
05 027405 001	33	05 028161 001	288	05 030158 001	52	05 042705 001	389
05 027450 001	53	05 028205 001	20	05 030159 001	52	05 042715 001	389
05 027455 001	33	05 028210 001	20	05 030160 001	37	05 042750 001	389
05 027456 001	39	05 028215 001	20	05 030170 001	55	05 042755 001	389
05 027910 001	437	05 028220 001	20	05 030180 001	55	05 042760 001	389
05 027911 001	437	05 028225 001	20	05 030181 001	42	05 042765 001	389
05 027912 001	437	05 028230 001	20	05 030330 001	53	05 042768 001	389
05 027913 001	437	05 029405 001	20	05 030331 001	53	05 049000 001	188
05 027930 001	437	05 029410 001	20	05 030400 001	52	05 049001 001	189
05 027931 001	437	05 029415 001	20	05 030401 001	52	05 049002 001	190
05 027932 001	437	05 029420 001	20	05 030402 001	52	05 049003 001	189
05 027933 001	437	05 029425 001	20	05 030403 001	52	05 049004 001	192
05 027934 001	437	05 029430 001	20	05 030404 001	52	05 049005 001	192
05 027935 001	437	05 029435 001	20	05 030405 001	52	05 049020 001	191
05 027936 001	438	05 029440 001	20	05 030406 001	52	05 049025 001	192
05 028000 001	18	05 029445 001	20	05 030410 001	53	05 049050 001	197
05 028001 001	18	05 029450 001	20	05 030411 001	53	05 049055 001	193
05 028002 001	18	05 029460 001	21	05 030412 001	53	05 049056 001	194
05 028003 001	18	05 029461 001	21	05 030413 001	53	05 049060 001	194
05 028004 001	18	05 029462 001	21	05 030414 001	53	05 049065 001	198
05 028005 001	18	05 029463 001	21	05 030415 001	53	05 049070 001	199
05 028008 001	18	05 029464 001	21	05 030416 001	53	05 050005 001	119
05 028010 001	18	05 029465 001	21	05 030417 001	53	05 050205 001	387
05 028012 001	18	05 029466 001	21	05 030418 001	53	05 050210 001	387
05 028013 001	18	05 029501 001	21	05 032001 001	8	05 050215 001	387
05 028015 001	18	05 029502 001	21	05 032002 001	8	05 050220 001	387
05 028020 001	18	05 029503 001	21	05 032003 001	8	05 050510 001	387
05 028029 001	19	05 029504 001	21	05 032004 001	8	05 050650 001	387
05 028030 001	19	05 029505 001	21	05 032005 001	8	05 051005 001	289
05 028031 001	19	05 029506 001	21	05 032006 001	8	05 051010 001	23
05 028032 001	19	05 029507 001	21	05 032007 001	8	05 051011 001	23
05 028033 001	19	05 029510 001	27	05 032020 001	8	05 051012 001	22
05 028034 001	19	05 030080 001	53	05 032021 001	8	05 051016 001	260
05 028035 001	19	05 030081 001	53	05 032022 001	8	05 051017 001	261
05 028036 001	19	05 030082 001	53	05 032023 001	8	05 051021 001	261
05 028037 001	19	05 030083 001	53	05 032030 001	9	05 051024 001	262
05 028038 001	19	05 030084 001	53	05 032031 001	9	05 051025 001	262

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 051028 001	262	05 053459 001	385	05 056500 001	334	05 057621 001	341
05 051032 001	263	05 053520 001	383	05 056505 001	334	05 057622 001	341
05 051042 001	268	05 053522 001	383	05 056507 001	334	05 057623 001	349
05 051043 001	56	05 053870 001	383	05 056510 001	334	05 057624 001	349
05 051045 001	112	05 053872 001	383	05 056515 001	334	05 057625 001	349
05 051060 001	251	05 053923 001	381	05 056520 001	334	05 057626 001	349
05 051061 001	252	05 056064 001	361	05 056525 001	334	05 057627 001	349
05 051065 001	251	05 056066 001	361	05 056535 001	334	05 057628 001	349
05 051066 001	252	05 056068 001	361	05 056605 001	333	05 057631 001	370
05 051205 001	289	05 056158 001	405	05 056610 001	333	05 057632 001	370
05 051272 001	288	05 056159 001	403	05 056625 001	333	05 057644 001	365
05 051273 001	56	05 056161 001	402	05 056653 001	259	05 057645 001	365
05 051274 001	289	05 056164 001	404	05 056662 001	334	05 057646 001	365
05 051276 001	39	05 056168 001	406	05 056680 001	364	05 057656 001	335
05 051278 001	39	05 056172 001	360	05 056681 001	364	05 057657 001	335
05 051462 001	288	05 056174 001	360	05 056682 001	364	05 057661 001	345
05 051464 001	56	05 056176 001	360	05 056683 001	364	05 057662 001	345
05 051465 001	287	05 056200 001	361	05 056684 001	364	05 057664 001	354
05 051482 001	287	05 056203 001	361	05 056685 001	364	05 057665 001	354
05 051492 001	257	05 056210 001	361	05 056686 001	364	05 057666 001	354
05 051493 001	257	05 056220 001	361	05 056687 001	364	05 057667 001	354
05 051494 001	256	05 056225 001	361	05 056700 001	342	05 057671 001	371
05 051495 001	257	05 056233 001	361	05 056702 001	342	05 057672 001	371
05 051500 001	384	05 056240 001	361	05 056704 001	342	05 057675 001	380
05 051501 001	384	05 056294 001	405	05 056710 001	343	05 057676 001	380
05 051502 001	384	05 056295 001	404	05 056712 001	343	05 057680 001	392
05 051510 001	263	05 056296 001	405	05 056714 001	343	05 057684 001	393
05 051511 001	264	05 056303 001	364	05 056720 001	343	05 057688 001	393
05 051512 001	264	05 056305 001	364	05 056722 001	343	05 057690 001	392
05 051513 001	244	05 056310 001	364	05 056724 001	343	05 057692 001	394
05 051514 001	244	05 056315 001	364	05 056805 001	344	05 057693 001	394
05 051515 001	245	05 056320 001	364	05 056810 001	344	05 057695 001	393
05 051516 001	245	05 056325 001	364	05 056812 001	344	05 057697 001	392
05 051517 001	245	05 056330 001	364	05 056815 001	344	05 057705 001	340
05 051518 001	246	05 056332 001	364	05 056820 001	344	05 057710 001	340
05 051519 001	246	05 056335 001	364	05 056825 001	344	05 057715 001	340
05 051520 001	246	05 056340 001	364	05 056835 001	344	05 057720 001	340
05 051530 001	247	05 056341 001	369	05 056910 001	344	05 057750 001	335
05 051531 001	248	05 056342 001	369	05 056915 001	344	05 057751 001	332
05 051535 001	253	05 056343 001	369	05 056925 001	344	05 057752 001	330
05 051536 001	254	05 056344 001	369	05 057113 001	270	05 057760 001	345
05 051540 001	256	05 056345 001	369	05 057114 001	270	05 057761 001	343
05 051575 001	95	05 056346 001	369	05 057115 001	404	05 057762 001	343
05 051576 001	96	05 056350 001	365	05 057122 001	400	05 057763 001	341
05 051580 001	95	05 056352 001	365	05 057150 001	375	05 057770 001	353
05 051582 001	95	05 056354 001	365	05 057151 001	375	05 057772 001	349
05 051583 001	95	05 056356 001	365	05 057152 001	375	05 057773 001	353
05 051587 001	95	05 056358 001	365	05 057153 001	375	05 057775 001	349
05 051601 001	95	05 056374 001	398	05 057160 001	375	05 057776 001	349
05 051603 001	95	05 056375 001	403	05 057161 001	375	05 057777 001	352
05 051611 001	95	05 056400 001	331	05 057162 001	375	05 057778 001	352
05 051613 001	95	05 056402 001	331	05 057163 001	375	05 057790 001	371
05 051835 001	275	05 056404 001	331	05 057225 001	362	05 057900 001	402
05 052490 001	382	05 056410 001	331	05 057235 001	362	05 057908 001	402
05 052500 001	382	05 056412 001	331	05 057240 001	362	05 058005 001	348
05 052501 001	383	05 056414 001	331	05 057415 001	399	05 058010 001	348
05 052502 001	382	05 056420 001	332	05 057603 001	363	05 058015 001	348
05 052503 001	382	05 056422 001	332	05 057604 001	363	05 058020 001	348
05 052504 001	382	05 056424 001	332	05 057605 001	363	05 058101 001	362
05 052575 001	384	05 056440 001	401	05 057606 001	363	05 058102 001	357
05 053425 001	385	05 056470 001	410	05 057615 001	330	05 058104 001	362
05 053455 001	385	05 056472 001	406	05 057616 001	330	05 058105 001	362
05 053457 001	385	05 056474 001	406	05 057617 001	330	05 058108 001	368
05 053458 001	385	05 056478 001	407	05 057620 001	341		

Code No. Index

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 058109 001	368	05 059628 001	367	05 059920 001	347	05 060180 001	372
05 058110 001	368	05 059629 001	367	05 059922 001	347	05 060182 001	372
05 058111 001	368	05 059630 001	367	05 059924 001	347	05 060184 001	372
05 058112 001	368	05 059631 001	367	05 060005 001	347	05 060185 001	356
05 058119 001	340	05 059632 001	367	05 060010 001	347	05 060186 001	356
05 058120 001	340	05 059633 001	367	05 060015 001	347	05 060187 001	356
05 058121 001	340	05 059634 001	367	05 060027 001	347	05 060188 001	356
05 058122 001	340	05 059635 001	367	05 060029 001	347	05 060189 001	356
05 058129 001	357	05 059636 001	367	05 060030 001	347	05 060190 001	356
05 058130 001	357	05 059637 001	367	05 060031 001	347	05 060191 001	356
05 058131 001	357	05 059640 001	369	05 060033 001	347	05 060192 001	356
05 058132 001	357	05 059641 001	369	05 060035 001	347	05 060193 001	356
05 058133 001	357	05 059642 001	369	05 060036 001	347	05 060194 001	356
05 058140 001	348	05 059643 001	369	05 060037 001	347	05 060195 001	356
05 058141 001	348	05 059644 001	369	05 060038 001	347	05 060196 001	356
05 059293 001	266	05 059645 001	369	05 060041 001	347	05 060197 001	356
05 059294 001	268	05 059660 001	367	05 060043 001	347	05 060198 001	356
05 059295 001	267	05 059661 001	367	05 060045 001	347	05 060199 001	356
05 059297 001	269	05 059662 001	367	05 060047 001	347	05 060200 001	356
05 059298 001	265	05 059663 001	367	05 060048 001	358	05 060201 001	356
05 059299 001	265	05 059664 001	367	05 060049 001	358	05 060202 001	356
05 059305 001	362	05 059665 001	367	05 060050 001	358	05 060210 001	376
05 059307 001	362	05 059666 001	367	05 060051 001	358	05 060215 001	376
05 059310 001	362	05 059667 001	367	05 060052 001	358	05 060220 001	376
05 059315 001	362	05 059668 001	367	05 060053 001	358	05 060225 001	376
05 059320 001	362	05 059680 001	368	05 060054 001	358	05 060230 001	376
05 059325 001	362	05 059681 001	368	05 060055 001	347	05 060235 001	376
05 059330 001	362	05 059682 001	368	05 060056 001	358	05 060237 001	376
05 059335 001	362	05 059683 001	368	05 060057 001	358	05 060238 001	376
05 059337 001	362	05 059700 001	355	05 060060 001	347	05 060240 001	376
05 059340 001	362	05 059701 001	355	05 060065 001	347	05 060255 001	376
05 059345 001	362	05 059702 001	355	05 060098 001	356	05 060260 001	376
05 059450 001	362	05 059703 001	355	05 060100 001	356	05 060265 001	376
05 059451 001	362	05 059704 001	355	05 060105 001	356	05 060272 001	375
05 059452 001	362	05 059705 001	355	05 060110 001	356	05 060274 001	375
05 059453 001	362	05 059720 001	348	05 060115 001	356	05 060276 001	375
05 059466 001	362	05 059721 001	348	05 060120 001	356	05 060278 001	375
05 059472 001	362	05 059755 001	338	05 060125 001	356	05 060280 001	375
05 059478 001	362	05 059760 001	338	05 060130 001	356	05 060281 001	375
05 059480 001	362	05 059765 001	338	05 060131 001	356	05 060282 001	375
05 059486 001	362	05 059766 001	338	05 060132 001	356	05 060283 001	375
05 059488 001	362	05 059770 001	338	05 060133 001	356	05 060284 001	375
05 059489 001	362	05 059775 001	338	05 060134 001	356	05 060286 001	375
05 059490 001	362	05 059780 001	338	05 060135 001	356	05 060288 001	375
05 059492 001	362	05 059785 001	338	05 060136 001	356	05 060290 001	375
05 059496 001	362	05 059786 001	338	05 060137 001	356	05 060296 001	373
05 059500 001	362	05 059790 001	338	05 060138 001	356	05 060297 001	373
05 059530 001	336	05 059795 001	338	05 060139 001	358	05 060298 001	373
05 059532 001	336	05 059800 001	338	05 060140 001	358	05 060300 001	373
05 059534 001	336	05 059802 001	338	05 060141 001	358	05 060301 001	373
05 059540 001	337	05 059805 001	338	05 060142 001	358	05 060302 001	373
05 059542 001	337	05 059810 001	338	05 060143 001	358	05 060303 001	373
05 059544 001	337	05 059815 001	338	05 060144 001	358	05 060304 001	373
05 059550 001	337	05 059855 001	338	05 060145 001	358	05 060400 001	375
05 059552 001	337	05 059860 001	338	05 060146 001	358	05 060401 001	375
05 059554 001	337	05 059865 001	338	05 060147 001	372	05 060402 001	375
05 059602 001	367	05 059896 001	349	05 060148 001	372	05 060403 001	375
05 059603 001	367	05 059897 001	349	05 060149 001	372	05 060404 001	375
05 059604 001	367	05 059900 001	346	05 060150 001	372	05 060405 001	375
05 059605 001	367	05 059902 001	346	05 060155 001	372	05 060406 001	375
05 059610 001	367	05 059904 001	346	05 060160 001	372	05 060407 001	375
05 059615 001	367	05 059910 001	346	05 060165 001	372	05 060408 001	375
05 059620 001	367	05 059912 001	346	05 060170 001	372	05 060409 001	375
05 059625 001	367	05 059914 001	346	05 060175 001	372	05 060410 001	375

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 060411 001	375	05 066279 001	359	05 066632 001	373	05 071022 001	342
05 060412 001	375	05 066280 001	359	05 066633 001	373	05 071030 001	350
05 060420 001	376	05 066282 001	359	05 066634 001	373	05 071032 001	350
05 060421 001	376	05 066284 001	359	05 066635 001	373	05 071033 001	350
05 060422 001	376	05 066286 001	359	05 066638 001	373	05 071034 001	350
05 060423 001	376	05 066287 001	359	05 066639 001	373	05 071035 001	350
05 060424 001	376	05 066288 001	359	05 066640 001	373	05 071037 001	350
05 060425 001	376	05 066290 001	359	05 066642 001	373	05 071038 001	350
05 060426 001	376	05 066300 001	352	05 066644 001	373	05 071070 001	363
05 060427 001	376	05 066301 001	352	05 066646 001	373	05 071071 001	363
05 060428 001	376	05 066302 001	352	05 066654 001	374	05 071072 001	363
05 060429 001	376	05 066303 001	352	05 066656 001	374	05 071073 001	363
05 060430 001	376	05 066304 001	352	05 066660 001	374	05 071074 001	363
05 060431 001	376	05 066305 001	352	05 066662 001	374	05 071075 001	363
05 060432 001	376	05 066308 001	352	05 066664 001	374	05 071076 001	363
05 060505 001	355	05 066310 001	352	05 066666 001	374	05 071077 001	363
05 060506 001	355	05 066312 001	352	05 066668 001	374	05 071080 001	361
05 060507 001	355	05 066313 001	352	05 066670 001	374	05 071081 001	336
05 060508 001	355	05 066315 001	352	05 066672 001	374	05 071082 001	336
05 060509 001	355	05 066320 001	352	05 066674 001	374	05 071083 001	336
05 060510 001	355	05 066325 001	352	05 066676 001	374	05 071084 001	346
05 060511 001	355	05 066330 001	352	05 066678 001	374	05 071085 001	346
05 064155 001	357	05 066335 001	352	05 066680 001	374	05 071086 001	346
05 064170 001	357	05 066394 001	371	05 066682 001	374	05 071089 001	358
05 064175 001	357	05 066395 001	371	05 066683 001	374	05 071090 001	358
05 065081 001	340	05 066396 001	371	05 066684 001	374	05 071091 001	358
05 065096 001	348	05 066400 001	371	05 066685 001	374	05 071092 001	358
05 065110 001	340	05 066405 001	371	05 066686 001	374	05 071094 001	358
05 065112 001	340	05 066410 001	371	05 066687 001	374	05 071097 001	372
05 065114 001	340	05 066415 001	371	05 066688 001	373	05 071098 001	372
05 065129 001	348	05 066420 001	371	05 066690 001	373	05 071099 001	372
05 065197 001	340	05 066455 001	353	05 066692 001	373	05 071100 001	381
05 066080 001	354	05 066460 001	353	05 066694 001	373	05 071101 001	366
05 066081 001	354	05 066465 001	353	05 066696 001	373	05 071102 001	366
05 066082 001	354	05 066485 001	352	05 066758 001	374	05 071103 001	366
05 066083 001	354	05 066486 001	352	05 066760 001	374	05 071104 001	366
05 066084 001	354	05 066487 001	352	05 066762 001	374	05 071105 001	366
05 066100 001	351	05 066488 001	352	05 066764 001	374	05 071106 001	366
05 066102 001	351	05 066489 001	352	05 066766 001	374	05 071107 001	366
05 066104 001	351	05 066490 001	352	05 066768 001	374	05 071108 001	366
05 066106 001	351	05 066491 001	352	05 066785 001	374	05 071109 001	394
05 066108 001	351	05 066492 001	352	05 066786 001	374	05 071110 001	395
05 066110 001	351	05 066493 001	352	05 066787 001	374	05 071116 001	266
05 066120 001	351	05 066494 001	352	05 066788 001	374	05 071117 001	267
05 066122 001	351	05 066495 001	352	05 066850 001	374	05 071222 001	375
05 066124 001	351	05 066496 001	352	05 066851 001	374	05 071223 001	375
05 066126 001	351	05 066497 001	357	05 066852 001	374	05 071224 001	375
05 066128 001	351	05 066498 001	357	05 066853 001	374	05 071225 001	375
05 066130 001	351	05 066499 001	357	05 066854 001	374	05 071228 001	375
05 066140 001	351	05 066500 001	357	05 066900 001	357	05 072014 001	479
05 066141 001	351	05 066505 001	357	05 066901 001	357	05 072017 001	479
05 066142 001	351	05 066510 001	357	05 066902 001	357	05 072018 001	479
05 066143 001	351	05 066515 001	357	05 066905 001	357	05 072050 001	361
05 066144 001	351	05 066520 001	357	05 066910 001	357	05 072055 001	361
05 066145 001	351	05 066525 001	357	05 066915 001	357	05 072057 001	361
05 066150 001	374	05 066530 001	357	05 066920 001	357	05 072059 001	361
05 066155 001	374	05 066618 001	373	05 066925 001	357	05 072061 001	361
05 066160 001	374	05 066619 001	373	05 066941 001	357	05 072063 001	361
05 066165 001	374	05 066620 001	373	05 066950 001	357	05 072065 001	361
05 066170 001	374	05 066622 001	373	05 071010 001	330	05 072070 001	334
05 066272 001	359	05 066624 001	373	05 071011 001	330	05 072072 001	334
05 066274 001	359	05 066626 001	373	05 071012 001	330	05 072074 001	334
05 066276 001	359	05 066628 001	373	05 071020 001	342	05 072080 001	344
05 066278 001	359	05 066630 001	373	05 071021 001	342	05 072082 001	344

Code No. Index

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 072084 001	344	05 073278 001	202	05 073495 001	377	05 073723 001	356
05 072400 001	334	05 073279 001	202	05 073500 001	376	05 073724 001	356
05 072401 001	334	05 073280 001	202	05 073501 001	376	05 073890 001	394
05 072402 001	334	05 073281 001	202	05 073502 001	376	05 073904 001	363
05 072403 001	345	05 073282 001	202	05 073503 001	376	05 073905 001	363
05 072404 001	345	05 073283 001	202	05 073504 001	376	05 073906 001	363
05 072405 001	345	05 073284 001	202	05 073505 001	376	05 073916 001	330
05 072406 001	353	05 073285 001	202	05 073506 001	376	05 073917 001	330
05 072407 001	353	05 073286 001	202	05 073507 001	376	05 073921 001	341
05 072408 001	353	05 073287 001	202	05 073508 001	376	05 073922 001	341
05 072409 001	353	05 073290 001	204	05 073509 001	376	05 073924 001	349
05 072411 001	353	05 073295 001	205	05 073510 001	376	05 073925 001	349
05 072412 001	353	05 073304 001	334	05 073511 001	382	05 073926 001	349
05 072441 001	335	05 073305 001	334	05 073520 001	339	05 073927 001	349
05 072443 001	345	05 073306 001	334	05 073521 001	339	05 073931 001	370
05 072444 001	345	05 073307 001	334	05 073522 001	339	05 073932 001	370
05 072446 001	353	05 073308 001	345	05 073523 001	348	05 073944 001	366
05 072447 001	353	05 073309 001	345	05 073524 001	348	05 073945 001	366
05 072448 001	353	05 073310 001	345	05 073525 001	348	05 073946 001	366
05 072449 001	353	05 073311 001	345	05 073526 001	356	05 073956 001	336
05 072451 001	353	05 073313 001	352	05 073527 001	356	05 073957 001	336
05 072452 001	353	05 073314 001	352	05 073528 001	356	05 073961 001	346
05 073050 001	365	05 073315 001	352	05 073529 001	356	05 073962 001	346
05 073051 001	365	05 073316 001	352	05 073530 001	356	05 073964 001	354
05 073052 001	365	05 073317 001	352	05 073531 001	356	05 073965 001	354
05 073053 001	365	05 073318 001	383	05 073540 001	288	05 073966 001	354
05 073054 001	365	05 073323 001	334	05 073541 001	287	05 073967 001	354
05 073055 001	365	05 073324 001	334	05 073544 001	223	05 073971 001	372
05 073056 001	367	05 073325 001	334	05 073593 001	224	05 073972 001	372
05 073057 001	367	05 073326 001	334	05 073594 001	227	05 073980 001	393
05 073058 001	367	05 073332 001	331	05 073596 001	228	05 073984 001	59
05 073059 001	367	05 073333 001	331	05 073598 001	238	05 073985 001	387
05 073060 001	367	05 073334 001	331	05 073599 001	238	05 073990 001	380
05 073061 001	367	05 073335 001	331	05 073610 001	331	05 074700 001	420
05 073064 001	358	05 073336 001	343	05 073611 001	331	05 074701 001	420
05 073065 001	358	05 073337 001	343	05 073613 001	342	05 074702 001	420
05 073066 001	358	05 073338 001	343	05 073614 001	342	05 074705 001	420
05 073070 001	359	05 073339 001	343	05 073615 001	342	05 074710 001	420
05 073071 001	359	05 073340 001	352	05 073616 001	381	05 074711 001	420
05 073072 001	359	05 073342 001	365	05 073620 001	350	05 074712 001	420
05 073073 001	359	05 073344 001	365	05 073621 001	350	05 074715 001	425
05 073074 001	371	05 073346 001	352	05 073622 001	350	05 074715 010	430
05 073075 001	371	05 073357 001	385	05 073623 001	350	05 074716 001	425
05 073076 001	372	05 073370 001	344	05 073625 001	350	05 074716 010	430
05 073077 001	372	05 073371 001	344	05 073630 001	395	05 074717 001	426
05 073200 001	387	05 073372 001	344	05 073631 001	417	05 074717 010	431
05 073201 001	369	05 073373 001	344	05 073634 001	395	05 074720 001	426
05 073202 001	370	05 073375 001	352	05 073635 001	406	05 074721 001	427
05 073210 001	386	05 073376 001	352	05 073637 001	407	05 074722 001	426
05 073230 001	184	05 073380 001	345	05 073638 001	406	05 074728 001	426
05 073240 001	264	05 073391 001	227	05 073639 001	410	05 074728 010	431
05 073241 001	264	05 073401 001	384	05 073640 001	180	05 074730 001	424
05 073260 001	112	05 073404 001	405	05 073641 001	409	05 074731 001	424
05 073261 001	132	05 073406 001	404	05 073645 001	182	05 074733 001	424
05 073262 001	155	05 073410 001	403	05 073670 001	58	05 074734 001	424
05 073268 001	202	05 073416 001	403	05 073671 001	58	05 074738 001	422
05 073270 001	202	05 073418 001	398	05 073675 001	41	05 074739 001	423
05 073271 001	202	05 073420 001	381	05 073677 001	41	05 074750 001	87
05 073272 001	202	05 073421 001	382	05 073680 001	34	05 074752 001	87
05 073273 001	202	05 073470 001	356	05 073681 001	34	05 074757 001	87
05 073274 001	202	05 073471 001	356	05 073702 001	87	05 074770 001	420
05 073275 001	202	05 073472 001	356	05 073720 001	356	05 074772 001	420
05 073276 001	202	05 073473 001	356	05 073721 001	356	05 074774 001	420
05 073277 001	202	05 073474 001	356	05 073722 001	356	05 074780 001	424

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 074782 001	424	05 075694 001	455	05 078663 001	475	05 100024 001	65
05 074784 001	424	05 075695 001	455	05 078664 001	475	05 100025 001	65
05 074786 001	424	05 075790 001	452	05 078666 001	476	05 100026 001	65
05 074788 001	424	05 075800 001	439	05 078667 001	476	05 100030 001	14
05 074790 001	425	05 075801 001	439	05 078670 001	468	05 100031 001	14
05 074790 010	430	05 075810 001	435	05 078671 001	468	05 100042 001	14
05 074792 001	425	05 075815 001	436	05 078672 001	468	05 100043 001	14
05 074792 010	430	05 075830 001	440	05 078673 001	468	05 100044 001	14
05 074794 001	425	05 075831 001	440	05 078674 001	468	05 100050 001	15
05 074794 010	430	05 075832 001	441	05 078675 001	468	05 100051 001	15
05 074800 001	429	05 075840 001	435	05 078676 001	468	05 100052 001	15
05 074800 010	433	05 075850 001	437	05 078677 001	468	05 100055 001	16
05 074802 001	424	05 075851 001	436	05 078678 001	468	05 100056 001	16
05 074804 001	424	05 075870 001	72	05 078679 001	468	05 100057 001	16
05 074810 001	429	05 075876 001	72	05 078680 001	468	05 100060 001	18
05 074810 010	433	05 078200 001	472	05 078681 001	468	05 100061 001	18
05 074820 001	428	05 078205 001	473	05 078682 001	468	05 100062 001	18
05 074820 010	434	05 078210 001	473	05 078683 001	468	05 100063 001	18
05 074822 001	428	05 078345 001	473	05 078684 001	468	05 100064 001	18
05 074822 010	434	05 078600 001	467	05 078685 001	468	05 100070 001	19
05 074824 001	428	05 078601 001	467	05 078686 001	468	05 100071 001	19
05 074824 010	434	05 078602 001	467	05 078687 001	468	05 100072 001	19
05 074826 001	428	05 078603 001	467	05 078690 001	470	05 100075 001	11
05 074826 010	434	05 078604 001	467	05 078691 001	470	05 100076 001	11
05 074828 001	428	05 078605 001	467	05 078692 001	470	05 100077 001	11
05 074828 010	434	05 078606 001	467	05 078693 001	470	05 100080 001	11
05 074840 001	427	05 078607 001	467	05 078694 001	470	05 100081 001	11
05 074840 010	433	05 078608 001	467	05 078695 001	470	05 100082 001	11
05 074842 001	427	05 078609 001	467	05 078696 001	470	05 100085 001	10
05 074842 010	433	05 078610 001	467	05 078697 001	470	05 100086 001	10
05 075604 001	442	05 078611 001	467	05 078698 001	470	05 100087 001	10
05 075605 001	442	05 078612 001	467	05 078699 001	470	05 100100 001	66
05 075610 001	445	05 078620 001	469	05 078700 001	470	05 104600 001	415
05 075611 001	445	05 078621 001	469	05 078701 001	470	05 104601 001	415
05 075620 001	446	05 078622 001	469	05 078702 001	470	05 104602 001	415
05 075621 001	446	05 078623 001	469	05 078703 001	470	05 104603 001	415
05 075622 001	447	05 078624 001	469	05 078704 001	470	05 104604 001	415
05 075623 001	449	05 078625 001	469	05 078705 001	470	05 104605 001	415
05 075624 001	449	05 078626 001	469	05 078706 001	478	05 104610 001	415
05 075625 001	453	05 078627 001	469	05 078707 001	472	05 104611 001	415
05 075626 001	453	05 078628 001	469	05 078708 001	472	05 104612 001	415
05 075630 001	449	05 078629 001	469	05 078709 001	478	05 104613 001	415
05 075631 001	454	05 078630 001	469	05 078710 001	474	05 104614 001	415
05 075651 001	456	05 078631 001	469	05 078711 001	478	05 104615 001	415
05 075652 001	456	05 078632 001	469	05 078714 001	476	05 104616 001	415
05 075653 001	458	05 078633 001	469	05 078715 001	476	05 104617 001	415
05 075654 001	458	05 078635 001	471	05 078716 001	476	05 104618 001	415
05 075655 001	459	05 078636 001	471	05 078717 001	476	05 104619 001	415
05 075656 001	459	05 078637 001	471	05 078720 001	477	05 104620 001	415
05 075657 001	460	05 078640 001	474	05 078721 001	477	05 104621 001	415
05 075670 001	462	05 078641 001	474	05 091103 001	384	05 104622 001	415
05 075670 010	462	05 078642 001	475	05 100000 001	62	05 104630 001	413
05 075671 001	462	05 078650 001	475	05 100001 001	62	05 104631 001	413
05 075671 010	462	05 078651 001	475	05 100002 001	62	05 104632 001	413
05 075672 001	463	05 078652 001	475	05 100003 001	62	05 104633 001	413
05 075672 010	463	05 078653 001	475	05 100004 001	62	05 104634 001	413
05 075673 001	463	05 078654 001	475	05 100011 001	63	05 104635 001	413
05 075673 010	463	05 078655 001	475	05 100012 001	63	05 104640 001	414
05 075680 001	448	05 078656 001	475	05 100015 001	63	05 104641 001	414
05 075681 001	448	05 078657 001	475	05 100016 001	63	05 104642 001	414
05 075690 001	450	05 078658 001	475	05 100019 001	64	05 104643 001	414
05 075691 001	450	05 078660 001	475	05 100020 001	64	05 104644 001	414
05 075692 001	451	05 078661 001	475	05 100021 001	64	05 104645 001	414
05 075693 001	454	05 078662 001	475	05 100022 001	64	05 104650 001	414

Code No. Index

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 104652 001	415	05 118017 001	36	05 118152 001	42	05 134605 001	340
05 104653 001	416	05 118019 001	37	05 118154 001	43	05 134609 001	359
05 104655 001	413	05 118020 001	37	05 118156 001	43	05 134654 001	360
05 104660 001	413	05 118022 001	37	05 118158 001	43	05 134655 001	360
05 104661 001	413	05 118023 001	37	05 118180 001	37	05 134656 001	360
05 104662 001	413	05 118024 001	37	05 118181 001	37	05 134657 001	360
05 104663 001	413	05 118026 001	37	05 118182 001	37	05 134658 001	360
05 104664 001	413	05 118030 001	36	05 118183 001	37	05 134664 001	359
05 104665 001	413	05 118032 001	36	05 118184 001	37	05 134665 001	359
05 104666 001	412	05 118035 001	37	05 118185 001	37	05 134667 001	359
05 104667 001	412	05 118036 001	37	05 118186 001	37	05 134668 001	359
05 104668 001	412	05 118037 001	37	05 130002 001	386	05 134669 001	359
05 104669 001	412	05 118039 001	37	05 130003 001	386	05 134670 001	359
05 104670 001	412	05 118040 001	37	05 130110 001	443	05 134671 001	359
05 104671 001	412	05 118042 001	37	05 133150 001	235	05 134672 001	359
05 104672 001	412	05 118044 001	37	05 133151 001	235	05 134673 001	359
05 104751 001	414	05 118046 001	37	05 133152 001	235	05 134674 001	359
05 104754 001	413	05 118048 001	37	05 133153 001	235	05 134675 001	359
05 105100 001	22	05 118050 001	37	05 133154 001	235	05 134676 001	359
05 105622 001	25	05 118052 001	37	05 133155 001	235	05 134677 001	359
05 105630 001	23	05 118054 001	37	05 133156 001	235	05 134678 001	359
05 105631 001	66	05 118060 001	38	05 133157 001	235	05 134679 001	359
05 105650 001	24	05 118062 001	38	05 133158 001	235	05 134680 001	359
05 105656 001	25	05 118064 001	38	05 133163 001	227	05 134681 001	359
05 110000 001	13	05 118066 001	38	05 133164 001	224	05 134682 001	359
05 110001 001	13	05 118068 001	38	05 133165 001	225	05 134683 001	359
05 110002 001	13	05 118070 001	38	05 133180 001	230	05 134684 001	359
05 110003 001	13	05 118072 001	38	05 133285 001	12	05 134685 001	359
05 110004 001	13	05 118074 001	38	05 133286 001	222	05 134686 001	359
05 110005 001	13	05 118075 001	38	05 133287 001	222	05 134687 001	359
05 110006 001	13	05 118076 001	38	05 133355 001	69	05 134688 001	359
05 110007 001	13	05 118078 001	38	05 133356 001	68	05 134690 001	359
05 110008 001	13	05 118080 001	38	05 133862 001	177	05 134691 001	359
05 110010 001	14	05 118082 001	38	05 134000 001	40	05 134695 001	359
05 110011 001	14	05 118089 001	38	05 134001 001	33	05 134698 001	360
05 110104 001	14	05 118090 001	38	05 134002 001	33	05 134699 001	360
05 110105 001	14	05 118092 001	38	05 134013 001	285	05 134700 001	360
05 117680 001	19	05 118094 001	38	05 134015 001	286	05 134701 001	360
05 117681 001	19	05 118096 001	38	05 134019 001	54	05 134702 001	360
05 117682 001	19	05 118098 001	38	05 134021 001	416	05 134703 001	360
05 117683 001	19	05 118100 001	38	05 134025 001	325	05 134704 001	360
05 117684 001	19	05 118102 001	38	05 134200 001	402	05 134705 001	360
05 117685 001	19	05 118103 001	38	05 134275 001	28	05 134706 001	360
05 117686 001	19	05 118106 001	38	05 134370 001	337	05 134707 001	360
05 117687 001	19	05 118108 001	39	05 134371 001	337	05 134720 001	360
05 117691 001	19	05 118109 001	39	05 134372 001	337	05 134722 001	360
05 117990 001	36	05 118110 001	39	05 134373 001	337	05 134723 001	360
05 117991 001	36	05 118112 001	39	05 134374 001	351	05 134732 001	360
05 117992 001	36	05 118114 001	39	05 134375 001	351	05 134740 001	356
05 117993 001	36	05 118116 001	39	05 134376 001	351	05 134800 001	372
05 117994 001	36	05 118118 001	39	05 134377 001	351	05 134801 001	372
05 117995 001	36	05 118120 001	39	05 134378 001	351	05 134802 001	372
05 117997 001	36	05 118122 001	39	05 134379 001	351	05 134805 001	372
05 118000 001	36	05 118124 001	39	05 134380 001	338	05 134806 001	372
05 118002 001	36	05 118126 001	39	05 134381 001	338	05 134807 001	372
05 118003 001	36	05 118128 001	39	05 134382 001	338	05 134905 001	334
05 118004 001	36	05 118130 001	39	05 134384 001	347	05 134906 001	337
05 118005 001	36	05 118132 001	39	05 134385 001	347	05 134907 001	337
05 118006 001	36	05 118134 001	39	05 134386 001	347	05 134910 001	337
05 118007 001	36	05 118135 001	39	05 134397 001	385	05 134911 001	337
05 118008 001	36	05 118136 001	39	05 134398 001	385	05 134913 001	337
05 118010 001	36	05 118137 001	39	05 134399 001	387	05 134914 001	337
05 118012 001	36	05 118145 001	38	05 134480 001	384	05 134915 001	337
05 118014 001	36	05 118150 001	42	05 134491 001	265	05 134919 001	332

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 134920 001	332	05 135269 001	368	05 136392 001	399	05 150150 001	312
05 134921 001	332	05 135270 001	340	05 136393 001	412	05 150151 001	313
05 134929 001	337	05 135271 001	340	05 136400 001	178	05 150152 001	314
05 134930 001	337	05 135272 001	340	05 136413 001	219	05 150153 001	315
05 134931 001	337	05 135273 001	340	05 136414 001	33	05 150160 001	316
05 134932 001	337	05 135276 001	340	05 136420 001	127	05 150170 001	302
05 135003 001	344	05 135277 001	340	05 136421 001	152	05 150171 001	302
05 135005 001	333	05 135280 001	341	05 136422 001	179	05 150180 001	317
05 135008 001	332	05 135281 001	341	05 136424 001	50	05 150181 001	317
05 135009 001	333	05 135284 001	341	05 136425 001	50	05 150182 001	318
05 135017 001	344	05 135285 001	341	05 136426 001	51	05 150183 001	318
05 135021 001	182	05 135311 001	28	05 136700 001	34	05 150184 001	319
05 135040 001	335	05 135530 001	339	05 138006 001	386	05 160785 001	111
05 135041 001	335	05 135531 001	339	05 138007 001	167	05 160821 001	360
05 135060 001	364	05 135532 001	339	05 138070 001	17	05 160830 001	356
05 135068 001	364	05 135810 001	405	05 138250 001	27	05 160885 001	367
05 135069 001	364	05 135870 001	281	05 138257 001	18	05 160895 001	340
05 135070 001	364	05 135871 001	281	05 138258 001	18	05 160896 001	338
05 135071 001	364	05 135903 001	377	05 138259 001	18	05 160899 001	338
05 135072 001	364	05 135904 001	377	05 138260 001	18	05 160901 001	340
05 135073 001	364	05 135918 001	181	05 138261 001	18	05 160908 001	340
05 135074 001	364	05 135926 001	280	05 138262 001	18	05 160917 001	359
05 135075 001	364	05 135927 001	284	05 138263 001	18	05 160924 001	385
05 135076 001	364	05 135928 001	283	05 138264 001	18	05 160956 001	359
05 135077 001	364	05 135938 001	42	05 138265 001	18	05 160976 001	385
05 135078 001	364	05 135939 001	282	05 138266 001	18	05 160977 001	385
05 135079 001	364	05 135942 001	259	05 138268 001	18	05 160979 001	385
05 135090 001	367	05 135949 001	110	05 138269 001	18	05 160981 001	385
05 135091 001	367	05 135961 001	68	05 138270 001	18	05 160983 001	337
05 135092 001	367	05 135973 001	57	05 140310 001	276	05 200496 001	357
05 135093 001	367	05 136000 001	386	05 145100 001	289	05 203913 001	339
05 135094 001	367	05 136001 001	387	05 150101 001	297	05 203914 001	339
05 135095 001	367	05 136002 001	387	05 150102 001	297	05 204126 001	360
05 135096 001	367	05 136011 001	417	05 150103 001	299	05 221110 001	374
05 135097 001	367	05 136026 001	285	05 150104 001	299	05 223161 001	26
05 135098 001	367	05 136033 001	31	05 150105 001	301	05 259135 001	360
05 135099 001	367	05 136039 001	34	05 150106 001	303	05 300004 001	55
05 135120 001	359	05 136042 001	286	05 150107 001	303	05 305851 001	295
05 135121 001	359	05 136043 001	421	05 150110 001	304	05 308428 001	356
05 135140 001	352	05 136062 001	457	05 150111 001	304	05 311517 001	386
05 135141 001	352	05 136070 001	49	05 150112 001	305	05 319835 001	356
05 135142 001	352	05 136071 001	326	05 150113 001	305	05 320430 001	359
05 135143 001	352	05 136072 001	250	05 150114 001	306	05 320540 001	26
05 135200 001	356	05 136073 001	441	05 150115 001	306	05 323780 001	339
05 135201 001	356	05 136074 001	172	05 150116 001	307	05 323781 001	339
05 135202 001	356	05 136075 001	263	05 150117 001	307	05 324901 001	373
05 135204 001	356	05 136076 001	461	05 150118 001	308	05 326310 001	359
05 135205 001	356	05 136301 001	367	05 150120 001	308	05 328448 001	356
05 135220 001	357	05 136302 001	367	05 150121 001	309	05 332600 001	356
05 135221 001	357	05 136303 001	367	05 150122 001	309	05 332606 001	359
05 135222 001	357	05 136304 001	367	05 150123 001	310	05 332607 001	357
05 135224 001	377	05 136305 001	339	05 150124 001	310	05 332609 001	357
05 135225 001	377	05 136306 001	339	05 150125 001	311	05 332610 001	357
05 135230 001	359	05 136307 001	339	05 150127 001	300	05 340245 001	371
05 135231 001	359	05 136308 001	348	05 150128 001	300	05 340330 001	14
05 135232 001	359	05 136309 001	348	05 150129 001	301	05 343820 001	215
05 135233 001	359	05 136310 001	348	05 150130 001	292	05 344511 001	389
05 135234 001	359	05 136311 001	356	05 150131 001	293	05 344512 001	389
05 135235 001	359	05 136312 001	356	05 150132 001	294	05 344513 001	389
05 135264 001	362	05 136313 001	356	05 150133 001	298	05 344514 001	389
05 135265 001	362	05 136314 001	356	05 150134 001	298	05 344900 001	359
05 135266 001	362	05 136315 001	356	05 150135 001	294	05 345018 001	357
05 135267 001	362	05 136316 001	356	05 150136 001	295	05 345019 001	359
05 135268 001	368	05 136385 001	397	05 150140 001	311	05 345026 001	357

Code No. Index

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 345028 001	357	05 346286 001	339	05 380046 001	367	05 380200 001	339
05 345032 001	357	05 346288 001	367	05 380047 001	367	05 380201 001	339
05 345035 001	357	05 346293 001	181	05 380048 001	367	05 380202 001	339
05 345047 001	356	05 347100 001	385	05 380049 001	367	05 480172 001	333
05 345056 001	357	05 347106 001	23	05 380050 001	367	05 480222 001	344
05 345281 001	39	05 347735 002	25	05 380124 001	368	05 501880 001	296
05 345282 001	39	05 347736 002	25	05 380125 001	368	05 501881 001	296
05 345284 001	38	05 347743 001	16	05 380126 001	368	05 670446 001	327
05 345285 001	38	05 347777 001	69	05 380127 001	368	05 670447 001	327
05 345290 001	37	05 347778 001	27	05 380128 001	368	05 670448 001	327
05 345350 001	357	05 350430 001	367	05 380129 001	368		
05 345351 001	357	05 350451 001	423	05 380130 001	368		
05 345352 001	357	05 380033 001	367	05 380131 001	368		
05 346281 001	333	05 380045 001	367	05 380161 001	337		

Article No. Index

Article No.	Page	Article No.	Page	Article No.	Page
68	276	300 TX pistol grip	438	400 Hex	438
80	275	334	14	400 i Hex	105
80 RA	257	334 SB	14	400 TX	438
81	276	334 SK	14	410 i VDE A RA	96
82	276	334 SK/6	24	410 i VDE B	96
83	276	334/355 SK/6	24	410 i VDE B RA	96
84	276	334/355/6 Rack	25	411 A RA	46
85	276	334/368/6	27	416 R	45
86	276	334/6	24	416 RA	46
87	276	335	13	454	43
88/1	274	335 SB	14	454 HF	44
91	275	335 Stubby/carburetor screwdriver	21	454 Imperial	44
95 Vario	275	335/350/355/3	25	454 Imperial HF	44
160 i VDE	62	335/350/355/4	25	454/5 HF SHK Set 1	49
160 i VDE SB	62	335/350/355/6	25	454/7 HF Set 1	47
160 i/162 i/167 i/9	69	335/350/367/7	26	454/7 HF Set 2	47
160 i/165 i/7 Rack	67	338	20	454/10 HF Set Imperial 1	48
160 i/168 i/6 Rack	69	338/2	28	454/10 HF Set Imperial 2	48
160 i/6 Rack	67	350 PH	15	467 TORX® HF	44
160 i/7 Rack	67	350 PH SB	15	467/7 TORX® HF Set 1	49
160 iS VDE	62	350 PH Stubby/carburetor screwdriver	21	467/7 TORX® HF Set 2	49
160 iS/7	68	350 SK PH	15	495	45
160 iSS	62	352	17	712	275
160 iSS/7	68	354	16	780 A	389
162 i PH/S VDE	64	355 PZ	16	780 B	389
162 i PH/S VDE SB	64	355 PZ SB	16	780 C	389
162 i VDE PH	63	355 SK PZ	15	781 A	388
162 i VDE PH SB	63	355 Stubby/carburetor screwdriver	21	781 A VDE	99
162 iS PH VDE	63	367 TORX PLUS®	19	781 B	388
162 iS PH/S VDE	64	367 TORX®	18	781 B/A VDE	103
162 iSS PH VDE	63	367 TORX® B0	18	781 C	388
165 i PZ VDE	63	367 TORX® HF	17	781/5 Set 1	388
165 i PZ VDE SB	63	367 TORX® SB	18	784 A/1	389
165 i PZ/S VDE	64	367 TORX® Stubby/carburetor		784 B	389
165 i PZ/S VDE SB	64	screwdriver	21	784 C	389
165 iS PZ VDE	64	367/4 TORX® HF	26	800 S	279
165 iS PZ/S VDE	65	367/6 TORX®	27	800/0 Micro	362
165 iS PZ/S VDE # 1 + 2	69	367/6 TORX® B0	27	800/1 BDC	360
165 iSS PZ/S VDE	65	367/6 TORX® HF	26	800/1 BTZ	361
167 i TORX® VDE	65	367/7 TORX® HF	26	800/1 TZ	361
167 i/6 TORX® VDE	68	368	19	800/1 Z	361
168 i VDE	65	368 SB	19	800/2 Z	362
168 i VDE SB	65	368 Stubby/carburetor screwdriver	22	800/4 Z	362
190 i VDE	66	391	20	800/9 C	362
247	66	391/3	28	809/1 ESD Stubby	59
247 SB	66	392	288	810/1 Vario	289
300 Hex	437	393 S	288	811/1 Stubby	289
300 Hex pistol grip	437	395	20	811/1 Stubby ESD	59
300 IP	438	395 H0	21	812/1 Vario	289
300 IP pistol grip	438	395 H0/3	28	813	289
300 TX	437	395 H0/7 SM	27	813 R	288

Article No. Index

Article No.	Page	Article No.	Page	Article No.	Page
813 R ESD	56	851/1 BTZ	332	855/1 TH SB	344
815/1	289	851/1 IMP DC DIY	330	855/1 TiN	344
816 R	288	851/1 IMP DC SB	330	855/1 TZ	344
816 R ESD	56	851/1 J	335	855/1 Z	344
816 R SB	288	851/1 RDC	332	855/1 Z DIY	345
817 R	287	851/1 RH	333	855/1 Z DIY 100	345
817 R SB	287	851/1 RZ	333	855/1 Z SB	345
817 VDE	89	851/1 RZ SB	333	855/2 Z	348
826 T Kraftform Turbo	259	851/1 TH	333	855/4 BDC	346
827 T Kraftform Turbo	89	851/1 TiN	333	855/4 BTH	346
830	275	851/1 TZ	334	855/4 BTZ	347
837 i RA	76	851/1 TZ SB	334	855/4 IMP DC DIY	345
838 RA S	257	851/1 Z	334	855/4 IMP DC SB	346
838 RA-R L	256	851/1 Z DIY	334	855/4 PZ/S	349
838 RA-R M	257	851/1 Z DIY 100	335	855/4 TH	347
840 S	279	851/1 Z SB	334	855/4 TZ	347
840/0 Micro	368	851/2 Z	340	855/4 TZ SB	347
840/1 BTZ	364	851/4 A	337	855/4 Z	347
840/1 IMP DC DIY	363	851/4 BDC	336	855/4 Z SB	348
840/1 IMP DC SB	363	851/4 BTH	337	855/11	348
840/1 Z	364	851/4 BTZ	337	855/12	348
840/1 Z BO	369	851/4 IMP DC DIY	335	857/1 Z	375
840/1 Z SB	365	851/4 IMP DC SB	336	857/4 Z	375
840/2 Z	368	851/4 J	339	860/1 XZN	374
840/4 IMP DC DIY	365	851/4 PH/S	348	867 S TORX®	278
840/4 IMP DC SB	366	851/4 R	338	867/0 TORX®	357
840/4 Z	367	851/4 RH	337	867/1 IMP DC TORX® DIY	349
840/4 Z BO	369	851/4 TH	338	867/1 IMP DC TORX® SB	349
840/4 Z SB	367	851/4 TZ	338	867/1 IP TORX PLUS®	359
840/9 C	368	851/4 TZ SB	338	867/1 IPR TORX PLUS®	360
842/1 Z	365	851/4 Z	338	867/1 TORX®	352
842/4	368	851/4 Z SB	339	867/1 TORX® BDC	351
843	412	851/9 C	340	867/1 TORX® BDC SB	351
844	412	851/11	340	867/1 TORX® BTZ	351
844/7	413	851/12	340	867/1 TORX® DIY	353
845	413	851/16	340	867/1 TORX® DIY 100	353
845/8	413	851/21 J	341	867/1 TORX® HF	351
846 HSS	413	853/1 TZ ACR®	334	867/1 TORX® SB	352
846/8	414	853/4 ACR®	339	867/1 TZ TORX®	352
847 HSS	414	853/4 ACR® Harpoon	340	867/1 Z TORX® BO	357
847/7	414	853/4 ACR® SL	339	867/1 Z TORX® BO SB	358
848 HSS	415	855 S	278	867/1 Z TORX® W	353
848/851/867/19	415	855/0 Micro	348	867/1 ZA TORX®	354
849 HSS	415	855/1 BDC	342	867/2 Z TORX®	357
849/855/867/18	416	855/1 BDC SB	343	867/4 IMP DC TORX® DIY	354
851 S	278	855/1 BTH	343	867/4 IMP DC TORX® SB	354
851/0 Micro	340	855/1 BTZ	343	867/4 IP TORX PLUS®	359
851/1 A	332	855/1 IMP DC DIY	341	867/4 IPR TORX PLUS®	360
851/1 BDC	331	855/1 IMP DC SB	341	867/4 TORX® HF	355
851/1 BDC SB	331	855/1 RZ	344	867/4 TORX® KK	355
851/1 BTH	331	855/1 TH	344	867/4 Z TORX®	356

Article No.	Page	Article No.	Page	Article No.	Page
867/4 Z TORX® BO	358	890/4/1	384	950/7 Hex-Plus Multicolour Magnet 1	226
867/4 Z TORX® BO SB	359	893/1/1	384	950/9 Hex-Plus 1	227
867/4 Z TORX® SB	356	893/4/1 K	384	950/9 Hex-Plus 1 SB	227
867/9 C IP TORX PLUS®	359	893/4/1 K SB	384	950/9 Hex-Plus 2	227
867/9 C TORX®	357	894/4/1	383	950/9 Hex-Plus 3	227
867/12 TORX®	357	894/4/1 K	383	950/9 Hex-Plus 4	227
867/15 TORX®	357	895/4/1	383	950/9 Hex-Plus 5	227
868 S	279	895/4/1 K	383	950/9 Hex-Plus 6	228
868/1 IMP DC DIY	370	895/4/1 K SB	383	950/9 Hex-Plus 6 SB	228
868/1 IMP DC SB	370	896/4/1 SB	386	950/9 Hex-Plus 7	228
868/1 V	371	897/4 IMP R	380	950/9 Hex-Plus 8	228
868/1 Z	371	897/4 Impaktor	380	950/9 Hex-Plus Imperial 1	230
868/1 Z SB	371	897/4 Impaktor R	380	950/9 Hex-Plus Imperial 1 SB	230
868/4	372	897/4 R	381	950/9 Hex-Plus Multicolour 1	224
868/4 BTZ	372	897/4 R SB	381	950/9 Hex-Plus Multicolour 1 SB	224
868/4 IMP DC DIY	371	898/4	384	950/9 Hex-Plus Multicolour 2	224
868/4 IMP DC SB	372	898/9	384	950/9 Hex-Plus Multicolour 3	225
868/4 SB	372	898/21	384	950/9 Hex-Plus Multicolour HF 1	224
868/4 V	373	899/3/1	385	950/9 Hex-Plus Multicolour Imperial 1	225
869/4	375	899/4/1	385	950/9 Hex-Plus Multicolour Imperial 2	226
869/4 M	376	899/4/1 S	385	950/9 Hex-Plus Multicolour Imperial 3	226
869/4 M SB	376	899/4/1 SB	385	950/9 L Hex-Plus HF 1	226
869/4 M SB Set A	377	899/14/1 SB	385	950/13 Hex-Plus Imperial 1	229
869/9	377	917 SPH	11	950/13 Hex-Plus Imperial 1 SB	230
870/1	386	917 SPH SB	11	967 L TORX® HF	241
870/2	387	917 SPHS	11	967 PKL TORX®	241
870/4	387	918 SPZ	11	967 PKXL TORX®	240
870/4 A	386	918 SPZ SB	11	967 SL TORX® HF	239
870/4 SB	387	921	278	967 SPKL TORX® BO Multicolour	240
870/4/7 Set A SB	387	932 A	10	967 SPKXL TORX® Multicolour	239
870/7	387	932 A SB	10	967 SXL TORX® HF Multicolour	239
870/14	387	932 AS	10	967 SXL TORX® Multicolour	240
871/1 DC TORQ-SET® Mplus	373	932 S/6	12	967 TORX®	241
871/1 TORQ-SET® Mplus 25 mm	373	932/6	12	967 XL TORX®	241
871/1 TORQ-SET® Mplus 32 mm	373	932/918/6	12	967 XL TORX® HF	240
871/2 TORQ-SET® Mplus	374	950	235	967/9 TORX® BO Multicolour 1	238
871/4 DC TORQ-SET® Mplus	373	950 BM	236	967/9 TORX® BO Multicolour 1 SB	238
871/4 TORQ-SET® Mplus	374	950 L	235	967/9 TX 1	238
872/9	374	950 L HF	235	967/9 TX 1 SB	238
875/1 TRI-WING® 25 mm	374	950 PKL	234	967/9 TX HF 1	237
875/4 TRI-WING®	374	950 PKL BM	234	967/9 TX Multicolour HF 1	237
879/4	377	950 PKL Imperial	234	967/9 TX XL 1	238
881/4/1 SB	386	950 PKLS	234	967/9 TX XL HF 1	237
887/4 RR	382	950 PKS	235	967/9 TX XL Multicolour 1	237
887/4 RR SB	382	950 SPKL HF Multicolour	232	967/9 TX XL Multicolour HF 1	237
888/4/1 K	382	950 SPKL Multicolour	233	977 TORX®	11
889/4 R	382	950 SPKL Multicolour Imperial	233	977/6 TORX®	13
889/4/1	382	950 SPKS Multicolour	233	1013	39
889/4/1 F	383	950 SPKS Multicolour Imperial	233	1013 ESD	55
889/4/1 K	382	950/7 Hex-Plus 1	229	1014	39
889/4/1 K SB	382	950/7 Hex-Plus Magnet 1	229	1060 i VDE	95

Article No. Index

Article No.	Page	Article No.	Page	Article No.	Page
1060 i/1062 i/6 VDE	95	2090/17	479	6000 Joker	202
1060 i/1065 i/6 VDE	96	3160 i VDE	60	6000 Joker 4 Imperial Set 1	205
1062 i PH VDE	95	3160 i/7 Rack	61	6000 Joker 4 Set 1	204
1065 i PZ VDE	95	3162 i PH VDE	60	6000 Joker 8 Imperial Set 1	204
1267 A TORX PLUS®	32	3165 i VDE	60	6000 Joker 11 Set 1	204
1267 A TORX®	32	3165 i/6 Rack	61	6000 Joker Imperial	202
1267 B TORX PLUS®	32	3167 i VDE TORX®	61	6000/6002 Joker 6 Set 1	204
1267 B TORX®	32	3167 i/7 Rack	61	6001 Joker Switch	205
1427	33	3334	8	6001 Joker Switch 11 Set 1	206
1428	33	3334/3350/3355/6	10	6001 Joker Switch 4 Imperial Set 1	206
1429	39	3334/3355/6	9	6001 Joker Switch 4 Set 1	206
1430 ESD	424	3334/6	9	6001 Joker Switch 8 Imperial Set 1	206
1440/1442	34	3335	8	6001 Joker Switch Imperial	205
1441	34	3350 PH	8	6002 Joker Double	207
1460 ESD	433, 429	3355 PZ	9	6003 Joker	207
1529 ESD	53	3367	9	6003 Joker 4 Imperial Set 1	212
1550 PH ESD	51	3368	9	6003 Joker 4 Set 1	211
1550 PH S ESD	52	3800/4	361	6003 Joker 5 Imperial Set 1	211
1550/6 ESD	55	3816 R	287	6003 Joker 5 Set 1	209
1555 PZ ESD	52	3817 VDE Stainless	73	6003 Joker 8 Imperial Set 1	209
1567 TORX PLUS® IPR ESD	52	3840/1 TS	363	6003 Joker Imperial	207
1567 TORX® BO ESD	52	3840/4	366	6003 Joker Pedal	208
1567 TORX® ESD	52	3851/1 TS PH	330	6003 Joker 11 Set 1	209
1567 TORX® HF ESD	52	3851/1 TS PH SB	331	6003 Joker 15 Set 1	209
1569 ESD	53	3851/4 PH	336	6003 Joker 22 Set 1	208
1572 ESD	53	3855/1 TS PZ	342	6004 Joker 2 set 1	215
1573 ESD	53	3855/1 TS PZ SB	342	6004 Joker 4 set 1	215
1578 A ESD	51	3855/4 PZ	346	6004 Joker 6 set 1	214
1578 A/6 ESD	55	3867/1 TS TORX®	350	6004 Joker L	214
1834	30	3867/1 TS TORX® SB	350	6004 Joker M	213
1850 PH	30	3867/4 TORX® BO	358	6004 Joker S	213
1855 PZ	30	3868/4	372	6004 Joker VDE 4 Set 1	104
2035	36	3869/4	375	6004 Joker VDE L	105
2035/6 A Micro	42	3888/4/1 K	381	6004 Joker VDE M	105
2035/6 B Micro	42	3888/4/1 K SB	381	6004 Joker VDE S	105
2050 PH	37	3950 PKL	232	6004 Joker VDE XS	104
2050/6 Micro	42	3950 PKL Imperial	232	6004 Joker XL	214
2052	38	3950 SPKL Multicolour	231	6004 Joker XS	213
2052/6 Micro	43	3950 SPKL Multicolour HF	231	6004 Joker XXL	214
2054	38	3950 SPKL Multicolour Imperial	232	6005 Joker 4 Set 1	215
2055 PZ	36	3950/9 Hex-Plus Imperial Stainless 1	223	6005 Joker Double	215
2067 TORX PLUS® IPR	37	3950/9 Hex-Plus Multicolour HF		6006 Joker 2 Set 1	216
2067 TORX®	37	Stainless 1	223	6006 Joker M/L	216
2067 TORX® BO	37	3950/9 Hex-Plus Multicolour Imperial		6006 Joker S/L	216
2067 TORX® HF	37	Stainless 1	225	6006 Joker XS/S	216
2067/6 TORX® BO	43	3950/9 Hex-Plus Multicolour Stainless 1	223	6007 Joker	218
2069 Micro	39	3950/9 Hex-Plus Stainless 1	223	6007 Joker	219
2069/6 Micro	43	3950/9 Hex-Plus Stainless 1 SB	223	6007 Joker 11 set 1	217
2072	38	3967 SXL HF TORX® Multicolour	239	6007 Joker 5 Set 1	217
2090	479	3967/9 TX SXL Multicolour HF		6007 Joker Imperial 8 set 1	219
2090/16 Impaktor	479	Stainless 1	237	7400	420

Article No.	Page	Article No.	Page	Article No.	Page
7400 ESD	424	7880 Joker XXL	466	8100 SB 8	136
7400 ESD Halfmoon	424, 434	8000 A	112	8100 SB 9	129
7400 ESD Imperial	424	8000 A SB	112	8100 SB 10	135
7400 Imperial	420	8000 B	131	8100 SB 11	137
7400 Imperial pistol grip	420	8000 B SB	132	8100 SB 12	132
7400 pistol grip	420	8000 C	155	8100 SB 13	133
7400 VDE	87	8000 C SB	155	8100 SB All-in	128
7440/41	422	8000 E	178	8100 SB HF 1	137
7440/41/42	423	8001 A SB	184	8100 SB VDE 1	100
7445/46/47	423	8002 C KOLOSS All Inclusive Set	177	8100 SC 2	154
7508 VDE	72	8002 C KOLOSS Set	178	8100 SC 4	155
7510	435	8003 A	116	8100 SC 6	153
7510/14	435	8003 B	135	8100 SC 7	157
7515	436	8003 C	158	8100 SC 8	159
7515/7	437	8004 A	117	8100 SC 9	154
7515/16	436	8004 B	137	8100 SC 10	158
7516 VDE	72	8004 C	160	8100 SC 11	160
7761	478	8005	184	8700 A FL	125
7762	478	8006 C	156	8740 A	124
7763	478	8006 SC 1	156	8740 A HF	124
7770	467	8007 A VDE	98	8740 A HF 1	125
7771	469	8007 B VDE	101	8740 A VDE HF	99
7772 A	471	8008 A	185	8740 B	148
7772 B	471	8009 Zyklus Pocket Imperial Set 1	174	8740 B HF	147
7772 C	471	8009 Zyklus Pocket Imperial Set 2	175	8740 B HF 1	149
7773 A	472	8009 Zyklus Pocket Set 1	173	8740 B HF Imperial 1	149
7773 B	473	8009 Zyklus Pocket Set 2	175	8740 B VDE HF	102
7773 C	473	8009 Zyklus Pocket Set 3	176	8740 C HF	170
7774/1	474	8009 Zyklus Pocket Set 4	177	8740 C HF 1	171
7774/2	474	8010 A	114	8740 C HF 2	171
7774/3	475	8010 B	133	8751 A	125
7775	475	8011 A	184	8755 A	125
7776	475	8100 SA 2	110	8760 B VDE XZN	102
7779/1	476	8100 SA 4	111	8767 A	122
7779/2	476	8100 SA 6	109	8767 A HF	122
7780	468	8100 SA 7	115	8767 A HF 1	123
7781	470	8100 SA 8	116	8767 A VDE HF	98
7782 C	472	8100 SA 9	109	8767 B	146
7782 E	472	8100 SA 10	115	8767 B HF	145
7783 C	473	8100 SA 11	117	8767 B HF 1	147
7783 E	474	8100 SA 12 HF	117	8767 B VDE HF	102
7786	476	8100 SA 13	113	8767 C HF	168
7790/1	477	8100 SA 14	113	8767 C HF 1	169
7790/2	477	8100 SA 15	114	8767 C HF 2	169
7870 Joker L	465	8100 SA All-In	108	8767 C HF 3	170
7870 Joker M	464	8100 SA VDE 1	97	8780 C	178
7870 Joker S	464	8100 SA/SC 2	111	8781 C	178
7880 Joker 3XL	465	8100 SB 2	130	8782 C	178
7880 Joker 4XL	465	8100 SB 4	130	8784 A1	127
7880 Joker L	467	8100 SB 6	129	8784 B1	151
7880 Joker XL	466	8100 SB 7	134	8784 C2	173

Article No. Index

Article No.	Page	Article No.	Page	Article No.	Page
8789 A	126	9500	33	9723	305
8789 B	151	9506 SB	369	9724	306
8789 C	172	9507 SB	370	9725	306
8790 A VDE	98	9514 ESD	59	9726	307
8790 B Impaktor	138	9523	34	9727	307
8790 B Impaktor Deep	138	9524	421	9728	308
8790 B Impaktor Deep Imperial Set 1	141	9529 C SB	172	9730	308
8790 B Impaktor Deep Set 1	141	9530	461	9731	309
8790 B VDE	102	9532	286	9732	309
8790 C HF 1	165	9549	192	9733	310
8790 C Impaktor	160	9550	192	9734	310
8790 C Impaktor Deep	162	9558	457	9735	311
8790 C Impaktor Deep Set 1	162	9559	22	9740	311
8790 C Wheel Impaktor	165	9600	127	9750	312
8790 FA	185	9601	152	9751	313
8790 HMA	118	9602	179	9752	314
8790 HMA Deep	121	9604	50	9753	315
8790 HMA HF	118	9605	50	9760	316
8790 HMB	139	9606	51	9780	317
8790 HMB Deep	144	9607	140	9781	317
8790 HMB HF	139	9608	140	9782	318
8790 HMC	163	9610	219	9783	318
8790 HMC Deep	166	9611	33	9784	319
8790 HMC Deep with cutout	167	9621	31	9800	295
8790 HMC HF	163	9630	203	9801	296
8794 A	127	9631	203	9805	296
8794 B	151	9632	203	9998	478
8794 C	173	9640	212	9999	478
8794 LA	126	9641	212	97110	298
8794 LA VDE	99	9642	212	97111	298
8794 LB	151	9650	22	97112	302
8794 LB VDE	103	9660	140	97113	302
8794 LC	172	9661	141	Belt A 1	119
8794 SA	126	9700	292	Belt A 2	124
8794 SA VDE	99	9701	293	Belt A 3	123
8794 SB	151	9702	294	Belt A 4	119
8794 SB VDE	103	9705	294	Belt A Deep 1	121
8794 SC	172	9706	295	Belt A Imperial 1	120
8795 A	126	9710	297	Belt A, 8 location, unloaded	127
8795 B	151	9711	297	Belt A, 9 location, unloaded	127
8795 C	173	9712	299	Belt B 1	142
8796 LA	125	9713	299	Belt B 2	148
8796 LB	150	9714	301	Belt B 3	146
8796 LC	172	9715	303	Belt B 4	142
8796 SA	126	9716	303	Belt B Deep 1	144
8796 SB	151	9717	300	Belt B Imperial 1	150
8796 SC	172	9718	300	Belt B VDE 1	101
8797 C	157	9719	301	Belt B VDE, 10 location, unloaded	103
9100	286	9720	304	Belt B, 8 location, unloaded	152
9108/2	34	9721	304	Belt B, 9 location, unloaded	152
9200	386	9722	305	Belt C 1	164

Article No.	Page	Article No.	Page	Article No.	Page
Belt C 2	171	Bit-Check 6 Wood TX HF 1 SB	410	Bit-Check 30 Wood 2	408
Belt C 3	168	Bit-Check 7 Hex-Plus 1	406	Bit-Check 30 Wood 2 SB	408
Belt C Deep 1	167	Bit-Check 7 PZ Universal 1	405	Bit-Check 30 Wood TX HF 1	407
Belt C Impaktor 1	161	Bit-Check 7 TX BO Universal 1	405	Bit-Check 30 Wood TX HF 1 SB	408
Belt C Impaktor, 9 location, unloaded	179	Bit-Check 7 TX Diamond 1	399	Bit-Check 30 Zyklop Mini 1	180
Belt C, 6 location, unloaded	179	Bit-Check 7 TX Universal 1	405	Bit-Check 30 Zyklop Mini 2	181
Bicycle Big Pack 1	29	Bit-Check 7 TX Universal 1 SB	405	Bit-Safe 43 Universal 1	401
Bicycle set 1	183	Bit-Check 7 Universal 1	404	Bit-Safe 61 BiTorsion 1	396
Bicycle set 2	269	Bit-Check 7 Universal 1 SB	404	Bit-Safe 61 Universal 1	400
Bicycle Set 3	195	Bit-Check 7 Universal 4	405	Click-Torque A 5	442
Bicycle Set 3 A	196	Bit-Check 10 BiTorsion 1	398	Click-Torque A 6	442
Bicycle set 4	230	Bit-Check 10 BiTorsion 3 SB	398	Click-Torque A 6 Set 1	443
Bicycle Set 5	255	Bit-Check 10 Drywall 1	417	Click-Torque B 1	445
Bicycle set 6	50	Bit-Check 10 Impaktor 1	392	Click-Torque B 2	445
Bicycle set 7	131	Bit-Check 10 Impaktor 1 SB	393	Click-Torque C 1	446
Bicycle set 8	150	Bit-Check 10 Impaktor 4	393	Click-Torque C 2	446
Bicycle set 9	183	Bit-Check 10 PZ Impaktor 1	393	Click-Torque C 2 Push R/L	453
Bicycle set 10	210	Bit-Check 10 Stainless 1	395	Click-Torque C 3	447
Bicycle set 11	274	Bit-Check 10 Stainless 1 SB	395	Click-Torque C 3 Push R/L	453
Bicycle set 12	210	Bit-Check 10 TX Impaktor 1	393	Click-Torque C 3 Set 1	448
Bicycle set 13	35	Bit-Check 10 TX Universal 1	404	Click-Torque C 3 set 2	448
Bicycle set 15	35	Bit-Check 10 TX Universal 2	404	Click-Torque C 4	449
Bicycle Set Torque 1	444	Bit-Check 10 Universal 1	402	Click-Torque C 5	449
Big Pack Multicolour hexagonal socket		Bit-Check 10 Universal 2	402	Click-Torque E 1	449
Hex-Plus set 1, metric and imperial	222	Bit-Check 10 Universal 3	403	Click-Torque E 1 Push R/L	454
Big Pack Multicolour L-key hexagonal		Bit-Check 10 Universal 3 SB	403	Click-Torque Lock A 5	450
socket (metric) / TORX® set 1	222	Bit-Check 10 Universal 4	403	Click-Torque Lock A 5 R/L	454
Bit-Box 15 Impaktor PH	330	Bit-Check 10 Universal 5 SB	403	Click-Torque Lock A 6	450
Bit-Box 15 Impaktor PZ	341	Bit-Check 10 Zyklop Mini 1	182	Click-Torque Lock A 6 R/L	455
Bit-Box 15 Impaktor TX	349	Bit-Check 10 Zyklop Mini BiTorsion 1	182	Click-Torque Lock C 3	451
Bit-Box 20 BTH PZ	343	Bit-Check 12 BiTorsion 1	397	Click-Torque Lock C 3 R/L	455
Bit-Box 20 BTZ PH	332	Bit-Check 12 BiTorsion 1 SB	397	Click-Torque Lock C 3 set 1	452
Bit-Box 20 BTZ PZ	343	Bit-Check 12 Diamond 1	399	Click-Torque X 1	456
Bit-Box 20 PH	335	Bit-Check 12 Diamond 1 SB	399	Click-Torque X 2	456
Bit-Box 20 PZ	345	Bit-Check 12 Metal 1	412	Click-Torque X 3	458
Bit-Box 20 TX	353	Bit-Check 12 Metal 1 SB	412	Click-Torque X 4	458
Bit-Box 20 TX HF	352	Bit-Check 12 Wood 1	409	Click-Torque X 5	459
Bit-Box 20 V Robertson	371	Bit-Check 12 Wood 2	410	Click-Torque X 6	459
Bit-Check 6 Impaktor 1	393	Bit-Check 12 Wood TX HF 1	409	Click-Torque X 7	460
Bit-Check 6 Impaktor 1 SB	394	Bit-Check 12 Wood TX HF 1 SB	409	Click-Torque XP 1	462
Bit-Check 6 PZ Impaktor 1	394	Bit-Check 30 BiTorsion 1	397	Click-Torque XP 2	462
Bit-Check 6 SHK 1 SB	417	Bit-Check 30 Diamond 1	398	Click-Torque XP 3	463
Bit-Check 6 Stainless 1	395	Bit-Check 30 Impaktor 1	392	Click-Torque XP 4	463
Bit-Check 6 TX Impaktor 1	394	Bit-Check 30 Impaktor 2	392	Hook and Loop Fastener Strip 1	327
Bit-Check 6 TX Universal 1	406	Bit-Check 30 Metal 1	411	Hook and Loop Fastener Strip 2	327
Bit-Check 6 TX Universal 1 SB	407	Bit-Check 30 Metal 1 SB	411	Hook and Loop Fastener Strip 3	327
Bit-Check 6 Universal 1	406	Bit-Check 30 Stainless 1	394	Kraftform 2go 100	67
Bit-Check 6 Universal 1 SB	406	Bit-Check 30 TX Universal 1	402	Kraftform 2go 300	24
Bit-Check 6 Universal 2 SB	406	Bit-Check 30 TX Universal 1 SB	402	Kraftform Big Pack 100 VDE	66
Bit-Check 6 V Universal 1	407	Bit-Check 30 Universal 1	401	Kraftform Big Pack 300	23
Bit-Check 6 Wood TX HF 1	410	Bit-Check 30 Wood 1	408	Kraftform Big Pack 900	12

Article No. Index

Article No.	Page	Article No.	Page	Article No.	Page
Kraftform Kompakt 10	259	Kraftform Kompakt 838 RA S Imperial Set 1	251	Kraftform Kompakt VDE 16 Torque 1.2-3.0 Nm extra slim 1 Tool finder	80
Kraftform Kompakt 12	259	Kraftform Kompakt 838 RA S Set 1	251	Kraftform Kompakt VDE 16 Universal 1 Tool finder	85
Kraftform Kompakt 20	261	Kraftform Kompakt 838 RA-R M Imperial Set 1	252	Kraftform Kompakt VDE 17 extra slim 1 Tool finder	83
Kraftform Kompakt 20 RA-R	244	Kraftform Kompakt 838 RA-R M Set 1	252	Kraftform Kompakt VDE 17 extra slim 2 Tool finder	84
Kraftform Kompakt 20 RA-R with pouch	244	Kraftform Kompakt 900	277	Kraftform Kompakt VDE 17 RA 1	77
Kraftform Kompakt 20 Tool Finder 1	260	Kraftform Kompakt 900 Imperial Set 1	277	Kraftform Kompakt VDE 17 RA Imperial 1	78
Kraftform Kompakt 20 Tool Finder 2	261	Kraftform Kompakt A VDE 712 i	87	Kraftform Kompakt VDE 17 Universal 1 Tool finder	84
Kraftform Kompakt 25	262	Kraftform Kompakt A VDE 712 i SB2	87	Kraftform Kompakt VDE 18 Imperial 1 Tool Finder	82
Kraftform Kompakt 25 RA-R	245	Kraftform Kompakt F 1	285	Kraftform Kompakt VDE 18 Safe-Torque Speed Set 1	70
Kraftform Kompakt 26	262	Kraftform Kompakt H 1	282	Kraftform Kompakt VDE 18 Universal 1 Tool finder	82
Kraftform Kompakt 26 RA-R	245	Kraftform Kompakt M 1	283	Kraftform Kompakt VDE 18 Universal 2 Tool Finder	83
Kraftform Kompakt 27 Imperial Set 1	264	Kraftform Kompakt Micro 11 ESD 1	58	Kraftform Kompakt VDE 24 Allrounder Set 1	77
Kraftform Kompakt 27 RA 1	245	Kraftform Kompakt Micro 11 Universal 1	42	Kraftform Kompakt VDE 60 i Take it easy	89
Kraftform Kompakt 27 RA 2	246	Kraftform Kompakt Micro 20 ESD 1	58	Kraftform Kompakt VDE 60 i Take it easy SB	89
Kraftform Kompakt 27 Set 1	263	Kraftform Kompakt Micro 21 ESD 1	57	Kraftform Kompakt VDE 60 iS Take it easy	90
Kraftform Kompakt 27 Set 2	264	Kraftform Kompakt Pistol RA-R 1	253	Kraftform Kompakt VDE 60 iS Take it easy SB	90
Kraftform Kompakt 27 XL SHK 1	263	Kraftform Kompakt Pistol RA-R 2	254	Kraftform Kompakt VDE 62 i PH/S Take it easy	91
Kraftform Kompakt 27 XL Universal Imperial Set 1	262	Kraftform Kompakt SH 1	284	Kraftform Kompakt VDE 62 i Take it easy	90
Kraftform Kompakt 28	265	Kraftform Kompakt SH 2	285	Kraftform Kompakt VDE 62 iS PH/S Take it easy	91
Kraftform Kompakt 28 Imperial 1	264	Kraftform Kompakt Stubby 1	273	Kraftform Kompakt VDE 62 iS Take it easy SB	90
Kraftform Kompakt 28 RA 1	246	Kraftform Kompakt Stubby magazine 1	272	Kraftform Kompakt VDE 64 i Take it easy	94
Kraftform Kompakt 28 RA with pouch	246	Kraftform Kompakt Stubby magazine 2	272	Kraftform Kompakt VDE 64 i Take it easy SB	94
Kraftform Kompakt 28 SB	264	Kraftform Kompakt Stubby magazine 3	273	Kraftform Kompakt VDE 65 i PZ/S Take it easy	92
Kraftform Kompakt 40	265	Kraftform Kompakt Stubby magazine 4	273	Kraftform Kompakt VDE 65 i Take it easy	91
Kraftform Kompakt 41	265	Kraftform Kompakt Stubby magazine RA 1	254	Kraftform Kompakt VDE 65 iS PZ/S Take it easy	92
Kraftform Kompakt 60	267	Kraftform Kompakt Stubby magazine RA 2	255	Kraftform Kompakt VDE 65 iS PZ/S Take it easy SB	92
Kraftform Kompakt 60 ESD	56	Kraftform Kompakt Stubby magazine RA 4	255	Kraftform Kompakt VDE 65 iS Take it easy	91
Kraftform Kompakt 60 Imperial	268	Kraftform Kompakt Turbo 1	258	Kraftform Kompakt VDE 65 iS Take it easy SB	92
Kraftform Kompakt 60 KK	268	Kraftform Kompakt Turbo i 1 Tool finder	88	Kraftform Kompakt VDE 65 iS Take it easy	91
Kraftform Kompakt 60 RA-R 1	247	Kraftform Kompakt Turbo i Imperial 1 Tool finder	89	Kraftform Kompakt VDE 67 i TORX® Take it easy	92
Kraftform Kompakt 60 RA-R Imperial 1	248	Kraftform Kompakt Turbo Imperial 1	258		
Kraftform Kompakt 60 Stainless	266	Kraftform Kompakt Vario RA	256		
Kraftform Kompakt 60 Stainless Imperial	267	Kraftform Kompakt VDE 7 extra slim 1 Tool finder	86		
Kraftform Kompakt 60 Torque	266	Kraftform Kompakt VDE 7 Imperial 1 Tool finder	86		
Kraftform Kompakt 62	269	Kraftform Kompakt VDE 7 Universal 1 Tool finder	86		
Kraftform Kompakt 70 Universal	270	Kraftform Kompakt VDE 7 Universal 2 Tool finder	87		
Kraftform Kompakt 71 Security	270	Kraftform Kompakt VDE 15 Torque 1.2-3.0 Nm extra slim 1 Tool finder	80		
Kraftform Kompakt 96 VK 6,3	94	Kraftform Kompakt VDE 16 extra slim 1 Tool finder	85		
Kraftform Kompakt 97 VK 8,1	94				
Kraftform Kompakt 98 DK	94				
Kraftform Kompakt 99 FL	94				
Kraftform Kompakt 100	271				
Kraftform Kompakt 400 RA Imperial Set 1	249				
Kraftform Kompakt 400 RA Set 1	248				
Kraftform Kompakt 400 RA Set 2	249				
Kraftform Kompakt 400 RA SHK Set 1	250				

Article No.	Page	Article No.	Page	Article No.	Page
Kraftform Kompakt VDE 67 i TORX®		Magnetic socket rail B Deep 1	145	Tool-Check Combi 1	199
Take it easy SB	93	Magnetic socket rail B Imperial 1	143	Tool-Check Modular 1	188
Kraftform Kompakt VDE 67 iS TORX®		Magnetic socket rail C 4	169	Tool-Check Modular Imperial 1	189
Take it easy	93	Magnetic socket rail C Deep 1	167	Tool-Check Modular L-keys Hex-Plus 1	189
Kraftform Kompakt VDE 68 i Take it easy	93	Magnetic socket rail C Impaktor 1	161	Tool-Check Modular Micro 1	190
Kraftform Kompakt VDE 68 iS Take it easy	93	Magnetic socket rail C Imperial 1	164	Tool-Check Modular Set 1	191
Kraftform Kompakt VDE 3060 i		Nut Extractor	119	Tool-Check Modular Set Imperial 1	192
Take it easy SB	74	Patio construction set T 1	416	Tool-Check PLUS 1	193
Kraftform Kompakt VDE 3060 iS		Rack for Kraftform Micro screwdrivers	33	Tool-Check PLUS 2	194
Take it easy SB	74	Rack for Kraftform screwdrivers	33	Tool-Check PLUS Imperial 1	194
Kraftform Kompakt VDE 3062 iS		Safe-Torque A 1	439	Wera 2go 1	322
Take it easy SB	74	Safe-Torque A 1 Imperial Set 1	440	Wera 2go 2	322
Kraftform Kompakt VDE 3065 iS PZ		Safe-Torque A 1 Set 1	440	Wera 2go 2 XL	323
Take it easy SB	75	Safe-Torque A 1 SHK Set 1	441	Wera 2go 3	323
Kraftform Kompakt VDE 3065 iS PZ/S		Safe-Torque A 2	439	Wera 2go 4	324
Take it easy SB	75	Safe-Torque A 2 Set 1	441	Wera 2go 5	324
Kraftform Kompakt VDE 3067 i TORX®		Series 7400 ESD Kraftform torque		Wera 2go 6	324
Take it easy SB	75	screwdrivers with a customised		Wera 2go 7	324
Kraftform Kompakt VDE 3067 iS TORX®		factory pre-set measurement value	433	Wera 2go E 1	325
Take it easy SB	75	Series 7400 ESD Kraftform torque		Wera 2go SHK 1	326
Kraftform Kompakt VDE Big Pack 1	81	screwdrivers with a customised		Wheel Impaktor C Set 1	166
Kraftform Kompakt VDE GO RA 1	78	factory pre-set measurement value	434	Zyklop Hybrid Set	156
Kraftform Kompakt VDE GO RA 2	79	Series 7400 ESD Kraftform torque			
Kraftform Kompakt VDE GO RA 3	79	screwdrivers with a factory pre-set			
Kraftform Kompakt VDE Safe-Torque		measurement value	427		
Speed switch cabinet set Basic 1	71	Series 7400 ESD Kraftform torque			
Kraftform Kompakt VDE Safe-Torque		screwdrivers with a factory pre-set			
Speed switch cabinet set Basic 2	71	measurement value	428		
Kraftform Kompakt VDE Stainless 17		Series 7400 Halfmoon ESD Kraftform			
extra slim 1 Tool finder	72	torque screwdrivers with a factory			
Kraftform Kompakt VDE Stainless 8		pre-set measurement value	428		
extra slim 1 Tool finder	73	Series 7400 Kraftform torque			
Kraftform Kompakt W 1	280	screwdrivers with a customised			
Kraftform Kompakt W 2	281	factory pre-set measurement value	430		
Kraftform Kompakt W Imperial 1	281	Series 7400 Kraftform torque			
Kraftform Kompakt Zyklop	112	screwdrivers with a customised			
Kraftform Kompakt Zyklop Mini 2	181	factory pre-set measurement value	431		
Kraftform Kompakt Zyklop Mini 2 set 1	182	Series 7400 Kraftform torque			
Kraftform Kompakt Zyklop MS1		screwdrivers with a factory pre-set			
Metal/Speed 1/4"	110	measurement value	425		
Kraftform Micro 12 Electronics 1	41	Series 7400 Kraftform torque			
Kraftform Micro 12 Universal 1	41	screwdrivers with a factory pre-set			
Kraftform Micro Big Pack 1	40	measurement value	426		
Kraftform Micro ESD Big Pack 1	54	Series 7400 Kraftform torque			
Kraftform XXL	23	screwdrivers with a factory pre-set			
Kraftform XXL 2	23	measurement value	427		
Kraftform XXL 3	23	Stubby Set 1	28		
Magnetic socket rail A 4	120	Stubby Set 2	29		
Magnetic socket rail A Deep 1	122	Stubby Set 3	29		
Magnetic socket rail A Imperial 1	120	Stubby Set TX 1	29		
Magnetic socket rail B 4	143	Tool-Check 1	197		
		Tool-Check Automotive 1	198		



Wera Werkzeuge GmbH

Korzerter Straße 21-25
42349 Wuppertal



+49 / (0)202 / 40 45 - 0

E-Mail: info@wera.de



Wera Tools Ibérica, S.L.

Avda. Corts Catalanes 2, Local 5
08173 Sant Cugat del Vallès, Barcelona



+34/93/72 97 - 240

E-Mail: ventas@weraspain.com



Wera Tools Finland Oy

Vantaankoskentie 14
01670 Vantaa, Finland



+358 50 362 8935

E-Mail: joki@wera.de



Wera Outillages SAS

79 B, route de Bischwiller
67500 Haguenau



+33 9 72 61 16 52

E-Mail: info@wera-outillages.fr



Wera Tools (UK) Ltd.

Railway View
Clay Cross
Chesterfield
S45 9FR



+44 (0)1246 / 27 77 56

Fax: +44 (0)1246 / 27 33 35

E-Mail: queries@wera-tools.co.uk



Wera Tools Inc.

3325 Harvester Rd., Unit 16
Burlington, Ontario
Canada, L7N 3N2



1-800-267-55 41

E-Mail: info@weratools.com



Wera Tools Inc.

3325 Harvester Rd., Unit 16
Burlington, Ontario
Canada, L7N 3N2



1-800-267-55 41

E-Mail: info@weratools.com



Nederland

Joke Mengerink
Verkoop binnendienst NL



+31 / 613 51 01 55

E-Mail: nederland@wera.de

NL - Zuid

Wouter Steijvers



+31 / 652 85 01 62

E-Mail: steijvers@wera.de

NL - Midden

Martijn van Houdt



+31 / 611 06 35 35

E-Mail: vanhoudt@wera.de

Demovan

Vincent van Gaalen



+31 / 615 44 37 19

E-Mail: vangaalen@wera.de



Wera Tools Inc.

3325 Harvester Rd., Unit 16
Burlington, Ontario
Canada, L7N 3N2



1-800-267-55 41

E-Mail: info@weratools.com



Wera Tools Australia Pty Ltd Australia



+61-435 755 123

E-Mail: mike.sack@wera.de



Wera Tools Japan G.K

2F, Eden Bldg.,
1-10-8 Kamiikebukuro, Toshima-Ku,
Tokyo, 170-0012 Japan
東京都豊島区上池袋1-10-8
エデンビル2階



+81-3-3915-2555

E-Mail メール: frank.yang@wera.de

Imprint

Subject to technical modifications!

Any reprinting – even only excerpts – shall only be permissible with the prior written consent of the company Wera Werkzeuge GmbH.

Edition: EN 2/2026

Trademarks used:

ACR	Phillips Screw Company
ASSY	Adolf Würth GmbH & Co. KG
AW	Adolf Würth GmbH & Co. KG
HIOS	Totsu, Katsuyuki
Microstix	OSG System Products Co. Ltd.
Phillips Recess	Phillips Screw Company
Pozidriv	registered trademark for Phillips Screw Company in Canada, Mexico and in the USA; for Trifast plc in the UK
PZ	registered trademark for Phillips Screw Company in Canada, Mexico and in the USA
PZ1, PZ2, PZ3	registered trademark in the USA for Phillips Screw Company
PUK	Josef Haunstetter Sägenfabrik KG
Robertson	British Robertson S.L.U.
SDS plus	Robert Bosch GmbH
SIT	Adolf Würth GmbH & Co. KG
SPAX	Altenloh, Brinck & Co. GmbH & Co. KG
T-STAR plus	Altenloh, Brinck & Co. GmbH & Co. KG
TORQ-SET	Phillips Screw Company
TORX	Camcar Innovations, Michigan, USA
TORX PLUS	Camcar Innovations, Michigan, USA
TRI-WING	Phillips Screw Company
BESSEY®	BESSEY Tool GmbH & Co. KG
“KIRSCHEN”®	Wilh. Schmitt & Comp. GmbH & Co. KG
KNIPEX®	KNIPEX-Werk C. Gustav Putsch KG
COBRA®	KNIPEX-Werk C. Gustav Putsch KG
Lyra®	Johann Froescheis Lyra-Bleistift-Fabrik GmbH & Co. KG
PFERD	August Rüggeberg GmbH & Co. KG
PICARD®	Picard GmbH
RENNSTEIG	Rennsteig Werkzeuge GmbH
Stabila®	STABILA Messgeräte Gustav Ullrich GmbH

We reserve the right to modify without prior notification any details stated in this catalogue regarding product features, versions and designs.

No liability for printing errors or mistakes shall be assumed.



Contact us

All regions (except for North America, UK and Republic of Ireland)

Wera Werkzeuge GmbH
Germany

Korzerter Straße 21–25
D-42349 Wuppertal
Phone: +49 (0) 202 / 40 45-0

E-Mail: info@wera.de

Internet: www.wera.de

North America

Wera Tools Inc.
3325 Harvester Rd., Unit 16
Burlington, Ontario
Canada, L7N 3N2

Phone: 1-800-267-55 41
E-Mail: info@weratools.com

Internet: www.weratools.com

UK & Republic of Ireland

Wera Tools (UK) Ltd.
Railway View
Clay Cross
Chesterfield
S45 9FR

Phone: +44 (0)1246 / 27 77 56
E-Mail: queries@wera-tools.co.uk

Internet: www.wera-tools.co.uk
Socials: [@weratoolsuk](https://www.instagram.com/weratoolsuk)